




Spare parts for:

Ovens



Suitable for:

HONEYWELL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221819





Suitable for:

HONEYWELL



Suitable for:

Cables for piezo igniters

5059077 CABLE FOR SPARK PLUG KIT
 a cable covered with red silicone 315 mm
 a cable covered with red silicone 410 mm
 wire covered with silicone transparent 470 mm
 a ground wire 520 mm



HONEYWELL

5056097 CABLE KIT FOR SPARKING PLUG
 wire covered with silicone red 810 mm
 wire in silicone coated 810 mm



HONEYWELL

5021269 PLUG CABLES KIT
 a covered cable in red silicone 700 mm
 a covered cable in silicone 700 mm



HONEYWELL


5028654 PLUG CABLES KIT
 a covered cable in red silicone 315 mm
 a covered cable in silicone 315 mm



HONEYWELL

Electrical gas valves and accessories

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz




HONEYWELL V4400C1211B

HONEYWELL V4400C1211U001

HONEYWELL V4400C1237U

3526013 VALVE VK4105A HONEYWELL \varnothing 3/4"MM
 inlet \varnothing 3/4"M - outlet \varnothing 3/4"M
 maximum gas inlet pressure 60 mbar
 room temperature -15÷60°C
 power supply 220/240V 50Hz




HONEYWELL VK4105A1100

HONEYWELL VK4105A1100B

HONEYWELL VK4105A1100U

3526181 VALVE VK4105C HONEYWELL \varnothing 1/2"
 inlet-outlet \varnothing 1/2" unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature -15÷60°C
 power supply 220/240V 50Hz



HONEYWELL VK4105C1041B

HONEYWELL VK4105C1041U

3526407 VALVE VK4105C HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm without thread
 maximum gas inlet pressure 60 mbar
 room temperature -15÷60°C
 power supply 220/240V 50Hz



HONEYWELL VK4105C1009B

HONEYWELL VK4105C1009U



Suitable for:

Suitable for:

4006596 VALVE VK4105P HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting pitch ASA
 maximum pressure gas inlet 60 mbar
 ambient temperature $-15 \div 60^{\circ}\text{C}$
 power supply 220/240V 50Hz



HONEYWELL VK4105P2037U

3526211 VALVE VK4105Q HONEYWELL \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 60^{\circ}\text{C}$
 power supply 220/240V 50Hz



HONEYWELL VK4105Q2010B


HONEYWELL VK4105Q2010U

3526015 VALVE VK4115V HONEYWELL \varnothing 1/2"
 inlet-outlet \varnothing 1/2" unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 70^{\circ}\text{C}$
 power supply 220/240V 50Hz



HONEYWELL VK4115V1097

3526017 VALVE VK4115V HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm without thread
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 70^{\circ}\text{C}$
 power supply 220/240V 50Hz




HONEYWELL VK4115V1014B

HONEYWELL VK4115V1014U

HONEYWELL VK4115V10144

3526219 VALVE VK4115V HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 70^{\circ}\text{C}$
 power supply 220/240V 50Hz



HONEYWELL VK4115V1154U

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 100 mbar
 room temperature $0 \div 60^{\circ}\text{C}$
 power supply 220V 50Hz



HONEYWELL VR4605P2015B

HONEYWELL VR4605P2015U

3526063 VALVE V4600C HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature $0 \div 70^{\circ}\text{C}$
 power supply 220V 50Hz



HONEYWELL V4600C1029B

HONEYWELL V4600C1029U

HONEYWELL V4600C1029U001

HONEYWELL V4600C1086U



Suitable for:


HONEYWELL



Suitable for:

Electronic boxes

3054042 CONTROL BLOX S4565A3050U
model HONEYWELL - 220/240V 50/60Hz 4VA



HONEYWELL S4565A3050U


3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



HONEYWELL S4560A1008B

HONEYWELL S4560A1008U


3091017 CONTROL BOX S4560B1006
model HONEYWELL - 220/240V 50Hz 10VA



HONEYWELL S4560B1006B

HONEYWELL S4560B1006U

3091026 CONTROL BOX S4560M1010
model HONEYWELL - 220/240V 50Hz 10vA
for 10-20 SHELVES



HONEYWELL S4560M1010B

HONEYWELL S4560M1010U

3526182 CONTROL BOX S4565A2092
model HONEYWELL - 220/240V 50/60Hz 4VA



HONEYWELL S4565A2092B

HONEYWELL S4565A2092U

3091032 CONTROL BOX S4565BD1064
model HONEYWELL - 220/240V 50/60Hz 4VA



HONEYWELL S4565BD1064

HONEYWELL S4565BD1064B

HONEYWELL S4565BD1064U

3526403 CONTROL BOX S4565C1033U
model HONEYWELL- 230V 50/60Hz 4VA
for 6-20 grills



HONEYWELL S4565C1033B

HONEYWELL S4565C1033U

HONEYWELL S4565C1033I

3091019 CONTROL BOX S4565C1082
model HONEYWELL - 220/240V 50/60Hz 4VA



HONEYWELL S4565C1082

HONEYWELL S4565C1082B

HONEYWELL S4565C1082U

5053449 CONTROL BOX S4565C1116
HONEYWELL - 220/240V 50/60Hz 4VA



HONEYWELL S4565C1116U

3091022 CONTROL BOX S4575B1066
model HONEYWELL - 230/240V 50/60Hz 4VA



HONEYWELL S4575B1066

Suitable for:

3091023 CONTROL BOX S4575B3066
model HONEYWELL - 230/240V 50/60Hz 4VA



HONEYWELL S4575B3066U

Suitable for:

3526011 IGNITION CONTROL BOX S4565AF1007
model HONEYWELL - 220/240V 50/60Hz 4VA



HONEYWELL S4565AF1007V01U

Electronic controllers

7103034 THERMOSTAT DC1040 0-400°C 85-265V
power 85/265V 8VA 50Hz
thermostat operating range 0+400°C
ambient temperature 0+50°C



HONEYWELL DC10N

Pressure switches

3320185 GAS PRESS.SWITCH CONTROL BOX HONEYWELL
pressione 13-15,5 mbar
room temperature -10+70°C - 5A 250V
for GAS OVENS from 10/97 to 11/00



HONEYWELL 45900438-109B

3320056 PRESSURE SWITCH HONEYWELL C6065A12752
pressure 0.4-10 mbar
enabling ON switching



HONEYWELL C6065A1275B

HONEYWELL C6065A1275U

Sparking and detection plugs

3806021 ROUND DETECTOR ELECTRODE
with flange





















HONEYWELL Q354A1000B

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us