



Spare parts for:

Ovens



Suitable for:

KÜPPERSBUSCH



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


KÜPPERSBUSCH



Suitable for:

Buzzers

- 3397302 ALARM BELL 220V**
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 407333

Castors, rollers and accessories

- 3346079 SWIVELLING WHEEL WITH BRAKE**
with ZINC-PLATED supports
dimension $\varnothing 100 \times 24$ mm - load capacity 55 Kg
pin hole $\varnothing 10$ mm



KÜPPERSBUSCH

Contactors

- 3397401 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**
0.55Kw / $1 \div 1.6$ A
3 normally open contacts



KÜPPERSBUSCH 407528

- 3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**
1.1Kw / $1.6 \div 2.5$ A
3 normally open contacts



KÜPPERSBUSCH 407617

- 3397403 AUXILIARY CONTACT AEG HS9.11**
6A
1 normally open contact
1 normally closed contact



KÜPPERSBUSCH 407529

- 3351231 AUXILIARY CONTACT AEG SH04.22**
coil 16A 230V 50/60Hz
2 contacts NO
2 auxiliary contacts NC



KÜPPERSBUSCH 185778

KÜPPERSBUSCH 185845

Suitable for:


3446034 CONTACTOR ABB B6-30-01
6A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



KÜPPERSBUSCH

Suitable for:


3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact
for Convection oven electric (KÜPPERSBUSCH) CED110



KÜPPERSBUSCH 185830

KÜPPERSBUSCH 185850

5000853 CONTACTOR AEG LS05400
4Kw 400V - coil 230V 50/60Hz
4 contacts NO
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 163500

KÜPPERSBUSCH 185890

3351220 CONTACTOR AEG LS11K 25A 400V 11Kw
coil 230V 50/60Hz
3 contacts NO
no auxiliary contact



KÜPPERSBUSCH 185776

KÜPPERSBUSCH 185796

3351221 CONTACTOR AEG LS15K 32A 230V 16Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



KÜPPERSBUSCH 185777

KÜPPERSBUSCH 185797

3351222 CONTACTOR AEG LS22K 50A 230V 22Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



KÜPPERSBUSCH 186174

3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



KÜPPERSBUSCH 185775

KÜPPERSBUSCH 185783

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



KÜPPERSBUSCH



Suitable for:

KÜPPERSBUSCH



Suitable for:

Electrical gas valves and accessories

- 3526290 VALVE ELETTROSIT Ø 3/4"FF**
inlet Ø 3/4" F - outlet Ø 3/4" F
thermocouple connection 11/32"
maximum gas inlet pressure 50 mbar
setting range of the pressure
adjuster 3 ÷ 18 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz
pilot connection and BOTTOM thermocouple
for Convection oven gas (KÜPPERSBUSCH) CBG110
CGD110 - CGD120



KÜPPERSBUSCH 173243

Electronic printed-circuit boards

- 5043765 PCB KEYBOARD 390x185 mm**
three D-shaped pins Ø 6x4.6 mm
for Convection oven (KÜPPERSBUSCH) - Series CBE
Series CEC DAL 1996 - Series CED DAL 1996
Series CGD - Series LBG



KÜPPERSBUSCH 161603

KÜPPERSBUSCH 161630

Energy regulators

- 3350026 ENERGY ADJUSTER**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin Ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



KÜPPERSBUSCH 183149


KÜPPERSBUSCH 183150

KÜPPERSBUSCH 183236

KÜPPERSBUSCH 540548


Fans for motors

3230003 FAN ø 280 mm
 thickness 115 mm
 blades no. 42 - ø conical hole 13-15 mm
 for Convection oven (KÜPPERSBUSCH) CBE106 - CCE106
 CEC106 - CED106 - CEF106 - CEM106 - CPE106




KÜPPERSBUSCH 174256

5023022 FAN ø 280 mm
 thickness 125 mm
 number of blades 12 - tapered hole ø 11-16 mm




KÜPPERSBUSCH 407448

3240321 FAN ø 355 mm
 thickness 130 mm
 blades no. 42 - ø conical hole 20-22 mm
 for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
 CBG110 - CBG120 - CCE110 - CCE120 - CEC110
 CEC120 - CED110 - CED120 - CEF110 - CEF120
 CEM110 - CEM120 - CGD110 - CGD120 - CPE110
 CPE120



KÜPPERSBUSCH 174257

3230004 FAN ø 405 mm
 thickness 130 mm
 blades no. 38 - ø conical hole 20-23 mm
 for Convection oven (KÜPPERSBUSCH) CBE220 - CCE220
 CEC220 - CED220 - CEF220 - CEM220 - CPE220



KÜPPERSBUSCH 174265

Fuses

3049011 DELAY FUSE ø 5x20 mm - 10 PCS
 250V 630mA



KÜPPERSBUSCH 407274

3049016 DELAY FUSE ø 5x20 mm - 10 PCS
 250V 2A



KÜPPERSBUSCH

3049020 DELAY FUSE ø 5x20 mm - 10 PCS
 250V 6.3A



KÜPPERSBUSCH 407273

3049022 DELAY FUSE ø 5x20 mm - 10 PCS
 250V 10A



KÜPPERSBUSCH 216327



Suitable for:

KÜPPERSBUSCH



Suitable for:

Gaskets and seals

3786742 COPPER GASKET FOR MOTOR SHAFT

ø ext. 30 mm - ø int. 23 mm - thickness 1.5mm
for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
CBE220 - CCE110 - CCE120 - CCE220 - CEC110
CEC120 - CEC220 - CED110 - CED120 - CED220
CEF110 - CEF120 - CEF220 - CEM110 - CEM120
CEM220 - CPE110 - CPE120 - CPE220



KÜPPERSBUSCH 146360

KÜPPERSBUSCH 755769000

3786739 COPPER SEALING GASKET FOR MOTOR SHAFT

ø ext. 25 mm - ø int. 17 mm - thickness 1 mm
for Convection oven (KÜPPERSBUSCH) CBE106 - CCE106
CEC106 - CED106 - CEF106 - CEM106 - CPE106



KÜPPERSBUSCH 146195

KÜPPERSBUSCH 784863000

3786741 COPPER SEALING GASKET FOR MOTOR SHAFT

ø ext. 34 mm - ø int. 26 mm - thickness 2 mm
for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
CBE220 - CCE110 - CCE120 - CCE220 - CEC110
CEC120 - CEC220 - CED110 - CED120 - CED220
CEF110 - CEF120 - CEF220 - CEM110 - CEM120
CEM220 - CPE110 - CPE120 - CPE220




KÜPPERSBUSCH 146361

KÜPPERSBUSCH 755770000

3186173 GASKET FOR OVEN LAMP RECEPTACLE

external dimensions 93x79 mm
for Convection oven (KÜPPERSBUSCH)
Series CBE-CCE-CPE - Series CEC DAL 1998
Series CEF DAL 1998 - Series CEM DAL 1998
Series CGD-CBG
for Convection oven (KÜPPERSBUSCH)
Series CED DAL 1998 - CPL120



KÜPPERSBUSCH 060323

3786497 MOTOR SHAFT GASKET


for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407293

5052554 MOTOR SHAFT GLANGE GASKET


ø external 61 mm - ø internal 42 mm
thickness 1 mm
for Convection oven (KÜPPERSBUSCH) CBE106 - CBE110
CBE120 - CBE220 - CCE106 - CCE110 - CCE120
CCE220 - CEC106 - CEC110 - CEC120 - CEC220
CED106 - CED110 - CED120 - CED220 - CEF106
CEF110 - CEF120 - CEF220 - CEM106 - CEM110
CEM120 - CEM220 - CPE106 - CPE110 - CPE120
CPE220



KÜPPERSBUSCH 062131


Gaskets for oven door

3286006 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven (KÜPPERSBUSCH)




KÜPPERSBUSCH 062329

3286077 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOUR
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 062329

3286005 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR
for Convection oven (KÜPPERSBUSCH)
for Convection oven (KÜPPERSBUSCH) KEG0082




KÜPPERSBUSCH 062329

5063057 OVEN DOOR GASKET 1310x730 mm
of silicone elastomer
profile size 34x19 mm
BLACK COLOUR
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 060667

3186156 OVEN DOOR GASKET 485x470 mm
made of silicone elastomer
profile dimensions 23x18 mm
COLOUR BLACK
for Convection oven electric (KÜPPERSBUSCH) ECD106



KÜPPERSBUSCH 407459

7103363 OVEN DOOR GASKET 515x465 mm
made of silicone elastomer
BLACK COLOUR
for Convection oven (KÜPPERSBUSCH)




KÜPPERSBUSCH 060673

5057155 OVEN DOOR GASKET 520x490 mm
of silicone elastomer
profile size 34x19 mm
BLACK COLOUR
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 060664

5055731 OVEN DOOR GASKET 700x515 mm
of silicone elastomer
profile size 40x27 mm
BLACK COLOUR
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 060674




KÜPPERSBUSCH



Suitable for:


3186155 OVEN DOOR GASKET 720x485 mm
made of silicone elastomer
profile dimensions 23x18 mm
COLOUR BLACK
for Convection oven electric (KÜPPERSBUSCH) ECD110



KÜPPERSBUSCH 407476

Suitable for:

3286026 OVEN DRAWER GASKET - 21 m
made of silicone elastomer
profile dimensions 26x19 mm
COLOUR BROWN




KÜPPERSBUSCH 062293
KÜPPERSBUSCH 407636

KÜPPERSBUSCH 062392

KÜPPERSBUSCH 407392

3286025 OVEN DRAWER GASKET - 7 m
made of silicone elastomer
profile dimensions 26x19 mm
COLOUR BROWN
for Convection oven (KÜPPERSBUSCH) ECD220
for Convection oven (KÜPPERSBUSCH) ECD120 - KEG0082
CEC120



KÜPPERSBUSCH 062293
KÜPPERSBUSCH 407636

KÜPPERSBUSCH 062392

KÜPPERSBUSCH 407392

3786623 OVEN GLASS GASKET
made of silicone elastomer
profile dimensions 8x7 mm
COLOUR GREY
SOLD PER METRE
for Convection oven (KÜPPERSBUSCH) ECD106 - ECD110
ECD120 - ECD220



KÜPPERSBUSCH 407363

Handles

3242090 BASE FOR DOOR HANDLE
for OVEN



KÜPPERSBUSCH 707377

3242255 CENTRAL LOCK MECHANISM RIGHT
for OVEN
for Convection oven (KÜPPERSBUSCH) CBE120 - CBE220
CBG120 - CCE120 - CEC120 - CEC220 - CED120
CED220 - CEF120 - CEF220 - CEM120 - CEM220
CEP220 - CGD120 - CPE120



KÜPPERSBUSCH 133194

3242451 CLASP $\varnothing$ 3x16 mm
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



KÜPPERSBUSCH 156938

3242317 CLOSING DEVICE FOR DOOR HANDLE
for OVEN



KÜPPERSBUSCH 407371

Suitable for:

3242471 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (KÜPPERSBUSCH) ECD120
ECD220



KÜPPERSBUSCH 407490

3242317 CLOSING DEVICE FOR DOOR HANDLE
for OVEN



KÜPPERSBUSCH 407371

3242316 OVEN DOOR CLOSING SUPPORT
distance between mounting holes 32-90 mm
for OVEN



KÜPPERSBUSCH 407634

3242241 STRIKE FOR OVEN RIGHT HANDLE
distance between mounting holes 67 mm
for OVEN



KÜPPERSBUSCH 407376

3242320 DOOR CLOSING PLATE
distance between mounting holes 68 mm
for OVEN



KÜPPERSBUSCH 407380

Suitable for:

3242090 BASE FOR DOOR HANDLE
for OVEN



KÜPPERSBUSCH 707377

3242320 DOOR CLOSING PLATE
distance between mounting holes 68 mm
for OVEN



KÜPPERSBUSCH 407380

3242318 STRIKE FOR DOOR HANDLE
distance between mounting holes 68 mm
for OVEN



KÜPPERSBUSCH 407379

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



KÜPPERSBUSCH 133200



Suitable for:

3242291 DOOR LOCK CENTRAL FOOT
for OVEN



KÜPPERSBUSCH


Suitable for:

5050060 HANDLE OVEN DOOR 250x32 mm
handle distance between holes 124-133 mm
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 133030

3242593 KNOB ROLL HOLDER FOR LOCK.NUT



KÜPPERSBUSCH

3242753 LH-RH CATCH WITHOUT LOCK 791 CR
for high temperatures
curved handgrip
length 254x30 mm - distance 133 mm
adjustable catch from 9 to 22 mm
for Convection oven (KÜPPERSBUSCH)
CBE106 - CBE110 - CCE106 - CCE110 - CEC110
CED106 - CED110 - CEF106 - CEF110 - CEM106
CEM110 - CGD110 - CPE106 - CPE110
for Convection oven (KÜPPERSBUSCH)
CEC106 - CXE106 - KEG0058



KÜPPERSBUSCH 133199

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



KÜPPERSBUSCH 133200

3242316 OVEN DOOR CLOSING SUPPORT
distance between mounting holes 32-90 mm
for OVEN



KÜPPERSBUSCH 407634

3242311 OVEN DOOR HANDLE 280x30 mm
handle mounting holes distance 123-136 mm
for Convection oven electric (KÜPPERSBUSCH)
ECD106 - ECD110



KÜPPERSBUSCH 407282

3242312 STRIKE FOR OVEN HANDLE
distance between mounting holes 15 mm
for Convection oven electric (KÜPPERSBUSCH)
ECD106 - ECD110



KÜPPERSBUSCH 407364

Suitable for:

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven electric (KÜPPERSBUSCH) CBE120
CBE220 - CCE120 - CCE220 - CEC120 - CEC220
CED120 - CED220 - CEF120 - CEF220 - CEM120
CEM220 - CPE120 - CPE220
for Convection oven gas (KÜPPERSBUSCH) CBG120
CGD120



KÜPPERSBUSCH 133195

Suitable for:

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for Convection oven (KÜPPERSBUSCH)
CXL110
CXE110



KÜPPERSBUSCH 133032

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN
for Convection oven (KÜPPERSBUSCH) KEG0082



KÜPPERSBUSCH 133196

3242318 STRIKE FOR DOOR HANDLE
distance between mounting holes 68 mm
for OVEN



KÜPPERSBUSCH 407379

3242312 STRIKE FOR OVEN HANDLE
distance between mounting holes 15 mm
for Convection oven electric (KÜPPERSBUSCH)
ECD106 - ECD110



KÜPPERSBUSCH 407364

3242241 STRIKE FOR OVEN RIGHT HANDLE
distance between mounting holes 67 mm
for OVEN



KÜPPERSBUSCH 407376

Heating elements

7100778 HEATING ELEMENT 12000W 230/240V
immersed depth 515 mm
flange ø ext. 63 mm
for Convection oven electric (KÜPPERSBUSCH) CBE120
CBE220 - CCE120 - CCE220 - CED120 - CED220
CEF120 - CEF220 - CEM120 - CEM220 - CPE120
CPE220



KÜPPERSBUSCH 181737

KÜPPERSBUSCH 182684

3186013 O-RING GASKET 06187 EPDM ø 58 mm



KÜPPERSBUSCH 060842

KÜPPERSBUSCH 409187



Suitable for:

2102307 HEATING ELEMENT 2000W 230V

length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm



KÜPPERSBUSCH 402628

Suitable for:

3355711 HEATING ELEMENT 2000W 230V


length 520 mm - width 90 mm
connections M14x1.5 mm
for Convection oven electric (KÜPPERSBUSCH) ECD110
ECD120



KÜPPERSBUSCH 407299

3355712 HEATING ELEMENT 2500W 230V

length 510 mm - width 140 mm
connections M14x1.5 mm
for Convection oven electric (KÜPPERSBUSCH) ECD220



KÜPPERSBUSCH 407496

3355701 HEATING ELEMENT 3000W 230V


immersed length 380 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (KÜPPERSBUSCH) ECD106



KÜPPERSBUSCH 407264

3755303 HEATING ELEMENT 3000W 230V

length 120 mm - width 360 mm
fittings M12x1 mm - complete with cables
for Convection oven electric (KÜPPERSBUSCH) CBE106
CBE110 - CCE106 - CCE110 - CEC106 - CEC110
CPE106 - CPE110



KÜPPERSBUSCH 181740

3855023 HEATING ELEMENT 4000W 230V

length 120 mm - width 360 mm
fittings M12x1 mm - complete with cables
for Convection oven electric (KÜPPERSBUSCH) CBE120
CBE220 - CCE120 - CCE220 - CEC120 - CEC220
CED120 - CED220 - CEF120 - CEF220 - CEM120
CEM220 - CPE120 - CPE220



KÜPPERSBUSCH 181741

KÜPPERSBUSCH 182683

3755219 HEATING ELEMENT 500W 230V

immersed length 295 mm
fitting $\varnothing 3/4"$ - complete with cables
for Convection oven electric (KÜPPERSBUSCH)
Series CBE - Series CCE - Series CED - Series CEF
Series CEM - Series CPE



KÜPPERSBUSCH 181729

KÜPPERSBUSCH 182311

3355702 HEATING ELEMENT 6000W 230V

immersed length 380 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (KÜPPERSBUSCH) ECD106
ECD110 - ECD220



KÜPPERSBUSCH 407263

Suitable for:

Suitable for:

3355714 HEATING ELEMENT 9000W 230V
 ø external 333 mm - overall height 190 mm
 connections M14x1.5 mm
 for Convection oven electric (KÜPPERSBUSCH) ECD106



KÜPPERSBUSCH 407449

3755304 HEATING ELEMENT 9000W 230V
 immersed depth 520 mm
 flange ø ext. 63 mm
 complete with O-RING
 for Convection oven electric (KÜPPERSBUSCH)
 CBE106 - CBE110 - CCE106 - CCE110 - CED106
 CED110 - CEF106 - CEF110 - CEM110 - CPE106
 CPE110
 CEM106



3186013 O-RING GASKET 06187 EPDM ø 58 mm



KÜPPERSBUSCH 181736

KÜPPERSBUSCH 182680

KÜPPERSBUSCH 060842

KÜPPERSBUSCH 409187

Hinges, catches and accessories

3053108 ROLL HOLDER FOR HINGE
 mounting distance 95 mm - overall length 110 mm
 height 23 mm



KÜPPERSBUSCH 131604

KÜPPERSBUSCH 131618

Hydraulic piping

3450109 RUBBER PIPE ø 13x20 mm - 5 m
 operating temperature -40+100°C



KÜPPERSBUSCH 20670300



Suitable for:

KÜPPERSBUSCH



Suitable for:

Incandescent lamps and neon lamps

3221067 NEON LAMP FOR OVEN E10 2W 230V
dimensions $\varnothing$ 10x28 mm
for OVEN



KÜPPERSBUSCH 407269

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C
for Convection oven (KÜPPERSBUSCH)
CPL120



KÜPPERSBUSCH 163000

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184001

KÜPPERSBUSCH 407288

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184018

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



KÜPPERSBUSCH 183926

3221253 OVEN LAMP E14 6/10W 230V
dimensions $\varnothing$ 16x52 mm



KÜPPERSBUSCH 407265

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



KÜPPERSBUSCH 184186

3221452 INDICATOR LAMP NEUTRAL 250V
head $\varnothing$ 13 mm - hole $\varnothing$ 10 mm - 120°C



KÜPPERSBUSCH 184145

Interference suppression filters

2111282 INTERF. SUPPRES. FILTER LUETZE 0.22 μ F 24



KÜPPERSBUSCH 407290


Knobs

5025982 BLACK KNOB ø 62 mm
D-shaft 6x4.6 mm
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 189009


2110800 DISK STICKER 0-I-0-I
external ø 59 mm



KÜPPERSBUSCH 141077

KÜPPERSBUSCH 144734

2110733 STICKING KNOB DISK RED I-II-I-II
ø external 59 mm



KÜPPERSBUSCH 141108

KÜPPERSBUSCH 144750

3241987 STICKING KNOB DISK RED 0-100°C
ø external 59 mm




KÜPPERSBUSCH 144766

3241980 STICKING KNOB DISK RED 1-2-3-4-5-6-7-8
ø external 59 mm




KÜPPERSBUSCH 141110

3241982 STICKING KNOB DISK RED 30-110°C
ø external 59 mm




KÜPPERSBUSCH 141109

2110731 STICKING KNOB DISK RED 50-300°C
ø external 59 mm



KÜPPERSBUSCH 141106

3241978 STICKING KNOB DISK WITH PILOT SYMBOL
ø external 59 mm
for gas taps with pilot




KÜPPERSBUSCH 100329

5035730 STICKING KNOB DISK WITH PILOT SYMBOL
ø external 59 mm



KÜPPERSBUSCH 141104

2110730 STICKING KNOB DISK 0-I-II-III
ø external 59 mm



KÜPPERSBUSCH 141070




Suitable for:

3241979 STICKING KNOB DISK 0-I-II-III
ø external 59 mm




KÜPPERSBUSCH 141069

3241981 STICKING KNOB DISK 0-1-2-3
ø external 59 mm




KÜPPERSBUSCH 144769

2110732 STICKING KNOB DISK 10-120 MINUTES
ø external 59 mm



KÜPPERSBUSCH 144706

3241983 STICKING KNOB DISK 30-110°C
ø external 59 mm



KÜPPERSBUSCH 141091

2110800 DISK STICKER 0-I-0-I
external ø 59 mm




KÜPPERSBUSCH 141077

KÜPPERSBUSCH 144734


Suitable for:

2111543 STICKING KNOB DISK 0-1-2-3
ø external 59 mm



KÜPPERSBUSCH 141078


3241984 STICKING KNOB DISK 1-2-3-4-5-6-7-8
ø external 59 mm



KÜPPERSBUSCH 141099

KÜPPERSBUSCH 141124

3241986 STICKING KNOB DISK 100-195°C
ø external 59 mm



KÜPPERSBUSCH 141092


3241987 STICKING KNOB DISK RED 0-100°C
ø external 59 mm



KÜPPERSBUSCH 144766

Suitable for:


3241978 STICKING KNOB DISK WITH PILOT SYMBOL
 ø external 59 mm
 for gas taps with pilot



KÜPPERSBUSCH 100329


Suitable for:

3241979 STICKING KNOB DISK 0-I-II-III
 ø external 59 mm



KÜPPERSBUSCH 141069

2110732 STICKING KNOB DISK 10-120 MINUTES
 ø external 59 mm



KÜPPERSBUSCH 144706

Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE
 external dimensions 96x80 mm
 for Convection oven (KÜPPERSBUSCH)
 Series CEC DAL 1998 - Series CED DAL 1998
 Series CEE DAL 1998 - Series CEM DAL 1998
 Series CGD-CBG-CBE-CCE-CPE



KÜPPERSBUSCH 131111

3221053 GASKET FOR OVEN LAMP RECEPTACLE
 dimensions ø 48x38x5 mm
 for OVEN



KÜPPERSBUSCH 407286

3221349 GLASS F.OVEN RECEPTACLE LAMP ø 73 mm
 thread ø 63 mm - overall height 45 mm
 for Convection oven (KÜPPERSBUSCH)
 Series CEC FINO AL 10/1996
 Series CED FINO AL 10/1196



KÜPPERSBUSCH 407680

3221173 GLASS FOR OVEN LAMP RECEPTACLE
 external dimensions 73x58 mm
 for Convection oven (KÜPPERSBUSCH)
 Series CBE-CCE-CPE - Series CEC DAL 1998
 Series CEE DAL 1998 - Series CEM DAL 1998
 Series CGD-CBG
 for Convection oven (KÜPPERSBUSCH)
 Series CED DAL 1998 - CPL120



KÜPPERSBUSCH 103702



Suitable for:


3221232 GLASS FOR OVEN LAMP RECEPTACLE ø 53 mm
thread ø 33 mm - overall height 32 mm
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407390

Suitable for:

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole ø 36 mm
max temperature 300°C
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407284

3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V
lamp glass ø 53 mm
mounting hole ø 36 mm
max temperature 300°C
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 48x38x5 mm
for OVEN



KÜPPERSBUSCH 407286

3221232 GLASS FOR OVEN LAMP RECEPTACLE ø 53 mm
thread ø 33 mm - overall height 32 mm
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407390

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184001

KÜPPERSBUSCH 407288

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184018

Suitable for:

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
 lamp glass ø 72 mm
 mounting hole ø 68 mm
 max temperature 300°C
 for Convection oven (KÜPPERSBUSCH)
 Series CEC FINO AL 10/1996
 Series CED FINO AL 10/1996



KÜPPERSBUSCH 183927

Suitable for:

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



KÜPPERSBUSCH 184001

KÜPPERSBUSCH 407288

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN




KÜPPERSBUSCH 184018

3221266 LAMP RECEPTACLE WITH LAMP G4 20W 12V
 external dimensions 74x59 mm
 wire connection length 680 mm
 max temperature 300°C
 for Convection oven (KÜPPERSBUSCH)
 Series CEC DAL 1998 - Series CED DAL 1998
 Series CEE DAL 1998 - Series CEM DAL 1998
 Series CGD-CBG-CBE-CCE-CPE



KÜPPERSBUSCH 163005

3186173 GASKET FOR OVEN LAMP RECEPTACLE
 external dimensions 93x79 mm
 for Convection oven (KÜPPERSBUSCH)
 Series CBE-CCE-CPE - Series CEC DAL 1998
 Series CEF DAL 1998 - Series CEM DAL 1998
 Series CGD-CBG
 for Convection oven (KÜPPERSBUSCH)
 Series CED DAL 1998 - CPL120



KÜPPERSBUSCH 060323

3221172 FRAME FOR OVEN LAMP RECEPTACLE
 external dimensions 96x80 mm
 for Convection oven (KÜPPERSBUSCH)
 Series CEC DAL 1998 - Series CED DAL 1998
 Series CEE DAL 1998 - Series CEM DAL 1998
 Series CGD-CBG-CBE-CCE-CPE



KÜPPERSBUSCH 131111

3221173 GLASS FOR OVEN LAMP RECEPTACLE
 external dimensions 73x58 mm
 for Convection oven (KÜPPERSBUSCH)
 Series CBE-CCE-CPE - Series CEC DAL 1998
 Series CEE DAL 1998 - Series CEM DAL 1998
 Series CGD-CBG
 for Convection oven (KÜPPERSBUSCH)
 Series CED DAL 1998 - CPL120



KÜPPERSBUSCH 103702



Suitable for:

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C
for Convection oven (KÜPPERSBUSCH)
CPL120



KÜPPERSBUSCH 163000

KÜPPERSBUSCH



Suitable for:

Microswitches

3240320 DOOR MAGNETIC MICROSWITCH KIT
bulb $\varnothing$ 8x28 mm
with cable length 1900 mm
for Convection oven electric (KÜPPERSBUSCH) CCE106
CCE110 - CCE120 - CCE220 - CPE106 - CPE110
CPE120 - CPE220



KÜPPERSBUSCH 164891

3240956 MICROSWITCH BZ-2RQI-AZ 16A 250V
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 177160

3240820 MICROSWITCH 16A 250V



KÜPPERSBUSCH 540575

5025981 MICROSWITCH 6A 250V



KÜPPERSBUSCH 177168

3240054 MICROSWITCH 83731 5A 250V
with cable length 500 mm
for Convection oven (KÜPPERSBUSCH) - Series ECD




KÜPPERSBUSCH 407268

Motors

3340199 FLANGE FOR MOTOR SHAFT

ext. $\varnothing$ 60 mm - int. $\varnothing$ 20 mm - thickness 12 mm
for Convection oven (KÜPPERSBUSCH) CCE106 - CEC106
CED106 - CEF106 - CEM106 - CPE106



KÜPPERSBUSCH 146193

KÜPPERSBUSCH 754860000

5052555 FLANGE FOR MOTOR SHAFT

ext. $\varnothing$ 60 mm - int. $\varnothing$ 26 mm - thickness 14 mm
for Convection oven (KÜPPERSBUSCH) CEC110 DAL 1996
CEC120 DAL 1996 - CEC220 DAL 1996
CED110 DAL 1996 - CED120 DAL 1996
CED220 DAL 1996 - CEF110 - CEF120 - CEF220
CEM110 - CEM120 - CEM220



KÜPPERSBUSCH 146769

3240115 MOTOR L7ZAW4D-099 0.245Kw

230/415V 50/60Hz
for Convection oven (KÜPPERSBUSCH)
CBE106 FINO AL 1991 - CEC120-CCE106-CPE106
CED106 FINO AL 1996
ECD106-ECD110-ECD120-CEC106-CEC110 - ECD220



KÜPPERSBUSCH 115950

3786739 COPPER SEALING GASKET FOR MOTOR SHAFT

$\varnothing$ ext. 25 mm - $\varnothing$ int. 17 mm - thickness 1 mm
for Convection oven (KÜPPERSBUSCH) CBE106 - CCE106
CEC106 - CED106 - CEF106 - CEM106 - CPE106




KÜPPERSBUSCH 146195

KÜPPERSBUSCH 784863000

3230003 FAN $\varnothing$ 280 mm

thickness 115 mm
blades no. 42 - $\varnothing$ conical hole 13-15 mm
for Convection oven (KÜPPERSBUSCH) CBE106 - CCE106
CEC106 - CED106 - CEF106 - CEM106 - CPE106



KÜPPERSBUSCH 174256

3340199 FLANGE FOR MOTOR SHAFT

ext. $\varnothing$ 60 mm - int. $\varnothing$ 20 mm - thickness 12 mm
for Convection oven (KÜPPERSBUSCH) CCE106 - CEC106
CED106 - CEF106 - CEM106 - CPE106



KÜPPERSBUSCH 146193

KÜPPERSBUSCH 754860000

3786497 MOTOR SHAFT GASKET

for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407293

3786740 MOTOR SHAFT SEALING GASKET

external $\varnothing$ 30 mm - internal $\varnothing$ 20 mm - 2 mm thickness
for Convection oven (KÜPPERSBUSCH) CBE106 - CCE106
CEC106 - CED106 - CEF106 - CEM106 - CPE106



KÜPPERSBUSCH 146194

KÜPPERSBUSCH 754861000



Suitable for:

3240322 MOTOR L9CW4D-037

220/240V-380/415V 50Hz - 277/480V 60Hz
P:1 0.58/0.95Kw - P:2 0.370Kw
1400/1600rpm
for Convection oven (KÜPPERSBUSCH) CCE120-CPE120



KÜPPERSBUSCH 115966

KÜPPERSBUSCH 120121

3786741 COPPER SEALING GASKET FOR MOTOR SHAFT

ø ext. 34 mm - ø int. 26 mm - thickness 2 mm
for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
CBE220 - CCE110 - CCE120 - CCE220 - CEC110
CEC120 - CEC220 - CED110 - CED120 - CED220
CEF110 - CEF120 - CEF220 - CEM110 - CEM120
CEM220 - CPE110 - CPE120 - CPE220



KÜPPERSBUSCH 146361

KÜPPERSBUSCH 755770000

5052555 FLANGE FOR MOTOR SHAFT

ext. ø 60 mm - int. ø 26 mm - thickness 14 mm
for Convection oven (KÜPPERSBUSCH) CEC110 DAL 1996
CEC120 DAL 1996 - CEC220 DAL 1996
CED110 DAL 1996 - CED120 DAL 1996
CED220 DAL 1996 - CEF110 - CEF120 - CEF220
CEM110 - CEM120 - CEM220



KÜPPERSBUSCH 146769

Suitable for:

3786742 COPPER GASKET FOR MOTOR SHAFT

ø ext. 30 mm - ø int. 23 mm - thickness 1.5mm
for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
CBE220 - CCE110 - CCE120 - CCE220 - CEC110
CEC120 - CEC220 - CED110 - CED120 - CED220
CEF110 - CEF120 - CEF220 - CEM110 - CEM120
CEM220 - CPE110 - CPE120 - CPE220




KÜPPERSBUSCH 146360

KÜPPERSBUSCH 755769000

3240321 FAN ø 355 mm


thickness 130 mm
blades no. 42 - ø conical hole 20-22 mm
for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
CBG110 - CBG120 - CCE110 - CCE120 - CEC110
CEC120 - CED110 - CED120 - CEF110 - CEF120
CEM110 - CEM120 - CGD110 - CGD120 - CPE110
CPE120



KÜPPERSBUSCH 174257

5052554 MOTOR SHAFT GLANGE GASKET

ø external 61 mm - ø internal 42 mm
thickness 1 mm
for Convection oven (KÜPPERSBUSCH) CBE106 - CBE110
CBE120 - CBE220 - CCE106 - CCE110 - CCE120
CCE220 - CEC106 - CEC110 - CEC120 - CEC220
CED106 - CED110 - CED120 - CED220 - CEF106
CEF110 - CEF120 - CEF220 - CEM106 - CEM110
CEM120 - CEM220 - CPE106 - CPE110 - CPE120
CPE220



KÜPPERSBUSCH 062131

Suitable for:

Suitable for:

3340190 MOTOR L9ZW84D-286 380/415V

P2: 0.12/0.9Kw P1: 0.24/1.2Kw
50Hz 0.9/2.1A - 700/1380rpm
for Convection oven (KÜPPERSBUSCH) CBE220 DAL 1991
CEF220
for Convection oven electric (KÜPPERSBUSCH)
CED220 DAL 1996



KÜPPERSBUSCH 120103

3786742 COPPER GASKET FOR MOTOR SHAFT

ø ext. 30 mm - ø int. 23 mm - thickness 1.5mm
for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
CBE220 - CCE110 - CCE120 - CCE220 - CEC110
CEC120 - CEC220 - CED110 - CED120 - CED220
CEF110 - CEF120 - CEF220 - CEM110 - CEM120
CEM220 - CPE110 - CPE120 - CPE220



KÜPPERSBUSCH 146360

KÜPPERSBUSCH 755769000

3786741 COPPER SEALING GASKET FOR MOTOR SHAFT

ø ext. 34 mm - ø int. 26 mm - thickness 2 mm
for Convection oven (KÜPPERSBUSCH) CBE110 - CBE120
CBE220 - CCE110 - CCE120 - CCE220 - CEC110
CEC120 - CEC220 - CED110 - CED120 - CED220
CEF110 - CEF120 - CEF220 - CEM110 - CEM120
CEM220 - CPE110 - CPE120 - CPE220




KÜPPERSBUSCH 146361

KÜPPERSBUSCH 755770000

3230004 FAN ø 405 mm

thickness 130 mm
blades no. 38 - ø conical hole 20-23 mm
for Convection oven (KÜPPERSBUSCH) CBE220 - CCE220
CEC220 - CED220 - CEF220 - CEM220 - CPE220



KÜPPERSBUSCH 174265

5052555 FLANGE FOR MOTOR SHAFT


ext. ø 60 mm - int. ø 26 mm - thickness 14 mm
for Convection oven (KÜPPERSBUSCH) CEC110 DAL 1996
CEC120 DAL 1996 - CEC220 DAL 1996
CED110 DAL 1996 - CED120 DAL 1996
CED220 DAL 1996 - CEF110 - CEF120 - CEF220
CEM110 - CEM120 - CEM220



KÜPPERSBUSCH 146769

5052554 MOTOR SHAFT GLANGE GASKET

ø external 61 mm - ø internal 42 mm
thickness 1 mm
for Convection oven (KÜPPERSBUSCH) CBE106 - CBE110
CBE120 - CBE220 - CCE106 - CCE110 - CCE120
CCE220 - CEC106 - CEC110 - CEC120 - CEC220
CED106 - CED110 - CED120 - CED220 - CEF106
CEF110 - CEF120 - CEF220 - CEM106 - CEM110
CEM120 - CEM220 - CPE106 - CPE110 - CPE120
CPE220



KÜPPERSBUSCH 062131



Suitable for:

KÜPPERSBUSCH



Suitable for:

Outlet solenoid valves and accessories

3525022 MOTORIZED VALVE DRAIN BOILER

230V 50/60Hz 2.5W

fittings $\varnothing$ 3/4" FF DN20

for Convection oven electric (KÜPPERSBUSCH)

CBE106 - CBE110 - CBE120 - CBE220 - CCE106

CCE110 - CCE120 - CCE220 - CED106 - CPE106

CPE110 - CPE120 - CPE220

for Convection oven (KÜPPERSBUSCH)

KEG0082

CPL110



KÜPPERSBUSCH 151006

KÜPPERSBUSCH 164011

KÜPPERSBUSCH 994595006

KÜPPERSBUSCH 994898006

KÜPPERSBUSCH 994899006

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



KÜPPERSBUSCH 060842

KÜPPERSBUSCH 409187

Penetration probes

3397052 PENETRATION PROBE PT100


2 wires - probe length 180 mm

cable length 3000 mm

with fastening coupling M12

for Convection oven electric (KÜPPERSBUSCH)

Series ECD



KÜPPERSBUSCH 407610

3397057 PENETRATION PROBE PT1000

2 wires - total probe length 170 mm

bulb $\varnothing$ 4 mm - cable length 2000 mm

for Convection oven electric (KÜPPERSBUSCH)

Series CCE

for Convection oven (KÜPPERSBUSCH)

CPE110

CXE106

for Convection oven electric (KÜPPERSBUSCH)

Series CPE



KÜPPERSBUSCH 161634

KÜPPERSBUSCH 161642

KÜPPERSBUSCH 161634+060384_2PZ KÜPPERSBUSCH 161641

KÜPPERSBUSCH 161642+060625

Pilot burners and accessories

- 2103965 NATURAL GAS PILOT BURNER CB 502.031**
with NATURAL GAS nozzle and olive for pilot
supplied with pilot tube connection
supplied with ignitor and fitting



KÜPPERSBUSCH 161134

KÜPPERSBUSCH 161149

Potentiometers

- 3157002 POTENTIOMETER 0-150°C**
probe type PT100 (not included)
for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407325

Probes

- 3397082 PROBE TEMPERATURE WITH BYPASS PT100**
2 wires- for steam generator
probe length 80 mm
cable length 1800 mm
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407334


- 7101484 TEMPERATURE PROBE PT100**
2 wires
probe length 30 mm - bulb ø 5 mm - thread M5
cable length 2000 mm
for Convection oven electric (KÜPPERSBUSCH)
Series CBE - Series CCE - Series CEC DAL 1996
Series CED DAL 1196 - Series CEF - Series CEM
for Convection oven gas (KÜPPERSBUSCH)
Series CBG - Series CGD



KÜPPERSBUSCH 161608

Relays

- 5047903 RELAY SETUP KIT MULTIFUNCTION MK7850N**
adjustment 1"÷300h
for Convection oven electric (KÜPPERSBUSCH)
ECD106-ECD110-ECD120-ECD220



KÜPPERSBUSCH 407270

- 3351109 TIME LIMIT RELAY 80.41 16A 240V 50/60Hz**
multifunctional
1 control contact



KÜPPERSBUSCH



Suitable for:

Suitable for:

3351116 TIME LIMIT RELAY 82.11 24/240V 50/60Hz

1 switching contact
slow release on excitation
timer 0.05" ÷ 10h




KÜPPERSBUSCH

Rotary switches

3057014 SELECTOR SWITCH 0-1 POSITIONS


contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat



KÜPPERSBUSCH 183110

3057001 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 32A 250V - max 150°C
D spindle ø 6x4.6 mm




KÜPPERSBUSCH 182752

KÜPPERSBUSCH 183105

3057023 SELECTOR SWITCH 0-6 POSITIONS

contact capacity 32A 250V - max 150°C
D shaft ø 6x4.6 mm



KÜPPERSBUSCH 183104

Solenoid valves

3120274 COIL MULLER 220/240V 50/60Hz

max. temperature 90°C
with cable length 2000 mm



KÜPPERSBUSCH 407350

Solenoid valves

3120398 SOLENOID VALVE INVENSYS 2 WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
with cable length 2000 mm
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407280

3120274 COIL MULLER 220/240V 50/60Hz
max. temperature 90°C
with cable length 2000 mm




KÜPPERSBUSCH 407350

3120161 SOLENOID VALVE MULLER 1-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



KÜPPERSBUSCH 355635

3120162 SOLENOID VALVE MULLER 2-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



KÜPPERSBUSCH 173121

3120597 VALVE 230V ø 11.5 mm
valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 11,5 mm
with cable length 2000 mm
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407352

1120460 2-WAY SOLENOID VALVE LUCIFER 240V 50Hz
7121ZBG1LV00 - fittings ø 1/8"FF - max 10 bar
VITON seal - orifice 2.5 mm
with coil 483510 9W 220/240V 50/60Hz
fluid temperature -40°C+ 140°C
for Convection oven (KÜPPERSBUSCH) CPE110



KÜPPERSBUSCH 173133

KÜPPERSBUSCH 782582004

Spark generators

3181012 GENERATOR 2 OUTPUTS
220/240V - 50/60Hz - 1.7VA
for Convection oven gas (KÜPPERSBUSCH) CBG110
CBG120 - CGD110 - CGD120



KÜPPERSBUSCH 185310



Suitable for:

KÜPPERSBUSCH



Suitable for:

Tangential and radial fans

- 3526203 TANGENT.VENTILATOR 180 mm RIGHT**
19W 220/230V 50/60Hz - ø 45 mm
operating temperature -10°+60°C



KÜPPERSBUSCH 178352

KÜPPERSBUSCH 178463

- 3526153 TANGENTIAL FAN 180 mm RH**
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



KÜPPERSBUSCH 178410

KÜPPERSBUSCH 178412

- 2102307 HEATING ELEMENT 2000W 230V**
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm



KÜPPERSBUSCH 402628

- 3526966 TANGENTIAL FAN 300 mm LH**
26W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



KÜPPERSBUSCH 174259

KÜPPERSBUSCH 174262

Thermocouples and accessories

- 3440076 CIRCUIT BREAK CONTACT M10x1**



KÜPPERSBUSCH 164833

- 3440014 INTERRUPTION CONNECTOR M8x1**



KÜPPERSBUSCH 164815

- 3440015 INTERRUPTION CONNECTOR M9x1**



KÜPPERSBUSCH 183235



Suitable for:

3440047 THERMOCOUPLE M8X1 75 cm



KÜPPERSBUSCH 174413

Suitable for:

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



KÜPPERSBUSCH 174413

3440135 THERMOCOUPLE SIT M10x1 150 cm



KÜPPERSBUSCH 162138

KÜPPERSBUSCH 162153

3440031 THERMOCOUPLE SIT M8x1 120 cm



KÜPPERSBUSCH 162152

3440027 THERMOCOUPLE SIT M8x1 32 cm



KÜPPERSBUSCH 174410

3440068 THERMOCOUPLE SIT M8x1 32 cm



KÜPPERSBUSCH 162111

KÜPPERSBUSCH 174409

KÜPPERSBUSCH 504113

KÜPPERSBUSCH 506112

**3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.
GIUNTO M8x1**




KÜPPERSBUSCH 151900

3440051 THERMOCOUPLE SIT M8x1 32 cm.THREAD M8x1



KÜPPERSBUSCH 151900

**3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.
GIUNTO M8x1**



KÜPPERSBUSCH 151900

**3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS
GIUNTO M8x1**



KÜPPERSBUSCH

3440028 THERMOCOUPLE SIT M8x1 60 cm



KÜPPERSBUSCH 162132

KÜPPERSBUSCH 162140

KÜPPERSBUSCH 162164

KÜPPERSBUSCH 162166



Suitable for:

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



KÜPPERSBUSCH 162112

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



KÜPPERSBUSCH 151901

3440052 THERMOCOUPLE SIT M8x1 45 cm COUPLING M8x



KÜPPERSBUSCH


3440046 THERMOCOUPLE SIT M8x1 60 cm



KÜPPERSBUSCH 162112

Suitable for:

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
GIUNTO M8x1**




KÜPPERSBUSCH 151901

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
GIUNTO M8x1**



KÜPPERSBUSCH 151901

**3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS
GIUNTO M8x1**



KÜPPERSBUSCH

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS




KÜPPERSBUSCH 162112

Thermostats

3444402 SINGLE-PHASE THERMOSTAT 0-300°C

D-shaped pin 6x4.6 mm
covered capillary length 1200 mm - 16A 250V
bulb ø 3x160 mm
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 407276

3444403 SINGLE-PHASE THERMOSTAT 0-300°C

D-shaped pin 6x4.6 mm
covered capillary length 830 mm - 16A 250V
bulb ø 4x100 mm
for Convection oven (KÜPPERSBUSCH)




KÜPPERSBUSCH 407266

Suitable for:

Suitable for:

3444401 SINGLE-PHASE THERMOSTAT 100-180°C
D-shaped pin 6x4.6 mm
covered capillary length 2420 mm - 16A 250V
bulb ø 6x90 mm - with stuff.gland coupling M9x1
for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407340

3444495 SINGLE-PHASE THERMOSTAT 147°C
with manual reset
covered capillary length 1800 mm - 16A 250V
bulb ø 6x77 mm
for Convection oven electric (KÜPPERSBUSCH)
Series CBE DAL 1991 - Series CLE - Series CPE



KÜPPERSBUSCH 152433

KÜPPERSBUSCH 176587

3444746 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin ø 6x4.6 mm
covered capillary length 3000 mm - 16A 230V
bulb ø 3.1x197 mm



KÜPPERSBUSCH 174690

3444400 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb ø 3x262 mm
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407279

3444496 SINGLE-PHASE THERMOSTAT 340°C
with manual reset
covered capillary length 1900 mm - 16A 250V
bulb ø 4x100 mm
for Convection oven electric (KÜPPERSBUSCH)
Series CBE - Series CCE - Series CPE
for Convection oven gas (KÜPPERSBUSCH)
Series CBG



KÜPPERSBUSCH 152432

KÜPPERSBUSCH 176592

3444405 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1170 mm - 16A 250V
bulb ø 4x120 mm - with stuff.gland nut M14x1
for Convection oven (KÜPPERSBUSCH) - Series ECD



KÜPPERSBUSCH 407275

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
capillary 950 mm - 16A 250V
bulb ø 3x160 mm



KÜPPERSBUSCH 174681

3444701 SINGLE-PHASE THERMOSTAT 55-250°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1170 mm - 16A 250V
bulb ø 3.1x226 mm - with stuffing gland M9x1



KÜPPERSBUSCH 540522



Suitable for:

KÜPPERSBUSCH



Suitable for:

Timers

3446091 TIMER 100 MINUTES MS65

mechanical timer with manual position
manual winding cycle 100 minutes
bipolar timer with contact capacity 16(3)A 250V
max. temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (KÜPPERSBUSCH)



KÜPPERSBUSCH 174878


KÜPPERSBUSCH 174946

KÜPPERSBUSCH 355690

KÜPPERSBUSCH 407267

3446039 TIMER 120 MINUTES MS65

120 minute manually set cycle
with manual position
contact capacity 16(4)A 250V 50Hz
max temperature 100°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (KÜPPERSBUSCH)
Series CEC FINO AL 10/1996
Series CED FINO AL 10/1996



KÜPPERSBUSCH 174883

3446235 TIMER 120 MINUTES 626/410

mechanical timer with manual setting
possibility of manual positioning
cycle manual set 120 minutes
2-pole with contact capacity 16(4)A 250V
temperature max 100°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (KÜPPERSBUSCH)
Series ECD



KÜPPERSBUSCH 407267

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



KÜPPERSBUSCH 407157

Washing showers for ovens

3359523 OVEN CLEANING BLACK SHOWER GUN with quick coupling



KÜPPERSBUSCH 172855

Watertight seals and rings

3786740 MOTOR SHAFT SEALING GASKET external ø 30 mm -internal ø 20 mm -2 mm thickness for Convection oven (KÜPPERSBUSCH) CBE106 - CCE106 CEC106 - CED106 - CEF106 - CEM106 - CPE106



KÜPPERSBUSCH 146194

KÜPPERSBUSCH 754861000

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  <p>LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> |  <p>OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
|  <p>LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com</p> |  <p>LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
|  <p>EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> |  <p>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch</p> |
|  <p>LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> |  <p>LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
|  <p>LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | |
-
- | | |
|---|---|
|  <p>AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> |  <p>DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
|  <p>AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at</p> |  <p>JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp</p> |
|  <p>BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> |  <p>SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
|  <p>BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> |  <p>TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com</p> |
|  <p>CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> |  <p>USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |