




Spare parts for:

Ovens



Suitable for:

LAINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2014-12051053





Suitable for:

LAINOX



Suitable for:

Actuators

3840001 ACTUATOR LINEAR 220VCC
for Convection oven (LAINOX) - Series NAB00



LAINOX R65090310

Alarms

3397301 ALARM BELL AC00206 85x45x25 mm
power 220/240GV



LAINOX R65330050

5054849 ALARM BELL WITH BOARD
complete with spacers
dimensions 55x47 mm
for Convection oven (LAINOX)



LAINOX R65301960

LAINOX R65302450

3397302 ALARM BELL 220V



LAINOX R65330010

3397194 ALARM WITH CARD
dimensions 45x57 mm
cable length 440 mm
for Convection oven electric (LAINOX) ME061D - ME061P - ME061T - ME101D - ME101P - ME101T - ME102D - ME102P - ME102T - ME201D - ME201P - ME201T - ME202D - ME202P - ME202T - VE024P - VE051P - VE055P - VE061D - VE061P - VE101D - VE101P - VE102D - VE102P - VE201D - VE201P - VE202D - VE202P
for Convection oven gas (LAINOX) MG061D - MG061P - MG061T - MG101D - MG101P - MG101T - MG102D - MG102P - MG102T - MG201D - MG201P - MG201T - MG202D - MG202P - MG202T - VG051P - VG061D - VG061P - VG101D - VG101P - VG102D - VG102P - VG201D - VG201P - VG202D - VG202P



LAINOX R65301440

Suitable for:

3397009 ALARM WITH CARD 12V
connector fitting
dimensions 58x46 mm
cable length 600 mm
for Convection oven electric (LAINOX) - Series ME
Series VE
for Convection oven gas (LAINOX) - Series MG
Series VG



LAINOX R65330040

Suitable for:

3392014 PANEL ALARM 72x41 mm
cable length 450 mm
for Convection oven (LAINOX) - Series NABOO



LAINOX R65330060

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



LAINOX

3240600 FAN GRID 119x119 mm
distance between mounting holes 145 mm



3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



LAINOX R65060050

5030187 AXIAL VENTILATOR ADDA 172x152x52 mm
220/240V 50/60Hz 0.27/0.23A
for Convection oven electric (LAINOX) HME201P
HME201T - HME201X - HVE201P - HVE201T
HVE201X - MCE201M - ME101P - ME101T - ME201D
ME201P - ME201T - ME202D - ME202P - ME202T
VE201D - VE201P - VE202D - VE202P
for Convection oven gas (LAINOX) HMG201P - HMG201T
HMG201X - HVG201P - HVG201T - HVG201X
MCG201M - MG101P - MG101T - MG201D - MG201P
MG201T - MG202D - MG202P - MG202T - VG201D
VG201P - VG202D - VG202P



LAINOX R65060060

3240337 AXIAL VENTILATOR SUNON 80x80x38 mm
ball bearings
230V 50/60Hz 18W 2400rpm
SF23080A-2083HBL.GN



LAINOX R65060010



Suitable for:


LAINOX



Suitable for:

Baffles

5054115 DRAIN ASSEMBLY
for Convection oven (LAINOX)



LAINOX F69180100

Ball valves and accessories

3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4" FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



LAINOX MA1450500

3241275 BLACK KNOB
square hole: 7x7mm



3356078 BUSHING \varnothing 11x20 mm



LAINOX MA1515900

3356077 ROLL PIN \varnothing 3.5x30 mm
UNI 6873 - DIN 1481 - ISO 8752



Cables for piezo igniters

5059077 CABLE FOR SPARK PLUG KIT
a cable covered with red silicone 315 mm
a cable covered with red silicone 410 mm
wire covered with silicone transparent 470 mm
a ground wire 520 mm
for Convection oven gas (LAINOX)
Series GGMT VERSIONE P/T
Series HMG VERSIONE P/T/X
Series HVG101 VERSIONE P/T/X
Series HVG201 VERSIONE P/T/X
Series MCG VERSIONE M - Series MMG VERSIONE P
Series MVG VERSIONE P



LAINOX F66605820

5056097 CABLE KIT FOR SPARKING PLUG
wire covered with silicone red 810 mm
wire in silicone coated 810 mm
for Convection oven gas (LAINOX) GC010M - GM020M
GV010M - GV020M - VG106D - VG106M - VG106X
VG110D - VG110M - VG110X - VG210D - VG210M
VG210X



LAINOX F66605900

Suitable for:

Suitable for:

5021269 PLUG CABLES KIT

a covered cable in red silicone 700 mm
a covered cable in silicone 700 mm
for Convection oven (LAINOX)



LAINOX R66110380
LAINOX R66605910

LAINOX R66110390

LAINOX R66605840

5028654 PLUG CABLES KIT

a covered cable in red silicone 315 mm
a covered cable in silicone 315 mm
for Convection oven gas (LAINOX) CG051M - CG071M
CG100M - CG200M - HVG061P - HVG061T - HVG061X
MG061D - MG061M - MG061P - MG061T - MG101D
MG101M - MG101P - MG101T - MG201D - MG201M
MG201P - MG201T - VG051P - VG061D - VG061M
VG061P - VG101D - VG101M - VG101P - VG201D
VG201M - VG201P



LAINOX R66110370

LAINOX R66605700

3001017 SIT IGNITION LEAD 600 mm

with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



LAINOX MA1950324

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190180

3068024 CAPACITOR μ F 16 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190030

3068002 CAPACITOR μ F 2.5 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX 965315

3068027 CAPACITOR μ F 20 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190040

LAINOX 50405630



Suitable for:

LAINOX



Suitable for:

Castors, rollers and accessories

5061819 RUOTA GIREVOLE A PIASTRA
 con supporti INOX
 dimensione \varnothing 125x32 mm - portata 150 Kg
 piastra di fissaggio 105x85 mm
 interasse fori 80-60 mm



LAINOX R69090090

5061820 RUOTA GIREVOLE A PIASTRA CON FRENO
 con supporti INOX
 dimensione \varnothing 125x32 mm - portata 150 Kg
 piastra di fissaggio 105x85 mm
 interasse fori 80-60 mm



LAINOX R69090100

Centrifugal fans

3240694 MOTOR FAN G1G126-AB13-53 45W 24V
 3950rpm
 for Convection oven gas (LAINOX) CG051M - CG071M
 CG100M - CG200M - MG061P - MG061T - MG101P
 MG101T - MG102P - MG102T - MG201D - MG201P
 MG201T - MG202D - MG202P - MG202T - VG051P
 VG061D - VG061P - VG101D - VG101P - VG102D
 VG102P - VG201D - VG201P - VG202D - VG202P



LAINOX R63130010

3240695 MOTOR FAN RG128/1300-3612
 100W 230V 50Hz
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X
 HMG102P - HMG102T - HMG102X - HMG201P
 HMG201T - HMG201X - HMG202P - HMG202T
 HMG202X - HVG061P - HVG061T - HVG061X
 HVG101P - HVG101T - HVG101X - HVG102P
 HVG102T - HVG102X - HVG202P - HVG202T
 HVG202X



LAINOX R65060360

Contactors

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



LAINOX MACM187400

5059052 CONTACTOR EATON DILM17-01
 17A 400V 7.5Kw - coil 230/240V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact
 for Convection oven electric (LAINOX) GEMT10P
 GEMT10T - GEVT10P - GEVT10T - MCE101M
 MCE102M - MME101P - MME102P - MVE101P
 MVE102P




LAINOX R65140710

Suitable for:

Suitable for:

5037343 CONTACTOR EATON DILM9-01
 20A 400V 4Kw - coil 230/240V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact
 for Convection oven electric (LAINOX) GEMT06T
 GEMT10P - GEMT10T - GEVT06P - GEVT06T
 GEVT10P - MCE051M - MCE071M - MCE101M
 MCE102M - MME071P - MME101P - MME102P
 MVE051P - MVE071P - MVE101P - MVE102P
 for Convection oven gas (LAINOX) GEMT06P - GGMT06P
 GGMT06T - GGMT10P - GGMT10T - GGVT06P
 GGVT06T - GGVT10P - GGVT10T - MCG071M
 MCG101M - MCG102M - MMG071P - MMG101P
 MMG102P - MVG071P - MVG101P - MVG102P



LAINOX R65140550

LAINOX R65140700

3446507 CONTACTOR SIEMENS 3RT2016-1AP02
 20A 400V 4Kw - bobina 230V 50/60Hz
 complete w/auxil.contact terminal block 1 NO - 1NC
 3 contacts normally open
 1auxiliary contact normally closed
 2 contatti ausiliario normalmente chiusi
 for Convection oven (LAINOX)



LAINOX R65140150

LAINOX R65140170


5011265 CONTACTOR SIEMENS 3RT1016-1AP02
 9A 400V 4Kw - coil 230v 50/60Hz
 complete w/auxil.contact terminal block 1 NO - 1NC
 3 contacts normally open
 1auxiliary contact normally closed
 1 contatto ausiliario normalmente chiuso
 for Convection oven (LAINOX)



LAINOX R65140140

LAINOX 50304251

3446509 CONTACTOR SIEMENS 3RT1025-1A
 coil 17A 240V 50Hz 7.5Kw
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact
 for Convection oven (LAINOX)



LAINOX R65140240

5059050 AUXILIARY CONTACT SIEMENS 3RH1921
 1 contact normally open
 1 contact normally closed
 for Convection oven (LAINOX)



LAINOX R65140430

5023908 CONTACTOR SIEMENS 3RT1025-1AL20
 17A 400V 7.5Kw - coil 230V 50/60Hz
 3 normally open contacts
 for Convection oven (LAINOX)



LAINOX R65140400

5059050 AUXILIARY CONTACT SIEMENS 3RH1921
 1 contact normally open
 1 contact normally closed
 for Convection oven (LAINOX)



LAINOX R65140430



Suitable for:

3454006 CONTACTOR SIEMENS 3RT2016-1AP02

9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



LAINOX F65140380

Suitable for:

5059050 AUXILIARY CONTACT SIEMENS 3RH1921

1 contact normally open
1 contact normally closed
for Convection oven (LAINOX)



LAINOX F65140430

3454067 THERM.CUTOUT T12-211S 2.5A 240V 50/60Hz

for Convection oven electric (LAINOX) CE106M
EM006H - FE051M - FE051X - ME106D - ME106H
ME106M - ME106P - ME106X - PE041M - PE041X
PE051M - PE051X - VE106D - VE106H - VE106M
VE106P - VE106X
for Convection oven gas (LAINOX) CG106M - FG051M
FG051X - MG061H - MG061M - MG061P - MG061T
MG106D - MG106H - MG106M - MG106P - MG106X
PG041M - PG041X - PG051M - PG051X - VG106D
VG106H - VG106M - VG106P - VG106X



LAINOX F65160310

5051716 THERMAL RELAY SIEMENS 1.4-2A


1 normally open contact
1 normally closed contact
3RU1116-1BB0 series S00
for Convection oven electric (LAINOX)
Series ME101 - Series ME201 - Series VE101
Series VE201
for Convection oven gas (LAINOX) - Series MG101
Series MG201 - Series MG202 - Series VG101
Series VG201 - Series VG202



LAINOX F65160620

3351059 THERMAL RELAY SIEMENS 1.8-2.5 A

1 normally open contact
1 normally closed contact
3RU1116-1CB0 series S00
for Convection oven electric (LAINOX) ME102D
ME102M - ME102P - ME102T - ME202D - ME202M
ME202P - ME202T - VE102D - VE102M - VE102P
VE102T - VE202D - VE202M - VE202P - VE202T
for Convection oven gas (LAINOX) MG102T - MG202T
VG102T - VG202T



LAINOX F65160580

3351062 THERMAL RELAY SIEMENS 2.8-4 A

1 contact normally open
1 contact normally closed
3RU2116-1EB0 serie S00
for Convection oven (LAINOX)



LAINOX F65160590

3351063 THERMAL RELAY SIEMENS 3.5-5 A

1 contact normally open
1 contact normally closed
3RU1116-1FB0 serie S00
for Convection oven (LAINOX)



LAINOX F65160600

5024348 THERMAL T12-211S 0.8A 240V 50/60Hz

for Convection oven electric (LAINOX) EM006H
ME061P - ME061T - ME106M - ME106P - VE061P
VE106H - VE106P
for Convection oven gas (LAINOX) MG061P - MG061T
MG106H - MG106P - VG061P - VG106H - VG106P



LAINOX F65160300

Suitable for:

Suitable for:

- 5035217 THERMAL T12-211S 2A 240V 50/60Hz**
 for Convection oven electric (LAINOX) CE071M
 GEMT06P - GEVT06P - HME061P - HVE061P
 MCE071M - ME061P - ME061T - MME071P - MVE071P
 VE061D - VE061P
 for Convection oven gas (LAINOX) CG071M - GGMT06P
 GGVT06P - HMG061P - HVG061P - MCG071M - MG061P
 MG061T - MMG071P - MVG071P - VG061D - VG061P



LAINOX R65160320

Detergents

- 5050106 DETERGENT FOR OVENS COMBICLEAN 10 L**
 for cooking chamber cleaning
 please see the attached documentation for use
 for Convection oven (LAINOX)



LAINOX CR0331520

LAINOX DL010

Door glasses for oven and accessories

- 5021223 DOOR GLASS STRIKE PLATE \varnothing 12 mm**
 for Convection oven (LAINOX) - Series CE
 Series CG - Series GEM - Series GEV - Series GGM
 Series GGV - Series HME - Series HMG - Series HVE
 Series HVG - Series MCE - Series MCG - Series ME
 Series MG - Series MME - Series MMG - Series MVE
 Series MVG - Series VE - Series VG




LAINOX R70050100

- 5021228 HINGE PIN FOR INNER GLASS \varnothing 4x42 mm**
 for Convection oven (LAINOX)



LAINOX R58001770

- 5021227 INNER GLASS FIXED HINGE 30x20 mm**
 for Convection oven (LAINOX)



LAINOX R58001760

- 5039990 INNER GLASS FOR OVEN DOOR 830x710 mm**
 for Convection oven electric (LAINOX) CE100M
 MCE101M - MME101P - MVE101P
 for Convection oven gas (LAINOX) CG100M - MCG101M
 MMG101P - MVG101P



LAINOX R71201510



Suitable for:

5023070 INNER GLASS FOR OVEN DOOR 860x725 mm

for Convection oven electric (LAINOX) GEMT20P
 GEMT20T - GEVT20P - GEVT20T - HME101P
 HME101T - HME101X - HME102P - HME102T
 HME102X - HVE101P - HVE101T - HVE101X
 HVE102P - HVE102T - HVE102X - ME101P - ME101T
 ME102P - ME102T - VE101D - VE101P - VE102D
 VE102P
 for Convection oven gas (LAINOX) GGMT20P - GGMT20T
 GGVT20P - GGVT20T - HMG101P - HMG101T
 HMG101X - HMG102P - HMG102T - HMG102X
 HVG101P - HVG101T - HVG101X - HVG102P
 HVG102T - HVG102X - MG101P - MG101T - MG102P
 MG102T - VG101D - VG101P - VG102D



LAINOX R11100140

5038675 LOWER PROTECTION GLASS DOOR

dimensions 8x8x30 mm
 for Convection oven (LAINOX)



LAINOX R11401360

5021224 OVEN DOOR INNER GLASS 1470x730 mm

for Convection oven electric (LAINOX) GEMT40P
 GEMT40T - GEVT40P - GEVT40T - HME201P
 HME201T - HME201X - HME202T - HME202X
 HVE201P - HVE201T - HVE201X - HVE202P
 HVE202T - HVE202X - MCE201M - MCE202M - ME201D
 ME201P - ME201T - ME202D - ME202P - ME202T
 VE201D - VE201P - VE202D - VE202P
 for Convection oven gas (LAINOX) GGMT40P - GGMT40T
 GGVT40P - GGVT40T - HMG201P - HMG201T
 HMG201X - HMG202P - HMG202T - HMG202X
 HVG201P - HVG201T - HVG202P - HVG202T
 HVG202X - MCG201M - MCG202M - MG201D - MG201P
 MG201T - MG202D - MG202P - MG202T - VG201D
 VG201P - VG202P



LAINOX R11100150

Suitable for:

5021225 INNER GLASS LOCK KIT

for Convection oven (LAINOX)



LAINOX R58001780

5039988 LOWER SUPPORT KIT FOR INNER GLASS

for Convection oven (LAINOX)




LAINOX R18203910

5029791 UPPER PROTECTION GLASS DOOR

dimensionns 8x8x40 mm
 for Convection oven (LAINOX)



LAINOX R11401340

5039989 UPPER SUPPORT KIT FOR INNER GLASS
for Convection oven (LAINOX)

LAINOX R18203920

Doors**5031185 ESTERNAL OVER DOOR 980x800 mm**
for Convection oven electric (LAINOX) GEMT20P
GEMT20T - GEVT20P - GEVT20T - HME101P
HME101T - HME101X - HME102P - HME102T
HME102X - HVE101P - HVE101T - HVE101X
HVE102P - HVE102T - HVE102X - ME101P - ME101T
ME102P - ME102T
for Convection oven gas (LAINOX) GGMT20P - GGMT20T
GGVT20P - GGVT20T - HMG101P - HMG101T
HMG101X - HMG102P - HMG102T - HMG102X
HVG101P - HVG101T - HVG101X - HVG102P
HVG102T - HVG102X - MG101P - MG101T - MG102P
MG102T

LAINOX R11101440

Drain assembly**5059035 DRAIN ASSEMBLY**
with gasket
ø external inlet 72 mm
ø internal inlet 40 mm
ø external outlet 50 mm
ø internal outlet 45 mm
for Convection oven (LAINOX)

LAINOX R62280038



Suitable for:

LAINOX


Suitable for:



Drain pumps

3122202 ELECTRIC PUMP DISCHARGE 34W 230V 50Hz

0.22cl.F - capacity 1200 L/h
inlet \varnothing external 24 mm- outlet \varnothing external 22 mm
for Convection oven (LAINOX) - Series NABOO



LAINOX R65110300

Drip trays for kitchens and ovens

3015062 DOOR DRIP TRAY DRAIN 100 mm

for Convection oven electric (LAINOX) GEMT06P
GEMT06T - GEMT10P - GEMT10T - GEMT20P
GEMT20T - GEVT06P - GEVT06T - GEVT10P
GEVT10T - GEVT20P - GEVT20T - HME061P
HME061T - HME061X - HME101P - HME101T
HME101X - HME102P - HME102T - HME102X
HVE061P - HVE061T - HVE061X - HVE101P
HVE101T - HVE101X - HVE102P - HVE102T
HVE102X - ME101P - ME101T - ME102P - ME102T
VE061D - VE061P - VE101D - VE101P - VE102D
VE102P
for Convection oven gas (LAINOX) GGMT06P - GGMT06T
GGMT10P - GGMT10T - GGMT20P - GGMT20T
GGVT06P - GGVT06T - GGVT10P - GGVT10T
GGVT20P - GGVT20T - HMG061P - HMG061T



LAINOX R69180000

LAINOX R69180010

5028763 DOOR TRAY DRAIN 95 mm

for Convection oven electric (LAINOX)
Series ME VERSIONE D - Series ME VERSIONE H
Series ME VERSIONE P - Series ME VERSIONE T
Series VE VERSIONE D - Series VE VERSIONE P
for Convection oven gas (LAINOX)
Series MG VERSIONE D - Series MG VERSIONE H
Series MG VERSIONE P - Series MG VERSIONE T
Series VG VERSIONE D - Series VG VERSIONE P



LAINOX R11200520

3004017 DRIP TRAY 520x70x37 mm

for Convection oven (LAINOX) - Series NABOO



LAINOX R69180210

5035884 DRIP TRAY 540x72x37 mm

for Convection oven electric (LAINOX) GEMT06 P/T
GEMT10 P/T - GEVT06 P/T - GEVT10 P/T
for Convection oven gas (LAINOX) GGMT06 P/T
GGMT10 P/T - GGVT06 P/T - GGVT10 P/T



LAINOX R69180190



Suitable for:

3004018 DRIP TRAY 560x53x34 mm
for Convection oven (LAINOX) - Series NABOO



LAINOX R69180220

5048688 DRIP TRAY 690x72x37 mm
for Convection oven electric (LAINOX)
Series HME061 VERSIONE P/T/X
Series HVE061 VERSIONE P/T/X
for Convection oven gas (LAINOX)
Series HMG061 VERSIONE P/T/X
Series HVG061 VERSIONE P/T/X



LAINOX R69180150

5037027 DRIP TRAY 750x72x37 mm
for Convection oven electric (LAINOX) GEMT20P
GEMT20T - GEVT20P - GEVT20T - HME101P
HME101T - HME101X - HME102P - HME102T
HME102X - HVE101P - HVE101T - HVE101X
HVE102P - HVE102T - HVE102X
for Convection oven gas (LAINOX) GGMT20P - GGMT20T
GGVT20P - GGVT20T - HMG101P - HMG101T
HMG101X - HMG102P - HMG102T - HMG102X
HVG101P - HVG101T - HVG101X - HVG102P
HVG102T - HVG102X



LAINOX R69180170

Suitable for:

5035965 DRIP TRAY 580x53x35 mm
for Convection oven electric (LAINOX) GEMT06P
GEMT06T - GEMT10P - GEMT10T - GEVT06P
GEVT06T - GEVT10P - GEVT10T
for Convection oven gas (LAINOX) GGMT06P - GGMT06T
GGMT10P - GGMT10T - GGVT06P - GGVT06T
GGVT10P - GGVT10T



LAINOX R69180200

5032796 DRIP TRAY 730x53x55 mm
for Convection oven electric (LAINOX) HME061P
HME061T - HME061X - HVE061P - HVE061T
HVE061X
for Convection oven gas (LAINOX) HMG061P - HMG061T
HMG061X - HVG061P - HVG061T - HVG061X



LAINOX R69180160

5037028 DRIP TRAY 790x53x35 mm
for Convection oven electric (LAINOX) GEMT20P
GEMT20T - GEVT20P - GEVT20T - HME101P
HME101T - HME101X - HME102P - HME102T
HME102X - HVE101P - HVE101T - HVE101X
HVE102P - HVE102T - HVE102X
for Convection oven gas (LAINOX) GGMT20P - GGMT20T
GGVT20P - GGVT20T - HMG101P - HMG101T
HMG101X - HMG102P - HMG102T - HMG102X
HVG101P - HVG101T - HVG101X - HVG102P
HVG102T - HVG102X



LAINOX R69180180



Suitable for:

LAINOX



Suitable for:

Electrical gas valves and accessories

3526089 ELETTROSIT VALVE \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



LAINOX F63025020

LAINOX 50203151

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526106 STRAIGHT FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



3526100 COIL 220V
 for VALVE ELETTROSIT



3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526087 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



LAINOX R63025010

3526093 EXTENSION ELETROSIT BUTTON
 for switching on/off buttons



3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETROSIT VALVE



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETROSIT VALVE



3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETROSIT VALVE





Suitable for:

LAINOX



Suitable for:

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



LAINOX R63025030

LAINOX 50203161

3526100 COIL 220V
 for VALVE ELETTROSIT



3526137 BUTTON FOR ELETTROSIT VALVE



3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526093 EXTENSION ELETTROSIT BUTTON
 for switching on/off buttons



3001008 PIEZO IGNITER VERNITRON
 2.4 mm \varnothing male faston connector



3526136 SPRING FOR PUSH-BUTTON



3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETTROSIT VALVE



3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE




3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Suitable for:

3526407 VALVE VK4105C HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm without thread
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 60^{\circ}\text{C}$
 power supply 220/240V 50Hz
 for Convection oven gas (LAINOX) CG106M - CG110M
 CG210M - FG051M - FG051X - GC010M - GV010M
 PG041M - PG041X - PG051M - PG051X - VG106D
 VG106M - VG106X - VG110D - VG110M - VG110X
 VG201D - VG201X



LAINOX F63020150

Suitable for:

3526211 VALVE VK4105Q HONEYWELL \varnothing 3/4" FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 60^{\circ}\text{C}$
 power supply 220/240V 50Hz
 for Convection oven gas (LAINOX) GM0X0H - GM020M
 GV010H - MG106D - MG106M - MG106X - MG110D
 MG110M - MG110X - MG210D - MG210M - MG210X



LAINOX F63020160

3526017 VALVE VK4115V HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm without thread
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 70^{\circ}\text{C}$
 power supply 220/240V 50Hz



LAINOX F63020170

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2" FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 100 mbar
 room temperature $0 \div 60^{\circ}\text{C}$
 power supply 220V 50Hz
 for Convection oven gas (LAINOX) - Series CGS
 Series MG - Series MGS - Series PG - Series VG
 Series VGS



LAINOX F63020010

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526075 STRAIGHT FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



LAINOX



Suitable for:


Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven gas (LAINOX) MG220T - VG105S




LAINOX R63060020

3526182 CONTROL BOX S4565A2092
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven gas (LAINOX) CG051M - CG071M
CG100M - CG200M - HMG061X - HMG101X - HMG102X
HMG201X - HMG202X - MG061P - MG061T - MG101P
MG101T - MG102P - MG102T - MG201D - MG201P
MG201T - MG202P - MG202T - VG051P - VG061D
VG061P - VG202D



LAINOX R63060120


3526403 CONTROL BOX S4565C1033U
model HONEYWELL - 230V 50/60Hz 4VA
for 6-20 grills



LAINOX LAR63060140


LAINOX R63060140

5053449 CONTROL BOX S4565C1116
HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (LAINOX)



LAINOX R63060160


3526011 IGNITION CONTROL BOX S4565AF1007
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven (LAINOX) - Series MG
Series VG



LAINOX R63060100

Electronic controllers

3445133 THERMOSTAT IC912LX/H PT100
 power supply 12Vca/dc 15W
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 1 changeover relay output 8(3)A 250V
 failure message display
 room temperature -5+65°C
 PT100 probe (not included)
 connections by screw terminal block
 front dimensions 74x32x67 mm
 mounting hole 71x29 mm



LAINOX R65340010

3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range 0+350°C
 bulb ø 6x100 mm



LAINOX R60305111

LAINOX R65325010

LAINOX 50305111

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



Electronic printed-circuit boards

3390171 BASIC BOARD KIT 165x100 mm
 complete with display board and alarm




LAINOX BN3103245

3390037 SELECTOR SWITCH COMPLETE WITH CABLE
 version 2/5
 D-shaped pin ø 6x4.6 mm
 for 6-10-20-21 grills versions




5054846 BASIC CIRCUIT BOARD 250x130 mm
 for Convection oven (LAINOX)



LAINOX R65302250

5022629 BASIC CIRCUIT BOARD 288x84 mm
 for Convection oven electric (LAINOX) VE004D
 VE004H - VE104D - VE104H - VE105D - VE105H
 for Convection oven gas (LAINOX) VG105D - VG105H



LAINOX R65300830



Suitable for:

LAINOX



5011974 BASIC ELECTRONIC CIRCUIT BOARD 175x100mm
 for Convection oven electric (LAINOX) MES20X
 MES24X - MES40X - ME061M - ME101M - ME102M
 ME106X - ME110X - ME201M - ME202M - ME210X
 VEC20X - VES20X - VES24X - VES40X - VE061M
 VE101M - VE102M - VE106X - VE110X - VE201M
 VE202M - VE210X
 for Convection oven gas (LAINOX) MGC40X - MGS20X
 MGS24X - MGS40X - MG061M - MG101M - MG102M
 MG106X - MG110X - MG201M - MG202M - MG210X
 VGS20X - VGS24X - VGS40X - VG061M - VG101M
 VG102M - VG106X - VG110X - VG201M - VG202M
 VG210X




LAINOX R65300490

5011443 BASIC ELECTRONIC CIRCUIT BOARD 270x170mm
 complete with alarm bell
 for Convection oven electric (LAINOX) ME106T
 ME110T - ME120T - ME210T - ME220T - VE106T
 VE110T - VE210T
 for Convection oven gas (LAINOX) MG106T - MG110T
 MG120T - MG210T - MG220T - VG106T - VG110T
 VG210T



LAINOX R65300190

5054848 BURNERS ELECTR. CIRCUIT BOARD 85x42 mm
 complete with spacers
 for Convection oven gas (LAINOX)
 Series HMG VERSIONE X - Series HVG VERSIONE X



LAINOX R65301950


3390307 BUTTON PANEL ELECTRONIC BOARD 100x95 mm
 for Convection oven electric (LAINOX) VE106X
 VE106XUSA - VE110X - VE120X - VE210X - VE220X
 for Convection oven gas (LAINOX) VG106X
 VG106XUSA - VG110X - VG120X - VG210X - VG220X



LAINOX R65300370

LAINOX R65300570

3390070 CARD ADJUSTMENT MODULE 42x62 mm
 for Convection oven (LAINOX) - Series MIXVAPOR-L
 Series MIXVAPOR-S



LAINOX R65300990

5026936 DISPLAY CIRCUIT BOARD 185x140 mm
 for Convection oven electric (LAINOX)
 Series HME VERSIONE X - Series HVE VERSIONE X
 for Convection oven gas (LAINOX)
 Series HMG VERSIONE X - Series HVG VERSIONE X
 for Convection oven (LAINOX) ME101XM LCD



LAINOX R65301920

3390402 DISPLAY CIRCUIT BOARD 288x212 mm
 for Convection oven (LAINOX) - Series NABOO



LAINOX R65302490


3390403 ELECTRONIC BOARD EXPANSION 104x104 mm
 for BOILER
 for Convection oven (LAINOX) - Series NABOO



LAINOX R65302520

Suitable for:


3390404 ELECTRONIC BOARD EXPANSION 104x86 mm
for WASHING
for Convection oven (LAINOX) - Series NABOO



LAINOX R65302530


Suitable for:

3390067 ELECTRONIC CONTROL BOARD 400x90 mm
for Convection oven electric (LAINOX) ME120T
for Convection oven gas (LAINOX) MG220T



LAINOX R65300200

5028593 ELECTRONIC CONTROL BOARD 415x100 mm
complete with potentiometers
for Convection oven electric (LAINOX) ME061D
ME101D - ME102D - ME201D - ME202D
for Convection oven gas (LAINOX) MG061D - MG101D
MG102D - MG201D - MG202D




LAINOX R65301310

3390071 ELECTRONIC CONTROL BOARD 70x70 mm
for Convection oven (LAINOX) - Series ME
Series MG - Series VE - Series VG




LAINOX R65300540

3390401 ELECTRONIC DATA BASE 250x105 mm
for Convection oven (LAINOX) - Series NABOO



LAINOX R65302480


3390072 ELECTRONIC DISPLAY BOARD 33x56 mm
3 digits display
D-shaped pin \varnothing 6x4.6 mm
complete with 16 track cable
for Convection oven electric (LAINOX) ME110L
ME110S
for Convection oven gas (LAINOX) VG105S



LAINOX R65300220

LAINOX R65300270

5036369 ELECTRONIC MOTHERBOARD 246x143 mm
for Convection oven electric (LAINOX)
Series GEMT VERSIONE P - Series GEVT VERSIONE P
Series HME VERSIONE P - Series HME VERSIONE X
Series HVE VERSIONE P - Series HVE VSERIONE X
Series MME VERSIONE P - Series MVE VERSIONE P
for Convection oven gas (LAINOX)
Series GGMT VERSIONE P - Series GGVT VERSIONE P
Series HMG VERSIONE P - Series HMG VERSIONE X
Series HVG VERSIONE P - Series HVG VERSIONE X
Series MMG VERSIONE P - Series MVG VERSIONE P



LAINOX R65301910

5028594 EXPANSION ELECTR.CIRCUIT BOARD 130x85 mm
complete with spacers
for Convection oven electric (LAINOX)
Series GEMT VERSIONE P - Series HME VERSIONE P
Series ME VERSIONE D - Series ME VERSIONE P
Series MME VERSIONE P
for Convection oven gas (LAINOX)
Series GGMT VERSIONE P - Series HMG VERSIONE P
Series MG VERSIONE D - Series MG VERSIONE P
Series MMG VERSIONE P




LAINOX R65301480



Suitable for:


5033906 FAN ELECTRONIC CIRCUIT BOARD 140x80 mm
 for Convection oven gas (LAINOX) - Series GGM
 Series GGV - Series HMG - Series HVG - Series MCG
 Series MMG - Series MVG



LAINOX F63130050


Suitable for:

5048419 INVERTER ELECTR.CIRCUIT BOARD 77x62 mm
 complete with spacers
 for Convection oven electric (LAINOX)
 Series GEMT VERSIONE T - Series GEVT VERSIONE T
 Series HME VERSIONE T - Series HVE VERSIONE T
 for Convection oven gas (LAINOX)
 Series GGMT VERSIONE T - Series GGVT VERSIONE T
 Series HMG VERSIONE T - Series HVG VERSIONE T



LAINOX F65301490

3390216 INVERTER ELECTRONIC BOARD
 plate size 135x135 mm
 for Convection oven electric (LAINOX)
 HME101T - HME101X - HME102T - HME102X - HME201T
 HME201X - HME202T - HME202X - HVE101T
 HVE101X - HVE102T - HVE102X - HVE201T
 HVE201X - HVE202T - HVE202X
 for Convection oven gas (LAINOX)
 HMG101T - HMG101X - HMG102T - HMG102X - HMG201T
 HMG201X - HMG202T - HMG202X - HVG101T
 HVG101X - HVG102T - HVG102X - HVG201T
 HVG201X - HVG202T - HVG202X
 for Convection oven electric (LAINOX) VE101T



LAINOX F65140830


LAINOX F65140890

5049166 ON/OFF ELECTRONIC CIRCUIT BOARD 75x22 mm
 cable length 270 mm
 for Convection oven electric (LAINOX)
 Series HME VERSIONE X - Series HVE VERSIONE X
 for Convection oven gas (LAINOX)
 Series HMG VERSIONE X - Series HVG VERSIONE X




LAINOX F65301930

5037268 PUSH-BUTTON PANEL BOARD 246x143 mm
 complete w/alarm bell, potentiometer, push-buttons
 and spacers
 for Convection oven electric (LAINOX)
 Series HME VERSIONE X - Series HVE VERSIONE X
 for Convection oven gas (LAINOX)
 Series HMG VERSIONE X - Series HVG VERSIONE X




LAINOX F65301900

5034352 PUSH-BUTTON PANEL BOARD 410x150 mm
 complete with potentiometers
 for Convection oven electric (LAINOX)
 Series ME VERSIONE H - Series ME VERSIONE P
 for Convection oven gas (LAINOX)
 Series MG VERSIONE H - Series MG VERSIONE P




LAINOX F65301390

5059069 PUSH-BUTTON PANEL BOARD 415x100 mm
 complete with alarm bell, potentiometers and spacer
 for Convection oven (LAINOX)



LAINOX F65302151

5054847 PUSH-BUTTON PANEL BOARD 445x85 mm
 for Convection oven (LAINOX)




LAINOX F65302240



Suitable for:


5024185 PUSH-BUTTON PANEL BOARD 450x160 mm
complete with alarm bell and potentiometer
for Convection oven electric (LAINOX) ME061T
ME101T - ME102T - ME201T - ME202T
for Convection oven gas (LAINOX) MG061T - MG101T
MG102T - MG201T - MG202T



LAINOX F65301460

Suitable for:

5058190 PUSH-BUTTON PANEL BOARD 454x160 mm
complete with alarm bell and potentiometer
for Convection oven electric (LAINOX)
Series GEMT VERSIONE T - Series GEVT VERSIONE T
Series HME VERSIONE T - Series HVE VERSIONE T
for Convection oven gas (LAINOX)
Series GGMT VERSIONE T - Series GGVT VERSIONE T
Series HMG VERSIONE T - Series HVG VERSIONE T



LAINOX F65301461

5021268 PUSH-BUTTON PANEL ELECTR.BOARD 142x22 mm
complete with probe 2000 mm - \varnothing bulb 6x30 mm
for Convection oven (LAINOX)



LAINOX F65301070

3390391 PUSH-BUTTON PANEL ELECTR.BOARD 175x85mm
complete with alarm bell
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (LAINOX)
for Electric oven (LAINOX) RB101E




LAINOX F65301280

7103572 PUSH-BUTTON PANEL ELECTR.BOARD 277x90 mm
for Convection oven (LAINOX)



LAINOX F65302090

7106725 PUSH-BUTTON PANEL ELECTR.BOARD 330x105mm
complete with alarm bell and potentiometers
for Convection oven (LAINOX)




LAINOX F65302220

3390392 PUSH-BUTTON PANEL ELECTR.BOARD 330x75 mm
complete with alarm bell, potentiometer, spacers
for Convection oven (LAINOX)



LAINOX F65302120

7101767 PUSH-BUTTON PANEL ELECTR.BOARD 410x150mm
complete with potentiometers
for Convection oven electric (LAINOX) VE061P
VE101P - VE102P - VE201P - VE202P
for Convection oven gas (LAINOX) VG061P - VG101P
VG102P - VG201P - VG202P



LAINOX F65301400



Suitable for:

5038146 PUSH-BUTTON PANEL ELECTR.BOARD 415x100mm
 complete with alarm bell,potentiometers, probes an accessories
 for Convection oven electric (LAINOX)
 Series GEVT VERSIONE P - Series HVE VERSIONE P
 Series MVE VERSIONE P
 for Convection oven gas (LAINOX)
 Series GGVT VERSIONE P - Series HVG VERSIONE P
 Series MVG VERSIONE P



LAINOX R65302150


LAINOX R65302190

LAINOX




Suitable for:

5051030 PUSH-BUTTON PANEL ELECTR.BOARD 445x100mm
 complete w/ alarm bell, potentiometers and spacers
 for Convection oven (LAINOX)




LAINOX R65302110

5054520 PUSH-BUTTON PANEL ELECTR.BOARD 455x160mm
 complete with potentiometer
 for Convection oven (LAINOX)



LAINOX R65301690

5011322 PUSH-BUTTON PANEL ELECTR.BOARD 96x80 mm
 for Convection oven electric (LAINOX)
 Series ME VERSIONE M - Series VE VERSIONE M
 for Convection oven gas (LAINOX)
 Series MG VERSIONE M - Series VG VERSIONE M



LAINOX R65300500

5048272 PUSH-BUTTON PANEL ELECTRONIC BOARD 320x7
 complete with alarm bell,potentiometers and probes
 for Convection oven electric (LAINOX) MVE051P
 VE042P - VE051P - VE055P
 for Convection oven gas (LAINOX) MVG051P - VG051P



LAINOX R65301800

3390360 SUPPORT FOR BUTTON PANEL BOARD SPRING
 for Convection oven electric (LAINOX) - Series EM
 Series EV - Series ME - Series MES - Series PE
 Series VE - Series VES
 for Convection oven gas (LAINOX) - Series GM
 Series MG - Series MGC - Series MGS - Series PG
 Series VG - Series VGS




LAINOX RA919006

LAINOX R10205120

Suitable for:


5032251 USER ELECTRONIC CIRCUIT BOARD 415x100 mm
 complete with alarm bell, potentiometers, probes and accessories
 for Convection oven electric (LAINOX)
 GEMT06P - GEMT10P - GEMT20P - GEMT21P - GEMT40P
 HME061P - HME101P - HME102P - HME201P
 HME202P - MME071P - MME101P - MME102P
 for Convection oven gas (LAINOX)
 GGMT06P - GGMT10P - GGMT20P - GGMT21P - GGMT40P
 HMG061P - HMG101P - HMG102P - HMG201P
 HMG202P - MMG071P - MMG101P - MMG102P
 for Convection oven (LAINOX) AME071P



LAINOX R65302160


Suitable for:

5059067 USER ELECTRONIC CIRCUIT BOARD 443x104 mm
 complete with alarm bell, potentiometers and spacer for Convection oven (LAINOX)




LAINOX R65302100

5027204 VENTILATOR ELECTRONIC CIRCUIT BOARD 140x
 for Convection oven gas (LAINOX) CG051M - CG071M
 CG100M - CG200M - MG061D - MG061H - MG061M
 MG061P - MG061T - MG101D - MG101H - MG101M
 MG101P - MG101T - MG102D - MG102H - MG102M
 MG102P - MG102T - MG201D - MG201H - MG201M
 MG201P - MG201T - MG202D - MG202H - MG202M
 MG202P - MG202T - VG051P - VG061D - VG061M
 VG061P - VG101D - VG101M - VG101P - VG102D
 VG102M - VG102P - VG201D - VG201M - VG201P
 VG202D - VG202M - VG202P



LAINOX R63130020

3390074 7-RELAY BASE BOARD 175X100 mm
 for Convection oven (LAINOX) - Series ME-X
 Series MG-X - Series VE-X - Series VG-X



LAINOX RA910059
 LAINOX R65307000

LAINOX RA910060
 LAINOX R65307450

LAINOX R65300520

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



LAINOX MACM293900
 LAINOX 50304011

LAINOX R50304011

LAINOX R65080250



Suitable for:

LAINOX



Suitable for:

Fans for motors

5059096 FAN EXTRACTORS
for fans \varnothing 350 mm
hole \varnothing 33 mm



LAINOX R75401230

Filters

3160231 STAINLESS STEEL DRAIN FILTER \varnothing 76 mm
for Convection oven electric (LAINOX) - Series ME
Series VE
for Convection oven gas (LAINOX) - Series MG
Series VG



LAINOX R02200280

LAINOX R10201700

LAINOX 50606790

Fittings

5059029 COUPLING BRASS WITH CONE FOR PIPE \varnothing 10 mm
for Convection oven (LAINOX)




LAINOX R62090633

5022256 COUPLING TERMINAL WITH TANG JG PM050811E
1/8" M - pipe \varnothing 8 mm
for Convection oven (LAINOX)



LAINOX R62090608

5052789 ELBOW COUPLING WITH CONE 1/4" M \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090663

3010209 ELBOW FITTING JG PM0310E
pipe \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090478



Suitable for:

3349572 ELBOW HOSE-END FITTING JG PM051012E
M1/4" BSP - pipe \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090518

Suitable for:

3349565 ELBOW HOSE-END FITTING JG PM220808E
tang \varnothing 8 mm - pipe \varnothing 8 mm
for Convection oven (LAINOX)



LAINOX R62090648

LAINOX R62090678

3349217 ELBOW HOSE-END FITTING JG PM221010E
tang \varnothing 10 mm - pipe \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090528

5021692 FEMALE QUICK-CONNECTION FITTING \varnothing 1/4"
pipe \varnothing 8 mm
for Convection oven (LAINOX)



LAINOX R62090492

5021691 MALE QUICK CONNECTION FOR PIPE \varnothing 6 mm
for Convection oven (LAINOX)



LAINOX R62090482

5059031 QUICK STRAIGHT COUPLING JG NC2500-P
pipe \varnothing 8 mm - with locking rings of 1/2 "
for Convection oven (LAINOX)



LAINOX R62090688

5025669 REDUCED HOSE \varnothing 1/8"F-1/4"F
complete with gasket
for Convection oven (LAINOX)



LAINOX R62030113

LAINOX R62030118

5059030 STRAIGHT COUPLING \varnothing 1/8"F
pipe \varnothing 6x4 mm
for Convection oven (LAINOX)



LAINOX R62090658

5021690 STRAIGHT FITTING \varnothing 1/4"F
pipe \varnothing 8x6 mm
for Convection oven (LAINOX)



LAINOX R62090538

3010181 STRAIGHT FITTING JG PM011002E
M1/4" BSPT - pipe \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090508



Suitable for:

LAINOX



3010187 STRAIGHT FITTING JG PM0410E
pipe \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090458

Suitable for:

3010194 STRAIGHT FITTING JG PM201008E
pipe \varnothing 10-8 mm
for Convection oven (LAINOX)



LAINOX R62090618

7102591 STRAIGHT FITTING WITH ELBOW JG PM061006E
elbow \varnothing 6 mm - pipe \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090548

3010204 T-FITTING JG PM0210E
pipe \varnothing 10 mm
for Convection oven (LAINOX)



LAINOX R62090468

Fuses

3049009 DELAY FUSE 5x20 - 10 PCS
250V 400mA



LAINOX R65200350

3049016 DELAY FUSE 5x20 - 10 PCS
250V 2A



LAINOX R65200200

LAINOX 50304780

3049125 DELAY FUSE 5x20 - 10 PCS
250V 5A



LAINOX R65200240

3049037 QUICK ACTING FUSE 5x20 - 10 PCS
250V 125mA



LAINOX R65200080

LAINOX R65200086

LAINOX R65200088

3049039 QUICK ACTING FUSE 5x20 - 10 PCS
250V 200mA



LAINOX R65200320



Gas burners

5011323 BURNER \varnothing 52x620 mm
 overall length 630 mm
 in chrome-plated iron
 for Convection oven (LAINOX)



LAINOX R63010130


5022614 COMPLETE BURNER KIT
 complete with plugs, gaskets, pins and nuts
 for Convection oven gas (LAINOX) MG102D - MG102M
 MG102P - MG102T - VG102D - VG102M - VG102P



LAINOX R14213250


Gaskets and seals

3186463 BOILER GASKET
 external dimensions 105x100 mm
 internal dimensions 77x77 mm
 for burner - smoke exhaust - heat exchanger
 for Convection oven electric (LAINOX) VG101
 VG102 - VG201 - VG202
 for Convection oven gas (LAINOX) MG101 - MG102
 MG201 - MG202



LAINOX R63140020

5022615 BURNER VENTILATOR GASKET
 dimensions 84x50x2 mm
 for Convection oven (LAINOX)



LAINOX R63140050

5037367 CONTROL BOARD GASKET 1540x490 mm
 made of silicone elastomer
 BLACK COLOUR
 for Convection oven electric (LAINOX) GEMT10P
 GEMT10T - GEMT20P - GEMT20T - GEMT21P
 GEMT21T - GEVT10P - GEVT10T - GEVT20P
 GEVT20T - GEVT21P - GEVT21T - HME102P
 HME102T - HME102X - HVE102P - HVE102T
 HVE102X - ME102P - ME102T - VE102D - VE102P
 for Convection oven gas (LAINOX) GGMT10P - GGMT10T
 GGMT20P - GGMT20T - GGMT21P - GGMT21T
 GGVT10P - GGVT10T - GGVT20P - GGVT20T
 GGVT21P - GGVT21T - HMG102P - HMG102T
 HMG102X - HVG102P - HVG102T - HVG102X - MG102P
 MG102T - VG102D - VG102P



LAINOX R70044270

5035840 DOOR STOPPING GASKET 1000 mm
 made of silicone elastomer
 profile dimensions 26x3 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) GEMT21P
 GEMT21T - GEMT40P - GEMT40T - GEVT21P
 GEVT21T - GEVT40P - GEVT40T - HME201P
 HME201T - HME201X - HME202P - HME202T
 HME202X - HVE201P - HVE201T - HVE201X
 HVE202P - HVE202T - HVE202X - MCE201M
 MCE202M
 for Convection oven gas (LAINOX) GGMT21P - GGMT21T
 GGMT40P - GGMT40T - GGVT21P - GGVT21T
 GGVT40P - GGVT40T - HMG201P - HMG201T
 HMG201X - HMG202P - HMG202T - HMG202X
 HVG201P - HVG201T - HVG201X - HVG202P



LAINOX R80100910



Suitable for:

LAINOX



5059043 GASKET FOR EXCHANGER

external \varnothing 126 mm
internal \varnothing 91 mm
thickness 3 mm
for burner - exchanger
for Convection oven gas (LAINOX)
Series GGMT VERSIONE P/T
Series GGVT VERSIONE P/T
Series HMG VERSIONE P/T/X
Series HVG VERSIONE P/T/X



LAINOX F63140080

5059042 GASKET FOR HEAT EXCHANGER

\varnothing external 84 mm
 \varnothing internal 60 mm
thickness 3 mm
for burner - heat exchanger
for Convection oven gas (LAINOX) GGMT06 P/T
GGVT06 P/T - HMG061 P/P/X - HVG061 P/T/X
MCG051M - MCG071M - MMG071P - MVG061P



LAINOX F63140070

5009534 GASKET SILICONE FLAT \varnothing 35x30x9 mm

for breather cap
for Convection oven (LAINOX)



LAINOX F70060020

5047548 GUARNIZIONE PIANA SILICONE \varnothing 65x60x9 mm


per tappo sfciato



LAINOX F70060100

5024056 HEAT EXCHANGER GASKET


external size 70x76 mm
internal size 52x47 mm
for burner - smoke exhaust - heat exchanger
for Convection oven gas (LAINOX) CG051M - CG071M
MG061D - MG061H - MG061M - MG061P - MG061T
VG051P - VG061D - VG061M - VG061P



LAINOX F63140000


5035209 HEAT EXCHANGER GASKET

external size 111x102 mm
internal size 77x77 mm
for burner - exchanger
for Convection oven gas (LAINOX) CG100M - CG200M
GGMT10P - GGMT10T - GGMT20P - GGMT20T
GGMT21P - GGMT21T - GGMT40P - GGMT40T
HMG101P - HMG101T - HMG101X - HMG102P
HMG102T - HMG102X - HMG201P - HMG201T
HMG201X - HMG202P - HMG202T - HMG202X - MG101P
MG101T - MG102P - MG102T - MMG101P - MMG102P
VG101D - VG101P - VG102D - VG102P



LAINOX F63140060

5048189 WASH ARM GASKETS KIT for Convection oven (LAINOX)



LAINOX F70045090

Gaskets for oven door

3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (LAINOX)



LAINOX R70040010
LAINOX R80100010
LAINOX 50505823

LAINOX R70040120
LAINOX 50505821
LAINOX 50505825

LAINOX R70040200
LAINOX 50505822

3286027 GASKET FOR OVEN GLASS 3198 - 6 m

made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (LAINOX)



LAINOX R70040010
LAINOX R80100010
LAINOX 50505823

LAINOX R70040120
LAINOX 50505821
LAINOX 50505825

LAINOX R70040200
LAINOX 50505822

5034174 GASKET OVER DOOR 430x375 mm

in silicone elastomer
BLACK COLOUR
for Convection oven (LAINOX) CE041M - VE042P



LAINOX R70044330

5039777 OVEN CARRIAGE GASKET KIT

made of silicone elastomer
profile dimensions 14x28 mm
1 piece length 735 mm - 2 pieces length 150 mm
COLOUR BLACK
for Convection oven (LAINOX)




LAINOX R70044320

LAINOX R70044360

7103904 OVEN CARRIAGE GASKET KIT


made of silicone elastomer
profile dimensions 14x28 mm
1 piece length 500 mm - 2 pcs length 150 mm
BLACK COLOUR
for Convection oven (LAINOX)



LAINOX R70044370

3186471 OVEN CARRIAGE GASKET 1000 mm

made of silicone elastomer
profile dimensions 20x13 mm
COLOUR BLACK
for Convection oven electric (LAINOX) VEC20X
for Convection oven gas (LAINOX) MGC20H - MGC40P
MGC40X



LAINOX R70041150




Suitable for:

Suitable for:

3786062 OVEN CARRIAGE GASKET 700 mm

made of silicone elastomer
 profile dimensions 28x14 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) GEMT40P
 GEMT40T - GEVT40P - GEVT40T - HME201P
 HME201T - HME201X - HME202P - HME202T
 HME202X - HVE201P - HVE201T - HVE201X
 HVE202P - HVE202T - HVE202X - ME201D - ME201P
 ME201T - ME202D - ME202P - ME202T
 for Convection oven gas (LAINOX) GGMT40P - GGMT40T
 GGVT40P - GGVT40T - HMG201P - HMG201T
 HMG201X - HMG202P - HMG202T - HMG202X
 HVG201P - HVG201T - HVG201X - HVG202P
 HVG202T - HVG202X - MG201D - MG201P - MG201T
 MG202D - MG202P - MG202T



LAINOX R70044300

3286032 OVEN DOOR GASKET - 25 m

made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (LAINOX)
 for Convection oven (LAINOX) VG211X



LAINOX R70041210
 LAINOX R70041370
 LAINOX R70041820
 LAINOX R70042020
 LAINOX R70042050
 LAINOX R70042570
 LAINOX 50505954

LAINOX R70041220
 LAINOX R70041410
 LAINOX R70041990
 LAINOX R70042030
 LAINOX R70042160
 LAINOX R70042580

LAINOX R70041350
 LAINOX R70041550
 LAINOX R70042000
 LAINOX R70042040
 LAINOX R70042530
 LAINOX 50505953

3286046 OVEN DOOR GASKET - 25 m

made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) MES40
 ME106 - ME110 - VES40 - VE106 - VE110
 for Convection oven gas (LAINOX) MGS40 - MG106
 MG110 - VGS40 - VG106 - VG110



LAINOX R70040980
 LAINOX R70043250
 LAINOX R70043300

LAINOX R70040990
 LAINOX R70043260
 LAINOX R80100070

LAINOX R70042880
 LAINOX R70043290

3286085 OVEN DOOR GASKET - 3 m

made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (LAINOX)
 for Convection oven (LAINOX) VG211X



LAINOX R70041210
 LAINOX R70041370
 LAINOX R70041820
 LAINOX R70042020
 LAINOX R70042050
 LAINOX R70042570
 LAINOX 50505954

LAINOX R70041220
 LAINOX R70041410
 LAINOX R70041990
 LAINOX R70042030
 LAINOX R70042160
 LAINOX R70042580

LAINOX R70041350
 LAINOX R70041550
 LAINOX R70042000
 LAINOX R70042040
 LAINOX R70042530
 LAINOX 50505953



Suitable for:

Suitable for:

3286031 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED
 for Convection oven (LAINOX)
 for Convection oven (LAINOX)
 VG211X
 FEI102M

3286045 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE110M
 MES40 - ME106 - ME110D - ME110H - ME110M
 ME110P - ME110X - VES40 - VE106 - VE110D
 VE110H - VE110M - VE110P - VE110X
 for Convection oven gas (LAINOX) CG110M - MGS40
 MG106 - MG110D - MG110H - MG110M - MG110P
 MG110X - VGS40 - VG106 - VG110D - VG110H
 VG110M - VG110P - VG110X



LAINOX R70041210
 LAINOX R70041370
 LAINOX R70041820
 LAINOX R70042020
 LAINOX R70042050
 LAINOX R70042570
 LAINOX 50505954

LAINOX R70041220
 LAINOX R70041410
 LAINOX R70041990
 LAINOX R70042030
 LAINOX R70042160
 LAINOX R70042580

LAINOX R70041350
 LAINOX R70041550
 LAINOX R70042000
 LAINOX R70042040
 LAINOX R70042530
 LAINOX 50505953

LAINOX R70040980
 LAINOX R70042880
 LAINOX R70043290

LAINOX R70040990
 LAINOX R70043250
 LAINOX R70043300

LAINOX R70041020
 LAINOX R70043260
 LAINOX R80100070

3286030 OVEN DOOR GASKET 04880 - 15 m
 made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (LAINOX)

3286084 OVEN DOOR GASKET 04880 - 3 m
 made of silicone elastomer
 profile dimensions
 BLACK COLOUR
 for Convection oven (LAINOX)



LAINOX R70041200
 LAINOX R70041290
 LAINOX R70041560
 LAINOX R80100490
 LAINOX 50505951

LAINOX R70041250
 LAINOX R70041330
 LAINOX R70041780
 LAINOX 50505941

LAINOX R70041270
 LAINOX R70041540
 LAINOX R70042510
 LAINOX 50505943

LAINOX R70041200
 LAINOX R70041290
 LAINOX R70041540_3MT
 LAINOX R70042510
 LAINOX 50505943

LAINOX R70041250
 LAINOX R70041330
 LAINOX R70041560
 LAINOX R80100490
 LAINOX 50505951

LAINOX R70041270
 LAINOX R70041540
 LAINOX R70041780
 LAINOX 50505941

3286029 OVEN DOOR GASKET 04880 - 6 m
 made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (LAINOX)

5021218 OVEN DOOR GASKET 1310x710 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) VEC20X
 for Convection oven gas (LAINOX) MGC20H



LAINOX R70041200
 LAINOX R70041290
 LAINOX R70041560
 LAINOX R80100490
 LAINOX 50505951

LAINOX R70041250
 LAINOX R70041330
 LAINOX R70041780
 LAINOX 50505941


LAINOX R70041270
 LAINOX R70041540
 LAINOX R70042510
 LAINOX 50505943

LAINOX R70042150




Suitable for:

3786068 OVEN DOOR GASKET 1545x700 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) HME202P
 HME202X
 for Convection oven gas (LAINOX) HMG202P - HMG202X



LAINOX R70044140

5022831 OVEN DOOR GASKET 2500 mm
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) EM010H
 EV010P
 for Convection oven gas (LAINOX) GC010M - GV010M



LAINOX R70042870


5038922 OVEN DOOR GASKET 380x340 mm
 made of silicone elastomer
 with fastening clips
 BLACK COLOUR
 for Convection oven electric (LAINOX) A23RES



LAINOX R70044020

Suitable for:

3786066 OVEN DOOR GASKET 1550x685 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) HME201P
 HME201T - HME201X - HVE201P - HVE201T
 HVE201X - MCE201M - ME201D - ME201P - ME201T
 VE201D - VE201P
 for Convection oven gas (LAINOX) HMG201P - HMG201T
 HMG201X - HVG201P - HVG201T - HVG201X
 MCG201M - MG201D - MG201P - MG201T - VG201D
 VG201P



LAINOX R70044130


5011388 OVEN DOOR GASKET 3000 mm
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE210M
 ME210D - ME210H - ME210M - ME210P - ME210X
 VE210D - VE210H - VE210M - VE210P - VE210X
 for Convection oven gas (LAINOX) CG210M - MG210D
 MG210H - MG210M - MG210P - MG210X - VG210D
 VG210H - VG210M - VG210P - VG210X



LAINOX R70041000

LAINOX R70043270

5021244 OVEN DOOR GASKET 4000 mm
 made of silicone elastomer
 profile dimensions 11.5x11 mm
 COLOUR BLACK
 for Convection oven electric (LAINOX) ME120D
 ME120H - ME120M - ME120P - ME120T - ME120X
 PE015M - VE120D - VE120H - VE120M - VE120P
 VE120X
 for Convection oven gas (LAINOX) MG120D - MG120H
 MG120M - MG120P - MG120X - VG120D - VG120H
 VG120M - VG120P - VG120X



LAINOX R70041010


LAINOX R70042830

LAINOX R70043280



Suitable for:

5023844 OVEN DOOR GASKET 510x475 mm
made of silicone elastomer
BLACK COLOUR
for Convection oven electric (LAINOX) EM006H



LAINOX R70042560

LAINOX R70042561

Suitable for:

5032400 OVEN DOOR GASKET 520x470 mm
made of silicone elastomer
COLOUR BLACK
for Convection oven (LAINOX)



LAINOX R70044210

5054733 OVEN DOOR GASKET 540x400 mm
made of silicone elastomer
with fastening clips
BLACK COLOUR
for Convection oven electric (LAINOX) REC051
REC051M



LAINOX R70044710

3786639 OVEN DOOR GASKET 550x400 mm
made of silicone elastomer
with fastening clips
COLOUR BLACK
for Convection oven electric (LAINOX) A05RES



LAINOX R70044030

3786638 OVEN DOOR GASKET 595x390 mm
made of silicone elastomer
with fastening clips
COLOUR BLACK
for Convection oven electric (LAINOX) A05PES
REP044M - REP054M



LAINOX R70044040

3786067 OVEN DOOR GASKET 610x435 mm
made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) CE051M
MCE051M - MVE051P - VE051P - VE055P
for Convection oven gas (LAINOX) CG051M - MCG051M
MVG051P - VG051P



LAINOX LAR70044340

LAINOX R70044340

3786064 OVEN DOOR GASKET 620x515 mm
made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) HME061P
HME061T - HME061X - HVE061P - HVE061T
HVE061X - ME061P - ME061T - VE061D - VE061P
for Convection oven gas (LAINOX) HMG061P - HMG061T
HMG061X - HVG061P - HVG061T - HVG061X - MG061P
MG061T - VG061D - VG061P



LAINOX R70044100

5052897 OVEN DOOR GASKET 625x595 mm
made of silicone elastomer
GREY COLOUR
for Convection oven (LAINOX)



LAINOX R70044820



Suitable for:

5022397 OVEN DOOR GASKET 690x585 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE071M
 XAME07D
 for Convection oven gas (LAINOX) CG071M



LAINOX R70044230

3786706 OVEN DOOR GASKET 740x540 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (LAINOX) A08RES
 A10RES



LAINOX R70044010

5053388 OVEN DOOR GASKET 785x620 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven (LAINOX)



LAINOX R70044830

5028525 OVEN DOOR GASKET 800x760 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE200M
 for Convection oven gas (LAINOX) CG200M



LAINOX R70044240

Suitable for:

3786640 OVEN DOOR GASKET 730x600 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (LAINOX) A10PES
 REP084M - REP104M



LAINOX R70044000

5011253 OVEN DOOR GASKET 747x635 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE110M
 ME110D - ME110H - ME110M - ME110P - ME110X
 VE110D - VE110H - VE110M - VE110P - VE110X
 for Convection oven gas (LAINOX) CG110M - MG110D
 MG110H - MG110M - MG110P - MG110X - VG110D
 VG110H - VG110M - VG110P - VG110X



LAINOX R70042020

3786061 OVEN DOOR GASKET 800x685 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (LAINOX) CE100M
 HME101P - HME101T - HME101X - HVE101P
 HVE101T - HVE101X - MCE101M - ME101P - ME101T
 MME101P - MVE101P - VE101D - VE101P
 for Convection oven gas (LAINOX) CG100M - HMG101P
 HMG101T - HMG101X - HVG101P - HVG101T
 HVG101X - MCG101M - MG101P - MG101T - MMG101P
 MVG101P - VG101D - VG101P



LAINOX R70044110

5024600 OVEN DOOR GASKET 805x480 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven (LAINOX)
 for Convection oven electric (LAINOX) GEVT10P



LAINOX R70044220

Suitable for:

3786063 OVEN DOOR GASKET 805x705 mm

made of silicone elastomer
COLOUR BLACK
for Convection oven electric (LAINOX) GEMT20P
GEMT20T - GEVT20P - GEVT20T - HME102P
HME102T - HME102X - HVE102P - HVE102T
HVE102X - ME102P - ME102T - VE102D - VE102P
for Convection oven gas (LAINOX) GGMT20P - GGMT20T
GGVT20P - GGVT20T - HMG102P - HMG102T
HMG102X - HVG102P - HVG102T - HVG102X - MG102P
MG102T - VG102D - VG102P



LAINOX R70044120

Suitable for:

3186464 OVEN GLASS GASKET 1700 mm

made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (LAINOX)



LAINOX R70040730

LAINOX R70040740

3186465 OVEN GLASS GASKET 2100 mm

made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven electric (LAINOX) FE110M
FE110X - FE210M - FE210X - ME110L - ME110S
PE080
for Convection oven gas (LAINOX) FG110M - FG110X
FG210M - FG210X - PG080



LAINOX R70040640

3786065 OVEN GLASS GASKET 2700 mm

made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven electric (LAINOX) CE100M
CE200M - GEMT20P - GEMT20T - GEVT20P - GEVT20T
HME061P - HME061X - HME101P - HME101T
HME101X - HME102P - HME102T - HME102X
HVE061P - HVE061T - HVE061X - HVE101P
HVE101T - HVE101X - HVE102P - HVE102T
HVE102X
for Convection oven gas (LAINOX) CG100M - CG200M
GGMT20P - GGMT20T - GGVT20P - GGVT20T
HMG061P - HMG061T - HMG061X - HMG101P
HMG101T - HMG101X - HMG102P - HMG102T
HVG061P - HVG061T - HVG061X - HVG101P




LAINOX R70044150

Gearmotors

5030186 GEARMOTOR P25 2 CAMS 230V 50/60 Hz

10 seconds cycle
D-shaped pin \varnothing 6x4.6 mm
for Convection oven gas (LAINOX) MG061D - MG061H
MG061M - MG061P - MG061T - MG101D - MG101H
MG101M - MG101P - MG101T - MG102D - MG102H
MG102M - MG102P - MG102T - MG201D - MG201H
MG201M - MG201P - MG201T - MG202D - MG202H
MG202M - MG202P - MG202T



LAINOX R65090240

5059047 WASH ARM GEARMOTOR

complete with capacitor
D-shaped pin \varnothing 6x5 mm
for Convection oven (LAINOX)



LAINOX R65090250



Suitable for:

LAINOX



Suitable for:

Glues


3392009 RED SILICONE 82.8 ml
for alimentary use
operating temperature -60+260°C



LAINOX R85010015

Handles

3242094 COMPLETE DOOR HANDLE FOR OVEN
for Convection oven electric (LAINOX) - Series CES
Series MES - Series VES
for Convection oven gas (LAINOX) - Series CGS
Series MGS - Series VGS



LAINOX R69015050

3242412 CATCH PIN FOR DOOR HANDLE
for OVEN



LAINOX R58004781

3242734 COMPLETE DOOR HANDLE FOR OVEN
for Convection oven electric (LAINOX) CES24M
CES40M - MES20D - MES20H - MES20M - MES20P
MES20X - MES24D - MES24H - MES24M - MES24P
MES24X - MES40D - MES40H - MES40M - MES40P
MES40X - ME120T - VEC20X - VES20D - VES20H
VES20M - VES20P - VES20X - VES24D - VES24H
VES24M - VES24P - VES24X - VES40D - VES40H
VES40M - VES40P - VES40X
for Convection oven gas (LAINOX) CGS24M - CGS40M
MGC20H - MGC40P - MGC40X - MGS20D - MGS20H
MGS20M - MGS20P - MGS20X - MGS24D - MGS24H
MGS24M - MGS24P - MGS24X - MGS40D - MGS40H
MGS40M - MGS40P - MGS40X - MG220T - VGS20D
VGS20H - VGS20M - VGS20P - VGS20X - VGS24D
VGS24H - VGS24M - VGS24P - VGS24X - VGS40D



LAINOX R58003180

5021559 COUNTERSUNK HEAD SCREWS WITH SHELLM6x14
slotted - stainless steel
UNI 6110 - DIN 964 - ISO 2010



LAINOX R61040272

5011352 SCREWS NO HEAD WITH HEX. SOCKET M6x16
stainless steel - flat edge
UNI 5923 - DIN 913 - ISO 4026



LAINOX R61090052

5009543 WAVED SPRING WASHER M12
internal/external \varnothing 13.5/24 mm-thickness min.2.5mm
zinc plated iron alloy - UNI 8840 - DIN 137 B



LAINOX R61420021

Suitable for:

3242407 COMPLETE DOOR HANDLE FOR OVEN

for Convection oven electric (LAINOX) GEMT21P
 GEMT21T - GEMT40P - GEMT40T - GEVT21P
 GEVT21T - GEVT40P - GEVT40T - HME201P
 HME201T - HME201X - HME202P - HME202T
 HME202X - HVE201P - HVE201T - HVE201X
 HVE202P - HVE202T - HVE202X
 for Convection oven gas (LAINOX) GGMT21P - GGMT21T
 GGMT40P - GGMT40T - GGVT21P - GGVT21T
 GGVT40P - GGVT40T - HMG201P - HMG201T
 HMG201X - HMG202P - HMG202T - HMG202X
 HVG201P - HVG201T - HVG201X - HVG202P
 HVG202T - HVG202X



LAINOX R11100310

5021559 COUNTERSUNK HEAD SCREWS WITH SHELL M6x14

slotted - stainless steel
 UNI 6110 - DIN 964 - ISO 2010



LAINOX R61040272

5022155 HANDLE PIN KIT 118 mm

complete with bushing and elastic ring
 for Convection oven (LAINOX)



LAINOX R11206340

5009543 WAVED SPRING WASHER M12

internal/external \varnothing 13.5/24 mm - thickness min. 2.5mm
 zinc plated iron alloy - UNI 8840 - DIN 137 B



LAINOX R61420021

Suitable for:

3242412 CATCH PIN FOR DOOR HANDLE

for OVEN



LAINOX R58004781

1528026 CYLINDER HEAD SCREW M8x20

stainless steel - with hexagon socket
 UNI 5931 - DIN 912 - ISO 4762



LAINOX R61030601

5011352 SCREWS NO HEAD WITH HEX. SOCKET M6x16

stainless steel - flat edge
 UNI 5923 - DIN 913 - ISO 4026



LAINOX R61090052



Suitable for:

LAINOX



Suitable for:

3242766 COMPLETE DOOR HANDLE FOR OVEN
for Convection oven (LAINOX) - Series NABOO



LAINOX R69010190

3242222 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (LAINOX)
CE041M - CE051M - CE071M - CE100M - CE106M
CE110M - CE200M - CE210M - FE061M - FE061X
FE110M - FE110X - FE210M - FE210X - MCE051M
MCE071M - MCE101M - MCE102M - ME106D - ME106H
ME106M - ME106P - ME106X - ME110D - ME110H
ME110M - ME110P - ME110X - ME210D - ME210H
ME210M - ME210P - ME210X - MME071P - MME101P
MME102P - MVE051P - MVE071P - MVE101P
MVE102P - PE040M - PE040X - PE041M - PE041X
PE061M - PE061X - PE080M - PE080X - PE106M
PE106X - VE042P - VE051P - VE055P - VE105D
VE105H - VE105M - VE105X - VE106D - VE106H
VE106M - VE106P - VE106X - VE110D - VE110H
VE110M - VE110P - VE110X - VE210D - VE210H



LAINOX R69015000

3242219 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN new series



LAINOX R50004050


LAINOX R69031190

3242092 DOOR HANDLE SPRING \varnothing 11.5x50 mm
for OVEN



LAINOX R61620041

3242226 BRACKET FOR HANDLE STRIKE
for Convection oven electric (LAINOX) VE106D
VE110H - VE210M



LAINOX R58002760

3242105 DOOR HANDLE SHAFT 73 mm
for OVEN



LAINOX R58003240

5027148 DOOR HANDLE STRIKE
base 40x25 mm - distance between holes 13 mm
for Convection oven (LAINOX)
for Convection oven (LAINOX) AVE05P



LAINOX R18200940



Suitable for:

3242225 PIN FOR HANDLE STRIKE \varnothing 4x36 mm
for OVEN



LAINOX R50004040


LAINOX R58002160

3242093 STRIKE FOR DOOR HANDLE
for Convection oven electric (LAINOX) VE110H



LAINOX R58005050

5028465 STRIKE WITH FLANGE FOR DOOR HANDLE
for Convection oven (LAINOX)



LAINOX R10100100

5011246 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (LAINOX) VE004D
VE004H - VE004M - VE004X - VE104D - VE104H
VE104M - VE104X



LAINOX R69015010

3242092 DOOR HANDLE SPRING \varnothing 11.5x50 mm
for OVEN




LAINOX R61620041

LAINOX



Suitable for:


3242224 SPRING FOR HANDLE STRIKE
for OVEN



LAINOX R50001196

LAINOX R61620012

3242223 STRIKE WITH FLANGE FOR DOOR HANDLE
for OVEN



LAINOX R10100110

3242219 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN new series



LAINOX R50004050

LAINOX R69031190

3242225 PIN FOR HANDLE STRIKE \varnothing 4x36 mm
for OVEN




LAINOX R50004040

LAINOX R58002160



Suitable for:


3242224 SPRING FOR HANDLE STRIKE
for OVEN



LAINOX R50001196

LAINOX R61620012

5028465 STRIKE WITH FLANGE FOR DOOR HANDLE
for Convection oven (LAINOX)



LAINOX R10100100

5027496 COMPLETE OVEN DOOR HANDLE

for Convection oven electric (LAINOX) ME061D
ME061M - ME061P - ME061T - ME101D - ME101M
ME101P - ME101T - ME102D - ME102M - ME102P
ME102T - VE061D - VE061M - VE101D - VE101M
VE101P
for Convection oven gas (LAINOX) MG061D - MG061M
MG061P - MG061T - MG101D - MG102M - MG102P
MG102T



LAINOX R11100300

3242410 DOOR HANDLE INTERNAL COVER
for OVEN



LAINOX R69010630

LAINOX



Suitable for:

3242093 STRIKE FOR DOOR HANDLE
for Convection oven electric (LAINOX) VE110H



LAINOX R58005050

3242099 COMPLETE DOOR HANDLE FOR OVEN

for OVEN ME061D/M/P/T-ME101D/M/P/T-ME102D/M/P/T
MG061D/M/P/T-MG101D/M/P/T-MG102D/M/P/T-VE061D/M/
VE101D/M/P
for Convection oven electric (LAINOX)
ME061D - ME061M - ME061P - ME061T - ME101D
ME101M - ME101P - ME101T - ME102D - ME102M
ME102P - ME102T - VE061D - VE061M - VE101D
VE101M - VE101P
for Convection oven gas (LAINOX)
MG061D - MG061M - MG061P - MG061T - MG101D
MG102M - MG102P - MG102T
for Convection oven electric (LAINOX) GEVT10P



LAINOX R69010250

LAINOX R69010280

LAINOX R69010440

3242409 DOUBLE STRIKE M8 FOR DOOR HANDLE
overall length 54.5 mm
for OVEN



LAINOX R69010270



Suitable for:

3242425 SPRING FOR DOOR HANDLE
external dimensions 54x27 mm
for OVEN



LAINOX F61620132

LAINOX



Suitable for:

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm




LAINOX F69010260

5059082 COMPLETE OVEN DOOR HANDLE
for Convection oven (LAINOX)



LAINOX F69010210

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm




LAINOX F50103010

LAINOX F69010030

LAINOX 50103010

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH
for Convection oven electric (LAINOX) FV03 - FV06




LAINOX F50103020


LAINOX F69010500

LAINOX 50103020

3242306 SHIM 5 mm
RAHRBACH



3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



LAINOX F50103110

LAINOX F69050010

LAINOX 50103110

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (LAINOX) A10PES



LAINOX F69010010



Suitable for:

LAINOX



Suitable for:

Heating elements

3355566 HEATING ELEMENT 15000W 220/380V

immersed length 530 mm
flange external \varnothing 72 mm
with bulb sheath
complete with O-RING
for Convection oven electric (LAINOX)
ME102D - ME102H - ME102M - ME102P - ME102T
ME201D
for Convection oven electric (LAINOX) HME201S



LAINOX R65020390
LAINOX R65020421

LAINOX R65020400

LAINOX R65020420


3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



LAINOX

3755260 HEATING ELEMENT 15000W 230V


external \varnothing 405 mm - height 220 mm
flange 140x25 mm
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES



LAINOX R65011310

3755977 HEATING ELEMENT 15000W 230V

external \varnothing 525 mm - overall height 230 mm
flange 142x25 mm
for Convection oven electric (LAINOX) HME102P
HME102T - HME102X - HME202P - HME202T
HME202X - HVE102P - HVE102T - HVE102X
HVE202P - HVE202T - HVE202X



LAINOX R65011250

3355533 HEATING ELEMENT 2500W 230V

length 125 mm - width 655 mm
flange 70x22 mm
for Convection oven electric (LAINOX) FE101M
FE101X - FE110M - FE110X - ME10 - ME21 - MME10
MME21 - PE08 - PE080M - PE080X - PE081M
PE081X - PE101M - PE101X - RE10



LAINOX R50303150
LAINOX R65010140
LAINOX R65015300
LAINOX 50303860

LAINOX R50303860
LAINOX R65010141
LAINOX R65015310

LAINOX R65010130
LAINOX R65010180
LAINOX 50303150

3355568 HEATING ELEMENT 3000W 220V

external \varnothing 190 mm - overall height 70 mm
flange 70x22 mm
for Convection oven electric (LAINOX) FE004 - FE04



LAINOX R65010340

LAINOX R65015510

LAINOX R65015550

Suitable for:

Suitable for:

3355567 HEATING ELEMENT 3150W 220V
 external \varnothing 220 mm - overall height 95 mm
 flange 95x22 mm
 for Convection oven electric (LAINOX) CE041M
 FE004 - VE004D - VE004H - VE004M - VE004S
 VE004X - VE04P - VE042P



LAINOX A34300510
 LAINOX R65010320

LAINOX R65010280

LAINOX R65010300

5009402 HEATING ELEMENT 3150W 230V
 internal \varnothing 215 mm - overall height 95 mm
 flange 93x22 mm
 for Convection oven (LAINOX)



LAINOX R65010330

3355534 HEATING ELEMENT 3500W 230V
 length 125 mm - width 655 mm
 flange 70x22 mm
 for Convection oven electric (LAINOX) FE102M
 FE102X - FE210M - FE210X - ME20 - ME24 - ME40
 MME20 - MME24 - MME40 - RE20 - RE24 - RE40



LAINOX R50303170
 LAINOX R65015660

LAINOX R65010371
 LAINOX R65015670

LAINOX R65010390
 LAINOX 50303170

3755261 HEATING ELEMENT 3900W 230V
 external \varnothing 235 mm - overall height 107 mm
 flange 93x22 mm
 for Convection oven electric (LAINOX) VE104D
 VE104H - VE104M - VE104S - VE104X



LAINOX R65010430
 LAINOX R65010441

LAINOX R65010431
 LAINOX R65010450

LAINOX R65010440
 LAINOX 50303080

3755008 HEATING ELEMENT 5400W 230V
 external \varnothing 203 mm - overall height 118 mm
 flange 140x22 mm
 for Convection oven electric (LAINOX)
 FE05
 for Convection oven electric (LAINOX) FE005M



LAINOX R65011500
 LAINOX 50303810

LAINOX R65015830

LAINOX 50303560



Suitable for:

Suitable for:

3355106 HEATING ELEMENT 6000W 230/400V

3186014 O-RING GASKET 06225 EPDM ø 67 mm

for wash tank and boiler
 immersed length 350 mm
 flange external ø 72 mm
 with thermostat probe receptacle
 with O-ring
 upon request nut and washer
 for Convection oven electric (LAINOX) FV03 - FV06
 ME05 - ME10 - ME105L - ME105S - ME15 - ME20
 ME21 - ME24 - ME40 - MME05 - MME10 - MME15
 MME20 - MME21 - MME24 - MME40



LAINOX R65020270

LAINOX R65020280

LAINOX R65025100

LAINOX

LAINOX 50303250

3355137 HEATING ELEMENT 6000W 230V

external ø 230 mm - overall height 150 mm
 flange 140x22 mm
 for Convection oven electric (LAINOX) CE051M
 HME061P - HME061X - MCE051M - ME05 - ME105L
 ME105S - MME05 - MVE051P - VE051P - VE055P
 VE105S



LAINOX R50303270

LAINOX R50303280

LAINOX R50303820

LAINOX R65011520

LAINOX R65015910

LAINOX R65015920

LAINOX 50303270

LAINOX 50303280


LAINOX 50303820

3755206 HEATING ELEMENT 6000W 240V

3186439 HEATING ELEMENT GASKET

external ø 230 mm - height 130 mm
 flange 140x25 mm
 for Convection oven electric (LAINOX) A10PES

external dimensions 150x30 mm




LAINOX R65011530



Suitable for:


5061893 HEATING ELEMENT 7000W 230V
 ø external 260 mm - total height 146 mm
 flange 142x25 mm
 for Convection oven (LAINOX)



LAINOX R65011730

Suitable for:

3355569 HEATING ELEMENT 7200W 220/400V
 external ø 230 mm - overall height 150 mm
 flange 140x20 mm
 for Convection oven electric (LAINOX) FE05
 FE051M - FE051X - FE105M - FE105X - PE04
 PE040M - PE040X - PE041M - PE041X - PE05
 PE051M - PE051X



LAINOX R65010680

LAINOX 50303580

LAINOX R65016010

LAINOX 50303830

LAINOX R65016020

3355535 HEATING ELEMENT 7500W 220V
 external ø 265 mm - overall height 173 mm
 flange 140x22 mm - fittings ø 4 mm
 for Convection oven electric (LAINOX) CE071M
 CE106M - ME061D - ME061H - ME061M - ME061P
 ME061T - ME106D - ME106H - ME106L - ME106M
 ME106P - ME106S - ME106T - ME106X - MME071P
 VE061D - VE061M - VE061P - VE106D - VE106H
 VE106L - VE106M - VE106P - VE106S - VE106T
 VE106X



LAINOX R65010570

LAINOX R65011540

LAINOX R65010570

LAINOX R65010580

3355538 HEATING ELEMENT 7500W 220V
 immersed length 370 mm
 flange external ø 72 mm
 with bulb sheath
 complete with O-RING
 upon demand nut and washer
 for boiler
 for Convection oven electric (LAINOX) ME061D
 ME061M - ME061P - ME061T - ME101D - ME101M
 ME106T - ME110L - ME110S - ME110T - ME120L
 ME120S - ME120T - ME210L - ME210S - ME210T
 MME071P



LAINOX R50303890

LAINOX R65020350

LAINOX R65020320

LAINOX 50303890

LAINOX R65020330

3186014 O-RING GASKET 06225 EPDM ø 67 mm



LAINOX



Suitable for:


LAINOX



Suitable for:

3755259 HEATING ELEMENT 9000W 230V

external \varnothing 525 mm - height 105 mm
flange 140x25 mm
for Convection oven electric (LAINOX) ME210D
ME210H - ME210M - ME210P - ME210X - ME220D
ME220H - ME220M - ME220P - ME220X - VE210D
VE210H - VE210M - VE210P - VE210X - VE220D
VE220H - VE220M - VE220P - VE220X



LAINOX R65011210

Hinges, catches and accessories

5033088 LOWER HINGE OVEN DOOR 70x65 mm

for Convection oven electric (LAINOX) ME061D
ME101D - ME102D - VE061D - VE061M - VE061P
VE101D - VE101P - VE102D - VE102P
for Convection oven gas (LAINOX) MG061D - MG101D
MG102D - VG061D - VG061P - VG101D - VG101P
VG102D - VG102P



LAINOX R11207250

5033089 SUPPORT PIN LOWER HINGE 25 mm

for Convection oven (LAINOX)



LAINOX R58002520

5059006 LOWER HINGE OVEN DOOR 90x65 mm

for Convection oven (LAINOX)



LAINOX R11207240

5038113 SUPPORT LOWER HINGE PIN

for Convection oven (LAINOX)



LAINOX R58002670

5054468 OVEN DOOR TOP HINGE 63x50 mm


for Convection oven electric (LAINOX)
Series CE VERSIONE M - Series ME VERSIONE D/M/P/T
Series VE VERSIONE D/M/P
for Convection oven gas (LAINOX)
Series CG VERSIONE M - Series MG VERSIONE D/M/P/T
Series VG VERSIONE D/M/P



LAINOX R11200560

3528017 HEXAGONAL NUT M12 SHORT

stainless steel - UNI 5589 - DIN 936 - 4035



LAINOX R58004050



Suitable for:

3053235 SUPPORT UPPER HINGE PIN

for Convection oven electric (LAINOX) - Series ME
PE008M - Series VE - Series VES
for Convection oven gas (LAINOX) - Series MG
Series VG - Series VGS



LAINOX R58002150

LAINOX



Suitable for:

5034170 WASHER UPPER HINGE ø 18/12x2 mm

for Convection oven (LAINOX)



LAINOX R10401710

Hose reels

5025999 MINIREEL WASHING UNIT

with automatic retractor
EPDM rubber pipe ø 12 mm
complete with shower ECO/F
for Convection oven electric (LAINOX) HME061X
HME101X - HME102X - HVE061X - HVE101X
HVE102X - ME061P - ME061T - ME101P - ME101T
ME102P - ME102T - ME201P - ME201T - ME202P
ME202T
for Convection oven gas (LAINOX) HMG061P - HMG061T
HMG061X - HMG101X - HMG102X - HVG061P
HVG061T - HVG061X - HVG101X - HVG102X - MG061P
MG061T - MG101P - MG101T - MG102P - MG102T
MG201P - MG201T - MG202P - MG202T



LAINOX R62200131

3359620 HOSE EPDM 6x13 1600 mm

with couplings 3/8"
for MINIREEL



3359288 SHOWER HEAD ECO/P 3/8" F

with push button



LAINOX R62200133

3659001 WASH GROUP MINIREEL

with automatic retractor
rubber tube EPDM ø 12 mm
complete with shower ECO/F
for Convection oven (LAINOX) - Series NAB00



LAINOX R62200172

3359620 HOSE EPDM 6x13 1600 mm

with couplings 3/8"
for MINIREEL





Suitable for:

3359288 SHOWER HEAD ECO/P 3/8" F
with push button



LAINOX R62200133

LAINOX

Suitable for:



Hydraulic piping

5025671 HOSE \varnothing 7/10 mm 2000 mm

for water

for Convection oven electric (LAINOX) CE071M
CE100M - CE200M - ME061D - ME061T - ME101T
ME102T - VE061D - VE061M - VE061P - VE101D
VE101M - VE101P - VE102D - VE102M - VE102P
for Convection oven gas (LAINOX) CG071M - CG100M
CG200M - MG061T - MG101T - MG102T - VG061D
VG061M - VG101D - VG101M - VG101P - VG102D
VG102M - VG102P

3359877 HOSE \varnothing 7/10 mm 3000 mm

for water

for Convection oven electric (LAINOX) ME061H
ME061M - ME061P - ME061T - ME101D - ME101H
ME101M - ME101P - ME101T - ME102D - ME102M
ME102P - ME102T - ME201H - ME201T - ME202D
ME202H - ME202M - ME202P - ME202T - VE055P
VE201D - VE201M - VE201P - VE202D - VE202M
VE202P - XAME07D
for Convection oven gas (LAINOX) MG061D - MG061H
MG061M - MG061P - MG061T - MG101D - MG101H
MG101M - MG101P - MG101T - MG102D - MG102H
MG102M - MG102P - MG102T - MG201T - MG202T
VG061P - VG201D - VG201M



LAINOX R70070060

LAINOX R70070070

LAINOX R80150000

LAINOX R70070050



5039782 HOSE \varnothing 7/10 mm 4000 mm

for water

for Convection oven electric (LAINOX) GEMT40P
GEMT40T - GEVT40P - GEVT40T - HME201P
HME201T - HME201X - HME202P - HME202T
HME202X - HVE201P - HVE201T - HVE201X
HVE202P - HVE202T - HVE202X - MCE201M
MCE202M - ME201D - ME201P - ME201T - ME202T
for Convection oven gas (LAINOX) GGMT21P - GGMT21T
GGMT40P - GGMT40T - GGVT21P - GGVT21T
GGVT40P - GGVT40T - HMG201P - HMG201T
HMG201X - HMG202P - HMG202T - HMG202X
HVG201P - HVG201T - HVG201X - HVG202P
HVG202T - HVG202X - MCG201M - MCG202M - MG201D
MG201P - MG201T - MG202D - MG202P - MG202T
VG201P - VG202D - VG202P



LAINOX R70070040




Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810

3221012 GREEN INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



LAINOX R50304630

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX CR0587500

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300910

LAINOX R65270300

3221223 230 V GREEN INDICATOR LAMP KIT
head \varnothing 12 mm - hole \varnothing 18 mm - 120°C
for Convection oven (LAINOX) - Series CE
Series CG - Series ME - Series MG - Series VE
Series VG



LAINOX R65270160

3221224 230 V ORANGE INDICATOR LAMP KIT
head \varnothing 12 mm - hole \varnothing 18 mm - 120°C
for Convection oven (LAINOX) - Series CE
Series CG - Series ME - Series MG - Series VE
Series VG



LAINOX R65270150



Suitable for:

LAINOX

Suitable for:



Injectors

5037034 NOZZLE CONDENSATION M10x1 \varnothing 1 mm
for Convection oven (LAINOX)



LAINOX F58006130

Interference suppression filters

3160479 INTERFERENCE SUPPRESSION FILTER 0,47 μ F
for Convection oven electric (LAINOX) - Series CE
Series ME - Series VE
for Convection oven gas (LAINOX) - Series CG



LAINOX F65280200

Ironmongery (screws,nuts,washers)

5020043 KIT SCREWS DEFLECTOR STOP
with pin and washer
for Convection oven (LAINOX)



LAINOX F58003100

5044092 SCREW DEFLECTOR STOP M6x16 mm
for Convection oven (LAINOX)



LAINOX F58006400

5054467 WASHER DOOR LOCK
 \varnothing external 14 mm - \varnothing internal 6.4 mm - thickness 1
for Convection oven (LAINOX)



LAINOX F61620091

Knobs

3241335 BLACK KNOB \varnothing 42 mm
D-shaped hole 6x4.6 mm
for thermostat, selector switch, program switch
for Convection oven (LAINOX)



LAINOX R69030050
LAINOX R69030200

LAINOX R69030150
LAINOX 50103120

LAINOX R69030170

5059313 BLUE KNOB \varnothing 42 mm
D-Shaft hole 6x4.6 mm
for encoder
for Convection oven (LAINOX)



LAINOX R69030280

5047491 BLUE KNOB \varnothing 60 mm
D-Shaft hole 6x4.6 mm
for encoder
for Convection oven (LAINOX)



LAINOX R69030270

5027497 GREY KNOB \varnothing 42 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (LAINOX)
for Convection oven gas (LAINOX)



LAINOX R69030260

Lamp receptacles and spare parts

1221101 HALOGEN LAMP RECEPTACLE G4 20W 12V
for Convection oven electric (LAINOX) CE071M
CE100M - CE200M
for Convection oven gas (LAINOX) CG071M - CG100M



LAINOX R65270450

3221383 CAP LAMP HOLDER OVEN
for Convection oven (LAINOX)



LAINOX R11401440

3221386 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 130x57 mm
for Convection oven (LAINOX)



LAINOX R11401450

3221385 GASKET FOR OVEN LAMP RECEPTACLE GLASS
external dimensions 130x55 mm
for Convection oven (LAINOX)



LAINOX R70044200



Suitable for:

3221384 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 105x40 mm
for Convection oven (LAINOX)



LAINOX R71500150

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



LAINOX



Suitable for:

3221638 NEUTRAL HALOGEN LAMP G4 20W 12V
max temperature 300°C



LAINOX R50304520

LAINOX R65270020

LAINOX 50304520

3221106 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 120 mm
for Convection oven electric (LAINOX) VES20D
VES20H - VES20M - VES20P - VES20X - VES24D
VES24H - VES24M - VES24P - VES24X - VES40D
VES40H - VES40M - VES40P - VES40X - VE106D
VE106H - VE106M - VE106P - VE106X - VE110D
VE110H - VE110M - VE110P - VE110X - VE210D
VE210H - VE210M - VE210P - VE210X
for Convection oven gas (LAINOX) VGS20M - VG106H
VG106P - VG106X - VG110H - VG110P - VG110X



3221638 NEUTRAL HALOGEN LAMP G4 20W 12V
max temperature 300°C



LAINOX R65270400

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



LAINOX R50304520

LAINOX R65270020

LAINOX 50304520

Suitable for:


3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V
 ceramic foot \varnothing 30 mm
 external dimensions 80x65 mm
 max. temperature 300°C
 for Convection oven (LAINOX)



LAINOX R65270500


Suitable for:

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 per FORNO-FORNO PIZZA




LAINOX R65270120

5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V
 external dimensions 96x80 mm
 max temperature 300°C
 for Convection oven electric (LAINOX) CE041M
 CE051M - MCE051M - MVE051P - VE042P - VE051P
 VE055P
 for Convection oven gas (LAINOX) CG051M - MCG051M
 MVG051P - VG051P




LAINOX R65270510

3221172 FRAME FOR OVEN LAMP RECEPTACLE
 external dimensions 96x80 mm



3186173 GASKET FOR OVEN LAMP RECEPTACLE
 external dimensions 93x79 mm



3221173 GLASS FOR OVEN LAMP RECEPTACLE
 external dimensions 73x58 mm



3221382 NEUTRAL HALOGEN LAMP G9 42W 230V



LAINOX R65270130



Suitable for:

LAINOX



Suitable for:

3221388 OVEN LIGHT CONTACT

wire connection length 1710 mm
for Convection oven electric (LAINOX) HME061P
HME061X - HME101P - HME101X - HME102P
HME102X - HME201P - HME201X - HME202P
HME202X
for Convection oven gas (LAINOX) HMG061P - HMG061X
HMG101P - HMG101X - HMG102P



LAINOX R65260750

Level regulators

3341026 LEVEL ADJUSTER RL30/3ES/F/G 230V 50/60Hz



LAINOX R50304940
LAINOX 50304880

LAINOX R65120010

LAINOX R65300130

3341073 LEVEL CONTROL MIXING DRAWER cable length 320 mm for Convection oven (LAINOX) - Series NABOO



LAINOX R65260910

Level sensors

3341012 LEVEL PROBE \varnothing 1/4" M - 220 mm



LAINOX R65320010

LAINOX 50001910

Microswitches

3240418 MAGNETIC MICROSWITCH E5501V 0.04A 250V - NO contact - head 16x37 mm with magnet 63x19x11 mm with cable length 520 mm for Convection oven electric (LAINOX) - Series ME Series MES - Series VE - Series VES for Convection oven gas (LAINOX) - Series MG Series MGS - Series VG - Series VGS



LAINOX R65265100

3092266 MICRO SWITCH KIT 6A 250V head 20x18x6.5 mm with cable length 820 mm for MIXING DRAWER for Convection oven (LAINOX) - Series NABOO



LAINOX R65260900

LAINOX R65260900K

3240189 MICRO SWITCH M1DX20 10A 250V



LAINOX R65260530

LAINOX 50304530

3240410 MICROSWITCH 16(4)A 250V


for ANGELO PO OLD OVENS FC-FCV
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
 FC1211G-FC1211E
 for ANGELO PO FRYER 030FE1-030FE1B-70FE
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
 30FES2-30FES2B-091FE28
 for IMESA DRYER ES10-ES55-ES75
 for IMESA WASHING MACHINE
 LM30-LM40-LM55-LM70-LM85
 RC30-RC40-RC55-RC70
 for SIRMAN CUTTER C4-C6-C6VV-C9
 for GRANDIMPIANTI DRYER EMS10-EMS15
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200
 for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
 JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
 for IPSO CALENDER RI1600/30-RI1600/30AV

3240449 BRACKET MICRO F300-45-55-65



LAINOX R65260540

LAINOX 50304540



3240203 DOOR MICROSWITCH BUSHING
 external \varnothing 10x15 mm



3240236 LIMIT SWITCH CONTROL



3240234 LIMIT SWITCH PIN



3240233 MICROSWITCH FITTING M16x1.5 mm



3250071 MICROSWITCH SPRING \varnothing 13x25 mm



3240235 RING NUT M16x1.5 mm





Suitable for:

3240820 MICROSWITCH 16A 250V




LAINOX MA1037111300

3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240153 ROD FOR MICROSWITCH



LAINOX



Suitable for:

3240401 ACTUATOR FOR MICROSWITCH
for OVEN



3240473 GASKET FOR BUSHING



3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240154 SPRING FOR MICROSWITCH ROD



Motors

3340136 MOTOR C30X0L13/06 47W 220/240V 50Hz
with long pin
fan ø 155 mm
for Convection oven electric (LAINOX) A23RES




LAINOX A34300420

LAINOX F65060030

Motors

3240113 MOTOR KIT K48210 0.25Kw 220/240V
 with fan \varnothing 150 mm - thickness 39 mm
 hole 6x8 mm - 50/60Hz 2800/3200 rpm
 for Convection oven electric (LAINOX) VE004D
 VE004H - VE004M - VE004X - VE104D - VE104H
 VE104M - VE104X




LAINOX R65040100

LAINOX R65040101

LAINOX R65490710

3240114 FAN \varnothing 150 mm
 thickness 38 mm
 total blades 36 - \varnothing hole 6 mm
 for Convection oven electric (LAINOX) VE004D
 VE004H - VE004M - VE004X - VE104D - VE104H
 VE104M - VE104X



LAINOX R75400030


LAINOX R75400040

3240325 MOTOR K48210 M01616 0.12Kw 220/240V
 1.6A 2100-3100rpm
 capacitor 5 μ F
 for Convection oven (LAINOX)
 RB102D
 for Convection oven electric (LAINOX)
 MVE051P
 A05PES




LAINOX R65041000

5046425 FAN \varnothing 150 mm
 thickness 50 mm
 total blades 36 - \varnothing 8 mm hole
 for Convection oven electric (LAINOX) CE041M
 VE042P




LAINOX R75400510

3240323 FAN \varnothing 160 mm
 thickness 40 mm
 total blades 36 - \varnothing hole 8x6 mm




5023394 FAN \varnothing 180 mm
 thickness 77 mm
 blades number 12 - hole \varnothing 8 mm
 for Convection oven electric (LAINOX)
 CE051M - MCE051M - MVE051P - VE0510P - VE055P
 for Convection oven gas (LAINOX)
 CG051M - MCG051M - MVG051P - VG051P
 for Convection oven electric (LAINOX) A05PES



LAINOX A34300730

LAINOX R75400410

5023392 FLANGE FOR MOTOR GASKET
 external \varnothing 35 mm - internal \varnothing 9 mm - thickness 8 mm
 for Convection oven (LAINOX)



LAINOX R58005500

5023393 MOTOR SHAFT SEALING RING
 \varnothing external 22 mm - \varnothing internal 8 mm
 thickness 7 mm
 for Convection oven (LAINOX)




LAINOX R70020020



Suitable for:

3240031 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz

0.90A 2760rpm - capacitor 4 µF
formerly model FIR 1572
for Convection oven (LAINOX)



LAINOX R50405580
LAINOX 50405580


LAINOX R65040310
LAINOX 50405581

LAINOX R65040380

Suitable for:

3068006 CAPACITOR µF 4 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat




LAINOX R50405600

LAINOX R65190010

LAINOX 50405600

3240032 FAN ø 160 mm

thickness 60 mm
total blades 15 - ø hole 8 mm
for Convection oven (LAINOX)




LAINOX R75400060

LAINOX 50405740

3240279 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz

0.90A - 2760/3320rpm - capacitor 4 µF
for Convection oven electric (LAINOX)
VE105D - VE105H - VE105M - VE105X
for Convection oven gas (LAINOX)
VG105D - VG105H - VG105M - VG105S - VG105X
for Convection oven (LAINOX) CE105M
for Convection oven electric (LAINOX)
ME105



LAINOX R65040071

5011385 COUNTER FLANGE FOR MAIN SHAFT


external ø 50mm - internal ø 16mm - thickness 6mm
for Convection oven (LAINOX)



LAINOX R58003870

5011240 FAN ø 160 mm

thickness 70 mm
blades number 16 mm - ø hole 16 mm
for Convection oven electric (LAINOX)
VE105D - VE105H - VE105M - VE105X
for Convection oven gas (LAINOX)
VG105D - VG105H - VG105M - VG105S - VG105X
for Convection oven (LAINOX) CE105M
for Convection oven electric (LAINOX)
ME105



LAINOX R75400080

5011386 FLANGE FOR MOTOR SHAFT

external ø 50 mm - internal ø 16 mm - thickness 8
for Convection oven (LAINOX)



LAINOX R58003860



Suitable for:

5009558 HEXAGONAL NUT M10 MEDIUM LH
stainless steel - UNI 5588 - DIN 934 - ISO 4032
for Convection oven (LAINOX)



LAINOX R58004020

LAINOX 50001560

LAINOX



Suitable for:


1186504 WASHER FLAT M10
internal/external \varnothing 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



LAINOX R61400052

LAINOX 50000590

3240277 MOTOR ST80/4 50/60Hz
220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
1350-1650rpm
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES



LAINOX R50405510

LAINOX R65040020


LAINOX R65040060

LAINOX R65040061

LAINOX R65040170

LAINOX 50405510


3240034 FAN \varnothing 270 mm
thickness 100 mm
total blades 24 - \varnothing tapered hole 19-24 mm
for Convection oven (LAINOX)



LAINOX R75400240


LAINOX 50405720

5021231 COUNTER FLANGE FOR CRANKSHAFT
external \varnothing 60 mm - internal \varnothing 25 mm - thickness 6
for Convection oven (LAINOX)



LAINOX R58003850


3240036 FAN \varnothing 350 mm
thickness 100 mm
total blades 24 - \varnothing tapered hole 19-24 mm



LAINOX R75400330


LAINOX 50405710

3240276 FAN \varnothing 350 mm
thickness 120 mm
total blades 24 - \varnothing tapered hole 19.5-23 mm
for Convection oven electric (LAINOX) - Series CE
Series CES - Series ME - Series MES - Series PE
Series VE - Series VES
for Convection oven gas (LAINOX) - Series CG
Series CGS - Series GC - Series GM - Series MG
Series MGC - Series MGS - Series PG - Series VG
Series VGS



LAINOX R75400380

5023532 FAN \varnothing 350 mm
thickness 118 mm
blades number 12 - fixing hole \varnothing 23 mm
for Convection oven (LAINOX)




LAINOX R75400440



Suitable for:

3240330 **FIXING SCREW FOR FAN M12x1.5 LEFTHAND**



LAINOX R58004000

5021230 **HEXAGON HEAD SCREW M6x55**
stainless steel - UNI 5737 - DIN 931 - ISO 4014



LAINOX R61020562

5021234 **WASHER STAINLESS STEEL \varnothing 30x12,5x3 mm**



LAINOX R58004010

3240297 **MOTOR WITH FAN 32W 220/240V 50/60Hz**
fan \varnothing 145 mm
for Proving oven electric (LAINOX) A08GCS - LA10
LA16 - LA18 - LV10 - LV15 - LV16 - LV18




LAINOX R65060040

LAINOX



Suitable for:

5021232 **FLANGE FOR MOTOR SHAFT**
external \varnothing 60 mm - internal \varnothing 25 mm - thickness 8
for Convection oven (LAINOX)



LAINOX R58003840

3186447 **MAIN SHAFT SEALING GASKET**
external \varnothing 29.5 mm - internal \varnothing 23.5 mm
thickness 3 mm
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES
for Convection oven gas (LAINOX) - Series MG
Series MGS - Series VG - Series VGS




LAINOX R70020050

LAINOX 50505890


Suitable for:

5024724 MOTOR 1057 0.25/0.05Kw 220/240V 50/60Hz
 1.6/0.6A - 2700/1400rpm 3300/1700rpm
 capacitor 10 µf
 for Convection oven electric (LAINOX) ME061P
 ME061T - VE061P
 for Convection oven gas (LAINOX) MG061P - MG061T
 VG061P




LAINOX R65040431

3240693 FAN ø 220 mm
 thickness 80 mm
 total blades 12 - ø tapered hole 16-11.5 mm
 for Convection oven electric (LAINOX) CE071M
 GEMT06P - GEMT06T - GEMT10P - GEMT10T
 GEMT21P - GEMT21T - GEVT06P - GEVT06T
 GEVT10P - GEVT10T - GEVT21P - HME061P
 HME061T - HME061X - HVE061P - HVE061T
 HVE061X - MCE071M - ME061P - ME061T - MME071P
 MVE071P - VE061D - VE061P
 for Convection oven gas (LAINOX) CG071M - GGMT06P
 GGMT06T - GGVT06P - GGVT06T - HMG061P
 HMG061T - HMG061X - HVG061P - HVG061T
 HVG061X - MCG071M - MG061P - MG061T - MMG071P
 MVG071P - VG061D - VG061P



LAINOX R75400400

5009558 HEXAGONAL NUT M10 MEDIUM LH
 stainless steel - UNI 5588 - DIN 934 - ISO 4032
 for Convection oven (LAINOX)



LAINOX R58004020

LAINOX 50001560

1186504 WASHER FLAT M10
 internal/external ø 10.5/20 mm - thickness 2 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



LAINOX R61400052

LAINOX 50000590


Suitable for:

5011385 COUNTER FLANGE FOR MAIN SHAFT
 external ø 50mm - internal ø 16mm - thickness 6mm
 for Convection oven (LAINOX)



LAINOX R58003870

5011386 FLANGE FOR MOTOR SHAFT
 external ø 50 mm - internal ø 16 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003860

3186421 MAIN SHAFT SEALING GASKET
 external ø 20mm - internal ø 15mm - thickness 3mm




LAINOX R70020040

LAINOX 50505880



Suitable for:

3240029 MOTOR 1057 0.5/0.10HP 220/240V 50Hz
2/4 poles 2/0.7A 1400rpm - capacitor 20 µF
for Convection oven (LAINOX)



LAINOX R50405610

LAINOX R65040260

LAINOX 50405610

3240030 FAN ø 180 mm
thickness 60 mm
total blades 16 - ø tapered hole 11.5-16.5 mm
for Convection oven (LAINOX)




LAINOX R75400120

LAINOX R75400130

LAINOX 50405730

5009558 HEXAGONAL NUT M10 MEDIUM LH
stainless steel - UNI 5588 - DIN 934 - ISO 4032
for Convection oven (LAINOX)



LAINOX R58004020

LAINOX 50001560


1186504 WASHER FLAT M10
internal/external ø 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



LAINOX R61400052

LAINOX 50000590


3240275 MOTOR 1057.2155 0.37Kw 230V 50Hz
2.5A - 2800rpm - capacitor 10 µf
for Convection oven electric (LAINOX) CE106M
FE051M - ME106D - ME106M - ME106X - PE041M
PE051M - VE106D - VE106M - VE106X
for Convection oven gas (LAINOX) CG106M - FG051M
MG106D - MG106M - MG106X - PG041M - PG051M
VG106D - VG106M - VG106X



LAINOX R65040420


Suitable for:

5011385 COUNTER FLANGE FOR MAIN SHAFT
external ø 50mm - internal ø 16mm - thickness 6mm
for Convection oven (LAINOX)



LAINOX R58003870

5011386 FLANGE FOR MOTOR SHAFT
external ø 50 mm - internal ø 16 mm - thickness 8
for Convection oven (LAINOX)



LAINOX R58003860

3186421 MAIN SHAFT SEALING GASKET
external ø 20mm - internal ø 15mm - thickness 3mm



LAINOX R70020040

LAINOX 50505880

5011385 COUNTER FLANGE FOR MAIN SHAFT
external ø 50mm - internal ø 16mm - thickness 6mm
for Convection oven (LAINOX)




LAINOX R58003870




Suitable for:

3240693 FAN \varnothing 220 mm
 thickness 80 mm
 total blades 12 - \varnothing tapered hole 16-11.5 mm
 for Convection oven electric (LAINOX) CE071M
 GEMT06P - GEMT06T - GEMT10P - GEMT10T
 GEMT21P - GEMT21T - GEVT06P - GEVT06T
 GEVT10P - GEVT10T - GEVT21P - HME061P
 HME061T - HME061X - HVE061P - HVE061T
 HVE061X - MCE071M - ME061P - ME061T - MME071P
 MVE071P - VE061D - VE061P
 for Convection oven gas (LAINOX) CG071M - GGMT06P
 GGMT06T - GGVT06P - GGVT06T - HMG061P
 HMG061T - HMG061X - HVG061P - HVG061T
 HVG061X - MCG071M - MG061P - MG061T - MMG071P
 MVG071P - VG061D - VG061P



LAINOX R75400400

5009558 HEXAGONAL NUT M10 MEDIUM LH
 stainless steel - UNI 5588 - DIN 934 - ISO 4032
 for Convection oven (LAINOX)



LAINOX R58004020

LAINOX 50001560

1186504 WASHER FLAT M10
 internal/external \varnothing 10.5/20 mm - thickness 2 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



LAINOX R61400052

LAINOX 50000590

3240692 MOTOR 1057C2401 0.25Kw 230V 50Hz
 1.6A - 2800rpm - capacitor 10 μ f
 for Convection oven electric (LAINOX) CE071M
 GEMT06P - GEVT06P - HME061P - HVE061P
 MCE071M - MME071P - MVE071P - VE061D
 for Convection oven gas (LAINOX) CG071M - GGMT06P
 GGVT06P - HMG061P - HVG061P - MCG071M
 MMG071P - MVG071P - VG061D



LAINOX R65040421

LAINOX



Suitable for:

5011386 FLANGE FOR MOTOR SHAFT
 external \varnothing 50 mm - internal \varnothing 16 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003860

3186421 MAIN SHAFT SEALING GASKET
 external \varnothing 20mm - internal \varnothing 15mm - thickness 3mm



LAINOX R70020040

LAINOX 50505880

5011385 COUNTER FLANGE FOR MAIN SHAFT
 external \varnothing 50mm - internal \varnothing 16mm - thickness 6mm
 for Convection oven (LAINOX)



LAINOX R58003870




Suitable for:

3240693

FAN ø 220 mm

thickness 80 mm
total blades 12 - ø tapered hole 16-11.5 mm
for Convection oven electric (LAINOX) CE071M
GEMT06P - GEMT06T - GEMT10P - GEMT10T
GEMT21P - GEMT21T - GEVT06P - GEVT06T
GEVT10P - GEVT10T - GEVT21P - HME061P
HME061T - HME061X - HVE061P - HVE061T
HVE061X - MCE071M - ME061P - ME061T - MME071P
MVE071P - VE061D - VE061P
for Convection oven gas (LAINOX) CG071M - GGMT06P
GGMT06T - GGVT06P - GGVT06T - HMG061P
HMG061T - HMG061X - HVG061P - HVG061T
HVG061X - MCG071M - MG061P - MG061T - MMG071P
MVG071P - VG061D - VG061P




LAINOX R75400400

5009558

HEXAGONAL NUT M10 MEDIUM LH

stainless steel - UNI 5588 - DIN 934 - ISO 4032
for Convection oven (LAINOX)



LAINOX R58004020

LAINOX 50001560

1186504

WASHER FLAT M10

internal/external ø 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



LAINOX R61400052

LAINOX 50000590

3240108

MOTOR 1060/1950 0.25HP 220/240V 50/60Hz

1A - 1400/1700rpm - capacitor 5 µF
for Convection oven electric (LAINOX) ME106D
ME106M - VE106D - VE106M
for Convection oven gas (LAINOX) MG106D - MG106M
VG106D - VG106M



LAINOX R65040021

LAINOX




Suitable for:

5011386

FLANGE FOR MOTOR SHAFT

external ø 50 mm - internal ø 16 mm - thickness 8
for Convection oven (LAINOX)



LAINOX R58003860

3186421

MAIN SHAFT SEALING GASKET

external ø 20mm - internal ø 15mm - thickness 3mm




LAINOX R70020040

LAINOX 50505880

5011385

COUNTER FLANGE FOR MAIN SHAFT

external ø 50mm - internal ø 16mm - thickness 6mm
for Convection oven (LAINOX)




LAINOX R58003870



Suitable for:

3240109 FAN \varnothing 220 mm
thickness 79 mm
total blades 20 - \varnothing tapered hole 11.5-16.5 mm
for Convection oven (LAINOX)



LAINOX R75400210

LAINOX R75400230


5009558 HEXAGONAL NUT M10 MEDIUM LH
stainless steel - UNI 5588 - DIN 934 - ISO 4032
for Convection oven (LAINOX)



LAINOX R58004020

LAINOX 50001560


1186504 WASHER FLAT M10
internal/external \varnothing 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



LAINOX R61400052

LAINOX 50000590

3240107 MOTOR 1061/1950 0.25/0.1HP 220/240V
50/60Hz - 1/0.6A - 900/1400rpm
capacitor 5 μ F
for Convection oven electric (LAINOX) ME106H
ME106P - ME106X - VE106H - VE106P - VE106X
for Convection oven gas (LAINOX) MG106H - MG106P
MG106X - VG106H - VG106P - VG106X



LAINOX R65040011

3240109 FAN \varnothing 220 mm
thickness 79 mm
total blades 20 - \varnothing tapered hole 11.5-16.5 mm
for Convection oven (LAINOX)



LAINOX R75400210


LAINOX R75400230

LAINOX



Suitable for:

5011386 FLANGE FOR MOTOR SHAFT
external \varnothing 50 mm - internal \varnothing 16 mm - thickness 8
for Convection oven (LAINOX)



LAINOX R58003860


3186421 MAIN SHAFT SEALING GASKET
external \varnothing 20mm - internal \varnothing 15mm - thickness 3mm



LAINOX R70020040


LAINOX 50505880

5011385 COUNTER FLANGE FOR MAIN SHAFT
external \varnothing 50mm - internal \varnothing 16mm - thickness 6mm
for Convection oven (LAINOX)



LAINOX R58003870

5011386 FLANGE FOR MOTOR SHAFT
external \varnothing 50 mm - internal \varnothing 16 mm - thickness 8
for Convection oven (LAINOX)




LAINOX R58003860



Suitable for:

5009558 HEXAGONAL NUT M10 MEDIUM LH
stainless steel - UNI 5588 - DIN 934 - ISO 4032
for Convection oven (LAINOX)



LAINOX R58004020

LAINOX 50001560


1186504 WASHER FLAT M10
internal/external \varnothing 10.5/20 mm - thickness 2 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



LAINOX R61400052

LAINOX 50000590

3240278 MOTOR 1063.4M 0.55Kw 220/240V 50/60Hz
3.6A 1400/1700rpm - capacitor 16 uF
for Convection oven gas (LAINOX) - Series MG
Series MGS - Series VG - Series VGS



LAINOX R65040040

LAINOX R65040041

3240034 FAN \varnothing 270 mm
thickness 100 mm
total blades 24 - \varnothing tapered hole 19-24 mm
for Convection oven (LAINOX)



LAINOX R75400240

LAINOX 50405720

LAINOX



Suitable for:

3186421 MAIN SHAFT SEALING GASKET
external \varnothing 20mm - internal \varnothing 15mm - thickness 3mm



LAINOX R70020040


LAINOX 50505880

5021231 COUNTER FLANGE FOR CRANKSHAFT
external \varnothing 60 mm - internal \varnothing 25 mm - thickness 6
for Convection oven (LAINOX)



LAINOX R58003850

3240036 FAN \varnothing 350 mm
thickness 100 mm
total blades 24 - \varnothing tapered hole 19-24 mm




LAINOX R75400330

LAINOX 50405710




Suitable for:

3240276 FAN ø 350 mm
 thickness 120 mm
 total blades 24 - ø tapered hole 19.5-23 mm
 for Convection oven electric (LAINOX) - Series CE
 Series CES - Series ME - Series MES - Series PE
 Series VE - Series VES
 for Convection oven gas (LAINOX) - Series CG
 Series CGS - Series GC - Series GM - Series MG
 Series MGC - Series MGS - Series PG - Series VG
 Series VGS



LAINOX R75400380

3240330 FIXING SCREW FOR FAN M12x1.5 LEFTHAND



LAINOX R58004000

5021230 HEXAGON HEAD SCREW M6x55
 stainless steel - UNI 5737 - DIN 931 - ISO 4014



LAINOX R61020562

5021234 WASHER STAINLESS STEEL ø 30x12,5x3 mm




LAINOX R58004010

LAINOX




Suitable for:

5023532 FAN ø 350 mm
 thickness 118 mm
 blades number 12 - fixing hole ø 23 mm
 for Convection oven (LAINOX)



LAINOX R75400440

5021232 FLANGE FOR MOTOR SHAFT
 external ø 60 mm - internal ø 25 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003840

3186447 MAIN SHAFT SEALING GASKET
 external ø 29.5 mm - internal ø 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R70020050

LAINOX 50505890



Suitable for:

Suitable for:

3240274 MOTOR 1063/46T 50/60Hz
 220/240/415V 50Hz 1400/900rpm 0.55Kw 3/1.7A
 220/240/480V 60Hz 1700/100rpm 0.185Kw 1.5/0.85A
 for Convection oven electric (LAINOX)
 till 1/04/06
 Series ME - Series MES - Series VE - Series VES




LAINOX R65040050
LAINOX R65040190

LAINOX R65040051
LAINOX 50405500


LAINOX R65040160
LAINOX 50405530

5021231 COUNTER FLANGE FOR CRANKSHAFT
 external \varnothing 60 mm - internal \varnothing 25 mm - thickness 6
 for Convection oven (LAINOX)



LAINOX R58003850


3240034 FAN \varnothing 270 mm
 thickness 100 mm
 total blades 24 - \varnothing tapered hole 19-24 mm
 for Convection oven (LAINOX)



LAINOX R75400240

LAINOX 50405720


3240036 FAN \varnothing 350 mm
 thickness 100 mm
 total blades 24 - \varnothing tapered hole 19-24 mm



LAINOX R75400330

LAINOX 50405710


3240272 FAN \varnothing 300 mm
 thickness 120 mm
 total blades 20 - \varnothing tapered hole 19.5-23 mm
 for Convection oven electric (LAINOX) CE110M
 EM010H - EV010P - MES20D - MES20H - MES20M
 MES20P - MES20X - ME110D - ME110H - ME110M
 ME110P - ME110X - ME120D - ME120H - ME120M
 ME120P - ME120X - VEC20X - VES20D - VES20H
 VES20M - VES20P - VES20X - VE110D - VE110H
 VE110M - VE110P - VE110X - VE120D - VE120H
 VE120M - VE120P - VE120X
 for Convection oven gas (LAINOX) CG110M - GC010M
 GV010H - GV010M - MGC20H - MGS20D - MGS20H
 MGS20M - MGS20P - MGS20X - MG110D - MG110H
 MG110M - MG110P - MG110X - MG120D - MG120H
 MG120M - MG120P - MG120X - VGS20D - VGS20H



LAINOX R75400270

LAINOX R75400290

3240276 FAN \varnothing 350 mm
 thickness 120 mm
 total blades 24 - \varnothing tapered hole 19.5-23 mm
 for Convection oven electric (LAINOX) - Series CE
 Series CES - Series ME - Series MES - Series PE
 Series VE - Series VES
 for Convection oven gas (LAINOX) - Series CG
 Series CGS - Series GC - Series GM - Series MG
 Series MGC - Series MGS - Series PG - Series VG
 Series VGS




LAINOX R75400380




Suitable for:

5023532 FAN \varnothing 350 mm
thickness 118 mm
blades number 12 - fixing hole \varnothing 23 mm
for Convection oven (LAINOX)



LAINOX R75400440

5021232 FLANGE FOR MOTOR SHAFT
external \varnothing 60 mm - internal \varnothing 25 mm - thickness 8
for Convection oven (LAINOX)



LAINOX R58003840

3186447 MAIN SHAFT SEALING GASKET
external \varnothing 29.5 mm - internal \varnothing 23.5 mm
thickness 3 mm
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES
for Convection oven gas (LAINOX) - Series MG
Series MGS - Series VG - Series VGS



LAINOX R70020050

LAINOX 50505890

3240273 MOTOR 1063D2250 0.55/0.185Kw 200/240V
50Hz - 3.6/2A - 1400/900rpm
capacitor 16-12.5 μ f
for Convection oven gas (LAINOX) - Series FG
Series MG - Series MGS - Series VG - Series VGS




LAINOX R65040031

LAINOX



Suitable for:

3240330 FIXING SCREW FOR FAN M12x1.5 LEFTHAND



LAINOX R58004000

5021230 HEXAGON HEAD SCREW M6x55
stainless steel - UNI 5737 - DIN 931 - ISO 4014




LAINOX R61020562

5021234 WASHER STAINLESS STEEL \varnothing 30x12,5x3 mm



LAINOX R58004010

5021231 COUNTER FLANGE FOR CRANKSHAFT
external \varnothing 60 mm - internal \varnothing 25 mm - thickness 6
for Convection oven (LAINOX)




LAINOX R58003850




Suitable for:

3240276 FAN ø 350 mm
 thickness 120 mm
 total blades 24 - ø tapered hole 19.5-23 mm
 for Convection oven electric (LAINOX) - Series CE
 Series CES - Series ME - Series MES - Series PE
 Series VE - Series VES
 for Convection oven gas (LAINOX) - Series CG
 Series CGS - Series GC - Series GM - Series MG
 Series MGC - Series MGS - Series PG - Series VG
 Series VGS



LAINOX R75400380

3240330 FIXING SCREW FOR FAN M12x1.5 LEFTHAND



LAINOX R58004000

5021230 HEXAGON HEAD SCREW M6x55
 stainless steel - UNI 5737 - DIN 931 - ISO 4014



LAINOX R61020562

5021234 WASHER STAINLESS STEEL ø 30x12,5x3 mm




LAINOX R58004010

LAINOX




Suitable for:

5023532 FAN ø 350 mm
 thickness 118 mm
 blades number 12 - fixing hole ø 23 mm
 for Convection oven (LAINOX)



LAINOX R75400440

5021232 FLANGE FOR MOTOR SHAFT
 external ø 60 mm - internal ø 25 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003840

3186447 MAIN SHAFT SEALING GASKET
 external ø 29.5 mm - internal ø 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R70020050

LAINOX 50505890

Suitable for:

5055647 MOTOR 3042A2350 0.55Kw 230V 50/60Hz
 '3A - 1400/1700rpm - capacitor 20 μ f
 for Convection oven gas (LAINOX) CG100M - CG200M
 GGMT10P - GGMT20P - GGMT21P - GGMT40P
 GGVT10P - GGVT20P - GGVT21P - GGVT40P
 HMG101P - HMG102P - HMG201P - HMG202P
 HVG101P - HVG102P - HVG201P - HVG202P
 MCG101M - MCG102M - MCG201M - MCG202M - MG201D
 MG202D - MMG101P - MMG102P - MVG101P - MVG102P
 VG101D - VG201D - VG202D




LAINOX R65040550

5023532 FAN \varnothing 350 mm
 thickness 118 mm
 blades number 12 - fixing hole \varnothing 23 mm
 for Convection oven (LAINOX)



LAINOX R75400440

5021232 FLANGE FOR MOTOR SHAFT
 external \varnothing 60 mm - internal \varnothing 25 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003840

3186447 MAIN SHAFT SEALING GASKET
 external \varnothing 29.5 mm - internal \varnothing 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS




LAINOX R70020050

LAINOX 50505890


Suitable for:

5021231 COUNTER FLANGE FOR CRANKSHAFT
 external \varnothing 60 mm - internal \varnothing 25 mm - thickness 6
 for Convection oven (LAINOX)



LAINOX R58003850

3240330 FIXING SCREW FOR FAN M12x1.5 LEFTHAND



LAINOX R58004000

5021230 HEXAGON HEAD SCREW M6x55
 stainless steel - UNI 5737 - DIN 931 - ISO 4014



LAINOX R61020562

5021234 WASHER STAINLESS STEEL \varnothing 30x12,5x3 mm



LAINOX R58004010



Suitable for:

LAINOX




3240689 MOTOR 3042A4050 0,55Kw 50/60Hz
 200/240V 50Hz 0.55Kw 2.6A 1400rpm
 415V 50Hz 0.55Kw 1.5A 1400rpm
 200/240V 60Hz 0.55Kw 2.3A 1700rpm
 480V 60Hz 0.55Kw 1.3A 1700rpm
 for Convection oven electric (LAINOX) HME101P
 HME101T - HME101X - HME102P - HME102T
 HME102X - HME201P - HME201T - HME201X
 HME202P - HME202T - HME202X - HVE101P
 HVE101T - HVE101X - HVE102P - HVE102T
 HVE102X - HVE201P - HVE201T - HVE201X
 HVE202P - HVE202T - HVE202X
 for Convection oven gas (LAINOX) HMG101T - HMG101X
 HMG102T - HMG102X - HMG201T - HMG201X
 HMG202T - HMG202X - HVG101T - HVG101X
 HVG102T - HVG102X - HVG201T - HVG201X




LAINOX R65040530

5023532 FAN ø 350 mm
 thickness 118 mm
 blades number 12 - fixing hole ø 23 mm
 for Convection oven (LAINOX)



LAINOX R75400440

5021232 FLANGE FOR MOTOR SHAFT
 external ø 60 mm - internal ø 25 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003840

3186447 MAIN SHAFT SEALING GASKET
 external ø 29.5 mm - internal ø 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R70020050


LAINOX 50505890

5021231 COUNTER FLANGE FOR CRANKSHAFT
 external ø 60 mm - internal ø 25 mm - thickness 6
 for Convection oven (LAINOX)



LAINOX R58003850

3240330 FIXING SCREW FOR FAN M12x1.5 LEFTHAND




LAINOX R58004000

5021230 HEXAGON HEAD SCREW M6x55
 stainless steel - UNI 5737 - DIN 931 - ISO 4014



LAINOX R61020562

5021234 WASHER STAINLESS STEEL ø 30x12,5x3 mm



LAINOX R58004010

Suitable for:

5037562 MOTOR 3042D2352 0.55/0.15Kw 230V
 50/60Hz - 3/1.3A - 1400-1700/900-1100rpm
 for Convection oven gas (LAINOX) MG101P - MG101T
 MG102P - MG102T - MG201P - MG201T - MG202P
 MG202T - VG101P - VG201P - VG202P




LAINOX R65040540

5023532 FAN ø 350 mm
 thickness 118 mm
 blades number 12 - fixing hole ø 23 mm
 for Convection oven (LAINOX)



LAINOX R75400440

5021232 FLANGE FOR MOTOR SHAFT
 external ø 60 mm - internal ø 25 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003840

3186447 MAIN SHAFT SEALING GASKET
 external ø 29.5 mm - internal ø 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS




LAINOX R70020050

LAINOX 50505890


Suitable for:

5021231 COUNTER FLANGE FOR CRANKSHAFT
 external ø 60 mm - internal ø 25 mm - thickness 6
 for Convection oven (LAINOX)



LAINOX R58003850

3240330 FIXING SCREW FOR FAN M12x1.5 LEFTHAND



LAINOX R58004000

5021230 HEXAGON HEAD SCREW M6x55
 stainless steel - UNI 5737 - DIN 931 - ISO 4014



LAINOX R61020562

5021234 WASHER STAINLESS STEEL ø 30x12,5x3 mm



LAINOX R58004010



Suitable for:

LAINOX




5030901 MOTOR 3042D4050 0.55/0.15Kw
 200-240/415V 50Hz 2.3/1.3A 1400/900rpm
 200-240/480V 60Hz 1.2/0.7A 1700/1100rpm
 for Convection oven electric (LAINOX) ME101P
 ME101T - ME102P - ME102T - ME201P - ME201T
 VE101P - VE201P
 for Convection oven gas (LAINOX) MG101P




LAINOX R65040520

5023532 FAN ø 350 mm
 thickness 118 mm
 blades number 12 - fixing hole ø 23 mm
 for Convection oven (LAINOX)



LAINOX R75400440

5021232 FLANGE FOR MOTOR SHAFT
 external ø 60 mm - internal ø 25 mm - thickness 8
 for Convection oven (LAINOX)



LAINOX R58003840


3186447 MAIN SHAFT SEALING GASKET
 external ø 29.5 mm - internal ø 23.5 mm
 thickness 3 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series MG
 Series MGS - Series VG - Series VGS



LAINOX R70020050


LAINOX 50505890

5021231 COUNTER FLANGE FOR CRANKSHAFT
 external ø 60 mm - internal ø 25 mm - thickness 6
 for Convection oven (LAINOX)



LAINOX R58003850

3240330 FIXING SCREW FOR FAN M12x1.5 LEFTHAND



LAINOX R58004000

5021230 HEXAGON HEAD SCREW M6x55
 stainless steel - UNI 5737 - DIN 931 - ISO 4014



LAINOX R61020562

5021234 WASHER STAINLESS STEEL ø 30x12,5x3 mm



LAINOX R58004010



Non-return and expansion valves

5022258 BACKFLOW VALVE \varnothing 1/4"FF
 tubo \varnothing 10 mm
 for Convection oven electric (LAINOX)
 Series GEMT - Series GEVT - Series HME
 Series HVE - Series ME
 for Convection oven gas (LAINOX) - Series GGMT
 Series GGVT - Series HMG - Series HVG - Series MG



LAINOX F65110640

5052183 COMPLETE CHECK GROUP KIT
 with fittings, vibratory pump, solenoid valves,
 relay, pipe, cables
 for Convection oven electric (LAINOX)
 Series GEMT VERSIONE P - Series GEMT VERSIONE T
 Series GEV VERSIONE P - Series GEV VERSIONE T
 Series HME VERSIONE P - Series HME VERSIONE T
 Series HME VERSIONE X - Series HVE VERSIONE P
 Series HVE VERSIONE T - Series HVE VERSIONE X
 Series ME VERSIONE T DAL SERIALE 3004
 for Convection oven gas (LAINOX)
 Series GGM VERSIONE P - Series GGM VERSIONE T
 Series GGV VERSIONE P - Series GGV VERSIONE T
 Series HMG VERSIONE P - Series HMG VERSIONE T
 Series HMG VERSIONE X - Series HVG VERSIONE P
 Series HVG VERSIONE T - Series HVG VERSIONE X



LAINOX F62300028

5024449 NON-RETURN GROUP FITTINGS KIT 235 mm
 pipe \varnothing 10 mm
 for Convection oven (LAINOX)



LAINOX F62300018


3010076 NON-RETURN VALVE JG 10SCV
 pipe \varnothing 10 mm
 for Convection oven (LAINOX)



LAINOX F65110680

Outlet solenoid valves and accessories

3120126 BOILER MOTOR DRAIN VALVE TCN
 230V 50/60Hz
 connections \varnothing 3/4"FF
 for Convection oven electric (LAINOX) - Series ME
 VE061D - VE061M - XAME07D
 for Convection oven gas (LAINOX) - Series MG



LAINOX F65110560

3525026 BOILER MOTOR DRAIN VALVE TCR
 230V 50/60Hz 5A
 fittings \varnothing 1/2"FF
 for Convection oven electric (LAINOX) EM006H
 EM010H - Series ME - Series MES
 for Convection oven gas (LAINOX) GM020H - GM020M
 Series MG - Series MGC - Series MGS



LAINOX F65110540



Suitable for:

LAINOX



Suitable for:

5062056 **MOTORIZED VALVE DRAIN BOILER TCN**

230V 50/60Hz
fittings ø 1"FF
for Convection oven (LAINOX)




LAINOX R65110570

Penetration probes

3497001 **CONNECTOR FOR CORE PROBE**

6 wires- connection to terminal box
for Convection oven (LAINOX) - Series NABOO



LAINOX R65321360

5021260 **CONNECTOR FOR CORE PROBE**

4 wires - wire connection
for Convection oven (LAINOX)



LAINOX R65320920

5021262 **CAP PTFE FOR PENETRATION PROBE CONNECT.**


for Convection oven (LAINOX)



LAINOX R65321020

5059072 **CONNECTOR FOR CORE PROBE**

6 wires- connection to terminal box
for Convection oven (LAINOX)



LAINOX R65321110

5021262 **CAP PTFE FOR PENETRATION PROBE CONNECT.**

for Convection oven (LAINOX)



LAINOX R65321020

Suitable for:

Suitable for:

3397037 PENETRATION PROBE
connector fitting
probe length 180 mm
compartment internal cable length 1100 mm
for Convection oven (LAINOX)

3397114 PENETRATION PROBE
connector fitting
probe length 175 mm
cable length 1100 mm
for Convection oven electric (LAINOX) HME061T
HME061X - HME101T - HME101X - HME102T
HME102X - HME201T - HME201X - HME202T
HME202X - HVE061T - HVE061X - HVE101T
HVE101X - HVE102T - HVE102X - HVE201T
HVE201X - HVE202T - HVE202X
for Convection oven gas (LAINOX) HMG061T - HMG061X
HMG101T - HMG101X - HMG102T - HMG102X
HMG201T - HMG201X - HMG202T - HMG202X
HVG061T - HVG061X - HVG101T - HVG101X
HVG102T - HVG102X - HVG201T - HVG201X
HVG202T - HVG202X



LAINOX R65320900

LAINOX R65321100

5026016 PENETRATION PROBE
connection by connector
probe length 178 mm
chamber internal cable length 1150 mm
for Convection oven electric (LAINOX)
Series HVE VERSIONE P - Series ME VERSIONE D
Series ME VERSIONE P - Series MME VERSIONE P
Series MVE VERSIONE P - Series VE VERSIONE D
Series VE VERSIONE P
for Convection oven gas (LAINOX)
Series HMG VERSIONE P - Series HVG VERSIONE P
Series MG VERSIONE D - Series MG VERSIONE P
Series MMG VERSIONE P - Series MVG VERSIONE P
Series VG VERSIONE D - Series VG VERSIONE P

5059074 PENETRATION PROBE KIT
complete with cable, cap, case and accessories
connection by connector
probe length 90 mm
chamber internal cable length 1100 mm
plug connecting cable length 370 mm
for Convection oven (LAINOX)



LAINOX R65321120

LAINOX R65491230



Suitable for:

Suitable for:

3397019 PENETRATION PROBE PT100
 2 wires
 probe length 180 mm
 chamber internal cable length 900 mm
 chamber external cable length 1400 mm
 for OLD SERIES
 for Convection oven electric (LAINOX) ME05 - ME10
 for Convection oven gas (LAINOX) MG05 - MG10

3397036 PENETRATION PROBE SET PT100+PLUG+CAP
 connector fitting
 probe length 180 mm
 compartment internal cable length 1100 mm
 complete with panel plug with cap
 for Convection oven (LAINOX) ME110L



LAINOX R50305122

LAINOX R65320180

LAINOX 50305121

LAINOX R65320690

LAINOX R65320700

LAINOX R65320730

LAINOX R65320740

LAINOX R65320770

LAINOX R65320780

LAINOX R65320810

LAINOX R65320820

LAINOX R65320850

LAINOX R65320860

LAINOX R65325200

LAINOX R65325210

LAINOX R65325220

LAINOX R65325230

LAINOX R65325240

LAINOX R65325250

LAINOX R65325800


Pilot burners and accessories

3020010 TARGET PILOT BURNER SIT 2 FLAMES
 supplied without sparking plug, nozzle and gasket
 with thermocouple fitting



LAINOX MACM029000

3348029 FITTING FOR PIPE \varnothing 4 mm
 for model PEL 21-22
 per modello PEL 21-22



3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



3020077 FITTING FOR PIPE \varnothing 4 mm
 filetto M10x1



3020085 NUT FOR SPARKING PLUG CONNECTION



LAINOX MA1888400

3020114 OLIVE PILOT TARGET \varnothing 6 mm BLACK






Suitable for:

3020201 PILOT GAS JET \varnothing 0.14 mm



LAINOX MA1888000

3020542 PILOT GAS JET \varnothing 0.20 mm



3020043 PILOT GAS JET \varnothing 0.36 mm



3020086 PILOT GASKET



3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



LAINOX MA1949900

3020078 TUBING NUT FOR 6 mm \varnothing PIPE
filetto M10x1



LAINOX



Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm




3020202 PILOT GAS JET \varnothing 0.27 mm



LAINOX MA1887800

3020543 PILOT GAS JET \varnothing 0.38 mm



3020113 PILOT OLIVE TARGET \varnothing 4 mm



LAINOX MA1888100

3020200 THERMOCOUPLE NUT
filetto M10x1



LAINOX MA1891700




Suitable for:

LAINOX



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



LAINOX F63050020


LAINOX 50203220

5027953 BICONO PER TUBO \varnothing 4 mm
tipo multigas con ugello \varnothing 0,20 mm
con staffa 3 posizioni



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
filetto \varnothing 3/8" F



LAINOX MA459300

3020077 FITTING FOR PIPE \varnothing 4 mm
filetto M10x1



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020083 NUT & OLIVE \varnothing 4 mm



3020084 NUT & OLIVE \varnothing 6 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



LAINOX MA417810

3020081 OLIVE FOR 6 mm \varnothing PIPE



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm




3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm





Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



LAINOX MA1415100

3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT NOZZLE \varnothing 0.45 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



5033138 RACCORDO PER TUBO \varnothing 4 mm
tipo multigas con ugello \varnothing 0,20 mm
con staffa 3 posizioni




3020365 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 52 mm



LAINOX

Suitable for:

3020156 PILOT JET \varnothing 0.25 mm



LAINOX MA1842300

5015516 PILOT NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



LAINOX MA1888300

LAINOX MA224211






Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



LAINOX MA1949900

3020103 THREE-POSITION BRACKET



3020078 TUBING NUT FOR 6 mm \varnothing PIPE
filetto M10x1



3020036 THREE-FLAME PILOT BURNER SIT
with NG nozzle \varnothing 0.35 mm
with 3 positions bracket




LAINOX CR0588730

3020077 FITTING FOR PIPE \varnothing 4 mm
filetto M10x1



3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

LAINOX



Suitable for:


3020110 THREE-FLAME DEFLECTOR



3020104 THREE-POSITION BRACKET CLAMP



3020079 PIPE FITTING \varnothing 12 mm
filetto \varnothing 3/8" F



LAINOX MA459300

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020084 NUT & OLIVE \varnothing 6 mm





Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



LAINOX MA417810


3020081 OLIVE FOR 6 mm ø PIPE



3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm




3020156 PILOT JET ø 0.25 mm



LAINOX MA1842300

5015516 PILOT NOZZLE ø 0.40 mm



3020105 PILOT WITH 0.20 mm ø JET



LAINOX



Suitable for:


3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm



3020054 PILOT JET ø 0.20 mm



LAINOX MA1415100

3020055 PILOT JET ø 0.35 mm



3500269 PILOT NOZZLE ø 0.45 mm



3020106 PILOT WITH 0.25 mm ø JET





Suitable for:

3020107 PILOT WITH 0.35 mm Ø JET



LAINOX



Suitable for:

3020124 ROUND IGNITION ELECTRODE Ø 7x44 mm
female connection
overall length 58 mm



3020365 ROUND IGNITION ELECTRODE Ø 7x44 mm
female connection
overall length 52 mm



LAINOX R63050010

LAINOX 50102720

3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm



3020060 ROUND SPARKING PLUG Ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



LAINOX MA1888300


LAINOX MA224211

3020110 THREE-FLAME DEFLECTOR



LAINOX MA1949900

3020103 THREE-POSITION BRACKET



3020104 THREE-POSITION BRACKET CLAMP



3020078 TUBING NUT FOR 6 mm Ø PIPE
filetto M10x1





Potentiometers

3157001 SELECTOR SWITCH ENCODER COMPLETE WITH CAB
 D-shaped pin 6x4.6 mm
 for Convection oven (LAINOX) - Series NAB00



LAINOX R65302500


3057218 SELECTOR SWITCH ENCODER COMPLETE W/CABLE
 D-shaped pin 6x4.6 mm
 for Convection oven electric (LAINOX) ABE104S
 HME061X - HME101X - HME102X - HME201X
 HME202X
 for Convection oven gas (LAINOX) HMG061X - HMG101X
 HMG102X - HMG201X - HMG202X



LAINOX R65301940

LAINOX R65301941

3057215 SELECTOR SWITCHES ENCODER W/CABLES KIT
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (LAINOX) HME061P
 HME101P - HME102P - HME201P - HME202P
 for Convection oven gas (LAINOX) HMG061P - HMG101P
 HMG102P - HMG201P - HMG202P



LAINOX R65301450

Pressure switches

3320051 ADJUSTABLE PRESSURE SWITCH \varnothing 1/4" M
 operating pressure regulation 5-20 mbar
 differential 3 mbar
 contact capacity 16(4)A 250V
 max operating temperature 85°C



LAINOX R63070010

3320059 OVEN PRESS. SWITCH 0.35-0.50 BAR 6A 250V
 fitting \varnothing 1/8" M
 for Convection oven electric (LAINOX) VE100H



LAINOX R63070050

3320115 PRESSURE SWITCH CONNECTION
 for Convection oven (LAINOX) - Series PE
 Series PG - Series VE - Series VES - Series VG
 Series VGS



LAINOX R58003390



Suitable for:

LAINOX



Suitable for:

Probes

5038670 TEMPERATURE PROBE K

2 wires
probe length 100 mm
cable length 1480 mm
for Convection oven electric (LAINOX)
Series HME VERSIONE X - Series HVE VERSIONE X
for Convection oven gas (LAINOX)
Series HMG VERSIONE X - Series HVG VERSIONE X



LAINOX R65320220

5051444 TEMPERATURE PROBE K

2 wires
probe length 90 mm
cable length 3000 mm
for Convection oven electric (LAINOX) HME201X
HME202X - HVE201X - HVE202X
for Convection oven gas (LAINOX) HMG201X - HMG202X
HVG201X - HVG202X



LAINOX R65320230

3397034 TEMPERATURE PROBE PT100

2 wires
probe length 83 mm
cable length 1500 mm
for Convection oven (LAINOX)



LAINOX R50305101

LAINOX R65320150

LAINOX R65325000

LAINOX 50305100

LAINOX 50305101

5032420 TEMPERATURE PROBE PT100

2 wires - bulb \varnothing 6x100 mm
cable length 5000 mm
for Convection oven electric (LAINOX) MES40D
MES40H - MES40P - ME220D - ME220H - ME220P
VES40D - VES40H - VES40P - VE220D - VE220H
VE220P
for Convection oven gas (LAINOX) MGC40P - MGS40D
MGS40H - MGS40P - MG220D - MG220H - MG220P
MG220T - VGS40D - VGS40H - VGS40P - VG220D
VG220H - VG220P



LAINOX R65325020

Rating-plates

3319452 BLUE ELECTRONIC PLATE


dimensions 430x95 mm
for Convection oven gas (LAINOX) MG220T



LAINOX R67010780

3319284 GREY ELECTRONIC PLATE

dimensions 270x90 mm
for OLD SERIES
for Convection oven electric (LAINOX) PE04 - PE05
PE08 - PE10 - PE15
for Convection oven gas (LAINOX) PG04 - PG05
PG08 - PG10 - PG15




LAINOX R67010810

LAINOX 50708040

Suitable for:

3319451 GREY ELECTRONIC PLATE
 dimensions 270x90 mm
 for old models
 for Convection oven (LAINOX)
 for Convection oven electric (LAINOX) ME5




LAINOX R67010760

LAINOX 50108070

LAINOX 50708170


Suitable for:

3319290 GREY MECHANICAL PLATE WITH BLUE POINTER
 dimensions 430x95 mm
 for Convection oven electric (LAINOX) VE106M
 VE110M - VE120M - VE210M - VE220M
 for Convection oven gas (LAINOX) VG106M - VG110M
 VG120M - VG210M - VG220M



LAINOX R67010530

3319288 LIGHT BLUE ELECTRONIC PLATE
 dimensions 430x95 mm
 for Convection oven (LAINOX) - Series MIXVAPOR-T
 Series PROFESSIONAL



LAINOX R67010900

Relays

3351037 MINI RELAY 40.52 8A 230V 50/60Hz
 2 switching contacts




LAINOX R65170050

5018678 RELAY TIMED EMER8 24/240V 50/60Hz
 1 contact in commutation
 regulation 0,1"÷20h
 for Convection oven electric (LAINOX) VE042P
 for Convection oven gas (LAINOX) GM020M



LAINOX R65090480

3351027 TIME LAG MINI RELAY 85.02
 2 switching contacts - 50/60Hz
 adjustment coupling 0.05"÷10h
 for Convection oven (LAINOX) - Series ME
 Series MG - Series PE - Series PG



LAINOX R65090460

3351026 TIME LAG RELAY MAR1 MAR1 8A 250V 50/60Hz
 1 switching contact
 adjustment coupling 0.1"÷100h
 for Convection oven (LAINOX) - Series CG
 Series ME - Series MES - Series MG - Series MGS
 Series PG - Series VG - Series VGS



LAINOX R65090450



Suitable for:

LAINOX



Suitable for:

Rinse aid containers and accessories

3092265 **DECALCIFYING DRAWER COMPLETE 550x220 mm**
complete with drain pump
height 80 mm
for Convection oven (LAINOX) - Series NABOO



LAINOX R14162590

3092264 **DRAWER CLEANER COMPLETE**
completo di elettropompa di scarico
altezza 80 mm
for Convection oven (LAINOX) - Series NABOO



LAINOX R14162580


Rinse aid pumps and accessories

5021693 **DETERGENT PIPE \varnothing 6x8 mm - 2000 mm**
for Convection oven electric (LAINOX)
Series GEMT VERSIONE T/P
Series GEVT VERSIONE T/P
Series HME VERSIONE T/P/X
Series HVE VERSIONE T/P/X - Series ME VERSIONE T
for Convection oven gas (LAINOX)
Series GGM VERSIONE P - Series GGMT VERSIONE T/P
Series GGV VERSIONE T/P
Series HMG VERSIONE T/P/X
Series HVG VERSIONE T/P/X - Series MG VERSIONE T



LAINOX R70070100

3090244 **TUBO PER DETERGENTE \varnothing 6x8 mm**
VENDITA AL METRO LINEARE



LAINOX R80150020


Rotary switches

3057050 **CONNECTING BRACKET**
connecting thermostat and switch
per il collegamento tra commutatore e termostato



LAINOX MA921200

3057014 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat




LAINOX MA710300



Suitable for:

3057010 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4. \varnothing 6 mm
 for Convection oven electric (LAINOX)
 CES24M - CES40M - CE041M - CE051M - CE071M
 CE100M - CE106M - CE110M - CE200M - CE210M
 MCE051M - MCE071M - MCE101M - MCE102M
 MCE201M - MCE202M
 for Convection oven gas (LAINOX)
 CGS24M - CGS40M - CG051M - CG071M - CG100M
 CG106M - CG110M - CG200M - CG210M - FG105M
 FG105X - FG110M - FG110X - MCG051M - MCG071M
 MCG101M - MCG102M - MCG201M - MCG202M - PG040M
 PG040X - PG080M - PG080X
 for Convection oven (LAINOX) SCE051M



LAINOX R50304020


LAINOX R65080010

LAINOX 50304020

Suitable for:

3057041 SELECTOR SWITCH 0-4 POSITIONS


contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6
 for Convection oven electric (LAINOX)
 ME061M - ME101M - ME102M - ME201M - ME202M
 VES20X - VES24M - VES24X - VES40M - VES40X
 VE004M - VE004X - VE061M - VE101M - VE102M
 VE104M - VE104X - VE105M - VE105X - VE106M
 VE106X - VE110M - VE110X - VE120M - VE120X
 VE201M - VE202M - VE210M - VE210X - VE220M
 for Convection oven gas (LAINOX)
 MG061M - MG101M - MG102M - MG201M - MG202M
 VG061M - VG101M - VG102M - VG105M - VG105X
 VG106M - VG106X - VG110M - VG110X - VG120M
 VG120X - VG201M - VG202M - VG210M - VG210X
 VG220M - VG220X



LAINOX R65080020

3057091 SELECTOR SWITCH 0-8 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4. \varnothing 6 mm
 for Convection oven electric (LAINOX) ME110L
 PE105M - PE108M - PE115M - PE188M



LAINOX R65080060

Sleeves

5028526 SILICONE HOSE

external \varnothing 19mm
 internal \varnothing 15 mm
 length 95 mm
 for Convection oven electric (LAINOX) - Series CES
 Series ME - Series MES - Series VE - Series VES
 for Convection oven gas (LAINOX) - Series CGS
 Series MG - Series MGS - Series VG - Series VGS



LAINOX R70060080

3248115 SILICONE SLEEVE

external \varnothing 35 mm
 internal \varnothing 30 mm
 length 40 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MG - Series VE - Series VG



LAINOX R70060010



Suitable for:

3248116 SILICONE SLEEVE
 external \varnothing 56 mm
 internal \varnothing 50 mm
 length 50 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MG - Series VE - Series VG



LAINOX R70060040

Suitable for:

3248117 SILICONE SLEEVE
 external \varnothing 20 mm
 internal \varnothing 14 mm
 length 80 mm
 for Convection oven electric (LAINOX) - Series ME
 Series MES - Series MG - Series MGS - Series VE
 Series VES - Series VG



LAINOX R70060060

Solenoid valves

3120282 SOLENOID VALVE 230V \varnothing 10 mm
 solenoid valve 180° - 230V 50Hz - max 60°C
 inlet 3/4" - two outlets \varnothing 10 mm
 with 1 flow rate adjuster - red
 for Convection oven electric (LAINOX) HME061P
 HME061X - HME101P - HME101X - HME102P
 HME102X - HME201P - HME201X - HME202P
 HME202X
 for Convection oven gas (LAINOX) HMG061P - HMG061X
 HMG101P - HMG101X - HMG102P - HMG102X
 HMG201P - HMG201X - HMG202P



LAINOX R65110210

5046981 OUTLET REDUCER 10 L/min BROWN



LAINOX R65110420

LAINOX R65110500

5028983 OUTLET REDUCER 15 L/min RED



LAINOX R65110510

3120283 SOLENOID VALVE 230V \varnothing 10 mm
 solenoid valve 180° - 230V 50/60Hz - max 60°C
 inlet 3/4" - two outlets \varnothing 10 mm
 with 2 flow rate adjusters: 1 red - 1 brown
 for Convection oven electric (LAINOX)
 HME061P - HME061X - HME101P - HME101X - HME102P
 HME102X
 for Convection oven gas (LAINOX)
 HMG061P - HMG061X - HMG101P - HMG101X - HMG102P
 HMG102X
 for Convection oven electric (LAINOX) VE071S



LAINOX R65110230

5046981 OUTLET REDUCER 10 L/min BROWN



LAINOX R65110420

LAINOX R65110500



Suitable for:

5028983 OUTLET REDUCER 15 L/min RED



LAINOX R65110510

Suitable for:

5046981 OUTLET REDUCER 10 L/min BROWN

3120284 SOLENOID VALVE 230V \varnothing 10 mm
solenoid valve 180° - 230V 50/60Hz - max 60°C
inlet 3/4" - three outlets \varnothing 10 mm
for Convection oven electric (LAINOX) HME201P
HME201X - HME202P - HME202X
for Convection oven gas (LAINOX) HMG201P - HMG201X
HMG202P - HMG202X



LAINOX R65110240



LAINOX R65110420

LAINOX R65110500

5028983 OUTLET REDUCER 15 L/min RED



LAINOX R65110510

5046981 OUTLET REDUCER 10 L/min BROWN

3120587 SOLENOID VALVE 230V \varnothing 10 mm
solenoid valve 180° - 230V 50/60Hz- max 60°C
inlet of 3/4 " - 4 outlets \varnothing 10 mm
with 2 flow rate adjusters - brown
with 2 adaptors of red capacity
with 2 flow rate adjusters - green
with 2 flow rate adjusters - purple
for Convection oven (LAINOX) - Series NABOO



LAINOX R65110290



LAINOX R65110420

LAINOX R65110500

5028983 OUTLET REDUCER 15 L/min RED



LAINOX R65110510



Suitable for:

LAINOX



Suitable for:

5028985 SOLENOID VALVE 230V ø 10 mm
 solenoid valve 180° - 230V 50/60Hz - max 60°C
 inlet 3/4" - outlet ø 10 mm
 for Convection oven (LAINOX)
 Series CE - Series CG - Series ME - Series MG
 Series VE - Series VG
 for Convection oven electric (LAINOX) VE071S



LAINOX R65110200

5046981 OUTLET REDUCER 10 L/min BROWN



LAINOX R65110420

LAINOX R65110500

5028983 OUTLET REDUCER 15 L/min RED



LAINOX R65110510

5061821 SOLENOID VALVE 230V ø 10 mm
 solenoid valve 180° - 230V 50/60Hz- max 60°C
 inlet of 3/4" - 3 outlets ø 10 mm
 with 2 flow adjusters - brown
 with 2 flow adjusters of red color
 with 2 flow rate adjusters - green
 with 2 flow rate adjusters - purple
 for Convection oven (LAINOX)



LAINOX R65110280

5046981 OUTLET REDUCER 10 L/min BROWN



LAINOX R65110420

LAINOX R65110500

5028983 OUTLET REDUCER 15 L/min RED




LAINOX R65110510

3120405 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - outlet ø 10.5 mm



LAINOX R50102860

3120407 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4"- 2 outlets ø 10.5 mm



LAINOX R50102891

Suitable for:

Suitable for:

5035116 SOLENOID VALVE 230V \varnothing 6 mm
 solenoid valve 180° - 230V 50/60Hz - max 60°C
 inlet \varnothing 6 mm - outlet \varnothing 6 mm
 with cable 250 mm
 for Convection oven electric (LAINOX) ME061T
 ME101T - ME102T - ME201T - ME202T
 for Convection oven gas (LAINOX) MG061T - MG101T
 MG102T - MG201T - MG202T



LAINOX R65110260

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



LAINOX R65110010

LAINOX 50102860

3120021 INLET REDUCER 12 L/min BLACK



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
 for ELBI solenoid valve
 face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
 for solenoid valve ELBI
 rated value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
 for solenoid valve ELBI
 rated value +/- 25%





Suitable for:

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



LAINOX



Suitable for:

3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



3120547 SOLENOID VALVE 329 220/240V \varnothing 12 mm
solen.valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 12 mm
with green flow rate adjuster
for Convection oven electric (LAINOX) CES24M
CES40M - CE110M - CE210M - EC020M - EV020M
PE005D - PE008D - PE015D - PE088D - VES24M
VES24X - VE106D - VE106H - VE106M - VE106P
VE106X - VE110D - VE110H - VE110M - VE110P
VE110X - VE210D - VE210H - VE210M - VE210P
VE210X
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG110M - CG210M - GC010M - GC020M - GV010M
PG005D - PG008D - PG015D - PG088D - VGS24M
VGS24X - VG106D - VG106H - VG106M - VG106P
VG106X - VG110D - VG110H - VG110M - VG110P



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



LAINOX R65115040

3120021 INLET REDUCER 12 L/min BLACK



3120022 INLET REDUCER 16 L/min BLACK





Suitable for:

3120019 INLET REDUCER 5.5 L/min BLACK



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



LAINOX

Suitable for:

3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%





Suitable for:

LAINOX



3120505 SOLENOID VALVE 329 24V ϕ 10 mm
solenoid valve 180° - 24V 50/60Hz- max 90°C
inlet 3/4" - outlet ϕ 10 mm




LAINOX LF-3120530

3120021 INLET REDUCER 12 L/min BLACK



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



LAINOX

Suitable for:



3120007 SOLENOID VALVE 349 220/240V ø 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



LAINOX R65110040


LAINOX R65115000

LAINOX 50102891

3120021 INLET REDUCER 12 L/min BLACK



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL

for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE

for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



LAINOX



Suitable for:

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%




3120512 SOLENOID VALVE 351 24V ø 14 mm

solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



LAINOX

3120021 INLET REDUCER 12 L/min BLACK



3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



LAINOX



Suitable for:

3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



LAINOX MA2971400

LAINOX R65180280

LAINOX R65180290

LAINOX 50102700

LAINOX 50102710

Sparking and detection plugs

3020169 ROUND DETECTION PLUG \varnothing 7x55 mm
overall length 100 mm
for Convection oven gas (LAINOX) CG110M - CG210M
GC010M - GM020H - GM020M - GV010H - GV010M
GV020H - MG110D - MG110M - MG110X - MG210D
MG210M - MG210X - VG110D - VG110M - VG110X
VG210D - VG210M - VG210X



LAINOX R63050350

3020170 ROUND SPARKING PLUG \varnothing 7x56 mm
overall length 95 mm
for Convection oven gas (LAINOX) CG110M - CG210M
GC010M - GM020H - GM020M - GV010H - GV010M
GV020H - MG110D - MG110M - MG110X - MG210D
MG210M - MG210X - VG110D - VG110M - VG110X
VG210D - VG210M - VG210X



LAINOX R63050340



Suitable for:

3020168 ROUND SPARKING PLUG \varnothing 9.5x120 mm
 overall length 177 mm
 for Convection oven gas (LAINOX) MG102H - MG102M
 MG102P - MG102T - MG202H - MG202M - MG202P
 MG202T

Suitable for:

3020324 ROUND SPARKING PLUG \varnothing 9x95 mm
 overall length 158 mm
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X
 HMG102P - HMG102T - HMG102X - HMG201P
 HMG201T - HMG201X - HMG202P - HMG202T
 HMG202X - HVG061P - HVG061T - HVG061X
 HVG101P - HVG101T - HVG101X - HVG102P
 HVG102T - HVG102X - HVG201P - HVG201T
 HVG201X - HVG202P - HVG202T - HVG202X




LAINOX R63050080

LAINOX R63050130

5012742 SPARK PLUG TURNING ROUND \varnothing 7x56 mm
 total length 174 mm
 for Convection oven gas (LAINOX) FG051 M/X
 PG041 M/X - PG051 M/X

3020213 SPARKING AND FLAME DETECTION PLUG
 plug model WR 768G213
 for Convection oven gas (LAINOX) - Series MG
 Series VG



LAINOX R63050060

LAINOX R63050040

3020325 SPARKING AND FLAME DETECTION PLUG
 two plugs kit:
 long-life plug \varnothing 9 mm
 original plug \varnothing 7x180 mm
 for Convection oven gas (LAINOX) CG051M - CG071M
 MG061P - MG061T - MG101P - MG201T - VG051P
 VG061D - VG061P


3020326 SPARKING AND FLAME DETECTION PLUG
 two plugs kit:
 \varnothing 9x145 mm - \varnothing 9x138 mm
 for Convection oven gas (LAINOX) CG100M - CG200M
 GGMT06P - GGMT06T - GGVT06P - GGVT06T
 HMG061P - HMG061T - HMG061X - HVG061P
 HVG061T - HVG061X - MG101P - MG101T - MG102P
 MG102T - MG201D - MG201P - MG201T - MG202D
 MG202P - MG202T - VG101D - VG101P - VG102D
 VG102P - VG201D - VG201P - VG202D - VG202P



LAINOX R63050070

LAINOX R63050100

5059038 SPARKING AND FLAME DETECTION PLUG
 sparking plug Mod. WR 768G213
 for Convection oven (LAINOX)



LAINOX R63050050




Switches

3319772 AUTOMATIC DOOR KEY 120x55 mm
 silk-screen printing "open"
 with cable length 120 mm
 for Convection oven (LAINOX) - Series NABOO



LAINOX R67016870

3319154 BLACK BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with push-button cap
 silk-screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm
 for Convection oven (LAINOX)



LAINOX RA941003
 LAINOX R652600500

LAINOX R50304671
 LAINOX 50304671

LAINOX R65260050

3319501 SWITCH PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

3319012 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V
 with indicator light and switch cover
 screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm



LAINOX MA4640500


3319501 SWITCH PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

3319018 RED BIPOLAR CHANGE OVER SWITCH 16A 250V
 16(4)A 250V - with indicator light
 max temperature 120°C
 mounting hole 22x30 mm



LAINOX R50304650

LAINOX R65260210

LAINOX 50304650

3319501 SWITCH PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001



Suitable for:

LAINOX



3319948 RED BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
max temperature 120°C
mounting hole \varnothing 25 mm



LAINOX F65260500

Suitable for:

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm




3319155 RED SINGLE-POLE PUSH-BUTTON 16A 250V
16(4)A 250V - with push-button cap
with indicator light
mounting hole \varnothing 25 mm
for Convection oven (LAINOX)



LAINOX F65260500

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V
with protection cap
mounting hole \varnothing 16 mm



LAINOX F65260480

5011248 WHITE BIPOLAR PUSH-BUTTON 2.5A 240V
with push-button cap
mounting hole 22x45 mm
for Convection oven (LAINOX)



LAINOX F65160220

LAINOX 50304400

Telethermometers

3441027 TELETHERMOMETER WHITE \varnothing 60 mm 50-350°C
metal body
capillary length 1500 mm
bulb \varnothing 4x105 mm



LAINOX F50304610

3441037 WHITE TELETHERMOMETER \varnothing 52 mm 50-350°C
plastic sheath
capillary length 970 mm
bulb \varnothing 6x40mm




LAINOX F65340050

LAINOX 50304610



Terminal blocks


3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



LAINOX MA1037104000

Thermocouples and accessories

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



LAINOX R65350010

LAINOX 50202830

2100820 THERMOCOUPLE SIT QUICK M9x1 40 cm




LAINOX MA1031504300

3440038 THERMOCOUPLE SIT M9x1 120 cm




LAINOX MA263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



LAINOX MA263800

3440036 THERMOCOUPLE SIT M9x1 85 cm.




LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm



LAINOX MA1206400

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



LAINOX MA1033027800



Suitable for:


3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm



LAINOX R63040030

Suitable for:

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



LAINOX R63040030

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm




LAINOX MA1031500400

Thermostats

5029092 SINGLE PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 6x130 mm
for Convection oven (LAINOX)




LAINOX R65070140

LAINOX R65070160

3444296 SINGLE PHASE THERMOSTAT 55°C

with automatic reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with fitting and olive \varnothing 6 mm
for OVEN boiler
for Convection oven electric (LAINOX) MES20M
MES20X - MES24M - MES24X - MES40M - MES40X
ME061M - ME101M - ME102M - ME106M - ME106X
ME110M - ME110X - ME120M - ME120X - ME201M
ME202M - ME210M - ME210X - ME220M - ME220X
for Convection oven gas (LAINOX) GM020M - MGC40X
MGS20M - MGS20X - MGS24M - MGS24X - MGS40M
MGS40X - MGO61M - MG101M - MG102M - MG106M
MG106X - MG110M - MG110X - MG120M - MG120X
MG202M - MG210M - MG210X - MG220M - MG220X



LAINOX R65070100

LAINOX R65075020

3444267 SINGLE-PHASE THERMOSTAT 145°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x133 mm
for Convection oven (LAINOX)




LAINOX R50304097
LAINOX 50304097

LAINOX R65070080

LAINOX R65075000

3444295 SINGLE-PHASE THERMOSTAT 145°C

with automatic reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm
for OVEN boiler
for Convection oven (LAINOX)



LAINOX R50304052
LAINOX 50304052


LAINOX R65070170

LAINOX R65075070



Suitable for:

3444431 SINGLE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 880 mm - 20A 400V
 bulb \varnothing 6x85 mm
 for Convection oven electric (LAINOX) HME061P
 HME061T - HME061X - HME101P - HME101T
 HME101X - HME102P - HME102T - HME102X
 HME201P - HME201T - HME201X - HME202P
 HME202T - HME202X
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X
 HMG102P - HMG102T - HMG102X - HMG201P
 HMG201T - HMG201X - HMG202P - HMG202T
 HMG202X



LAINOX R65070081


Suitable for:

3444120 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm
 for Convection oven (LAINOX)



LAINOX R50304092

3444293 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm - with oval coupling \varnothing 10 mm
 for Convection oven (LAINOX)




LAINOX R65070040
 LAINOX 50304090

LAINOX R65070060
 LAINOX 50304092

LAINOX R65075040


3444266 SINGLE-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 830 mm - 16A 250V
 button bulb \varnothing 14x10 mm
 for Convection oven (LAINOX)



LAINOX R65070070

LAINOX 50304027

3444804 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 860 mm - 16A 250V
 button bulb \varnothing 11x10 mm - nut M14x1
 for Convection oven electric (LAINOX) HME061P
 HME061T - HME061X - HME101P - HME101T
 HME101X - HME102P - HME102T - HME102X
 HME201P - HME201T - HME201X - HME202P
 HME202T - HME202X - HVE061P - HVE061T
 HVE061X - HVE101P - HVE101T - HVE101X
 HVE102P - HVE102T - HVE102X - HVE201P
 HVE201T - HVE201X - HVE202P - HVE202T
 HVE202X
 for Convection oven gas (LAINOX) HMG061P - HMG061T
 HMG061X - HMG101P - HMG101T - HMG101X
 HMG102P - HMG102T - HMG102X - HMG201P



LAINOX R65070350

3744101 SINGLE-PHASE THERMOSTAT 360°C
 with automatic reset
 capillary length 1000 mm - 20A 250V
 bulb \varnothing 3x150 mm
 for Convection oven electric (LAINOX) A05PES
 A05RES - A10PES - A23RES - REC023M - REC051M
 REC054M - REC071M - REC101M - REP023M
 REP044M - REP064M - REP074M - REP084M
 REP104M - REV051M - REV051P - REV051S
 REV071M - REV071P - REV071S - REV101M
 REV101P - REV101S



LAINOX R65070410


LAINOX R65070460



Suitable for:

3444114 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm



LAINOX R50304031
LAINOX 50504031


LAINOX R65070210

LAINOX 50304031

Suitable for:

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven (LAINOX)




LAINOX R50304030
LAINOX 50304030

LAINOX R50304031
LAINOX 50304031

LAINOX R65070210
LAINOX 50504031

3444432 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven electric (LAINOX) CE041M
CE051M - CE071M - CE100M - CE200M - ME061M
ME101M - ME102M - ME201M - ME202M - VE061M
VE101M - VE102M - VE201M - VE202M
for Convection oven gas (LAINOX) CG051M - CG071M
CG100M - CG200M - MG061M - MG101M - MG102M
MG201M - MG202M - VG061M - VG101M - VG102M
VG201M - VG202M



LAINOX R65070360

3444174 SINGLE-PHASE THERMOSTAT 50-320°C


D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm



LAINOX MA1037102300

5020700 SINGLE-PHASE THERMOSTAT 50-320°F


D-shaped pin ø 6x4.6 mm
capillary length 1050 mm - 16A 230V
bulb ø 3x160 mm
for Convection oven electric (LAINOX) A05RES
A10RES



LAINOX R65070400

3444294 SINGLE-PHASE THERMOSTAT 65°C


with automatic reset
covered capillary length 900 mm - 16A 250V
bulb ø 6x130 mm
for OVEN capacitor
for Convection oven (LAINOX)



LAINOX R65070240


LAINOX R65074990

3444297 SINGLE-PHASE THERMOSTAT 70°C
with automatic reset
covered capillary length 900 mm - 16A 250V
bulb ø 6x135 mm
for steam control in OVEN
for Convection oven (LAINOX)



LAINOX R65070165

3444298 THREE-PHASE THERMOSTAT 337°C
with manual reset
covered capillary length 850 mm - 10A 400V
button bulb ø 14x10 mm
for Convection oven electric (LAINOX) VE004D
VE004H - VE004M - VE004X - VE104D - VE104H
VE104M - VE104X



LAINOX R65070050

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



LAINOX MA1309115

Timers

3322351 CONTROLLER P25 3 CAMS 110/230V 50Hz

cycle 1/4 hours - D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES
for Convection oven gas (LAINOX) - Series MG
Series MGS - Series VG - Series VGS



LAINOX R65090200

LAINOX 50305000

3446074 TIMER P255 3 CAMS 230V 50/60Hz

complete w/screen printed plate and alarm 230V
1° cycle 4h - 2° cycle 1h
D-shaped pin \varnothing 6x4.6 mm
REPLACES THE OLD 120 MODEL JV102351
for Convection oven electric (LAINOX) FE004 - FE04




LAINOX R65090030

LAINOX 50304550

3322352 TIMER P345 2 CAMS 230V 50/60Hz

complete with alarm 230V
cycle 144 min - D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - EC020M
FE051M - FE051X - FE105M - FE105X - FE110M
FE110X - FE210M - FE210X - PE040M - PE040X
PE041M - PE041X - PE051M - PE051X - PE080M
PE080X - RE10 - RE24 - RE40 - RE5 - RE7
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG051M - FG051X - FG101M
FG101X - FG105M - FG105X - FG110M - FG110X
GC010M - GC020M - PG040M - PG040X - PG041M
PG041X - PG051M - PG051X - PG080M - PG080X




LAINOX R65090020

LAINOX 50304580

3446220 TIMER 120 MINUTES MS65

complete with silk-screen printings set 0-120'
manually set mechanical timer
120 minutes manually set cycle
contact capacity 16(4)A 250V
max temperature 100°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (LAINOX) A05PES
A05RES - A08RES - A10RES - A23RES - EV071M
REPO44M - REPO54M



LAINOX R65090070




Suitable for:

Suitable for:

7100318 120 MINUTES TIMER MS65

mechanical timer with manual setting
120 minutes manually set cycle
contact capacity 16(4)A 250V
max temperature 100°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (LAINOX)



LAINOX R65090090

Timers and cycle reversing switches

5022952 REVERSING SWITCH P255 2 CAMS 250V 50/60H


cycle 8 minutes - 6x6x6 mm hexagonal pin
for Convection oven electric (LAINOX)
Series PE VERSIONE M
for Convection oven gas (LAINOX)
Series PG VERSIONE M



LAINOX R65090180

3210050 REVERSING SWITCH P255 2 CAMS 250V 50Hz


8 minutes cycle
for Convection oven electric (LAINOX) - Series CE
Series CES - Series EC - Series EV - Series FE
Series MCE - Series ME - Series MES - Series PE
Series VE - Series VEC - Series VES
for Convection oven gas (LAINOX) - Series CG
Series CGS - Series FG - Series GC - Series GV
Series MCG - Series MG - Series MGC - Series MGS
Series PG - Series VG - Series VGS
for Convection oven (LAINOX) RB142M



LAINOX R65090190

3240550 TIMER P255 1 CAM 230V 50Hz


cycle 20 seconds - pin \varnothing 6 mm
for Convection oven (LAINOX) - Series ME
Series MG - Series VE - Series VG



LAINOX R65095000


3240551 TIMER P255 2 CAMS 230V 50Hz

cycle 20 seconds - pin \varnothing 6 mm
for Convection oven (LAINOX) - Series ME
Series MG - Series PE - Series PG - Series VE
Series VG



LAINOX R65095010

5022948 TIMER P255 3 CAMS 230V 50Hz
 108 minutes cycle - D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (LAINOX) PE005M
 PE008M - PE015M - PE088M - PE105M - PE108M
 PE115M - PE188M
 for Convection oven gas (LAINOX) PG005M - PG008M
 PG015M - PG088M - PG105M - PG108M - PG115M
 PG188M



LAINOX R65090050

Transformers

5055557 IGNITION TRANSFORMER 230-240V/1x15Kv
 primary voltage 230-240V 50/60Hz 0.30mA
 secondary voltage 1x15Kv 30mA
 faston terminal block
 for Convection oven gas (LAINOX) HMG101P - SVG051S
 SVG071S



LAINOX R65180270

5019681 TRANSFORMER 0-208-230V/12-0-12V 23VA
 primary voltage 0-208-230V 50/60Hz
 secondary voltage 12-0-12V 23VA
 room temperature 0÷50°C
 screwed terminal block
 for Convection oven (LAINOX)



LAINOX R65180650

5037407 TRANSFORMER 0-220-240V/12V 20VA
 primary voltage 220/240V 50/60Hz
 secondary voltage 12V 20VA
 room temperature 0÷50°C
 screwed terminal block
 for Convection oven (LAINOX)



LAINOX RA960002

LAINOX R65180420

3739027 TRANSFORMER 0-220-240V/12V 40VA
 primary voltage 0-220-240V 50/60Hz
 secondary voltage 12V 40VA
 room temperature 0÷50°C
 screw terminal box
 MGS40P/X/D/M
 for Convection oven electric (LAINOX) MES20P
 MES20X - MES24D - MES24H - MES24M - MES24P
 MES24X - MES40D - MES40H - MES40M - MES40P
 MES40X - ME101D - ME101M - ME101P - ME101T
 ME102D - ME102M - ME102P - ME102T - ME110H
 ME110P - ME110X - ME120H - ME120P - ME120X
 ME201D - ME201M - ME201P - ME201T - ME202D
 ME202M - ME202P - ME202T - ME210H - ME210P
 ME210X - ME220H - ME220P - ME220X - VES20D
 VES20H - VES20M - VES20P - VES20X - VES24D



LAINOX R65180430

LAINOX R65180630

LAINOX 50305050



Suitable for:

LAINOX



Suitable for:


Vibrating pumps

5062488 VIBRATORY PUMP KIT 22W 230V 50Hz
 hose-end fittings \varnothing 6,6 mm - \varnothing 6,6 mm
 max pressure 2.6 bar
 max water temperature 20°C
 integrated diode (1N 4007P)
 lead connector 4.7x0.8 mm
 for Convection oven (LAINOX)




LAINOX R65110620

3331006 VIBRATORY PUMP KIT 32W 220/240V 50Hz
 PUMP CEME E51210EN02240C3
 connections \varnothing 1/8" - \varnothing 7 mm
 for Convection oven electric (LAINOX) - Series ME
 ME061 - ME101 - ME102 - ME201 - ME202
 for Convection oven gas (LAINOX) - Series MG
 MG061 - MG101 - MG102 - MG201 - MG202



LAINOX R65110600

3331005 VIBRATORY PUMP NME 2 16W 230/240V 50Hz
 hose-end fittings \varnothing 6.6 mm - \varnothing 5 mm
 max.pressure 2.5 bar
 max.water temperature 20°C
 with built-in diode (1N 4007P)
 connection terminal 4.7x0.8 mm



LAINOX A34300430

LAINOX R69200060

Wash armes for ovens

5059023 BUSHING FOR WASH ARM \varnothing 33x15 mm
 \varnothing internal 18 mm
 for Convection oven (LAINOX)



LAINOX R58004980

5046979 COUPLING BENT PRINKLER \varnothing 10x170 mm
 flange 50x25 mm
 for Convection oven (LAINOX)



LAINOX R11202270

5039973 SPRINKLER EXTENSION \varnothing 8x145 mm
 height 75 mm
 for Convection oven (LAINOX)



LAINOX R11200650



Suitable for:

5046980 SPRINKLER EXTENSION \varnothing 8x110 mm
height 120 mm
for Convection oven (LAINOX)



LAINOX R11201990

5037662 SPRINKLER EXTENSION \varnothing 8x215 mm
height 118 mm
for Convection oven (LAINOX)



LAINOX R11201970

5037663 COUPLING SPRINKLER \varnothing 10x205 mm
flange 50x25 mm
for Convection oven (LAINOX)



LAINOX R11200380

5052490 FLANGE FOR ARM ASSEMBLY SUPPORT WITH PIN
for Convection oven (LAINOX)



LAINOX R58007020

5049935 WASH ARM GASKETS KIT
for Convection oven electric (LAINOX) REV051S
SVE071S
for Convection oven gas (LAINOX) RGV051S - SVG051S
SVG071S



LAINOX R70045120

LAINOX



Suitable for:

5048268 SPRINKLER EXTENSION \varnothing 8x170 mm
leigth 118 cm
for Convection oven (LAINOX)



LAINOX R11201980

5037662 SPRINKLER EXTENSION \varnothing 8x215 mm
height 118 mm
for Convection oven (LAINOX)



LAINOX R11201970

5059025 ROTATING SPINDLE FOR VENTILATING FAN 50
for Convection oven (LAINOX)



LAINOX R58007000



Suitable for:

5059102 FLANGE FOR OVEN WASH ARM KIT
for Convection oven (LAINOX)



LAINOX F99000160

Suitable for:

5059034 NOZZLE WASH ARM 0.56 L / min
for DETERGENT
for Convection oven (LAINOX)



LAINOX F62210042


5056119 NOZZLE WASH ARM 1.3 L / min
for washing
for Convection oven (LAINOX)



LAINOX F62210032

Washing showers for ovens

3359863 BLACK OVEN WASH SHOWER SET \varnothing 1/2" M
with stainless steel hose \varnothing 1/2" FF 250 cm
with fastening bracket



LAINOX F62200028

3759106 SHOWER \varnothing 1/2" FOR OVEN WASHING KIT




















3359618 WALL BRACKET SUPPORT
for flexible sliding



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz