



Spare parts for:

Ovens



Suitable for:

MARENO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

MARENO



Suitable for:

Air regulators

- 3020097 PILOT AERATION REGULATOR**
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



MARENO 1324900

Ball valves and accessories

- 3526632 GAS/WATER BALLCOCK VALVE $\varnothing$ 3/4" FF**
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



MARENO MA1450500

MARENO 1031103600

MARENO 1450500

MARENO 1546500

- 3241275 BLACK KNOB**
square hole: 7x7mm



MARENO MA32000599

MARENO 32000599

- 3356078 BUSHING $\varnothing$ 11x20 mm**



MARENO MA1515900

MARENO 1515900

- 3356077 CLASP $\varnothing$ 3.5x30 mm**
UNI 6873 - DIN 1481 - ISO 8752



MARENO MA15935599

MARENO 15935599

Cables for piezo igniters

- 3001002 IGNITION LEAD 1000 mm**
with faston 6.35x0.8 mm for ignition
with faston $\varnothing$ 4 mm for ignition plug



MARENO

- 3001016 IGNITION LEAD 1000 mm**
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



MARENO 1152600



Suitable for:

MARENO



Suitable for:

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston $\varnothing$ 4 mm for electrode



MARENO MA1950324

MARENO 1047024400

MARENO 1088900

MARENO 1152800

MARENO 1950324

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MARENO 1037305100

Contactors

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MARENO CM187400

MARENO MACM187400

MARENO 21453599

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MARENO CM187300

MARENO MACM187300

MARENO 21453199

Electrical gas valves and accessories

3526077 ELBOW FLANGE $\varnothing$ 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO MA2865800

MARENO 2865800

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MARENO MA1880600



Suitable for:

- 3526090 Elettrosit Valve $\varnothing$ 3/4" FF**
inlet $\varnothing$ 3/4" F - outlet $\varnothing$ 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and Lateral thermocouple



MARENO 1450100

Suitable for:

- 3526075 Straight Flange $\varnothing$ 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO MA2865700

MARENO 2865700

- 3526107 Straight Flange $\varnothing$ 3/4" F**
with screws and "O" ring
for Elettrosit Valve



MARENO 1451300

- 3440200 Twin Lead Thermopile $\varnothing$ 9x65 mm**
cable length 580 mm - with coupling M11X1



MARENO MA1870712

MARENO 1870712

- 3526096 Valve Microswitch**
maximum load 0.2 A
for Valve Elettrosit-820 NOVA-824 NOVASIT



MARENO CR0507660

MARENO MA1454900

- 3526079 Valve 820 NOVA $\varnothing$ 1/2" FF**
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



MARENO MA2863300

MARENO 2863300

- 3526361 Valve 822 NOVA $\varnothing$ 1/2" FF**
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz



MARENO MA5118500

MARENO 5118500

- 3020083 Nut & Olive $\varnothing$ 4 mm**



MARENO MA1394700

MARENO 1388000

MARENO 1394700



Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



MARENO 1394800

MARENO



Suitable for:


3526075 STRAIGHT FLANGE $\varnothing$ 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



MARENO MA2865700

MARENO 2865700

3526141 VALVE 830 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



MARENO MA2942600

MARENO 2942600

Electronic boxes

3091031 CONTROL BOX 501 EFD
model SIT - 230V 50/60Hz 10A
for Convection oven (MARENO)
Series CON - Series CSM



MARENO 5153200

Electronic controllers

3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK
power supply 12V
thermostat setting range -150+1350°C
ON-OFF control with two actuation points
2 exchange relay outputs 8(4)A 250V
room temperature -5+55°C
probe type PT100-TCJ-TCK (not included)
connections by screwed terminal block
front dimension 78x37x64 mm
mounting hole 71x29 mm



MARENO 2959300



Suitable for:


MARENO



Suitable for:

Electronic printed-circuit boards

3390074 MOTHERBOARD 175x100 mm



MARENO RA910059

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing 6 \times 4.6$ mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



MARENO CM189600

MARENO LA65080250

MARENO MACM189600

MARENO 1037035310

MARENO 1037108713

MARENO 426710

Feet

3313043 ADJUSTABLE S/STEEL FOOT $\varnothing 1\frac{1}{2} \times h 115$ mm

with square flange 70x70x2 mm
adjustable height 115÷180 mm



MARENO MA1564500

MARENO 1564500

Gas burners

3023217 BURNER $\varnothing 50 \times 410$ mm

overall length 445 mm
made of stainless steel
for Convection oven gas (MARENO) FC-10 - FC-20
FC-5 - FC-7



MARENO MA2708514

MARENO 2708500


Gas taps and accessories

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



MARENO 673600


3348034 PIPE FITTING ø 16 mm
thread M24x1.5
for model PEL 23



MARENO MA1421000

MARENO 1421000

3348035 PIPE FITTING ø 20 mm
thread M28x1.5
for model PEL 23



MARENO MA1346900

MARENO 1346900

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



MARENO MA1127400

MARENO 1127400

3348042 PIPE OLIVE ø 20 mm
for model PEL 23



MARENO MA1347000

MARENO 1347000

Gas valves and accessories

3526260 EUROSIT VALVE CAP



MARENO MA1888200

MARENO 1888200

Gaskets and seals

3186009 ASBESTOS FREE FLAT GASKET ø 45x33x2 mm



MARENO CR0682770



Suitable for:

MARENO



Suitable for:

Gaskets for oven door

- 3186372 OVEN GLASS GASKET 1670 mm**
made of silicone elastomer
profile dimensions 15x11 mm
COLOUR BLACK
for Convection oven electric (MARENO)
MINICOMBI CS4E



MARENO MA2842200

MARENO MA2842200R

MARENO 2842200

Grids for refrigerator-oven

- 3185055 CHROME PLATED GRID GN 2/1 530x650 mm**



MARENO MA2306800

MARENO 2306800

Handles

- 3242255 CENTRAL LOCK MECHANISM RIGHT**
for OVEN




MARENO 5154800

- 3242718 DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm
for OVEN



MARENO LF-3242042

- 3398021 OVEN DOOR CATCH**
distance between holes 47 mm
catch distance 27 mm



MARENO 2711200

MARENO 2844800

MARENO 2844800R

- 3242735 OVEN DOOR HANDLE**
distance between mounting holes 180 mm



MARENO MA1851800



Heating elements

- 3355889 HEATING ELEMENT 2500W 230V**
external $\varnothing$ 190 mm - total height 70 mm
flange 70x22 mm



MARENO MA4330700

MARENO 1037300200

MARENO 4330700

- 3355106 HEATING ELEMENT 6000W 230/400V**
for boiler and wash tank
immersed length 350 mm
ext. $\varnothing$ flange 72 mm - with bulb-sheathing
with O-ring gasket $\varnothing$ 67 mm (3186014)
nut (3528232) and washer (3528238) on request



MARENO 1037305500

- 3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm**



MARENO 1036504200

Hinges, catches and accessories

- 3053003 DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



MARENO MA1304500

MARENO 1304500

- 3053019 DOOR HINGE ROLL HOLDER**
mounting distance 95 mm - overall length 110 mm
height 25 mm



MARENO MA1031106000

MARENO 1031106000

Incandescent lamps and neon lamps

- 3221041 OVEN LAMP E14 15W 230V**
max temperature 300°C
for OVEN - PIZZA OVEN



MARENO MA2861900

MARENO 2861900



Suitable for:

MARENO



Suitable for:

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



MARENO MA1037300810

MARENO 1037300800

MARENO 1037300810

3221101 GREEN INDICATOR LAMP 230V
head $\varnothing$ 15 mm - $\varnothing$ hole 13 mm - 120°C
M faston 6.3x0.8 mm
universal application



MARENO 1819800

3221132 GREEN INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



MARENO MA1037300810

MARENO 1037300810

3221227 GREEN INDICATOR LAMP 24V
head $\varnothing$ 7 mm - hole $\varnothing$ 5.5 mm
wire connection length 500 mm
for Convection oven (MARENO) - Series CON
Series CSM



MARENO MA2959600

3221228 ORANGE INDICATOR LAMP 24V
head $\varnothing$ 7 mm - hole $\varnothing$ 5.5 mm
wire connection length 500 mm
for Convection oven (MARENO) - Series CON
Series CSM



MARENO MA2959700

MARENO 2959700

3221025 INDICATOR LAMP ORANGE 230V
head $\varnothing$ 15 mm - hole $\varnothing$ 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MARENO 1819900

3221016 INDICATOR LAMP RED 230V
 $\varnothing$ head 14 mm - $\varnothing$ hole 11.5 mm - 120°C
GAS CONVECTION OVEN 10 grids



MARENO MA21016099

3221097 NEUTRAL INDICATOR LAMP 220V
head $\varnothing$ 8 mm - 120°C



MARENO 1037303400



Suitable for:

MARENO



3221011 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



MARENO CR0587500

Suitable for:

3221032 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



MARENO MA1037300810

MARENO 1037300800

MARENO 1037300810

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



MARENO MA1037300910

MARENO 1037300910

3221228 ORANGE INDICATOR LAMP 24V
head ø 7 mm - hole ø 5.5 mm
wire connection length 500 mm
for Convection oven (MARENO) - Series CON
Series CSM



MARENO MA2959700

MARENO 2959700

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF



MARENO MA1984000

MARENO 1984000

Ironmongery (screws,nuts,washers)

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



MARENO 15800499

3316051 NUT FOR HEATING ELEMENT ø 1"1/2



MARENO 1032100700



Suitable for:

MARENO



Suitable for:

Lamp receptacles and spare parts

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass $\varnothing$ 42 mm
mounting hole $\varnothing$ 38 mm
max temperature 300°C
for OVEN



MARENO MA1037300100

MARENO 1037300100

Level sensors

3341017 LEVEL PROBE $\varnothing$ 1/4" M-120 mm for minimum level



MARENO 2916200

Magnet groups

3182010 MAGNETIC UNIT PEL $\varnothing$ head 24 mm - $\varnothing$ end 18 mm - length 59 mm thermocouple coupling M10x1 for PEL tap model 23



MARENO 24030599

3182003 MAGNETIC UNIT SIT $\varnothing$ head 25 mm - $\varnothing$ end 17 mm - length 56 mm for valve SIT AC2 - VR8-MINISIT



MARENO 1031028400

MARENO 24021499

3182005 MAGNETIC UNIT SIT $\varnothing$ head 19 mm - $\varnothing$ end 14,5 mm - length 47 mm for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



MARENO MA24021199

MARENO 24021199



Microswitches

3240141 MAGNETIC MICROSWITCH E5101V
0.04A 250V - NO contact - head 32x13 mm
with magnet 63x19x11 mm
with cable length 900 mm
for Convection oven (MARENO)



MARENO MA5169100

MARENO 5169100

3240410 MICROSWITCH 16(4)A 250V



MARENO MA1267300

MARENO 1267300

3240820 MICROSWITCH 16A 250V



MARENO MA103711300

MARENO 103711300

3240181 PROTECTED MAGNET 62x18x10 mm
for Convection oven (MARENO)



MARENO MA5169200

MARENO 5169200


Motors

3240277 MOTOR ST80/4 50/60Hz
220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
1350-1650rpm



MARENO R65040061

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



MARENO MA1037300300

MARENO 1037300300

MARENO 37300030

3240027 MOTOR 1005.2530 0.33HP 220/380V 50Hz
1.2/0.7A - 900rpm
distance between holes 185 mm
for Convection oven (MARENO)



MARENO MA2707213

MARENO 2707200

MARENO 2707213

3240117 MOTOR 1571.1600 0.25HP 220/240V 50Hz
1.2A 2800rpm - capacitor 5 µf
shaft ø 12x77 mm
for Convection oven electric (MARENO) FC-5E
for Convection oven gas (MARENO) FC-5G



MARENO 2740213



Suitable for:

MARENO



Suitable for:

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM ø 58 mm



MARENO 2604100

3186014 O-RING GASKET 06225 EPDM ø 67 mm



MARENO 1036504200

3186290 O-RING 04187 EPDM



MARENO

Penetration probes

3397019 PENETRATION PROBE PT100

2 wires
probe length 180 mm
chamber internal cable length 900 mm
chamber external cable length 1400 mm
for OLD SERIES



MARENO 2912400

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MARENO MA1888400

MARENO 1888400

**3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1**



MARENO MA1891700

MARENO 1891700

3020083 NUT & OLIVE ø 4 mm



MARENO MA1394700

MARENO 1388000

MARENO 1394700

3020084 NUT & OLIVE ø 6 mm



MARENO 1394800



MARENO



Suitable for:

Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



MARENO MA417810
MARENO 673300

MARENO MA673300

MARENO 417810

3020111 OLIVE FOR 4 mm ø PIPE



MARENO MA469000

3020081 OLIVE FOR 6 mm ø PIPE



MARENO 961500

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



MARENO MA1874100

MARENO 1874100

3020036 PILOT BURNER SIT 3 FLAMES multigas type with nozzle ø 0.35 mm with 3 position bracket



MARENO CR0588730

3020054 PILOT JET ø 0.20 mm



MARENO MA1415100

MARENO 1415100

MARENO 24022299

3020055 PILOT JET ø 0.35 mm



MARENO 1422600

3020077 PIPE FITTING ø 4 mm thread M10x1



MARENO MA673500

MARENO 673500

3001003 ROUND SPARKING PLUG ø 7x44 mm male faston M4x1 mm total length 65 mm



MARENO MA1888300
MARENO 224211

MARENO MA224211

MARENO 1888300

3020060 SPARKING PLUG ROUND ø 7x44 mm faston M 4x1 mm overall length 82 mm model CB505/021 Junkers for model P502F



MARENO MA1949900



MARENO




Suitable for:

Suitable for:

3020201 PILOT GAS JET ø 0.14 mm

3020202 PILOT GAS JET ø 0.27 mm



MARENO MA1888000 MARENO 1888000

MARENO MA1887800 MARENO 1887800

3020054 PILOT JET ø 0.20 mm

3020557 PILOT JET ø 0.20 mm



MARENO MA1415100 MARENO 1415100 MARENO 2402299 MARENO MA1033719600 MARENO 1033719600

3020156 PILOT JET ø 0.25 mm

3020157 PILOT JET ø 0.25 mm



MARENO MA1031502100 MARENO MA1842300 MARENO 1031502100 MARENO MA1874700 MARENO 1874700
MARENO 1842300

3020040 PILOT JET ø 0.30 mm


3020055 PILOT JET ø 0.35 mm



MARENO CR0410100 MARENO 1422600

3020041 PILOT JET ø 0.41 mm

3020187 PILOT NOZZLE ø 0.51 mm



MARENO MA1033719700 MARENO 1033719700 MARENO MA1874400 MARENO 1874400

3020113 PILOT OLIVE FOR PIPE ø 4 mm

3020107 PILOT WITH 0.35 mm ø JET



MARENO MA1888100 MARENO 1888100 MARENO MA1314800 MARENO 1314800



Suitable for:

Suitable for:

3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



MARENO MA459300

MARENO 459300

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



MARENO MA673500

MARENO 673500

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



MARENO CM029000

MARENO MACM029000

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



MARENO MA1888300
MARENO 224211

MARENO MA224211

MARENO 1888300

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



MARENO 1040511
MARENO 1842700

MARENO 1314500
MARENO 431500

MARENO 1315100

3020054 PILOT JET $\varnothing$ 0.20 mm



MARENO MA1415100

MARENO 1415100

MARENO 2402299

3020055 PILOT JET $\varnothing$ 0.35 mm



MARENO 1422600

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



MARENO MA1888300
MARENO 224211

MARENO MA224211

MARENO 1888300

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



MARENO MA673500

MARENO 673500

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MARENO MA1949900



Suitable for:

MARENO



Suitable for:

Probes

- 3445107 PTC PVC PROBE 3000 mm**
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



MARENO MA2374500

MARENO 2374500

Rotary switches

- 3057050 CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




MARENO MA1988500

MARENO MA921200

MARENO 1988500

MARENO 921200

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat




MARENO MA710300

MARENO 1037033200

MARENO 218111

MARENO 710300


- 3057001 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D spindle ø 6x4.6 mm



MARENO MA501400

MARENO 501400


- 3057010 SELECTOR SWITCH 0-4 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.ø 6 mm



MARENO R65080010

MARENO 2709600

- 3057023 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 32A 250V - max 150°C
D shaft ø 6x4.6 mm




MARENO MA1937800

MARENO 1937800

MARENO 21131099

- 3057047 SELECTOR SWITCH 5 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.ø 6 mm



MARENO 2860500

Solenoid valves

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



MARENO 1037308800

3120504 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



MARENO

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



MARENO MA2709000

MARENO 2709000

3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



MARENO

3120408 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



MARENO

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



MARENO MA2971400

MARENO 1450300

MARENO 2971400

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



MARENO 1037301400



Suitable for:

MARENO



Suitable for:

Sparking and detection plugs

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



MARENO MA1888300
MARENO 224211

MARENO MA224211

MARENO 1888300

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MARENO MA1949900

Switches

3319030 CHANGEVER SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - mounting hole 22x30 mm



MARENO MA21110299

MARENO 21110299


MARENO 4640400

3319151 SWITCH PROTECTION CAP
 $\varnothing$ external 34 mm
for push-buttons with mounting hole $\varnothing$ 25 mm



MARENO CR0410310

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



MARENO MA4640500

MARENO 4640500

3319029 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - mounting hole 22x30 mm



MARENO 21110199

Tangential and radial fans

3526150 FAN TANGENTIAL 180 mm LH
25W 230V 50/60Hz - $\varnothing$ 60 mm
operating temperature -30°+100°C



MARENO MA25320599

MARENO 25320599

Telethermometers

3441024 TELETHERMOMETER BLACK $\varnothing$ 52 mm 50-350°C
metal body
covered capillary length 1500 mm
bulb $\varnothing$ 6x30 mm



MARENO 2715000

MARENO 2772700

MARENO 65340050

3441027 TELETHERMOMETER WHITE $\varnothing$ 60 mm 50-350°C
metal body
capillary length 1500 mm
bulb $\varnothing$ 4x105 mm




MARENO 2715000

MARENO 2772700

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MARENO CR0588170

MARENO MA1037104000

MARENO 1037104000

Terminals and electrical connectors

3051003 ROUND TERMINAL
for 2.4 mm round connector
max temperature +110°C
for sparking plug and ignition



MARENO MA20418099

MARENO 20418099


Thermocouples and accessories

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1



MARENO MA2969400

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



MARENO 2969300



Suitable for:

Suitable for:

3440015 INTERRUPTION CONNECTOR M9x1



MARENO MA1533400

MARENO 1531500500

MARENO 1533400

3440064 NUT FOR THERMOCOUPLE M8x1



MARENO MA939300

MARENO 939300

3440012 SLOTTED FITTING M10x1



MARENO 1162800

3440010 SLOTTED FITTING M8x1



MARENO MA1359100

MARENO 1359100


2100820 TERMOCOUPLE SIT QUICK M9x1 40 cm



MARENO MA1033027600

MARENO 1033027600

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



MARENO MA1916000

MARENO 1916000

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1



MARENO MA1665000

MARENO 1665000

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.
GIUNTO M8x1




MARENO 641400

3440051 THERMOCOUPLE SIT M8x1 32 cm.THREAD M8x1



MARENO 641400

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.
GIUNTO M8x1



MARENO 641400

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1



MARENO 641300



MARENO



Suitable for:

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



MARENO 641300

Suitable for:

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1



MARENO 641300

3440038 THERMOCOUPLE SIT M9x1 120 cm



MARENO MA263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



MARENO MA263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



MARENO MA263800

3440039 THERMOCOUPLE SIT M9x1 150 cm



MARENO 263900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MARENO 263900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MARENO 263900

3440080 THERMOCOUPLE SIT M9x1 40 cm.



MARENO MA641900

MARENO 641900

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MARENO MA641900

MARENO 641900

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MARENO MA641900

MARENO 641900



Suitable for:

MARENO



Suitable for:

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



MARENO 90520

3440035 THERMOCOUPLE SIT M9x1 60 cm.



MARENO 90520

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



MARENO 90520

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



MARENO MA1031501600

MARENO 2716500

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MARENO CM029100

MARENO MACM029100

MARENO 1206500

3440036 THERMOCOUPLE SIT M9x1 85 cm.



MARENO CM029100

MARENO MACM029100

MARENO 1206500

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MARENO CM029100

MARENO MACM029100

MARENO 1206500

3440049 THERMOCOUPLE SIT M9X1 75 cm



MARENO MA1031501600

MARENO 2716500

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



MARENO MA1031501600

MARENO 2716500

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm



MARENO MA1206400

MARENO 1206400

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



MARENO MA1033027800

MARENO 1033027800



Suitable for:

MARENO



3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm



MARENO MA1031500400

MARENO 1031500400

Suitable for:

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



MARENO MA1031501500

MARENO 1031501500

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



MARENO MA1916000

MARENO 1916000

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



MARENO MA1916000

MARENO 1916000

Thermostats

3444285 SINGLE-PHASE THERMOSTAT 350°C


with manual reset
covered capillary length 870 mm - 16A 250V
bulb $\varnothing$ 6x77 mm



MARENO 1266514

3444114 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



MARENO 27097700

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



MARENO 2709700

MARENO 2709714

3444289 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 3000 mm - 16A 250V
bulb $\varnothing$ 3x210 mm - with adapter nipple band M9x1



MARENO 2992900

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



MARENO MA1037102300

MARENO 1037102300

3444291 THREE-PHASE THERMOSTAT 132°C

with manual reset
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x80 mm - with stuffing gland fitting M9x1
for old series
for Convection oven electric (MARENO)




MARENO 2613300

MARENO 2665100



Suitable for:


3444025 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb $\varnothing$ 6x160 mm



MARENO 1475513


Suitable for:

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb $\varnothing$ 3x220 mm



MARENO 1037100600

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm



MARENO MA1309115
MARENO 1309115

MARENO 1037035200
MARENO 1732000

MARENO 1309100

3444290 3-PHASE THERMOSTAT 325°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x195 mm - with stuff.gland coupling M9x1
for Convection oven (MARENO)



MARENO MA2864714


Timers

3446073 TIMER P255 3 CAMS 230V 50/60Hz
cycle 60 minutes - D-shaped pin $\varnothing$ 6x4.6 mm
for all models
for Convection oven (MARENO)




MARENO 2971100

3446064 TIMER P255 3 CAMS 24V 50Hz
cycle 60 minutes - D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (MARENO) - Series CSM



MARENO 5151600


3446002 TIMER 120 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (MARENO)



MARENO 2709900

MARENO 2812300

3446008 TIMER 30 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
30 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (MARENO)



MARENO MA1037103400

MARENO 1037103400



Suitable for:

MARENO



3446007 TIMER 60 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
60 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



MARENO MA1031006400

MARENO 1031006400

MARENO 2600200

MARENO 3100640

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|--|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> <p> LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com</p> <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> <p> LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> <p> LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
|---|--|
-
- | | |
|--|--|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> <p> AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at</p> <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> <p> JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp</p> <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> <p> TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com</p> <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
|--|--|