



Spare parts for:

Ovens



Suitable for:

MBM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221833





Suitable for:

MBM



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



MBM RGFOC00254

MBM RTFOC00254

MBM 013480-01R

3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



MBM

Ball valves and accessories


3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



MBM 720010

Buzzers

3397302 ALARM BELL 220V



MBM RTFOC00046

Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2,4 mm for plug
for Convection oven gas (MBM) - Series JOKER



MBM RTCU700005

MBM RTFOC00128

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



MBM RTCU900384

MBM RTCU900385



Suitable for:

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



MBM RIC0002285

Suitable for:

3001019 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



MBM RTCU800144

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MBM REB206002

MBM 206002

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MBM 206003

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MBM REB206004

MBM RTFOC00700

MBM 206004

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MBM DEC220L

MBM REB206005

MBM RTFOC00053

MBM 206005

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



MBM 206008

MBM 206010

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



MBM 206009

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MBM REB206001

MBM 206001



Suitable for:

MBM



Suitable for:

Contact thermostats

3444610 CONTACT THERMOSTAT 90°C 10A 250V
with automatic reset
for BOILER



MBM 236052


Contactors

3454012 CONTACTOR ABB A30-30-10
32A 400V 15Kw - coil 230V 50/60Hz
3 contacts NO
complete with 2 auxiliary contacts NO



MBM

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact




MBM DTC112
MBM 229011
MBM 926040

MBM REB229032
MBM 229019
MBM 929122

MBM 229010
MBM 229032

3351202 CONTACTOR AEG LS07 7A 230V 3Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



MBM 926147

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



MBM RTCU600371

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



MBM RTBF800153

MBM RTFOC00466

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact




MBM RTCU600233

Suitable for:

Suitable for:

5011182 CONTACTOR LOVATO BG1201A
 12A 400V 5.7Kw coil 230V 50/60Hz
 3 contacts NO
 1 auxiliary contact NC
 for Convection oven electric (MBM) FCE6
 FEMD107SC - FEMD67SC - FEM107SC - FEM67SC
 FEP050 - FEP080
 for Convection oven gas (MBM) FCG10 - FCG6
 FGM107SC - FGM67SC - FGM107SC - FGM67SC
 FGP050 - FGP080

3454060 CONTACTOR SCHNEIDER LC1D09B7
 9A 400V 4Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact



MBM RTFOC00465

MBM RTFOC00786

MBM 164608

MBM /ELF060670

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact

3454072 CONTACTOR SIEMENS 3RT2017-1AB01
 12A 400V 5.5Kw - coil 24V 50/60Hz
 3 contacts NO
 1 NO auxiliary contact



MBM 229037

MBM 73350

MBM 80350

MBM DTC250

MBM 927051

MBM 927160

3454030 CONTACTOR SIEMENS 3RT2024-1AL20
 12A 400V 5.5Kw - coil 230V 50/60Hz
 3 contacts NO
 1 auxiliary contact NO
 1 auxiliary contact NC



MBM C.80351

MBM 80351

Controllers and changeover switches

3322350 CONTROLLER D9400 1 CAM 230V 50/60Hz
 cycle 60 seconds
 for Convection oven electric (MBM) FEC060 - FEC100
 FEC200 - FEMD060 - FEMD061 - FEMD100 - FEMD101
 FEMD200 - FEMD201 - FEM060 - FEM061 - FEM100
 FEM101 - FEM200 - FEM201 - FEP050 - FEP080
 FEP160
 for Convection oven gas (MBM) FGC060 - FGC100
 FGM060 - FGM061 - FGM100 - FGM101 - FGP050
 FGP080 - FMM060 - FMM061 - FMM100 - FMM101



MBM RTFOC00042



Suitable for:

MBM



Suitable for:

Door glasses for oven and accessories

5053436 GLASS INTERNAL OVER DOOR 810x700 mm
for Convection oven electric (MBM) FEM210/L
FEP160
for Convection oven gas (MBM) FGM210/L - FGP160



MBM RIC0004587

MBM 161170

MBM 161512

MBM 161477

5023685 STOPPER RUBBER OVEN DOOR \varnothing 12x29 mm
for Convection oven (MBM)



Drain pumps

3122327 DRAIN ELECTRIC PUMP 40W 240V 50Hz
inlet external \varnothing 24 mm - output external \varnothing 23 mm



MBM REB130105

MBM 130105

MBM 130146

MBM 130176

Electrical gas valves and accessories

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM RTFOC00462

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



MBM RTBF800077

Suitable for:

Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 for Convection oven electric (MBM)
 FCE6
 for Convection oven gas (MBM)
 FFM061 - FGC060 - FGC065 - FGC100 - FGC20 - FGC200
 FGDM066 - FGMD060 - FGMD061 - FGMD065
 FGMD100 - FGMD101 - FGM060 - FGM061 - FGM100
 FGM101 - FGM200 - FGM201 - FGP050 - FGP080
 FGP160 - FMM060 - FMM100 - FMM101



MBM RTFOC00095

3523084 VALVE 826 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 2÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (MBM) FGMD107 - FGMD107SC
 FGMD109 - FGMD67 - FGMD69 - FGM107 - FGM107SC
 FGM109 - FGM110 - FGM610 - FGM610/L - FGM67
 FGM67SC - FGM69



MBM RTFOC00577

3020083 NUT & OLIVE \varnothing 4 mm



MBM RTCU700141

3020084 NUT & OLIVE \varnothing 6 mm



MBM RTCU900217



Suitable for:

MBM




Suitable for:

Electronic boxes

5054526 CONTROL BOX C87BR43

model SKG - 230V 50/60Hz
Ts max=10s TW min=2.5s
size 118x98 mm
for Convection oven gas (MBM) FGM107SC - FGM67SC
FGMD69 - FGM107SC - FGM67SC



MBM 175780

3091013 CONTROL PANEL CE11F

model BRAHMA - 220/240V 50/60Hz 7VA
dimensions 107x81 mm
for Convection oven gas (MBM) FGM107SC - FGM67SC
FGMD69 - FGM107SC - FGM67SC



MBM RTFOC00785

MBM 175780

Electronic controllers

3445073 THERMOSTAT EVK411 TCJ

power supply 12Vca/dc 1.5VA
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 16A
alarm buzzer
access to configuration parameters through
password - TTL serial port
room temperature 0+60°C
thermocouple TCJ type probe (not included)
connections by screw terminal block
front dimensions 74x32x65 mm
mounting hole 71x29mm



MBM RTFOC00029

3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK

power supply 12V
thermostat setting range -150+1350°C
ON-OFF control with two actuation points
2 exchange relay outputs 8(4)A 250V
room temperature -5+55°C
probe type PT100-TCJ-TCK (not included)
connections by screwed terminal block
front dimension 78x37x64 mm
mounting hole 71x29 mm



MBM RIC0003634

Electronic printed-circuit boards

5062525 BOARD FOR MOTOR INVERSION 70x60 mm

complete with cable
for Convection oven electric (MBM) FEM110/L
FEM210/L - FEM610/L
for Convection oven gas (MBM) FGM110/L - FGM210/L
FGM610/L



MBM 164493

3390039 BOARD FOR PROBE 110x95 mm

D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (MBM) FEM107SC
FEM207SC - FEM67SC - FEM107SC - FEM207SC
FEM67SC
for Convection oven gas (MBM) FGM107SC



MBM RTFOC00673



Suitable for:

5026993 CABLE FLAT 26-POLE 290 mm
for Convection oven (MBM)



MBM RIC0002148


Suitable for:

3390052 ELECTRONIC DISPLAY BOARD 435x95 mm
two D-shaped pins \varnothing 6x4.6 mm
for Convection oven electric (MBM) FEMD107SC
FEMD207SC - FEMD67SC - FEM107SC - FEM207SC
FEM67SC
for Convection oven gas (MBM) FGMD107SC
FGMD207DC - FGMD67SC - FGM107SC - FGM207SC
FGM67SC



MBM RTFOC00672

3390053 MOTHERBOARD 250x220 mm
for Convection oven electric (MBM) FEMD107SC
FEMD207SC - FEMD67SC - FEM107SC - FEM207SC
FEM67SC
for Convection oven gas (MBM) FGMD107SC
FGMD207SC - FGMD67SC - FGM107SC - FGM207SC
FGM67SC




MBM RTFOC00671

3247035 4-POLES TERMINAL BLOCK



MBM RTFOC00593

5035630 PC BOARD FOR MOTOR 128x100 mm
for Convection oven electric (MBM) FEM110/L
FEM210/L - FEM610/L
for Convection oven gas (MBM) FGM110/L - FGM210/L
FGM610/L



MBM 164826

5058600 PC BOARD RELAY 205x44 mm
for Convection oven electric (MBM) FEM110/L
FEM210/L - FEM610/L



MBM 164492

Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction



MBM RIC0001299

MBM RTCU800066



Suitable for:


MBM



Suitable for:


Fans for motors

3240032 FAN \varnothing 160 mm
thickness 60 mm
total blades 15 - \varnothing hole 8 mm



MBM /LA5400060


3240254 FAN \varnothing 220 mm
thickness 100 mm
total blades 12 - \varnothing tapered hole 16-11 mm
for Convection oven electric (MBM) FCE6 - FEMD67SC
FEMD69 - FEP050
for Convection oven gas (MBM) FCG6 - FGMD67
FGMD67SC - FGMD69 - FGP050



MBM RTFOC00012

MBM RTFOC00473

5025393 FAN \varnothing 270 mm
thickness 110 mm
number of blades: 6 - hole cone-shaped \varnothing 19.5-21 m
for Convection oven electric (MBM) FEMD107
FEMD107SC - FEMD109 - FEM107 - FEM107SC
FEM109 - FEM110 - FEM110L
for Convection oven gas (MBM) FGMD107 - FGMD107SC
FGM107 - FGM107SC - FGM110



MBM 161274

Feet

3313005 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with fixed screw M12x25 mm



MBM DWP128U

MBM 926117

Filters

3160462 WATER FILTER \varnothing 1/2"FF



MBM DZF32

MBM 927078



Fittings

5034269 CONNECTION \varnothing 1/4" M - \varnothing 12 mm

internal \varnothing 7 mm

for Convection oven electric (MBM) FEMD107

FEMD107SC - FEMD109 - FEMD207SC - FEMD209

FEMD67 - FEMD67SC - FEMD69 - FEM110/L

FEM210/L - FEM610/L

for Convection oven gas (MBM) FGMD107 - FGMD107SC

FGMD109 - FGMD207 - FGMD209 - FGMD67

FGMD67SC - FGMD69 - FGM110/L - FGM210/L

FGM610/L



MBM RTFOC00626

5030514 FITTING OLIVE-SEAL PIPE \varnothing 14 mm

thread \varnothing 1/2"

for Convection oven (MBM)



MBM RTBF800015

5030515 OLIVE FOR PIPE \varnothing 14 mm

external \varnothing 16.5 mm - height 6.5 mm

for Convection oven (MBM)



MBM RTBF800137

5030515 OLIVE FOR PIPE \varnothing 14 mm

external \varnothing 16.5 mm - height 6.5 mm

for Convection oven (MBM)




MBM RTBF800137

Fuses

5009195 CLAMP FUSEHOLDER \varnothing 5x30 mm

for cable 4 mmq



MBM RTFOC00048

3049019 DELAY FUSE \varnothing 5x20 mm - 10 PCS

250V 4A



MBM 228010



Suitable for:

MBM



3049021 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 8A



MBM RTFOC00284

MBM RTFOC00734

Suitable for:

3049036 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 100mA



MBM RTFOC00047

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 315mA



MBM DEF72

MBM 926283

3049045 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 800mA



MBM DEF71

MBM 926284

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



MBM 228004

Gas burners

3023178 BURNER \varnothing 50x560 mm
overall length 625 mm
made of STAINLESS steel
for Convection oven gas (MBM) FGC10 - FGMD107SC
FGMD109 - FGM107 - FGM107SC - FGM109 - FGP080



MBM GAFOC00073

3023331 BURNER \varnothing 50x750 mm
overall length 790 mm
made of STAINLESS steel
for Convection oven gas (MBM) FGMD207 - FGMD209
FGM207 - FGM209 - FGP160



MBM RTFOC00332

Gas taps and accessories

3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



MBM RTCU900018

MBM 455001

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



MBM RTCP800022

Suitable for:

Suitable for:

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



MBM RTCP800023

Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm



MBM 437028

3186011 FLAT CARBO GASKET \varnothing 63x48x2 mm
universal carbo
for heating element



MBM 437029

5030320 GASKET FOR BURNER OUTLET
external dimensions 46x46 mm
 \varnothing hole 27 mm
for Convection oven gas (MBM)



MBM RTFOC00100


Gaskets for oven door

5061961 GASKET OVEN DOOR 2520 mm
made of silicone elastomer
profile dimensions 14/11x29 mm
COLOUR: BLACK
for Convection oven (MBM)



MBM 180689

5039097 GASKET OVEN DOOR 710x685 mm
middle edged gasket
made of silicone elastomer
profile dimensions 25.5x19 mm
COLOUR: BLACK
for Convection oven (MBM)



MBM 173827



Suitable for:

MBM



5009884 GASKET OVEN GLASS 2500 mm
 made of silicone elastomer
 profile dimensions 22x13 mm
 COLOUR: BLACK
 for Convection oven electric (MBM) FCE10
 FEMD107SC - FEMD109 - FEM107SC - FEM109
 FEP080
 for Convection oven gas (MBM) FCG10 - FGP080



MBM 161482

Suitable for:

3286032 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED



MBM LAR70041350

3286085 OVEN DOOR GASKET - 3 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED



MBM LAR70041350

3286031 OVEN DOOR GASKET - 6 m
 made of silicone elastomer
 profile dimensions 26x25.5 mm
 COLOUR RED




MBM LAR70041350

3286030 OVEN DOOR GASKET 04880 - 15 m
 made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR




MBM LAR70041290

3286084 OVEN DOOR GASKET 04880 - 3 m
 made of silicone elastomer
 profile dimensions
 BLACK COLOUR



MBM LAR70041290

3286029 OVEN DOOR GASKET 04880 - 6 m
 made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR



MBM LAR70041290

3186424 OVEN DOOR GASKET 1500 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (MBM) FEC023
 FEMD023




MBM RTFOC00664

MBM RTFOC00758

Suitable for:

Suitable for:


3186417 OVEN DOOR GASKET 630x480 mm
 middle edged gasket
 made of silicone elastomer
 profile dimensions 25.5x19 mm
 COLOUR BLACK
 for Convection oven electric (MBM) FCE6 - FEC065
 FEMD065 - FEMD066 - FEMD67 - FEMD67SC - FEMD69
 for Convection oven gas (MBM) FCG065 - FCG6
 FGMD065 - FGMD066 - FGMD67 - FGMD67SC - FGMD69



MBM RTFOC00414

MBM RTFOC00723

3186157 OVEN DOOR GASKET 680x460 mm
 made of silicone elastomer
 profile dimensions 22x20 mm
 COLOUR BLACK
 for Convection oven electric (MBM)
 till 31/12/97
 FEC060 - FEM060 - FEM061 - FEM062 - FEP050
 for Convection oven gas (MBM)
 till 31/12/97
 FGC060 - FGM060 - FGM061 - FGM062 - FGP050
 FMM060 - FMM061




MBM PAFOC00574

MBM PAFOC00577


MBM RTFOC00093

3186419 OVEN DOOR GASKET 690x480 mm
 middle edged gasket
 made of silicone elastomer
 profile dimensions 25.5x19 mm
 COLOUR BLACK
 for Convection oven electric (MBM) FEM610L - FEM67
 FEM67SC - FEM69 - FEP050
 for Convection oven gas (MBM) FGM610L - FGM67
 FGM67SC - FGM69 - FGP050



MBM RTFOC00721


3186158 OVEN DOOR GASKET 710x680 mm
 in silicone elastomer
 profile dimensions 22x20 mm
 BLACK COLOUR
 for Convection oven electric (MBM)
 till 31/12/97
 FEC100 - FEC200 - FEMD200 - FEMD201 - FEM100
 FEM101 - FEM102 - FEM200 - FEM201 - FEM202
 FEP080 - FEP160
 for Convection oven gas (MBM)
 till 31/12/97
 FGC100 - FGC200 - FGMD200 - FGMD201 - FGM100
 FGM101 - FGM102 - FGM200 - FGM201 - FGM202
 FGP080 - FGP160 - FMM100 - FMM101



MBM PAFOC00575

MBM RTFOC00094

3186418 OVEN DOOR GASKET 730x680 mm
 middle edged gasket
 made of silicone elastomer
 profile dimensions 25.5x19 mm
 COLOUR BLACK
 for Convection oven electric (MBM) FCE10
 FEMD107SC - FEMD109 - FEMD207SC - FEMD209
 FEM107 - FEM107SC - FEM109 - FEM207SC - FEM209
 FEP080 - FEP160
 for Convection oven gas (MBM) FCG10 - FGMD107SC
 FGMD109 - FGMD207 - FGMD209 - FGM107
 FGM107SC - FGM109 - FGM207 - FGM209 - FGP080
 FGP160



MBM RTFOC00722

3786706 OVEN DOOR GASKET 740x540 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK



MBM LAR70044010



Suitable for:

MBM



Suitable for:

3186316 OVEN GLASS GASKET

made of silicone elastomer
profile dimensions 10x9 mm

COLOUR BLACK

SOLD PER METRE

for Convection oven electric (MBM) FCE10 - FCE6

FEC060 - FEC065 - FEC100 - FEC200 - FEMD065

FEMD066 - FEMD200 - FEMD201 - FEM060 - FEM061

FEM062 - FEM100 - FEM101 - FEM102 - FEM200

FEM201 - FEM202 - FEP050 - FEP080 - FEP160

for Convection oven gas (MBM) FCG10 - FGC060


FGC065 - FGC100 - FGC200 - FGMD065 - FGMD066

FGMD200 - FGMD201 - FGM060 - FGM061 - FGM062

FGM102 - FGM200 - FGM201 - FGM202 - FGP050

FGP080 - FGP160 - FMM060 - FMM061 - FMM100

FMM101



MBM MPGOM03P00

Grids for refrigerator-oven

5044513 GRID CHROME-PLATED 800x600 mm

for Convection oven (MBM)



MBM RTFOC00285

Handles

3242255 CENTRAL LOCK MECHANISM RIGHT

for OVEN



MBM

5028241 CLOSING CENTRAL GEAR LEFT

CLOSING CENTRAL GEAR LEFT

for OVEN



MBM

3242235 COMPLETE OVEN DOOR HANDLE
 for Convection oven electric (MBM)
 FCE10 - FCE6 - FEMD107SC - FEMD109 - FEMD207SC
 FEMD209 - FEMD67SC - FEMD69 - FEM107SC
 FEM109 - FEM207SC - FEM209 - FEM67SC - FEM69
 FEP050 - FEP080 - FEP160
 for Convection oven gas (MBM)
 FCG10 - FCG6 - FGMD107SC - FGMD109 - FGMD207
 FGMD209 - FGMD67SC - FGMD69 - FGM107SC
 FGM109 - FGM207 - FGM209 - FGM67SC - FGM69
 FGP050 - FGP080 - FGP160



MBM RTFOC0007
 MBM 170919

MBM RTFOC00360

MBM 160912

3242289 DOOR LOCK EXTERNAL FOOT
 for OVEN



MBM RTFOC00005

3242036 HANDLE BASE
 for OVEN



MBM RTFOC00401

MBM 160911

MBM 170831

3242236 OVEN DOOR COMPLETE LOCK
 covered capillary length 490 mm
 for Convection oven electric (MBM) FCE6 - FEMD67
 FEMD67SC - FEMD69 - FEM610/L - FEM67 - FEM67SC
 FEM69 - FEP050
 for Convection oven gas (MBM) FCG6 - FGMD67
 FGMD67SC - FGMD69 - FGM610/L - FGM67 - FGM67SC
 FGM69 - FGP050



MBM GAFOC00005

Suitable for:
3242291 DOOR LOCK CENTRAL FOOT
 for OVEN



MBM RTFOC00057

3242038 EXTERNAL RING FOR HANDLE
 for OVEN



MBM RTFOC00338

3242037 INTERNAL RING FOR HANDLE
 for OVEN



MBM RTFOC00337

3242237 OVEN DOOR COMPLETE LOCK
 covered capillary length 730 mm
 for Convection oven electric (MBM) FCE10 - FEMD107
 FEMD107SC - FEMD109 - FEMD207SC - FEMD209
 FEM107 - FEM107SC - FEM109 - FEM110/L - FEM207
 FEM207SC - FEM209 - FEM210/L - FEP080 - FEP160
 for Convection oven gas (MBM) FCG10 - FGMD107
 FGMD107SC - FGMD109 - FGMD207SC - FGMD209
 FGM107 - FGM107SC - FGM109 - FGM110/L - FGM207
 FGM207SC - FGM209 - FGM210/L - FGP080 - FGP160



MBM GAFOC00051



Suitable for:

5023936 SPACER CENTRAL LOCK SOCKET
external dimensions 95x40 mm
for Convection oven (MBM)



MBM RTFOC00515

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



MBM RTFOC00009

3242092 DOOR HANDLE SPRING \varnothing 11.5x50 mm
for OVEN



MBM /LA6162004

3242289 DOOR LOCK EXTERNAL FOOT
for OVEN



MBM RTFOC00005

3242038 EXTERNAL RING FOR HANDLE
for OVEN



MBM RTFOC00338

MBM




Suitable for:

5023935 SPACER UPPER-LOWER
external dimensions 53x42 mm
for Convection oven (MBM)



MBM RTFOC00514

3242291 DOOR LOCK CENTRAL FOOT
for OVEN



MBM RTFOC00057

3242083 ELECTROMECHANICAL LOCK 24V
for OVEN FEC023-FEMD023
for Convection oven electric (MBM) FEC023
FEMD023



MBM RTFOC00648

3242036 HANDLE BASE
for OVEN



MBM RTFOC00401

MBM 160911

MBM 170831


3242037 INTERNAL RING FOR HANDLE
for OVEN



MBM RTFOC00337

Suitable for:

3242593 KNOB ROLL HOLDER FOR LOCK.NUT



MBM

3242236 OVEN DOOR COMPLETE LOCK
covered capillary length 490 mm
for Convection oven electric (MBM) FCE6 - FEMD67
FEMD67SC - FEMD69 - FEM610/L - FEM67 - FEM67SC
FEM69 - FEP050
for Convection oven gas (MBM) FCG6 - FGMD67
FGMD67SC - FGMD69 - FGM610/L - FGM67 - FGM67SC
FGM69 - FGP050



MBM GAFOC00005

3242237 OVEN DOOR COMPLETE LOCK
covered capillary length 730 mm
for Convection oven electric (MBM) FCE10 - FEMD107
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEM107 - FEM107SC - FEM109 - FEM110/L - FEM207
FEM207SC - FEM209 - FEM210/L - FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FGMD107
FGMD107SC - FGMD109 - FGMD207SC - FGMD209
FGM107 - FGM107SC - FGM109 - FGM110/L - FGM207
FGM207SC - FGM209 - FGM210/L - FGP080 - FGP160



MBM GAFOC00051

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm



MBM RTFOC00403

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm



MBM

5023936 SPACER CENTRAL LOCK SOCKET
external dimensions 95x40 mm
for Convection oven (MBM)



MBM RTFOC00515

5023935 SPACER UPPER-LOWER
external dimensions 53x42 mm
for Convection oven (MBM)



MBM RTFOC00514

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



MBM RTFOC00009



Suitable for:

MBM



Suitable for:

Heating elements

3755236 HEATING ELEMENT 21600W 230V
 external \varnothing 420 mm - overall height 228 mm
 flange 142x25 mm
 for Convection oven electric (MBM) FEC200
 FEMD200 - FEMD207SC - FEMD209 - FEM200
 FEM201 - FEM202 - FEM207SC - FEM209 - FEP160



MBM RTFOC00307

3355533 HEATING ELEMENT 2500W 230V
 length 125 mm - width 655 mm
 flange 70x22 mm



MBM LAR65010180

3355889 HEATING ELEMENT 2500W 230V
 external \varnothing 190 mm - total height 70 mm
 flange 70x22 mm



MBM RIC0001835

3355531 HEATING ELEMENT 2500W 240V
 length 125 mm - width 600 mm
 flange 70x22 mm
 for Convection oven electric (MBM) FCE10 - FEC100
 FEMD101 - FEMD107 - FEMD107SC - FEMD109
 FEM100 - FEM101 - FEM102 - FEM107 - FEM107SC
 FEM109 - FEPO80



MBM RTFOC00068

5035015 HEATING ELEMENT 2500W 240V
 external \varnothing 200 mm - overall height 80 mm
 flange 100x22 mm



MBM /FOI000002

3355105 HEATING ELEMENT 4200W 230/380V
 for boiler and wash tank
 immersed depth 340 mm
 flange external \varnothing 72 mm - with bulb-sheathing
 complete with gasket OR \varnothing 67 mm (3186014)



MBM /COM110331

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM /COM200815
MBM 929046

MBM CGG55

MBM 167956

Suitable for:

Suitable for:

3755665 HEATING ELEMENT 6000W 230V
 immersed length 300 mm
 flange \varnothing external 72 mm
 with probe receptacle
 with bulb sheath
 for Convection oven electric (MBM) FEM107
 FEM107SC - FEM109 - FEM110 - FEM67 - FEM67SC
 FEM69

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MBM RTFOC00523

MBM /COM200815
 MBM 929046

MBM CGG55

MBM 167956

3355530 HEATING ELEMENT 7500W 230V
 immersed length 300 mm
 flange external \varnothing 72 mm
 with bulb sheath
 complete with O-ring gasket
 for Convection oven electric (MBM)
 FEM060 - FEM061 - FEM100 - FEM101 - FEM102
 FEM200 - FEM201 - FEM202 - FEM207SC - FEM209
 FEM610L - FEM62
 for Convection oven gas (MBM)
 FMM060 - FMM061 - FMM100 - FMM101

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm




MBM RTFOC00150

MBM /COM200815
 MBM 929046

MBM CGG55

MBM 167956

3755237 HEATING ELEMENT 7500W 230V
 external \varnothing 260 mm - overall height 165 mm
 flange 142x25 mm
 for Convection oven electric (MBM) FCE6 - FEC060
 FEMD065 - FEMD67 - FEMD67SC - FEMD69 - FEM060
 FEM061 - FEM062 - FEP050



MBM RTFOC00013

MBM RTFOC00433



Suitable for:

MBM



Suitable for:

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



MBM RTCU900004

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



MBM C0002482

MBM RIC0002482

MBM 01980059512

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



MBM RTCU900027

MBM RTCU900397

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



MBM RTCU900004

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



MBM RTCU900026

MBM RTCU900396

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



MBM RTCU900004

Hydraulic piping

5008211 HOSE FOR WATER 165 mm
external hose \varnothing 18 mm - internal hose \varnothing 16 mm
distance between holes 35 mm
for Convection oven electric (MBM) FEMD67
FEMD67SC - FEMD69
for Convection oven gas (MBM) FGMD67 - FGMD67SC
FGMD69



MBM RTFOC00408

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m
operating temperature -40+100°C



MBM SPG17

MBM SPG61

MBM 143010



Suitable for:

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



MBM /COM200113

Suitable for:

3450621 RUBBER PIPE 110°C. \varnothing 10x16 mm - 5 m
temperature -30°+110°C
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external \varnothing 16 mm
internal \varnothing 10 mm
for 40 m rolls see 3450651



MBM REB143004
MBM 143182

MBM REB143182

MBM 143004

Incandescent lamps and neon lamps

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



MBM 161282

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V
temperatura massima 250°C



MBM 177059

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



MBM RTFOC00658

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



MBM LAR65270120

MBM RTFOC00037

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



MBM /CB0000014



Suitable for:

MBM



Suitable for:

Indicator lights

3221101 GREEN INDICATOR LAMP 230V
head \varnothing 15 mm - \varnothing hole 13 mm - 120°C
M faston 6.3x0.8 mm
universal application



MBM RTCU900290

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MBM REB216019

MBM 216019

3221164 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



MBM DEL15

MBM REB216022

MBM 216022

3221262 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 12 mm



MBM DEP142

MBM 926114

3221025 INDICATOR LAMP ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900072

MBM RTCU900488

3221024 INDICATOR LAMP RED 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900071

MBM RTCU900291

3221025 INDICATOR LAMP ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



MBM RTCU900072

MBM RTCU900488

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



MBM DEL25

MBM 216006

MBM DEL31

MBM 926113

MBM REB216006

3221112 ORANGE INDICATOR LAMP 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



MBM DEL14

MBM 926287



3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MBM /ELF281007
MBM REB216020

MBM B.30168500
MBM 216018

MBM DEL10
MBM 216020

3221096 ORANGE INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 210 mm



MBM REB216003
MBM 216005

MBM REB216025
MBM 216025

MBM 216003

3221111 RED INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



MBM DEL13

3221139 RED INDICATOR LIGHT 230V
head \varnothing 14 mm - hole \varnothing 12 mm - 120°C



MBM 216016

Inlet hoses

3449034 FLEX HOSE \varnothing 3/4" Fp x CFp 1500 mm
EPDM hose covered in stainless steel
hose external \varnothing 17 mm - internal \varnothing 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



MBM RAT34
MBM 143112

MBM REB143016

MBM 143016

3449056 INLET ELBOW HOSE \varnothing 3/4" FF 2000 mm
thermoplastic hose \varnothing 13x19 mm
brass fittings \varnothing 3/4"F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



MBM RAT32

MBM 929169

3449072 INLET ELBOW HOSE \varnothing 3/4" FF 2000 mm
EPDM hose covered in nylon braiding \varnothing 10x14 mm
brass fittings 3/4"F
max temperature 90°C
max pressure 10 bar



MBM REB143170

MBM 143170



Suitable for:


MBM



Suitable for:

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



MBM DEC50

MBM RTFOC00312

MBM 926144

Ironmongery (screws,nuts,washers)

3528010 FLAT WASHER M6
 \varnothing internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



MBM CRI06

MBM 472019

3528213 HEXAGONAL NUT MID M5
st./steel - UNI 5588 - DIN 934 - ISO 4032



MBM CDI205


Knobs

3241335 BLACK KNOB \varnothing 42 mm
D-shaped hole 6x4.6 mm
for thermostat, selector switch, program switch




MBM LAR69030170

3241125 BLACK KNOB \varnothing 56 mm
D shaped hole 6x4.6 mm
for Convection oven electric (MBM) FEC060 - FEC100
FEMD060 - FEMD061 - FEMD100 - FEMD101 - FEM060
FEM061 - FEM100 - FEM101 - FEP050 - FEP080
for Convection oven gas (MBM) FGC060 - FGC065
FGC100 - FGMD060 - FGMD061 - FGMD065 - FGMD066
FGMD100 - FGMD101 - FGM060 - FGM061 - FGM100
FGM101 - FGP050 - FGP080 - FMM060 - FMM061
FMM100 - FMM101




MBM RTFOC00055

3241822 GREY KNOB \varnothing 56 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (MBM) FCE10
FEMD107SC - FEMD67SC - FEM107SC - FEP050
FEP080
for Convection oven gas (MBM) FCG10 - FCG6
FGMD67SC - FGP050 - FGP080



MBM 160910

3241402 KNOB BLACK \varnothing 70 mm
D shaft hole 6x4.6 mm
for thermostat, selector switch, timer,
program switch, energy regulator



MBM



Suitable for:

5047749 KNOB SILVER ø 56 mm
D-shaped hole 6x4.6 mm
for Convection oven (MBM)



MBM 164794

MBM 170886

Suitable for:

3241257 LIGHT BLUE KNOB ø 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (MBM) FCE10 - FCE6
FEC023 - FEMD023 - FEMD107SC - FEMD207SC
FEMD67SC - FEM107SC - FEM207SC - FEM67SC
FEP050 - FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD207SC - FGMD67SC - FGM107SC
FGM207SC - FGM67SC - FGP050 - FGP080 - FGP160



MBM RTFOC00361


3241460 SELF-STICK DISK 50-300°C
external ø 63 mm



MBM

Labels for control panels

3319451 GREY ELECTRONIC PLATE
dimensions 270x90 mm
for old models



MBM RTBF900308

Lamp receptacles and spare parts

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm
for Convection oven (MBM)



MBM RTFOC00382

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C
for Convection oven (MBM)



MBM RTFOC00201



Suitable for:

MBM




3221232 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm
thread \varnothing 33 mm - overall height 32 mm
for Convection oven (MBM)



MBM RTFOC00654

Suitable for:

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 36 mm
max temperature 300°C
for Convection oven (MBM)



MBM RTFOC00653

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160



MBM RTFOC00036

5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V
external dimensions 96x80 mm
max temperature 300°C



MBM LAR65270510

2110636 OVEN LAMP RECEPTACLE GLASS \varnothing 41 mm
thread \varnothing 34 mm - overall height 36 mm



MBM RIC0003672

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
external dimensions 140x75 mm
for Convection oven (MBM)



MBM RTFOC00202

MBM 161283

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz



MBM RTFOC00146



Level sensors

3341010 LEVEL PROBE \varnothing 1/4"M-130 mm
for Convection oven gas (MBM) FGM207SC - FGM209



MBM RTFOC00210

3341011 LEVEL PROBE \varnothing 1/4"M-140 mm
for Convection oven (MBM)



MBM RTFOC00148

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



MBM 218011

3240258 DOOR MICROSWITCH 16A 250V
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD67SC - FEMD69
FEM107 - FEM107SC - FEM109 - FEM610L - FEM67
FEM67SC - FEM69 - FEP050 - FEP080
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107 - FGMD107SC - FGMD109 - FGMD67
FGMD67SC - FGMD69 - FGM107 - FGM107SC - FGM109
FGM610/L - FGM67SC - FGM69 - FGP050 - FGP080
for Convection oven electric (MBM) FEMD207



MBM RTFOC00711

MBM 175286

7110250 MICROSWITCH MAGNETIC \varnothing 6x30 mm
0.5A 10W 150V - NO contact
with cable length 1680 mm
for Convection oven (MBM)



MBM 172745

3240410 MICROSWITCH 16(4)A 250V



MBM RTFOC00035

3240123 MICROSWITCH 16A 250V



MBM RTFOC00198

MBM 218009

3240181 PROTECTED MAGNET 62x18x10 mm



MBM CWM8

MBM 926014



Suitable for:

MBM



Suitable for:

Motors

3240031 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz
0.90A 2760rpm - capacitor 4 µF not included
former model FIR 1572



MBM /LA5040380

3240032 FAN ø 160 mm
thickness 60 mm
total blades 15 - ø hole 8 mm




MBM /LA5400060

3240277 MOTOR ST80/4 50/60Hz
220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
1350-1650rpm



MBM LAR65040061

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm
for Convection oven electric (MBM)
FEMD023



MBM RIC0002339
MBM RTFOC00623

MBM RTCU700450
MBM 0682300800

MBM RTCU800153

5025392 MOTOR 1022C2353 0.4/0.05Kw 230V 50Hz
3/1A - 1400/700rpm - capacitor 31.5 µf
for Convection oven electric (MBM) FCE10 - FEMD107
FEMD107SC - FEMD109 - FEMD207 - FEM107
FEM107SC - FEM109 - FEM207 - FEM209 - FEP080
FEP160
for Convection oven gas (MBM) FCG10 - FGMD107
FGMD107SC - FGMD109 - FGM107 - FGM107SC
FGM109 - FGM207 - FGM209 - FGP080 - FGP160




MBM RIC0004598
MBM RTFOC00697

MBM RTFOC00066
MBM 161232

MBM RTFOC00322

5025393 FAN ø 270 mm
thickness 110 mm
number of blades: 6 - hole cone-shaped ø 19.5-21 mm
for Convection oven electric (MBM) FEMD107
FEMD107SC - FEMD109 - FEM107 - FEM107SC
FEM109 - FEM110 - FEM110L
for Convection oven gas (MBM) FGMD107 - FGMD107SC
FGM107 - FGM107SC - FGM110



MBM 161274


3240259 MOTOR 1075.3163 0.5/0.1HP 220/240V 50Hz
2/0.7A - 2700/1400rpm - capacitor 20 µf
for Convection oven electric (MBM) FEMD67SC
FEMD69 - FEM67SC - FEM69 - FEP050
for Convection oven gas (MBM) FGMD67SC - FGMD69
FGM67 - FGM67SC - FGM69 - FGP050



MBM RTFOC00011

MBM 168843

3240254 FAN ø 220 mm
thickness 100 mm
total blades 12 - ø tapered hole 16-11 mm
for Convection oven electric (MBM) FCE6 - FEMD67SC
FEMD69 - FEP050
for Convection oven gas (MBM) FCG6 - FGMD67
FGMD67SC - FGMD69 - FGP050



MBM RTFOC00012

MBM RTFOC00473



Nozzles for humidifier

5028920 FITTING FOR NOZZLE ϕ 6 mm
 thread M10x1 mm
 for Convection oven (MBM)



MBM RTFOC00020

5028919 NOZZLE HUMIDIFIER M10x1-M12x1
 hole ϕ 1.50 mm
 for Convection oven (MBM)



MBM RTFOC00557

5028920 FITTING FOR NOZZLE ϕ 6 mm
 thread M10x1 mm
 for Convection oven (MBM)



MBM RTFOC00020

3348037 OLIVE FOR PILOT PIPE ϕ 6 mm
 for model PEL 21-22-25



MBM RTCU900018

MBM 455001

Outlet solenoid valves and accessories

5020720 VALVE DRAIN FOR BOILER WITH MOTOR
 230V 50/60Hz 2.5W
 attacchi ϕ 1/2"FF DN15
 for Convection oven electric (MBM) FEM107
 FEM107SC - FEM109 - FEM207SC - FEM209 - FEM67
 FEM67SC - FEM69
 for Convection oven gas (MBM) FGM107 - FGM107SC
 FGM109 - FGM207SC - FGM209 - FGM67 - FGM67SC
 FGM69



MBM RTFOC00550



Suitable for:

MBM



Suitable for:

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM ø 58 mm



MBM REB456002

MBM 456002

MBM 456079

3186014 O-RING GASKET 06225 EPDM ø 67 mm



MBM /COM200815
MBM 929046

MBM CGG55

MBM 167956

3186290 O-RING 04187 EPDM



MBM

Pilot burners and accessories

**5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm**



MBM RTCU800182

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MBM RTCU900215

**3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1**



MBM RTCP800038

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



MBM

3020083 NUT & OLIVE ø 4 mm



MBM RTCU700141

3020084 NUT & OLIVE ø 6 mm



MBM RTCU900217

3020114 OLIVE FOR PIPE \varnothing 6 mm

MBM RTCU800183

Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE


MBM RTCU900014

3020111 OLIVE FOR 4 mm \varnothing PIPE

MBM RTCU900134

3020201 PILOT GAS JET \varnothing 0.14 mm

MBM RTCP800058

3020042 PILOT GAS JET \varnothing 0.19 mm

MBM RTCP800041

3020202 PILOT GAS JET \varnothing 0.27 mm

MBM RTCP800059

3020043 PILOT GAS JET \varnothing 0.36 mm

MBM RTCP800040

MBM RTCP800042

3020054 PILOT JET \varnothing 0.20 mm

MBM RTCU700228

3020040 PILOT JET \varnothing 0.30 mm

MBM RTCU900216

3020187 PILOT NOZZLE \varnothing 0.51 mm

MBM RTCU900008

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm

MBM RTCP800035

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**

MBM RTCP800037

MBM RTCU900133



Suitable for:

MBM



Suitable for:

3020078 PIPE FITTING ϕ 6 mm
thread M10x1



MBM RTCU900019

MBM 468098

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



MBM RTCP800034

3020200 FITTING FOR THERMOCOUPLE ϕ 6.5 mm
thread M10x1



MBM RTCP800038

3020201 PILOT GAS JET ϕ 0.14 mm



MBM RTCP800058

3020202 PILOT GAS JET ϕ 0.27 mm



MBM RTCP800059

3020113 PILOT OLIVE FOR PIPE ϕ 4 mm



MBM RTCP800035

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MBM RTCU900215

3020114 OLIVE FOR PIPE ϕ 6 mm



MBM RTCU800183

3020042 PILOT GAS JET ϕ 0.19 mm



MBM RTCP800041

3020043 PILOT GAS JET ϕ 0.36 mm



MBM RTCP800040

MBM RTCP800042

3020077 PIPE FITTING ϕ 4 mm
thread M10x1



MBM RTCP800037

MBM RTCU900133



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



MBM RIC0003049

MBM 7090028

3020042 PILOT GAS JET \varnothing 0.19 mm



MBM RTCP800041

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



MBM RTCP800037

MBM RTCU900133

MBM



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



MBM RTCP800033

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



MBM RTCU900215


3020043 PILOT GAS JET \varnothing 0.36 mm



MBM RTCP800040

MBM RTCP800042

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



MBM RTCU900019

MBM 468098



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

MBM



Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



MBM RTCU900074

3020054 PILOT JET \varnothing 0.20 mm



MBM RTCU700228

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



MBM RTBF800034

3020040 PILOT JET \varnothing 0.30 mm



MBM RTCU900216

Potentiometers

5047748 SELECTOR SWITCH ENCODER WITH CABLE
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (MBM)



MBM 164825



Pressure gauges

- 5056573 PRESSURE GAUGE \varnothing 41 mm**
 connection \varnothing 1/8" M
 scale 0-1 bar
 for Convection oven (MBM)



MBM RTFOC00625

Pressure regulators

- 5034270 PRESSURE ADAPTER \varnothing 12 mm**
 with pressure gauge \varnothing 40 mm - scale 0-1 bar
 for Convection oven electric (MBM) FEMD107SC
 FEMD109 - FEMD207SC - FEMD209 - FEMD67SC
 FEMD69
 for Convection oven gas (MBM) FGMD107 - FGMD207
 FGMD209



MBM GRFOC00274

- 5020613 REDUCER PRESSURE \varnothing 1/4" FF**
 operating range 0-2bar
 for Convection oven electric (MBM) FEMD107
 FEMD107SC - FEMD109 - FEMD67 - FEMD67SC
 FEMD69
 for Convection oven gas (MBM) FGMD107SC - FGMD109
 FGMD67 - FGMD67SC - FGMD69



MBM RTFOC00624

Probes

- 3397007 PROBE THERMOCOUPLE**
 twin wire
 probe length 72 mm
 cable length 2400 mm
 with fastening coupling M10x1 mm
 for Convection oven electric (MBM) FEMD107SC
 FEMD207SC - FEMD67SC - FEMD69 - FEM107SC
 FEM207SC - FEM67SC - FEP050 - FEP080 - FEP160
 for Convection oven gas (MBM) FGMD107SC
 FGMD207SC - FGM107SC - FGM67SC - FGP160



MBM RTFOC00321

- 3445398 SILICONE PROBE NTC 1500 mm**
 2-wire probe temperature range -50+120°C
 bulb \varnothing 6x50 mm



MBM DWS96

MBM 927335



Suitable for:

MBM



5048963 TEMPERATURE PROBE TCK
 2 wires
 probe length 41 mm
 cable length 2550 mm
 with fastening fitting M10x1.5 mm
 for Convection oven electric (MBM) FEM110/L
 FEM210/L - FEM610/L
 for Convection oven gas (MBM) FGM110/L - FGM210/L
 FGM610 - FGM610/L



MBM 164729

Suitable for:

5050575 THERMOCOUPLE PROBE TCJ
 2 wires
 probe length 100 mm - ø probe 6 mm
 cable length 1500 mm
 for Convection oven electric (MBM) FEMD101



MBM RTFOC00034

Relays

3351901 POWER RELAY FINDER 60.62.8.230.0000
 230V 50/60Hz
 2 exchange contacts 10A



MBM DER11
MBM 229023

MBM RTFOC00144

MBM 229021

3351021 POWER RELAY FINDER 62.82.8.230.0000
 230V 50/60Hz
 2 exchange contacts 16A



MBM DER1106

MBM DER1108

MBM 929115

3351008 POWER RELAY FINDER 62.83.8.230.0000
 230V 50/60Hz
 3 exchange contacts 16A



MBM 229036

3351602 POWER RELAY FINDER 65.31.8.230.0300
 230V 50/60Hz
 1 contact NO 30A



MBM DER111

MBM 229025

MBM 229029

5033532 RELAY CELDUC SC762110
 for Convection oven electric (MBM) FEM110/L
 FEM210/L - FEM610/L
 for Convection oven gas (MBM) FGM110/L - FGM210/L
 FGM610/L



MBM RIC0003591

3351605 RELAY POWER FINDER 60.63.8.230.0000
 230V 50/60Hz
 3 exchange contacts 10A



MBM DER100

MBM RTFOC00144

MBM 229024



Rinse aid pumps and accessories

3090033 FOOT VALVE WITH NON RETURN
with filter and STAINLESS steel ring



MBM CWF10NT

Rotary switches


3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



MBM RTBF900037


MBM RTCU900112

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



MBM RTBF900007

3057097 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




MBM RTCU700454

3057139 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (MBM) FCE10 - FCE6
FEP050 - FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGP050 - FGP080 - FGP160




MBM RTFOC00694

3057135 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (MBM) FEMD023



MBM RTFOC00143

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



MBM RTCU800151



Suitable for:

MBM



Suitable for:

3057134 SELECTOR SWITCH 0-6 POSITIONS
 3 cams - contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm
 for Convection oven electric (MBM) FEMD107
 FEMD107SC - FEM107SC - FEM67SC
 for Convection oven gas (MBM) FGM107SC - FGM107
 FGM107SC - FGM67SC



MBM RIC0004532

MBM RTFOC00669

MBM 164122

Solenoid valves

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
 flow rate 1.2 L/min - tolerance +/- 25%



MBM RTFOC00145

MBM 172833

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
 flow rate 2.5 L/min - tolerance +/- 25%



MBM RTFOC00120

MBM 172834

3120015 ADJUSTER FOR OUTLET ELBI RED
 flow rate 0.5 L/min - tolerance +/- 25%



MBM 133009

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



MBM DEV3S


MBM 240006

3120504 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
 24V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



MBM

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



MBM /ELF120021
 MBM RTFOC00022
 MBM 240016

MBM DEV3S16
 MBM 240005
 MBM 240018

MBM REB240011
 MBM 240011



Suitable for:

Suitable for:

3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
 24V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



MBM DEV34S MBM DEV34S16 MBM 927242

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm



MBM DEV3D MBM RTFOC00203 MBM 240003
 MBM 929172

3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
 24V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm



MBM DEV32416 MBM 927001

3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
 24V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm



MBM

3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
 24V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm



MBM

3120408 SOLEN. VALVE T&P 1 WAY 90°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm



MBM

3120414 SOLEN. VALVE T&P 3 WAY 180°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - three outlets ø 10.5 mm



MBM /ELF120003 MBM DEV37 MBM VEV3T

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - three outlets ø 10.5 mm



MBM DEV3T MBM RTFOC00520

3120261 SOLENOID VALVE MULLER 1-WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



MBM DEV1



Suitable for:

MBM



Suitable for:

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



MBM RTBF800129

MBM RTCU700096

Sparking and detection plugs

5020607 DETECTION PLUG ROUND \varnothing 7x55 mm
overall length 112 mm
for Convection oven gas (MBM) FGMD207 - FGMD209
FGM207 - FGM207SC - FGM209



MBM PAFOC00368

5062933 DETECTION PLUG ROUND \varnothing 7x55 mm
overall length 119 mm
for Convection oven gas (MBM) FGM107 - FGM107SC
FGM610 - FGM67 - FGM67SC - FGM69



MBM PAFOC00250

3020211 ROUND DETECTOR ELECTRODE \varnothing 6.5x55 mm
overall length 118 mm
for Convection oven gas (MBM) FGMD107 - FGMD107SC
FGMD109 - FGMD67 - FGMD67SC - FGMD69 - FGM107
FGM107SC - FGM109 - FGM110 - FGM610L - FGM67
FGM67SC



MBM PAFOC00249

3020210 ROUND SPARKING PLUG \varnothing 6.5x55 mm
overall length 107 mm
for Convection oven gas (MBM) FGMD107 - FGMD107SC
FGMD109 - FGMD67 - FGMD67SC - FGMD69 - FGM107
FGM107SC - FGM109 - FGM110 - FGM610L - FGM67
FGM67SC - FGM69



MBM PAFOC00252

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MBM RIC0003481

MBM RTCU900073

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MBM RIC0003189

MBM RTCU900010

MBM 611006




3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 58 mm



MBM RTCP800033

Suitable for:

5018428 SPARKING PLUG ROUND \varnothing 7x55 mm
 overall length 112 mm
 for Convection oven gas (MBM) FGMD207 - FGMD209
 FGM207 - FGM209



MBM PAF0C00367

Switches


3319153 CHANGE OVER GREY BUTTON 16A 250V
 2 speed change-over switch
 mounting hole 28x32 mm
 for Convection oven electric (MBM) FEP050 - FEP080
 FEP160
 for Convection oven gas (MBM) FGP050 - FGP080
 FGP160



MBM RTFOC00033

MBM RTFOC00362

3319617 DOUBLE CONTACT SWITCH 16A 250V



MBM REB226071

MBM 226071

MBM 226115

3319152 LIGHT SWITCH ON GREY BUTTON 16A 250V
 mounting hole 28x32 mm
 for Convection oven electric (MBM) FCE10 - FCE6
 FEP050 - FEP080 - FEP160
 for Convection oven gas (MBM) FCG10 - FCG6
 FGP050 - FGP080 - FGP160



MBM RTFOC00032

MBM RTFOC00387

5019335 PUSH-BUTTON BLACK RUBBER \varnothing 24x14 mm
 for Convection oven electric (MBM) FEC023
 FEMD023



MBM RTFOC00641

MBM RTFOC00782

3319947 RED BIPOLAR SWITCH 16A 250V
 16(4)A 250V
 with indicator light and push-button cap
 max temperature 100°C
 mounting hole 22x30 mm



MBM RTTAV00039



Suitable for:

MBM



3319948 RED BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
max temperature 120°C
mounting hole \varnothing 25 mm



MBM RTFOC00585

Suitable for:

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



MBM CGP5

MBM 410005

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



MBM CGP5

MBM 410005

Terminal blocks

3247025 TERMINAL BLOCK 12-POLE PLASTIC
for cable max 2.5 mm²
operating temperature 150°C
nominal voltage 450V



MBM RTBF900045

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921045

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



MBM 921044

3247035 4-POLES TERMINAL BLOCK



MBM RTFOC00593

Suitable for:

Suitable for:

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



MBM REB220011
 MBM 921057

MBM 220011

MBM 3720150

Thermocouples and accessories

3440015 INTERRUPTION CONNECTOR M9x1



MBM RTCP800073

3440012 SLOTTED FITTING M10x1



MBM RTCP900058

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
 female nut M9x1



MBM RTCP800131

3440126 THERMOCOUPLE SIT M10x1 75 cm



MBM

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MBM RTCU900023

3440037 THERMOCOUPLE SIT M9x1 100 cm.



MBM RTCU900023

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MBM RTCU900023



Suitable for:

MBM



3440038 THERMOCOUPLE SIT M9x1 120 cm



MBM RTCU900061

Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



MBM RTCU900061

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



MBM RTCU900061

3440039 THERMOCOUPLE SIT M9x1 150 cm



MBM RTCU900024

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MBM RTCU900024

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MBM RTCU900024

3440033 THERMOCOUPLE SIT M9x1 32 cm



MBM RTCU900021

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



MBM RTCU900021

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



MBM RTCU900021

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MBM RTCU900034



MBM



Suitable for:

Suitable for:

3440080 THERMOCOUPLE SIT M9x1 40 cm.

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



MBM RTCU900034

MBM RTCU900034

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MBM RTCU700148

MBM RTCU700148

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



MBM RTCU700148

MBM RIC0003190

MBM RTCU900022

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



MBM RIC0003190

MBM RTCU900022

MBM RIC0003190

MBM RTCU900022

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MBM RTCU900060

MBM 611005

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MBM RTCU900060

MBM 611005

MBM RTCU900060

MBM 611005



Suitable for:

MBM



Suitable for:

Thermostatic gas valves

3345018 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x75 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm




MBM RTCU700289

3020082 OLIVE FOR 12 mm \varnothing PIPE



MBM RTCU900014

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



MBM RTCU900019

MBM 468098


Thermostats

3444124 PROTECTION CAP
 for safety thermostat
 for THERMOSTAT EGO



MBM 410006

3444287 SINGLE-PHASE THERMOSTAT 123°C
 with manual reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven electric (MBM) FEM060 - FEM061
 FEM100 - FEM101 - FEM102 - FEM107SC - FEM109
 FEM207SC - FEM209 - FEM62 - FEM67SC - FEM69
 FEP080 - FEP160



MBM RTFOC00173

3444285 SINGLE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x77 mm



MBM RTFOC00038

MBM RTFOC00483


3444428 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm - 16A 250V
 bulb \varnothing 3x230 mm - with stuff.gland coupling M10x1
 for Convection oven electric (MBM) FCE10 - FCE20
 FCE6
 for Convection oven gas (MBM) FCG10 - FCG20 - FCG6



MBM RTFOC00698




3444427 SINGLE-PHASE THERMOSTAT 50-285°C
 D-shaped pin 6x4.6 mm
 covered capillary length 840 mm - 16A 250V
 bulb \varnothing 3x230 mm
 for Convection oven electric (MBM) FEC023
 FEMD023



MBM RTFOC00646

Suitable for:

3444062 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



MBM


3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



MBM RTCU700455

MBM 924024


5025542 SINGLE-PHASE THERMOSTAT 66-310°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm
 double bulb \varnothing 3x120 mm
 for EMMEPI OVEN FE900



MBM RIC0002126

MBM 09950107000

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm



MBM DAT11

MBM 929044

MBM DRT13

MBM DRT13L

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb \varnothing 3x190 mm



MBM RTCU800152

3444251 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 3x220 mm



MBM RTBF600067

MBM 164332



Suitable for:


MBM



Suitable for:

Timers

5011157 KIT TIMER 120 MINUTES MS65
 with board
 mechanical timer with manual reset
 120 manual reset cycle
 flow rate contacts 16(4)A 250V
 max. temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (MBM) FEC023
 FEMD023



MBM RTFOC00568


MBM 176150

3446072 TIMER D94443 3 CAMS
 230V 50/60Hz
 cycle 80 minutes -D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (MBM) FEC060 - FEC100
 FEC200 - FEMD060 - FEMD061 - FEMD100 - FEMD101
 FEMD200 - FEMD201 - FEM060 - FEM061 - FEM100
 FEM101 - FEM200 - FEM201 - FEP050 - FEP080
 FEP160
 for Convection oven gas (MBM) FGC060 - FGC100
 FGM060 - FGM061 - FGM100 - FGM101 - FGP050
 FGP080 - FMM060 - FMM061 - FMM100 - FMM101



MBM RTFOC00030


3446061 TIMER KIT 120 MINUTES MS65
 with board, cables and instructions
 manually set mechanical timer
 120 minutes manually set cycle
 contact capacity 16(4)A 250V
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (MBM) FCE10 - FCE6
 for Convection oven gas (MBM) FCG10 - FCG6



MBM RIC0004523

MBM RTFOC00699

3446220 TIMER 120 MINUTES MS65
 complete with silk-screen printings set 0-120'
 manually set mechanical timer
 120 minutes manually set cycle
 contact capacity 16(4)A 250V
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm



MBM LAR65090070

Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved





















MBM /ALP0A2269

MBM RTFOC00039

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us