




Spare parts for:

Ovens



Suitable for:

MODULAR



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10221836





Suitable for:

MODULAR



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



MODULAR 6033175

Buzzers

3397117 ALARM WITH CARD
dimensions 45x48 mm
for Electric oven electric (MODULAR) BERU443
BERU443S - BERU464 - BERU464S - BERU464TD
BER443 - BER443ECO - BER443S - GER423
GER423ECO



MODULAR 256.052.00

Cables for piezo igniters

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



MODULAR 666.000.00

MODULAR 666.001.00

Capacitors, electrical

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MODULAR 464.016.00

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



MODULAR 464.110.00



Suitable for:

Suitable for:

3068027 CAPACITOR μ F 20 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



MODULAR 464.029.00

Circlips

1250223 RADIAL SEEGER RING \varnothing 6 mm
 stainless steel - external \varnothing 12.3 - thickness 0.7
 UNI 7434 - DIN 6799



MODULAR 0552.05065.4

MODULAR 0552.06074.4

Contactors

3351216 CONTACTOR AEG LS4K 9A 24V 4Kw
 coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



MODULAR

3446562 CONTACTOR LOVATO BF0901A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact



MODULAR 661.066.00

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



MODULAR 461.021.00

MODULAR 661.017.00


Door glasses for oven and accessories

7150527 VITRE DE PORTE FOUR



MODULAR 555.014.00

7150528 VITRE DE PORTE FOUR



MODULAR 555.018.00



Suitable for:

MODULAR



Suitable for:


Electrical gas valves and accessories

- 3526096 VALVE MICROSWITCH**
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



MODULAR 968.501.00

- 3526361 VALVE 822 NOVA \varnothing 1/2"FF**
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz



MODULAR RRC5350-00


- 3020083 NUT & OLIVE \varnothing 4 mm**



MODULAR 671.011.00

Electronic boxes


- 3091005 KIT CONTROL BOX 571 DBC**
 complete with cable
 model SIT - 230V 50/60Hz



MODULAR RRC2236-00

Electronic controllers

- 7150486 THERMOMETRE EVK100J7 TCJ**
 alimentation 230v
 plage température -100°+800°C
 type de sonde TCJ (non comprise)
 connexion par bornier à vis
 découpe 71x29 mm



MODULAR 561.043.00

- 3445109 PROBE TCJ VETROTEX 3000 mm**
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit \pm 0.75% below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm
 for Electric oven electric (MODULAR) BERU464TD
 BEU464/230TD - BEU664TD




MODULAR 561.044.00



Electronic printed-circuit boards

3390223 REVERSE ELECTRONIC BOARD 105x90 mm



MODULAR 999.23.033


Energy regulators

3350024 ENERGY ADJUSTER
 contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



MODULAR 661.058.00

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



MODULAR RRC2192-00

Gas burners

3023313 BURNER \varnothing 50x305 mm
 made of STAINLESS steel
 overall length 330 mm



MODULAR 999.23.050

Gas taps and accessories

3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



MODULAR 673.004.00



Suitable for:

MODULAR

Suitable for:



Gaskets and seals


3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



MODULAR 553.008.00

Gaskets for oven door

3286030 OVEN DOOR GASKET 04880 - 15 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR



MODULAR RRC2215-03


MODULAR RRC2215-03-15MT

3286084 OVEN DOOR GASKET 04880 - 3 m
made of silicone elastomer
profile dimensions
BLACK COLOUR




MODULAR RRC2215-03

3286029 OVEN DOOR GASKET 04880 - 6 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR




MODULAR RRC2215-03

3186397 OVEN DOOR GASKET 2200 mm
made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK



MODULAR RRC5220-00

3186398 OVEN DOOR GASKET 2820 mm
made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK



MODULAR RRC5221-00

**Glasses**

- 3519006 COMPLETE CHAMBER GLASS**
complete with glass and gasket



MODULAR 512.002.00

Handles

- 3242255 CENTRAL LOCK MECHANISM RIGHT**
for OVEN



MODULAR 999.23.024


- 3242048 DOOR STRIKE**
distance between mounting holes 40 mm



MODULAR CC2211-02

MODULAR RRC2211-02

- 3398021 OVEN DOOR CATCH**
distance between holes 47 mm
catch distance 27 mm




MODULAR 684.012.00

- 3242047 OVEN DOOR HANDLE 265x30 mm**
with strike mounting distance 43 mm
handle mounting distance 122-132 mm



MODULAR RRC2211-01

- 3242048 DOOR STRIKE**
distance between mounting holes 40 mm



MODULAR CC2211-02

MODULAR RRC2211-02

- 3242216 STRIKE FOR DOOR HANDLE**
distance between mounting holes 43 mm



MODULAR 999.22.070



Suitable for:

MODULAR



3242607 OVEN DOOR HANDLE 265x30 mm
with strike mounting distance 43 mm
handle mounting distance 122-132 mm



MODULAR RRC2211-01

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven (MODULAR) - Series GMBA



MODULAR 999.23.025

Suitable for:

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm



MODULAR 999.22.070

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm



MODULAR 999.22.070

Heating elements

3355105 HEATING ELEMENT 4200W 230/380V
for boiler and wash tank
immersed depth 340 mm
flange external \varnothing 72 mm - with bulb-sheathing
complete with gasket OR \varnothing 67 mm (3186014)



MODULAR

3355106 HEATING ELEMENT 6000W 230/400V
for boiler and wash tank
immersed length 350 mm
ext. \varnothing flange 72 mm - with bulb-sheathing
with O-ring gasket \varnothing 67 mm (3186014)
nut (3528232) and washer (3528238) on request



MODULAR

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MODULAR 0835.53565.1

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm




MODULAR 0835.53565.1



Suitable for:

7110304 HEATING ELEMENT 700W 230V
length 307 mm
width 310 mm
for Convection oven (MODULAR) BKER433S



MODULAR 565.006.00

Suitable for:

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



MODULAR 553.008.00

7150495 RESISTANCE 1600W 230V
circulaire ø ext. 195 mm bride 70x22 mm
hauteur totale 70 mm



MODULAR 565.005.00

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



MODULAR 684.011.00

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



MODULAR 684.010.00

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



MODULAR 684.011.00

3053281 RIGHT/LEFT HINGE FOR OVEN
mounting distance 130 mm - overall length 155 mm
height 147 mm



MODULAR 584.001.00

3053108 ROLL HOLDER FOR HINGE
mounting distance 95 mm - overall length 110 mm
height 23 mm



MODULAR 584.005.00



Suitable for:

MODULAR



3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



MODULAR 684.009.00

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



MODULAR 684.011.00

3053108 ROLL HOLDER FOR HINGE
mounting distance 95 mm - overall length 110 mm
height 23 mm



MODULAR 584.005.00

Hydraulic piping

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m
operating temperature $-40+100^{\circ}\text{C}$



MODULAR 452.061.00

Incandescent lamps and neon lamps

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



MODULAR RRC2104-03

MODULAR 663.045.00

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



MODULAR 463.014.00

3221216 GREEN INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



MODULAR 963.012.00



MODULAR



Suitable for:

3221016 INDICATOR LAMP RED 230V
ø head 14 mm - ø hole 11.5 mm - 120°C
GAS CONVECTION OVEN 10 grids



MODULAR 963.014.00

Suitable for:

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



MODULAR 463.012.00

Inlet hoses

3449055 INLET ELBOW HOSE ø 3/4" FF 1500 mm
thermoplastic hose ø 13x19 mm
brass fittings ø 3/4"F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



MODULAR 452.033.00

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF



MODULAR 464.067.00

MODULAR 661.064.00

Ironmongery (screws,nuts,washers)

3316051 NUT FOR HEATING ELEMENT ø 1"1/2



MODULAR



Suitable for:

MODULAR



Suitable for:

Knobs

3241392 BLACK KNOB \varnothing 40 mm
D shaft hole 6x4.6 mm



MODULAR RRC5385-00

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



MODULAR MANOP003

Lamp receptacles and spare parts

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



MODULAR C2272-01


MODULAR RRC2104-01

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



MODULAR 663.047.00

3221231 LAMP RECEPTACLE WITH LAMP G9 25W 240V
lamp glass \varnothing 53 mm
mounting hole \varnothing 40 mm
max temperature 300°C



MODULAR 563.00400

Microswitches

3240406 MICROSWITCH 10(4)A 250V



MODULAR 661.052.00

3240410 MICROSWITCH 16(4)A 250V




MODULAR RRC6018-00



Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



MODULAR M569010100

MODULAR 664.025.00


3240253 MOTOR 1020.5450 0.37Kw 230/400V 50Hz
1.9/1.1A - 2600rpm



MODULAR C2901-00

MODULAR RRC2901-00

3240702 MOTOR 2758D2253 0.25/0.05HP 220/240V
50Hz - 1.1/0.55A - 2700/1400rpm
capacitor 12.5 μ f



MODULAR 6032122

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



MODULAR 0835.53470.1

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MODULAR 0835.53565.1

Penetration probes

3397202 PENETRATION PROBE PT100
2 wires - bulb \varnothing 4x100 mm
probe length 1600 mm



MODULAR RRC2209-22

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



MODULAR 673.014.00

MODULAR 67301400

3020083 NUT & OLIVE \varnothing 4 mm



MODULAR 671.011.00



Suitable for:

MODULAR



3020082 OLIVE FOR 12 mm ø PIPE



MODULAR 673.006.00

MODULAR 67300600

Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE



MODULAR 673.007.00

MODULAR 67300700

3020042 PILOT GAS JET ø 0.19 mm



MODULAR 674.001.00

MODULAR 67400100

3020202 PILOT GAS JET ø 0.27 mm



MODULAR 674.091.00

3020043 PILOT GAS JET ø 0.36 mm



MODULAR 674.000.00

3020054 PILOT JET ø 0.20 mm



MODULAR 672.094.00

MODULAR 67209400


3020156 PILOT JET ø 0.25 mm



MODULAR 672.058.00

MODULAR 67205800

3020157 PILOT JET ø 0.25 mm



MODULAR 674.054.00

3020040 PILOT JET ø 0.30 mm



MODULAR 674.052.00

MODULAR 67405200

3020055 PILOT JET ø 0.35 mm



MODULAR 672.059.00

MODULAR 67205900

3020041 PILOT JET ø 0.41 mm



MODULAR 67301300

MODULAR 674.053.00

3020187 PILOT NOZZLE ø 0.51 mm



MODULAR 674.051.00



Suitable for:

Suitable for:

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



MODULAR 673.003.00

3020105 PILOT WITH 0.20 mm \varnothing JET



MODULAR 672.094.00

MODULAR 67209400

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F**



MODULAR 673.018.00

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



MODULAR 673.013.00

MODULAR 67301300

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



MODULAR 672.013.00
MODULAR 67201300

MODULAR 672.014.00
MODULAR 67201400

MODULAR 672.173.00

3020042 PILOT GAS JET \varnothing 0.19 mm



MODULAR 674.001.00

MODULAR 67400100

3020043 PILOT GAS JET \varnothing 0.36 mm



MODULAR 674.000.00

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



MODULAR 673.013.00

MODULAR 67301300

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



MODULAR 672.060.00

MODULAR 67206000

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MODULAR 256.017.00
MODULAR 67201500

MODULAR 672.015.00
MODULAR 67202800

MODULAR 672.028.00



MODULAR



Suitable for:

Suitable for:

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket

3020054 PILOT JET \varnothing 0.20 mm



MODULAR 672.057.00

MODULAR 672.069.00


MODULAR 67205700

MODULAR 672.094.00

MODULAR 67209400

3020055 PILOT JET \varnothing 0.35 mm

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



MODULAR 672.059.00

MODULAR 67205900

MODULAR 673.013.00

MODULAR 67301300

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MODULAR 672.060.00

MODULAR 67206000

MODULAR 256.017.00

MODULAR 67201500

MODULAR 672.015.00

MODULAR 67202800

MODULAR 672.028.00

Pressure switches

3320114 BOILER PRESSURE SWITCH 0.5-1.2 BAR
16A 250V - fitting 1/8"M



MODULAR RRC2074-00



Probes

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm
 for Electric oven electric (MODULAR) BERU464TD
 BEU464/230TD - BEU664TD



MODULAR 561.044.00

3397119 PROBE TEMPERATURE PT100
 3 wires - temperature -80+600°C (100 Ohm 0°C)
 bulb \varnothing 4x110 mm - cable length 1200 mm



MODULAR 6000083

Rinse aid pumps and accessories

3090033 FOOT VALVE WITH NON RETURN
 with filter and STAINLESS steel ring



MODULAR 451.048.00


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
 distance between hooking brackets 27 mm
 f/connection between selector switch and thermost.



MODULAR 661.013.00

3057014 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm
 back connection for thermostat




MODULAR 661.000.00

3057026 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



MODULAR 661.093.00

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



MODULAR 961.000.00




Suitable for:

MODULAR



Suitable for:

3057075 SELECTOR SWITCH 4 POSITIONS
contact capacity 16A 600V - max 60/75°C
D-shaped pin ø 6x4,6 mm



MODULAR RRC5500-00

Solenoid valves

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



MODULAR 471.002.00

7150496 ELECTROVANNE DROITE 220V
entrée 3/4 sortie à visser 1/4
avec raccord pour tuyau ø 6 mm



MODULAR 256.055.00


3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



MODULAR 462.000.00

MODULAR 462.010.00

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



MODULAR 462.002.00

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



MODULAR 462.004.00

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



MODULAR 661.118.00

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



MODULAR 663.042.00



Sparking and detection plugs

3001003 **ROUND SPARKING PLUG \varnothing 7x44 mm**
male faston M4x1 mm
total length 65 mm



MODULAR 672.060.00

MODULAR 67206000

3020207 **ROUND SPARKING PLUG \varnothing 7x60 mm**
complete with cable 800 mm



MODULAR RRC2497-00

5072420 **SPARKING PLUG \varnothing 7x44 mm**
overall length 68 mm



MODULAR 672.019.00

3020060 **SPARKING PLUG ROUND \varnothing 7x44 mm**
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



MODULAR 256.017.00

MODULAR 67201500

MODULAR 672.015.00

MODULAR 67202800

MODULAR 672.028.00

Switches

3319310 **BLACK BIPOLAR SWITCH 10A 250V**
silk-screen printing 0 - I
mounting hole 13x20 mm



MODULAR 661.072.00

3319468 **SWITCH 1-POLE BLACK 16A 250V**
16(4)A 250V
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 11x30 mm



MODULAR RRC2206-00

3319012 **SWITCH 2-POLE GREEN 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



MODULAR M561003500

MODULAR 763.001.00



Suitable for:

MODULAR



Suitable for:

Thermocouples and accessories

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



MODULAR 672.055.00

MODULAR 67205500

3440015 INTERRUPTION CONNECTOR M9x1



MODULAR 672.020.00

3440064 NUT FOR THERMOCOUPLE M8x1



MODULAR 672.002.00

MODULAR 67200200

3440010 SLOTTED FITTING M8x1



MODULAR 672.002.00

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



MODULAR 672.100.00

MODULAR 67210000

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1



MODULAR 672.018.00

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MODULAR 672.099.00

MODULAR 67209900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



MODULAR 672.099.00

MODULAR 67209900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MODULAR 672.099.00

MODULAR 67209900

3440039 THERMOCOUPLE SIT M9x1 150 cm



MODULAR 672.104.00

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MODULAR 672.104.00



MODULAR



Suitable for:

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



MODULAR 672.104.00

3440034 THERMOCOUPLE SIT M9x1 50 cm



MODULAR 672.025.00

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MODULAR 672.025.00

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



MODULAR 672.025.00

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



MODULAR 672.000.00

MODULAR 672.025.00

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



MODULAR 672.000.00

MODULAR 672.025.00

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



MODULAR 672.000.00

MODULAR 672.025.00

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MODULAR 672.083.00

MODULAR 672.099.00

3440036 THERMOCOUPLE SIT M9x1 85 cm.



MODULAR 672.083.00

MODULAR 672.099.00

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



MODULAR 672.083.00

MODULAR 672.099.00



Suitable for:

MODULAR



Suitable for:


3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



MODULAR 672.001.00

Thermostats

3444417 SINGLE-PHASE THERMOSTAT 340°C
with manual reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x145 mm - with stuff.gland coupling M9x1



MODULAR RRC2198-00

MODULAR 2198.00

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm




MODULAR 661.073.00

3444289 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 3000 mm - 16A 250V
bulb \varnothing 3x210 mm - with adapter nipple band M9x1



MODULAR RRC2190-00

3444305 SINGLE-PHASE THERMOSTAT 50-500°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm



MODULAR 661.121.00

7150493 THERMOSTAT REGULATION 287°C
unipolaire \varnothing bulbe 3x185 mm
capillaire non recouvert 1450 mm



MODULAR 561.038.00

7150520 THERMOSTAT SECURITE 316°C




MODULAR 561.036.00

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



MODULAR 461.003.00

3444418 THERMOSTAT SINGLE-PHASE 30-90°C
D-shaped pin 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x97 mm




MODULAR RRC2185-00



Suitable for:


3444493 THREE-PHASE THERMOSTAT 360°C
with manual reset
capillary length 1500 mm
bulb \varnothing 4x120 mm



MODULAR 661.045.00

Suitable for:

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



MODULAR 661.027.00

MODULAR 661.114.00


Timers

7150494 MINUTERIE 30 MINUTES
bipolaire axe 6x4.6 mm
pour grill



MODULAR 561.042.00

3446039 TIMER 120 MINUTES MS65
120 minute manually set cycle
with manual position
contact capacity 16(4)A 250V 50Hz
max temperature 100°C
D-shaped pin \varnothing 6x4.6 mm




MODULAR RRC5365-00

3446145 TIMER 120 MINUTES M2
mechanical movement with balance wheel
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Electric oven electric (MODULAR) BERU443S
BERU464S - BER443S



MODULAR 561.041.00

3446007 TIMER 60 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
60 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm





















MODULAR RRC2191-00

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us