




Spare parts for:

Ovens



Suitable for:

MORICE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10230821





Suitable for:

MORICE



Suitable for:

Capacitors, electrical

- 3068024 CAPACITOR μ F 16 450V 50/60Hz**
 operating temperature -25+85°C
 in compliance with EEC 93/68 and 92/31 regulations



MORICE DE0084

Contactors

- 3454005 CONTACTOR ABB A16-30-10**
 17A 400V 7.5Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



MORICE DE0209

- 3446222 CONTACTOR SIEMENS MINI 3TG1010-0AL2**
 8.4A 400V 4Kw - coil 230V 50/60Hz
 4 normally open contacts



MORICE DE0140

Door glasses for oven and accessories

- 3221476 OVEN PORTHOLE KIT**
 including:
 1 porthole gasket
 1 porthole case (chrome plated brass)
 1 porthole lid (chrome-plated brass)
 1 porthole glass
 1 porthole glass gasket
 for Convection oven (MORICE) - Series LEMIX



MORICE DV1113-1

MORICE DV113-1



Electrical gas valves and accessories

- 3526175 VALVE 822 NOVA 230V 50Hz**
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 gas inlet max.pressure 60 mbar
 outlet pressure range
 3÷30 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz



MORICE RB0983

Electronic controllers

- 7103034 THERMOSTAT DC1040 0-400°C 85-265V**
 power 85/265V 8VA 50Hz
 thermostat operating range 0+400°C
 ambient temperature 0+50°C



MORICE DE0968


- 3394323 PROBE 1000 mm**
 2 wires



MORICE DE0969

Energy regulators

- 3350024 ENERGY ADJUSTER**
 contact capacity 240V 13A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



MORICE DE0952

Fuses

- 3049016 DELAY FUSE \varnothing 5x20 mm - 10 PCS**
 250V 2A



MORICE DE0302

- 3049022 DELAY FUSE \varnothing 5x20 mm - 10 PCS**
 250V 10A



MORICE DE0839



Suitable for:


MORICE



Suitable for:

Gaskets for oven door

3786320 OVEN DOOR GASKET 620x464 mm
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven electric (MORICE) LEMIX6




MORICE DM1065

3786301 OVEN DOOR GASKET 645x510 mm
made of silicone elastomer
profile dimension 28x22 mm
COLOUR BLACK
for Convection oven electric (MORICE) SIROCO 2




MORICE DM0566

3786321 OVEN DOOR GASKET 724x620 mm
made of silicone elastomer
profile dimensions 33x13 mm
COLOUR BLACK
for Convection oven electric (MORICE) LEMIX10



MORICE DM1066

3786300 OVEN GLASS GASKET 1400 mm
made of silicone elastomer
profile dimensions 10x3.5 mm
COLOUR GREY
for Convection oven electric (MORICE) SIROCO 1



MORICE DM0549

MORICE DM0549-1

Handles

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



MORICE LF-3242042

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm



MORICE LF-3242958

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



MORICE LF-3242042



Heating elements

3455163 HEATING ELEMENT 1150W 230V
for DECK AND CEILING
length 735 mm - width 128 mm
fittings M12x1 mm



MORICE RS0889

3455094 HEATING ELEMENT 6000W 220V
internal \varnothing 300 mm - height 60 mm
flange 120x70 mm
for Convection oven electric (MORICE) 1 - 2



MORICE RS0933

3355106 HEATING ELEMENT 6000W 230/400V
for boiler and wash tank
immersed length 350 mm
ext. \varnothing flange 72 mm - with bulb-sheathing
with O-ring gasket \varnothing 67 mm (3186014)
nut (3528232) and washer (3528238) on request



MORICE RS0937

MORICE RS0963

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MORICE DM0578

3455089 HEATING ELEMENT 666W 230V
length 340 mm - width 115 mm
connections M12x1 mm



MORICE RS0886

3455162 HEATING ELEMENT 7000W 230/400V
immersed length 335 mm
flange external \varnothing 72 mm
with O-ring
for Convection oven electric (MORICE) LEMIX10
LEMIX20 - LEMIX24 - LEMIX40 - LEMIX6



MORICE RS0961

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MORICE DM0578



Suitable for:

3455093 HEATING ELEMENT 7500W 220V
external \varnothing 315 mm
flange 120x72 mm
for Convection oven electric (MORICE) 2 - 3



MORICE RS0930

Suitable for:

3455186 HEATING ELEMENT 9000W 230V
external \varnothing 345 mm - internal \varnothing 330 mm
for Convection oven electric (MORICE)
for Steam oven (MORICE) FR4810-1
for Steam oven (MORICE) FR4810-1 - FR4811-1



MORICE RS0950

Hinges, catches and accessories

3053458 SPRING LOCKING PLATE



MORICE DV2002

MORICE DV2002-1

Lamp receptacles and spare parts

3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V
lamp glass \varnothing 53 mm
mounting hole \varnothing 36 mm
max temperature 300°C



MORICE

Level sensors

3341059 LEVEL PROBE
length 110 mm
for Convection oven electric (MORICE) LEMIX6



MORICE DV0674-1

MORICE DV0974-1

3341002 LEVEL PROBE \varnothing 1/4" M - 114.5 mm




MORICE



Microswitches

- 3240943** **MAGNET FOR MICROSWITCH 32x15x8 mm**
for Convection oven electric (MORICE) LEMIX10
LEMIX20 - LEMIX24 - LEMIX40 - LEMIX6



MORICE DE0216

- 3240935** **MAGNETIC MICROSWITCH PLA13715**
with magnet 32x15 mm
with cable length 1500 mm
for Convection oven electric (MORICE)
LEMIX10 - LEMIX20 - LEMIX24 - LEMIX40 - LEMIX6
for Electric oven electric (MORICE) FR4601



MORICE DE0192

- 3240943** **MAGNET FOR MICROSWITCH 32x15x8 mm**
for Convection oven electric (MORICE) LEMIX10
LEMIX20 - LEMIX24 - LEMIX40 - LEMIX6



MORICE DE0216

- 3240929** **MICROSWITCH XC1 ZA2 10A 500V**
monopolar
for Convection oven electric (MORICE) SIROCO 2
SIROCO 3



MORICE DE0663

Motors

- 3240990** **MOTOR LEROY SOMER HT22TP/T 0.18Kw 230V**
50Hz 1.5A 1260rpm
tapered axis \varnothing 17/14 mm - length 71 mm
distance between fixing holes \varnothing 8.5 mm
for Convection oven electric (MORICE)
LEMIX10 - LEMIX20 - LEMIX24 - LEMIX40
for Convection oven (MORICE) FR49010003
NORMATHERM10



MORICE DE0683



Suitable for:

MORICE



Suitable for:

OR and ORM gaskets

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



MORICE DM0578

Pilot burners and accessories

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



MORICE RB0664

Probes


3394323 PROBE 1000 mm
2 wires



MORICE DE0969

Rotary switches

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



MORICE DE0785

Solenoid valves

3120408 SOLEN. VALVE T&P 1 WAY 90°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm



MORICE DE0290

Springs

3250187 OVEN DOOR SPRING ø 16.5x290 mm
 length without hook 180 mm
 for OVEN GAS-ELECTRIC
 for PIZZA OVEN



MORICE DM0922

3053458 SPRING LOCKING PLATE



MORICE DV2002

MORICE DV2002-1

Thermocouples and accessories

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MORICE RB0712

3440037 THERMOCOUPLE SIT M9x1 100 cm.



MORICE RB0712

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



MORICE RB0712



Suitable for:

MORICE



Suitable for:

Thermostatic gas valves

3345018 THERMOSTATIC TAP 25ST

operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb ø 6x75 mm
 capillary length 1200 mm
 D-shaped pin ø 8x6.5 mm




MORICE RB1216

Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C


complete with switch
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1100 mm - 16A 250V
 bulb ø 4x230 mm



MORICE DE0254

3744063 THREE-PHASE THERMOSTAT 400°C

with manual reset
 capillary length 1200 mm - 10A 400V
 bulb ø 4x230 mm



MORICE TH1122

Timers

3446187 TIMER 60 MINUTES C53

manually set mechanical timer
 60 minutes manually set cycle
 contact capacity 16A 240V
 max temperature 125°C
 1 normally open contact
 1 normally closed contact
 D-shaped pin ø 6x4.6 mm
 for Convection oven electric (MORICE) FR4600
 FR4601






















MORICE DE0657

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us