




Spare parts for:

Ovens



Suitable for:

PALUX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10230825





Suitable for:

PALUX



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN
for Convection oven (PALUX)



PALUX 693456

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



PALUX

Contactors


3454048 CONTACTOR ABB A9-30-10
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



PALUX 324001


PALUX 523909

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



PALUX 307491

3351201 CONTACTOR AEG LS07 7A 230V 3Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



PALUX 307491



Electrical gas valves and accessories

- 3526090 ELETROSIT VALVE \varnothing 3/4"FF**
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



PALUX 321907

Electronic controllers

- 3445459 THERMOREGULATOR ELECTR. PT100**
 power supply 230V 50/60Hz
 for Convection oven (PALUX)



PALUX 332143

PALUX 595047

Electronic printed-circuit boards

- 5028738 CONTROL PC BOARD 350x121 mm**
 three pins \varnothing 6 mm
 for Convection oven (PALUX)




PALUX 742465

- 5026628 CONTROL PC BOARD 410x100 mm**
 three pins \varnothing 6 mm
 for Convection oven (PALUX)



PALUX 580392

- 5042870 CONTROL PC BOARD 413x100 mm**
 two pins \varnothing 6 mm
 for Convection oven (PALUX)



PALUX 581259



Suitable for:

PALUX

Suitable for:



Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




PALUX 314544

Gaskets for oven door

7101569 GASKET CARRIAGE OVEN 1000 mm

made of silicone elastomer
profile dimensions 35x20 mm
COLOUR: BLACK
for Convection oven (PALUX)



PALUX 549207

5042060 OVEN DOOR GASKET


made of silicone elastomer
profile dimensions 25x12 mm
COLOUR BLACK
SOLD PER METRE



PALUX 131385

3186524 OVEN DOOR GASKET 520x490 mm


made of silicone elastomer
profile dimensions 33x18 mm
COLOUR BLACK



PALUX 742368

5020135 OVEN DOOR GASKET 640x460 mm


made of silicone elastomer
profile dimensions 29x24 mm
COLOUR BLACK
for Convection oven (PALUX)
FM611
for Convection oven (PALUX)
FM611



PALUX 384410

5017638 OVEN DOOR GASKET 700x650 mm

made of silicone elastomer
profile dimensions 29x24 mm
COLOUR BLACK
for Convection oven (PALUX) ICL 10-11



PALUX 382310

3186527 OVEN DOOR GASKET 765x510 mm

made of silicone elastomer
profile dimensions 33x18 mm
COLOUR BLACK



PALUX 742376




Handles

- 3242718 DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm
for OVEN



PALUX LF-3242042

- 2111619 KIT DOOR LOCK COMPLETE**
for Convection oven (PALUX)



PALUX 501239EL

- 3242753 LH-RH CATCH WITHOUT LOCK 791 CR**
for high temperatures
curved handgrip
length 254x30 mm - distance 133 mm
adjustable catch from 9 to 22 mm
for Convection oven (PALUX)



PALUX 215767

PALUX 377732

- 3242718 DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm
for OVEN



PALUX LF-3242042

- 3242051 OVEN DOOR HANDLE 176x28 mm**
handle mounting holes distance 121 mm
for OVEN



PALUX

- 3242052 STRIKE FOR DOOR HANDLE**
distance between mounting holes 33 mm
for OVEN



PALUX

- 3242144 OVEN DOOR HANDLE 260x30 mm**
with strike mounting distance 45 mm
handle mounting distance 133 mm



PALUX LF-3242958

- 3242718 DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm
for OVEN



PALUX LF-3242042



Suitable for:

PALUX



Suitable for:

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



PALUX

Heating elements


3755317 HEATING ELEMENT 10500W 230V
external \varnothing 425 mm - internal \varnothing 407 mm
overall height 210 mm - flange 130x54 mm
for Convection oven (PALUX) GXA 6-11



PALUX 722414

PALUX 742414

5043133 HEATING ELEMENT 1450W 230V
length 310 mm - width 90 mm
connections M10x1 mm
for Convection oven electric (PALUX)



PALUX 585726

3755318 HEATING ELEMENT 21600W 230V
external \varnothing 467 mm - internal \varnothing 405 mm
overall height 225 mm - flange 130x90 mm



PALUX 742422

5044097 HEATING ELEMENT 4500W 230V
 \varnothing external 435 mm - \varnothing internal 380 mm
fittings M14x1.5 mm
for Convection oven electric (PALUX)



PALUX 101125

3755219 HEATING ELEMENT 500W 230V
immersed length 295 mm
fitting \varnothing 3/4" - complete with cables



PALUX 702188

3755298 HEATING ELEMENT 5700W 230V
external \varnothing 240 mm - internal \varnothing 200 mm
overall height 118 mm - flange 110x20 mm



PALUX 693383

Hydraulic piping

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



PALUX 040088



Incandescent lamps and neon lamps

3221067 NEON LAMP FOR OVEN E10 2W 230V
 dimensions \varnothing 10x28 mm
 for OVEN



PALUX 035378

3221245 NEON LAMP FOR OVEN E14 230V
 dimensions \varnothing 13x30 mm



PALUX 006718

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
 max. temperature 300°C



PALUX 570478

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



PALUX 047635

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



PALUX 354252

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



PALUX 370991

3221014 INDICATOR LAMP ORANGE 230V
 mounting hole 30x22 mm - 125°C
 universal application



PALUX

3221095 ORANGE INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



PALUX 091462



Suitable for:

PALUX



Suitable for:

Ironmongery (screws,nuts,washers)

7100408 COUNTERSUNK HEAD SCREW WITH SHELL M4x12

cross recessed - stainless steel
UNI 7689 - DIN 966 - ISO 7047
for Convection oven (PALUX) - Series MULTIMAX



PALUX 039411

Knobs

3444128 BLACK KNOB \varnothing 50 mm 50-300°C

D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat




PALUX 087432

3241979

STICKING KNOB DISK 0-I-II-III

\varnothing external 59 mm



PALUX 388270

Lamp receptacles and spare parts

3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions \varnothing 48x38x5 mm
for OVEN



PALUX 316296

3221232

GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm


thread \varnothing 33 mm - overall height 32 mm
for Convection oven (PALUX)



PALUX 092339

3221311 LAMP RECEPTACLE E14 25W 230V

mounting hole \varnothing 36 mm
max temperature 300°C



PALUX 100838



Microswitches

5019275 MICRO SWITCH MAGNET \varnothing 12x60 mm
 1-NO 1A 230V
 with cable length 1550 mm
 for Convection oven (PALUX)



PALUX 372986

3803071 MICROSWITCH DOOR 16A 250V
 per HBR/G e ZBR/G SERIE 800



PALUX 208477

3240820 MICROSWITCH 16A 250V



PALUX

3240053 MICROSWITCH 83537 5A 250V
 terminal 'M16x1
 for Steam oven (PALUX)



PALUX 09244-4

PALUX 092444

PALUX 92444

Motors

5015672 MOTOR L5ow2B-317 0.075/0.125Kw
 \varnothing fan 100 mm
 230/208-240V 50/60Hz 0.35/0.56A 3600rpm
 capacitor 3 μ F
 for Convection oven (PALUX)



PALUX 693286

5042150 MOTOR L7YZW4B-207 0.09/0.2Kw 50Hz
 1.1A - 1390rpm - 230/240V
 for Convection oven (PALUX)



PALUX 332410

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



PALUX 349232



Suitable for:

PALUX

Suitable for:



Pilot burners and accessories

3020082 OLIVE FOR 12 mm ø PIPE



PALUX

Pressure regulators

7100794 ADJUSTER PRESSURE BRASS ø 1/8"FF
adjustment 0.1-2 bar
for Convection oven (PALUX)



PALUX 598198

PALUX 874419

Pressure switches

7103206 PRESSURE SWITCH 0.5 BAR
pressure 0.5 bar - connection ø 1/8" M
for Convection oven (PALUX)



PALUX 784028

Probes

5054238 TEMPERATURE PROBE TCK
2 threads
probe length 30 mm
cable length 2800 mm
for Convection oven (PALUX)




PALUX 570621



Relays

2111767 RELAY CRYDOM H12WD4850PG
for Convection oven (PALUX)



PALUX 752401


5047612 RELAY GN CROUZET 84137140
100A 48-660Vac/4-32Vdc
for Convection oven (PALUX)



PALUX 752665


Rotary switches

3057201 SELECTOR SWITCH 0-1-2-3 POSITIONS
contact capacity 16A 250V
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (PALUX)




PALUX 292664

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm



PALUX 226491

3057344 SELECTOR SWITCH 5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (PALUX)



PALUX 348171

Solenoid valves

3120161 SOLENOID VALVE MULLER 1-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet \varnothing 13.5 mm



PALUX 334944

3120162 SOLENOID VALVE MULLER 2-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets \varnothing 13.5 mm



PALUX 173266

PALUX 297313



Suitable for:

PALUX



Suitable for:

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



PALUX LF-3001061

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



PALUX

Tangential and radial fans

3526203 TANGENT.VENTILATOR 180 mm RIGHT
19W 220/230V 50/60Hz - \varnothing 45 mm
operating temperature $-10^{\circ}+60^{\circ}\text{C}$



PALUX 202428


Thermocouples and accessories

3440064 NUT FOR THERMOCOUPLE M8x1



PALUX 054240

3440047 THERMOCOUPLE M8X1 75 cm




PALUX 697443

3440143 THERMOCOUPLE SIT M10x1 150 cm COUPLING M



PALUX

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS GIUNTO M8x1




PALUX

Suitable for:

Suitable for:

3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS
GIUNTO M8x1



PALUX

3440052 THERMOCOUPLE SIT M8X1 45 cm COUPLING M8x



PALUX

3440852 THERMOCOUPLE SIT M8x1 45 cm - 10 PCS
GIUNTO M8x1



PALUX

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



PALUX

3440035 THERMOCOUPLE SIT M9x1 60 cm.



PALUX

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



PALUX

Thermoregulators

3442008 THERMOREGULATOR ø 60/80 mm 50-450°C

plastic body
black dial 92x92 mm
capillary length 2000 mm
bulb ø 6x24 mm
body dimensions ø 60/80 mm
contact capacity 16(4)A 250V
connector terminal 6.35x0.8 mm
mounting hole ø 61/81 mm
for OVEN-PIZZA OVEN



PALUX 368814



Suitable for:


PALUX



Suitable for:

Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 16A 250V
 bulb \varnothing 4x230 mm




PALUX 661635

3444495 SINGLE-PHASE THERMOSTAT 147°C
 with manual reset
 covered capillary length 1800 mm - 16A 250V
 bulb \varnothing 6x77 mm



PALUX 702137

3444509 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1170 mm - 16A 250V
 button bulb \varnothing 15 mm
 for Convection oven (PALUX)




PALUX 504602

3744013 SINGLE-PHASE THERMOSTAT 50-250°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2600 mm
 bulb \varnothing 3.1x220 mm
 for Steam oven (PALUX)




PALUX

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 950 mm - 16A 250V
 bulb \varnothing 3x160 mm




PALUX 202029

3444593 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 860 mm - 16A 400V
 bulb \varnothing 3x150 mm




PALUX 202029

3444701 SINGLE-PHASE THERMOSTAT 55-250°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1170 mm - 16A 250V
 bulb \varnothing 3.1x226 mm - with stuffing gland M9x1
 for Convection oven electric (PALUX) ICE1221



PALUX 091634

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm



PALUX 208418

- 5026626 THERMOSTAT THREE-PHASE 360°C**
with manual reset
capillary length covered 1140 mm
button bulb \varnothing 15x8 mm
for Convection oven (PALUX) ICL 6-11



PALUX 580457

Transformers

- 3445110 TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



PALUX 368849

- 5052933 TRANSFORMER 230V/16.5V 2x15VA**
primary voltage 230V 50/60Hz
secondary voltage 16.5V 2x15VA
room temperature 0÷70°C
faston terminal block
for Convection oven (PALUX)



PALUX 742775

Watertight seals and rings

- 5038137 GASKET FOR MOTOR SHAFT SEALING**
 \varnothing external 41 mm - \varnothing internal 21 mm - thicken. 5.5m
for Convection oven (PALUX)






















PALUX 637858

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us