




Spare parts for:

**Ovens**



Suitable for:

**RATIONAL**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# RATIONAL



Suitable for:

## Axial motors

**3240916** **AXIAL FAN EMB 127x127x38 mm**  
25W 12Vdc  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC201 - SCC202



RATIONAL 4000474

RATIONAL 4002899

**3240501** **AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



RATIONAL 31011008

**3240519** **AXIAL MOTOR FAN EBM 4656N**  
230V 50Hz 19W 2650rpm  
119x119x38 mm  
ball bearing



RATIONAL


**5004018** **MOTOR FAN AXIAL EBM 8412NH**  
12Vdc 2.2W  
80x80x25 mm  
ball bearing  
for Convection oven (RATIONAL)



RATIONAL 31011018


## Buzzers

**3397302** **ALARM BELL 220V**



RATIONAL 30060101

**3397204** **ALARM BUZZER SET 12V 50Hz**  
cable length 395 mm  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CM - Series CPC - Series SCC



RATIONAL 30060107

RATIONAL 4002087

RATIONAL 8700136

**3397219** **ALARM BUZZER 24V**  
for Convection oven (RATIONAL)



RATIONAL 30060103

## Caps

- 7150218 RUBBER CUP PANEL CLOSING  $\varnothing$  19x12 mm**  
 for Convection oven electric (RATIONAL)  
 Series CM - Series SCC  
 for Convection oven gas (RATIONAL) - Series CM  
 Series SCC



RATIONAL 20390331

## Castors, rollers and accessories

- 7150223 CASTOR SWIVEL PIN WITH BRAKE**  
 with STAINLESS STEEL supports  
 dimension  $\varnothing$  100x32 mm  
 threaded pin M10 - height 18 mm  
 for Convection oven (RATIONAL)



RATIONAL 20050404

- 5033117 PIN SWIVELLING WHEEL**  
 made of POLYPROPYLENE  
 dimensions  $\varnothing$  125x85 mm  
 threaded pin M10 - height 28 mm  
 for Convection oven electric (RATIONAL) CM201E  
 CM202E - SCC201E - SCC202E  
 for Convection oven gas (RATIONAL) CM201G - CM202G  
 SCC201G - SCC202G



RATIONAL 6060101

- 7150233 PIN SWIVELLING WHEEL WITH BRAKE**  
 in PROPYLENE  
 dimensions  $\varnothing$  125x85 mm  
 threaded pin M10 - height 28 mm  
 for Convection oven electric (RATIONAL) CM201E  
 CM202E - SCC201E - SCC202E  
 for Convection oven gas (RATIONAL) CM201G - CM202G  
 SCC201G - SCC202G



RATIONAL 6060100

- 3346083 SWIVELLING WHEEL**  
 with ZINC-PLATED supports  
 dimension  $\varnothing$  125x30 mm - load capacity 80 Kg  
 pin hole  $\varnothing$  12 mm


RATIONAL 20050501  
 RATIONAL 20050606

RATIONAL 20050502

RATIONAL 20050604



Suitable for:

# RATIONAL



**3346080 SWIVELLING WHEEL WITH BRAKE**  
with ZINC-PLATED supports  
dimension  $\varnothing$  125x30 mm - load capacity 80 Kg  
pin hole  $\varnothing$  12 mm  
for Convection oven (RATIONAL)



RATIONAL 20050600

**5042233 WHEEL SWIVELLING PIN WITH BRAKE**  
with ZINC PLATED supports  
dimension  $\varnothing$  100x30 mm  
pin hole  $\varnothing$  12 mm  
for Convection oven (RATIONAL)



RATIONAL 20050402

## Centrifugal fans

**3240758 MOTOR FAN RG100/1000-2012 25W 230V**  
50/60Hz  
for Convection oven gas (RATIONAL)  
since 1/01/01  
Series CM - Series CPC



RATIONAL 31011016

**7150240 MOTOR FAN RG130/0800-3612**  
24V 50Hz  
for Convection oven (RATIONAL)



RATIONAL 31011014

**3240764 MOTOR FAN RG130/0800-3612 230/240V**  
50/60Hz  
for Convection oven gas (RATIONAL)  
since 1/01/01  
Series CM - Series CPC



RATIONAL 31011017

RATIONAL 31011017P

**3240759 MOTOR FAN RG130/0800-3612 50W 230V**  
50Hz  
for Convection oven gas (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 7000028

**3240760 MOTOR FAN RG148/1200-3633-010299**  
140W 230V 50/60Hz  
for Convection oven gas (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 7000067

**3240480 MOTOR VENTILAT.RG100/1100-2012 200W 24V**  
for gas burner  
for Convection oven gas (RATIONAL)



RATIONAL 1004849

RATIONAL 31011011

RATIONAL 87201418





## Contact thermostats

### 3443026 CONTACT THERMOSTAT 110°C 16A 250V

with automatic reset  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CM - Series CP



RATIONAL 30140325

## Contactors

### 3397401 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz

0.55Kw / 1÷1.6A  
3 normally open contacts



RATIONAL 30310105

RATIONAL 30310106

### 3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz

1.1Kw / 1.6÷2.5A  
3 normally open contacts



RATIONAL 30310107

### 3351260 AUXILIARY CONTACT AEG HS05.01

10A  
1 normally closed contact



RATIONAL 30280158

### 3446516 AUXILIARY CONTACT AEG HS7K.01

10A  
1 normally closed contact



RATIONAL 3028.0561

### 5021314 AUXILIARY CONTACT AEG HS8.K11

1 contact NO  
1 contact NC



RATIONAL

### 3397403 AUXILIARY CONTACT AEG HS9.11

6A  
1 normally open contact  
1 normally closed contact



RATIONAL 30310102

RATIONAL 30310108



# RATIONAL



Suitable for:

**2101268 CONTACT AUXILIARY AEG HS8.K20**  
2 NO contacts



RATIONAL

Suitable for:

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
10A - 1 NO contact  
screw connection



RATIONAL 40.02.641V

**3454012 CONTACTOR ABB A30-30-10**  
32A 400V 15Kw - coil 230V 50/60Hz  
3 contacts NO  
complete with 2 auxiliary contacts NO



RATIONAL

**3454042 CONTACTOR ABB A9-30-01**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact




RATIONAL

**3454048 CONTACTOR ABB A9-30-10**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



RATIONAL

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



RATIONAL 30280104  
RATIONAL 30281000

RATIONAL 30280500

RATIONAL 30280501

**3351260 AUXILIARY CONTACT AEG HS05.01**  
10A  
1 normally closed contact



RATIONAL 30280158

**3351210 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



RATIONAL 30280504

**3351260 AUXILIARY CONTACT AEG HS05.01**  
10A  
1 normally closed contact



RATIONAL 30280158

Suitable for:

Suitable for:

**3351220 CONTACTOR AEG LS11K 25A 400V 11Kw**  
coil 230V 50/60Hz  
3 contacts NO  
no auxiliary contact



RATIONAL 30280510

**3351221 CONTACTOR AEG LS15K 32A 230V 16Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
no auxiliary contact



RATIONAL 30280512

RATIONAL 30280554

**3446516 AUXILIARY CONTACT AEG HS7K.01**  
10A  
1 normally closed contact



RATIONAL 3028.0561

**3351222 CONTACTOR AEG LS22K 50A 230V 22Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
no auxiliary contact  
for Convection oven (RATIONAL)



RATIONAL 30280513

RATIONAL 30280558

**3351223 CONTACTOR AEG LS30K 65A 230V 30Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
no auxiliary contact



RATIONAL 30280515

**3351211 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact  
for Convection oven (RATIONAL)  
since 1/06/97



RATIONAL 30280506

RATIONAL 30280551

**3446516 AUXILIARY CONTACT AEG HS7K.01**  
10A  
1 normally closed contact



RATIONAL 3028.0561



Suitable for:

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



RATIONAL 30280550

RATIONAL 30280507

RATIONAL 30280550

Suitable for:

**3446516 AUXILIARY CONTACT AEG HS7K.01**  
10A  
1 normally closed contact



RATIONAL 3028.0561

**3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



RATIONAL 30280508

RATIONAL 30280552

RATIONAL 30280557

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



RATIONAL 30280509

**3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
4 normally open contacts  
no auxiliary contact




RATIONAL 30280517

**5021314 AUXILIARY CONTACT AEG HS8.K11**  
1 contact NO  
1 contact NC



RATIONAL

**7108794 CONTACTOR GENERAL ELECTRIC MC1A400AH-M**  
4Kw 400V - coil 230V 50/60Hz  
4 contacts NO  
for Convection oven (RATIONAL)



RATIONAL 4000451

**3397404 THERMAL T11-410 0.05A 240V**  
for Convection oven electric (RATIONAL) CD101  
CD102 - CD201 - CD202 - CD61 - CM101 - CM102  
CM201 - CM202 - CM61 - CPC101 - CPC102  
CPC201 - CPC202 - CPC61  
for Convection oven gas (RATIONAL) CM101G - CM102G  
CM201G - CM202G - CM61G - CPC101G - CPC102G  
CPC201G - CPC202G - CPC61G



RATIONAL 1010670

RATIONAL 30140400

RATIONAL 30140402

## Detergents

- 2110965 DETERGENT FOR OVEN CLEANJET 10 L**  
for the care of the cleaning system  
for the cleaning of the cooking chamber  
please see the attached documentation for use  
for Convection oven (RATIONAL)



RATIONAL 90060136

- 5034647 DETERGENT SCALE REMOVER OVEN 10 L**  
for the cleaning of the cooking chamber  
please see the attached documentation for use  
for Convection oven (RATIONAL)



RATIONAL 60060110

- 5059773 DETERGENT TABLETS FOR OVEN**  
150 tablet jar - total weight 6 kg  
please see the attached documentation for use  
for Convection oven (RATIONAL)



RATIONAL 5600562

- 3092240 OVEN CLEANING TABLETS**  
100 tablets jar - total weight 6 kg  
please see the attached documentation for use  
for Convection oven (RATIONAL)



RATIONAL 5000012

RATIONAL 5600210

- 3092241 OVEN RINSE AID CLEANING TABLETS**  
50 tablet jar - total weight 3 kg  
please see the attached documentation for use  
for Convection oven (RATIONAL)



RATIONAL 5600211

- 2110966 RINSE AID OVEN CLEANJET 10 L**  
for the care of the cleaning system  
please see the attached documentation for use  
for Convection oven (RATIONAL)



RATIONAL 81985

RATIONAL 90060137

## Door glasses for oven and accessories

- 7107353 GLASS INNER OVEN DOOR 508x485 mm**  
for Convection oven (RATIONAL)




RATIONAL 2400163

- 5044928 GLASS INNER OVEN DOOR 575x495 mm**  
for Convection oven (RATIONAL)



RATIONAL 84741336

- 5037759 GLASS INNER OVEN DOOR 765x680 mm**  
for Convection oven (RATIONAL)



RATIONAL 2400200

- 7103744 GLASS INNER OVEN DOOR 768x485 mm**  
for Convection oven (RATIONAL)



RATIONAL 2400164



# RATIONAL



Suitable for:

**7109072 GLASS INTERNAL OVEN DOOR 1340x485 mm**  
for Convection oven (RATIONAL)



RATIONAL 2400210

Suitable for:


**5033931 STOPPER DOOR ø 13 mm**  
for Convection oven (RATIONAL)



RATIONAL 20390402

## Drain pumps

**5037766 DRAIN ELECTRIC PUMP DPS35-038 47W**  
200/240V 50/60Hz 0.5A  
inlet external ø 24 mm - outlet external ø 24 mm  
for Convection oven electric (RATIONAL) SCC101E  
SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL) SCC101G  
SCC102G - SCC61G - SCC62G



RATIONAL 8700352

**3122777 DRAIN ELECTRIC PUMP HANNING DPS25R**  
43W 200/240V 50/60Hz 0.4A FZ98  
inlet external ø 30 mm - outlet external ø 24 mm  
for Convection oven electric (RATIONAL)  
Series CD - Series CM - Series CPC - Series SCC  
for Convection oven gas (RATIONAL) - Series CD  
Series CM - Series CPC - Series SCC




RATIONAL 1003334  
RATIONAL 4400207

RATIONAL 30021005  
RATIONAL 4400207P

RATIONAL 30021005P

**3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz**  
inlet external ø 24 mm - outlet external ø 24 mm  
for Convection oven (RATIONAL) - Series CC  
Series CCC - Series CCD - Series CCM - Series CD  
Series CM - Series CPC



RATIONAL 30021000

RATIONAL 30021000P

**3122745 DRAIN ELECTROPUMP UP30-890**  
100W 230V 50/60Hz-capacitor 2.5 µf  
inlet external ø 24 mm - outlet external ø 24 mm  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
SCC62E  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G  
SCC62G




RATIONAL 5600153

RATIONAL 5600153P

RATIONAL 5600185

**3122404 DRAIN PUMP HANNING BE28B4-178**  
external inlet ø 30 mm - external outlet ø 24 mm  
100W 230V 50Hz  
for Convection oven (RATIONAL) - Series CC  
Series CCC - Series CCD - Series CCM - Series CD  
Series CM - Series CPC



RATIONAL 30021000

RATIONAL 30021000P

**5053618 ELECTROPUMP DRAIN HANNING DPS35-037**  
42/47W 200/240V 50/60Hz 0.5/0.4A  
inlet external ø 24 mm - outlet external ø 24 mm  
for Convection oven (RATIONAL)



RATIONAL 8700353



- 5040143 KIT DRAIN ELECTROPUMP UP30-890**  
complete with bracket and support  
100W 230V 50/60Hz - capacitor 2.5  $\mu$ f  
inlet external  $\varnothing$  24 mm - outlet external  $\varnothing$  24 mm  
for Convection oven (RATIONAL)



RATIONAL 5600186

RATIONAL 8700437

## Drip trays for kitchens and ovens

- 5049973 CLIP DRIP TRAY - 5 PIECES**  
for Convection oven electric (RATIONAL)  
CM61-CM62-CM101-CM102-SCC61-SCC62-SCC101  
SCC102-SCCWE61-SCCWE62-SCCWE101-SCCWE102  
for Convection oven gas (RATIONAL)  
CM61-CM62-CM101-CM102-SCC61-SCC62-SCC101  
SCC102-SCCWE61-SCCWE62-SCCWE101-SCCWE102



RATIONAL 1003531

RATIONAL 5000296

RATIONAL 5000296P

- 5015678 DEVICE TRAY OPENING**  
external dimensions 65x35 mm  
for Convection oven (RATIONAL)



RATIONAL 27601540

- 5042382 DRIP TRAY ASSEMBLY**  
dimensions 467x155x55 mm  
for Convection oven (RATIONAL)



RATIONAL 84551315

RATIONAL 84551481

- 5030376 DRIP TRAY 540x65x18 mm**  
for Convection oven (RATIONAL)



RATIONAL 5000286

- 5049973 CLIP DRIP TRAY - 5 PIECES**  
for Convection oven electric (RATIONAL)  
CM61-CM62-CM101-CM102-SCC61-SCC62-SCC101  
SCC102-SCCWE61-SCCWE62-SCCWE101-SCCWE102  
for Convection oven gas (RATIONAL)  
CM61-CM62-CM101-CM102-SCC61-SCC62-SCC101  
SCC102-SCCWE61-SCCWE62-SCCWE101-SCCWE102



RATIONAL 1003531

RATIONAL 5000296

RATIONAL 5000296P



Suitable for:

**3015043** **DRIP TRAY 548x23x22 mm**  
for Convection oven (RATIONAL)



RATIONAL 84741377

Suitable for:

**5039351** **DRIP TRAY 745x65x18 mm**  
for Convection oven (RATIONAL)



RATIONAL 5000300

## Electrical gas valves and accessories

**3526102** **ELECTRIC COUPLING WITH CABLE**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



RATIONAL 30390205

**7107614** **KIT VALVE GB-ND 055 D01 S02 ø 1/2"FF**  
complete with fan, valve housing and flange  
inlet ø 1/2"F - outlet ø 1/2"F  
power supply 230V 50/60Hz  
for Convection oven gas (RATIONAL)



RATIONAL 7000033

**5064515** **KIT VALVE GB-WND055 D01 S02RH ø 1/2"F**  
complete with fan, valve housing and flange  
inlet ø 1/2"F  
power supply 230V 50/60Hz  
for Convection oven (RATIONAL)



RATIONAL 7000029

**5052975** **VALVE GB-ND 055 D01 S22 ø 1/2"FF**  
inlet ø 1/2"F - outlet ø 1/2"F  
power supply 230V 50/60Hz  
for Convection oven (RATIONAL)




RATIONAL 7000220

**3526181** **VALVE VK4105C HONEYWELL ø 1/2"**  
inlet-outlet ø 1/2" unthreaded  
maximum gas inlet pressure 60 mbar  
room temperature -15÷60°C  
power supply 220/240V 50Hz  
for Convection oven (RATIONAL)



RATIONAL 30390241

**3526219** **VALVE VK4115V HONEYWELL ø 18 mm**  
inlet-outlet ø 18 mm unthreaded  
maximum gas inlet pressure 60 mbar  
room temperature -15÷70°C  
power supply 220/240V 50Hz  
for Convection oven gas (RATIONAL)  
since 1/01/01  
Series CPC



RATIONAL 30390245

RATIONAL 30390245P

**2110027 VALVE 827 NOVA ø 1/2"FF**  
inlet ø 1/2"F - outlet ø 1/2"F  
maximum gas inlet pressure 60 mbar  
outlet pressure calibration field  
2÷20 mbar  
ambient temperature 0÷60°C  
power supply 220/240V 50Hz  
for Convection oven gas (RATIONAL)



RATIONAL 30390220

RATIONAL 87201419

## Electronic boxes


**5039267 CONTROL BOX ARGUS 070-R1**  
complete with cables  
230V  
per FORNO SCC 61/62/101/102/201/202 G  
for Convection oven gas (RATIONAL) SCC101G  
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 7400221

RATIONAL 8700577

**3091017 CONTROL BOX S4560B1006**  
model HONEYWELL - 220/240V 50Hz 10VA  
for Convection oven electric (RATIONAL) CM101  
CM201



RATIONAL 30390103

**3091032 CONTROL BOX S4565BD1064**  
model HONEYWELL - 220/240V 50/60Hz 4VA  
for Convection oven (RATIONAL)  
since 1/01/01  
CPC



RATIONAL 30390107

RATIONAL 30390107P

**3526403 CONTROL BOX S4565C1033U**  
model HONEYWELL - 230V 50/60Hz 4VA  
for 6-20 grills  
for Convection oven gas (RATIONAL)



RATIONAL 30390105



Suitable for:

# RATIONAL



Suitable for:

## Electronic controllers

### 3445375 CONTROLLER ELIWELL ID PLUS 902

230V 50/60Hz  
1 relay output 8A for compressor  
1 selectable NTC/PTC/PT1000 probe (not included)  
1 programmable digital/temperature input  
TTL input for copy card connection  
front dimension 74x32xdepth 59 mm  
mounting hole 71x29 mm



RATIONAL 4001360

## Electronic printed-circuit boards

### 5038172 BOARD CONNECTING CABLE 1300 mm


for Convection oven electric (RATIONAL) CM  
Series SCC  
for Convection oven gas (RATIONAL) CM - Series SCC



RATIONAL 4000472

### 3390234 BYPASS BOARD 150x125 mm

for Convection oven (RATIONAL)  
since 1/01/89  
Series CCD - Series CD - Series CM - Series CPC



RATIONAL 1004933  
RATIONAL 30402060

RATIONAL 30020400  
RATIONAL 30403100

RATIONAL 30020408  
RATIONAL 30403100ET

### 5052389 CABLE BOARD CONNECTION 1000 mm

for Convection oven (RATIONAL)



RATIONAL 4004377

### 5068315 CIRCUIT BOARD MOTOR 110x135x133 mm

for Convection oven (RATIONAL)



RATIONAL 30403041

### 7150228 CONNECTING CABLE FOR BOARD 1460 mm

for Convection oven (RATIONAL)



RATIONAL 4000235

### 7150229 CONNECTING CABLE FOR BOARD 550 mm

for Convection oven (RATIONAL)



RATIONAL 87201300

Suitable for:

**5038105** **CONNECTING CABLE FOR BOARD 800 mm**  
for Convection oven (RATIONAL)



RATIONAL 4000471

**5065361** **CONNECTING CABLE PRESSURE SWITCH 740 mm**  
for Convection oven (RATIONAL)



RATIONAL 4000207

**5015686** **CONTROL PC BOARD 455x155 mm**  
three D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 30403210

**3390233** **CONTROL PC BOARD 460x155 mm**  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CPC



RATIONAL 30403020

**3390319** **KIT ELECTRONIC DISPLAY BOARD 375x120mm**  
complete with lead and control box  
for Convection oven (RATIONAL)  
since 1/04/04  
till 1/01/06  
Series CM - Series SCC



RATIONAL 4200004

RATIONAL 4200004P

RATIONAL 8700139

Suitable for:

**7109280** **CONNECTING CABLE FOR BOARD 800 mm**  
for Convection oven (RATIONAL)



RATIONAL 88171040

**3390310** **CONTROL PC BOARD 340x130 mm**  
for Convection oven (RATIONAL) - Series SCC



RATIONAL 4200002

RATIONAL 4200002P

**5022004** **CONTROL PC BOARD 460x120 mm**  
three D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 30402030

**5026382** **ELECTRONIC BOARD DISPLAY 375x120 mm**  
two D-shaft pins  $\varnothing$  6x4.6 mm  
for Convection oven electric (RATIONAL)  
Series CM  
for Convection oven gas (RATIONAL) - Series CM



RATIONAL 4200047

RATIONAL 4200047P

RATIONAL 4200048

**3390238** **MOTHERBOARD 280x110 mm**  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CM - Series CPC



RATIONAL 30400276

RATIONAL 30403001ET

RATIONAL 30403000

RATIONAL 30403001ET+...

RATIONAL 30403001



Suitable for:

# RATIONAL



**3390236** **MOTOR ELECTRONIC BOARD 110x135x133 mm**  
for Convection oven (RATIONAL)  
since 1/01/01  
Series CPC



RATIONAL 30403040

RATIONAL 30403040P

Suitable for:

**5061173** **PANEL ELECTRONIC DISPLAY 152x125 mm**  
for Convection oven (RATIONAL)



RATIONAL 4200067

**7110737** **PCB KEYBOARD 400x120 mm**  
two D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 4200090P

**5049379** **PCB KEYBOARD 430x165 mm**  
three D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 30402051

**3390235** **PCB KEYBOARD 455x155 mm**  
three D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CM - Series CPC



RATIONAL 30403010

**7106470** **PCB KEYBOARD 460x120 mm**  
three D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 30400110

**3390380** **RELAY ELECTRONIC BOARD 155x145 mm**  
with protection screen  
for Convection oven (RATIONAL)



RATIONAL 4000049

RATIONAL 4200045

RATIONAL 4200064P


## Fans for motors

**5050341** **FAN  $\varnothing$  180 mm**  
thickness 20 mm  
number of blades 12 - hole  $\varnothing$  20 mm  
for Convection oven (RATIONAL)



RATIONAL 30010804

**5023022** **FAN  $\varnothing$  280 mm**  
thickness 125 mm  
number of blades 12 - tapered hole  $\varnothing$  11-16 mm  
for Convection oven (RATIONAL)




RATIONAL 20120602



Suitable for:

**5037758 FAN ø 340 mm**  
thickness 130 mm  
number of blades 9 - tapered hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 2200192


Suitable for:

**5044377 FAN ø 340 mm**  
thickness 95 mm  
number of blades 9 - tapered hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 2200188


**3240757 FAN ø 350 mm**  
thickness 135 mm  
total blades 12 - ø tapered hole 13-16.5 mm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC101 - CPC201 - CPC61



RATIONAL 1012741


RATIONAL 20120512

**5014685 FAN ø 350 mm**  
thickness 125 mm  
number of blades 12 - conical hole ø 13-16 mm  
for Convection oven (RATIONAL)




RATIONAL 20120507

**7106118 FAN ø 350 mm**  
thickness 125 mm  
number of blades 12 - tapered hole ø 13-16 mm  
for Convection oven (RATIONAL)




RATIONAL 20120900

**5035669 FAN ø 450 mm**  
thickness 155 mm  
number of blades 12 - hole ø 19.5 mm  
for Convection oven (RATIONAL)



RATIONAL 20120901

**5037083 FAN ø 450 mm**  
thickness 165 mm  
number of blades 12 - tapered hole ø 14-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120513

**7104102 FAN ø 450 mm**  
thickness 155 mm  
number of blades 12 - tapered hole ø 13.5-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120508



Suitable for:

# RATIONAL



Suitable for:

## Feet

- 3313016** **ADJUSTABLE S/STEEL FOOT  $\varnothing$  1" x h 80 mm**  
with plastic support for tubular foot 40x40 mm  
adjustable height 23÷58 mm  
max load 400 Kg



RATIONAL 20390111

## Filters

- 3160348** **AIR INLET FILTER 212x60 mm**  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CPC  
for Convection oven electric (RATIONAL) CD101  
CD102 - CD201 - CD202 - CD61 - CM202 - CM61  
for Convection oven gas (RATIONAL) CM101G - CM61G



RATIONAL 20390337

RATIONAL 52141300

RATIONAL 84551377

- 3160501** **AIR INLET FILTER 220x50 mm**  
for Convection oven electric (RATIONAL) CM101E  
CM102E - CM201E - CM202E - CM61E - CM62E  
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
SCC62E  
for Convection oven gas (RATIONAL) CM101G - CM102G  
CM201G - CM202G - CM61G - CM62G - SCC101G  
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 1600673


RATIONAL 1601662

- 5057567** **FILTER DRAIN STAINLESS STEEL  $\varnothing$  97 mm**  
for Convection oven (RATIONAL)



RATIONAL 20050308

- 7104504** **FILTER FAN 180x140x22 mm**  
for Convection oven (RATIONAL)



RATIONAL 4002684

- 3160349** **STAINLESS STEEL DRAIN FILTER  $\varnothing$  72 mm**  
for Convection oven electric (RATIONAL)  
since 1/01/00  
CPC101 - CPC201 - CPC61



RATIONAL 20050302

RATIONAL 20050307

## Fittings

**5014737 CONNECTION QUICK FOR CLEANING SYSTEM**  
thread  $\varnothing$  3/4" M - hose-end fitting  $\varnothing$  7 mm  
for Convection oven (RATIONAL)



RATIONAL 20620349

**5052790 COUPLING QUICK FOR CLEANING SYSTEM**  
thread  $\varnothing$  1/4" M - hose end fitting  $\varnothing$  7 mm  
for Convection oven (RATIONAL)



RATIONAL 20620347

**3349624 ELBOW FITTING 1/8" M  $\varnothing$  6 mm**



RATIONAL 20620339

**5027917 FITTING 2 WAYS 3/4" F - 3/4" M**  
complete with gaskets  
for Convection oven (RATIONAL)



RATIONAL 5000070

**5070750 FITTING 2 WAYS 3/4" F - 3/4" M**  
complete with gaskets  
for Convection oven (RATIONAL)



RATIONAL 5000071

**5021113 FITTING 3 WAYS 3/4" F - 1/2" M - 3/4" M**  
complete with gaskets  
for Convection oven (RATIONAL)




RATIONAL 86641300

**5021114 FITTING 3 WAYS 3/4" F - 3/4" M - 3/4" F**  
complete with gaskets  
for Convection oven electric (RATIONAL) CM - SCC  
for Convection oven gas (RATIONAL) CM - SCC



RATIONAL 86641301

**7110751 HOSE END FITTING  $\varnothing$  3/8" F  $\varnothing$  12 mm**  
for Convection oven (RATIONAL)



RATIONAL 4400592

## Fuses

**2111942 CLAMP FUSEHOLDER  $\varnothing$  5x20 mm**  
250V 10A  
for cable 10 mmq  
for Convection oven (RATIONAL)



RATIONAL 40011228

**5009195 CLAMP FUSEHOLDER  $\varnothing$  5x30 mm**  
for cable 4 mmq  
for Convection oven (RATIONAL)



RATIONAL 40011247




# RATIONAL



Suitable for:

**5037866 CLAMP FUSEHOLDER ø 5x30 mm**  
250V 10A  
for Convection oven (RATIONAL)



RATIONAL 40011295

**3049065 DELAY FUSE ø 6.3x32 mm - 10 PCS**  
250V 6.3A




RATIONAL 40010224

**5047306 FUSE NEOZED 400V 16A**  
for Convection oven (RATIONAL)



RATIONAL 30190401

**7108747 FUSE NEOZED 400V 50A**  
for Convection oven (RATIONAL)



RATIONAL 30190404

**5045942 KIT FUSE NEOZED 400V 63A - 10 PCS**  
for Convection oven (RATIONAL)



RATIONAL 30190405

Suitable for:

**3049020 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 6.3A



RATIONAL 30190200

**5038283 FUSE NEOZED 400 V 25A**  
for Convection oven (RATIONAL)



RATIONAL 30190402

**7105361 FUSE NEOZED 400V 35A**  
for Convection oven (RATIONAL)



RATIONAL 30190403

**7110896 FUSEHOLDER 3 POLE**  
for Convection oven (RATIONAL)



RATIONAL 40011234

**3049049 QUICK ACTING FUSE ø 5x20 mm - 10 PCS**  
250V 2A



RATIONAL 30190120



Suitable for:

# RATIONAL



**3049052 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 4A



RATIONAL 30190112

Suitable for:

**3049034 QUICK ACTING FUSE  $\varnothing$  6.3x32 mm - 10 PCS**  
500V 10A



RATIONAL 40010225


## Gaskets and seals

**3786496 BOILER LEVEL GASKET 70x70x4 mm**  
for Convection oven electric (RATIONAL) CC101  
CC20 - CC201 - CC6



RATIONAL 50120537

**7150235 GASKET BURNER 100x100x1 mm**  
for Convection oven (RATIONAL)




RATIONAL 51101318

**5014739 GASKET DRIP TRAY**  
external dimensions 24x18x7 mm  
for Convection oven (RATIONAL)



RATIONAL 20390339

**7104109 GASKET FLANGE BURNER**  
external  $\varnothing$  132 mm  
internal  $\varnothing$  105 mm  
thickness 2 mm  
for Convection oven (RATIONAL)



RATIONAL 51101311


**3786514 GASKET FOR CONTROL PANEL 590x185 mm**  
adhesive  
with fastening clips  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 1600386

RATIONAL 1600387

**5054998 GASKET FOR EXCHANGER**  
 $\varnothing$  external 132 mm  
 $\varnothing$  internal 104 mm  
thickness 2 mm  
for Convection oven (RATIONAL)



RATIONAL 7400296



Suitable for:

# RATIONAL




- 5069041 GASKET FOR FAN**  
external dimensions 83x76 mm  
for Convection oven (RATIONAL)



RATIONAL 51101322

- 7109932 GASKET FOR MOTOR FAN**  
external  $\varnothing$  82 mm - internal  $\varnothing$  50 mm  
thickness 2 mm  
for Convection oven (RATIONAL)




RATIONAL 7000242

- 7109933 GASKET FOR MOTORFAN**  
external dimensions 68x43 mm  
for Convection oven (RATIONAL)




RATIONAL 7400301

- 7105173 GASKET FOR OVEN SHOWER SUPPORT**  
external  $\varnothing$  170 mm - internal  $\varnothing$  120 mm  
thickness 3 mm  
for Convection oven (RATIONAL)



RATIONAL 5000290

- 5035145 GASKET FOR OVEN STEAM GENERATOR**  
 $\varnothing$  external 145 mm -  $\varnothing$  internal 130 mm  
thickness 7 mm  
for Convection oven electric (RATIONAL)  
Series CM - Series SCC  
for Convection oven gas (RATIONAL) - Series CM  
Series SCC



RATIONAL 50120566

- 5039266 GASKET FOR SPARKING PLUG**  
external dimensions 27x17 mm  
internal  $\varnothing$  10 mm - holes  $\varnothing$  4.5 mm  
for Convection oven (RATIONAL)



RATIONAL 7400290

- 3786287 GASKET FOR SPARKING PLUG 39x18 mm**  
for Convection oven (RATIONAL)



RATIONAL 4400250

- 7102798 GASKET LEVEL PROBE FLANGE**  
external dimensions 180x90 mm  
internal dimensions 143x53 mm  
for Convection oven (RATIONAL)



RATIONAL 51101308



**7104139 GASKET OVEN STEAM GENERATOR**  
external dimensions 77x77 mm  
for Convection oven (RATIONAL)



RATIONAL 51101339

Suitable for:

**7100510 GASKET RUBBER**  
external  $\varnothing$  58 mm - internal  $\varnothing$  42 mm - thickness 4 mm  
for Convection oven (RATIONAL)



RATIONAL 20700020

**1786231 GUARNIZIONE PIANA EPDM  $\varnothing$  24x15x3 mm**  
for water inlet tap



RATIONAL 51101024

**3186491 HEATING ELEMENT GASKET**  
external dimensions 82x82 mm  
for Convection oven (RATIONAL)




RATIONAL 51101003

**3186492 HEATING ELEMENT GASKET**  
external dimensions 209x45 mm  
for Convection oven (RATIONAL)



RATIONAL 51101009

**3186493 HEATING ELEMENT GASKET**  
external dimensions 146x83 mm  
for Convection oven (RATIONAL)



RATIONAL 51101200

**3186757 HEATING ELEMENT GASKET**  
external dimensions 125x103 mm  
for Convection oven electric (RATIONAL)



RATIONAL 4400279

**3786136 HEATING ELEMENT GASKET**  
external dimensions 80x82 mm  
for Convection oven electric (RATIONAL)



RATIONAL 4400280

**3786497 MOTOR SHAFT GASKET**  
for Convection oven (RATIONAL)



RATIONAL 50020300

RATIONAL 50020301

**3786614 OVEN LAMP RECEPTACLE GASKET**  
dimensions 48x41x3 mm



RATIONAL 50120535



Suitable for:

# RATIONAL



Suitable for:

## Gaskets for oven door

**3786360 CARRIAGE STOP GASKET 460x160 mm**  
made of silicone elastomer - 3 sides  
profile dimensions 35x23 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CCC201  
CCD201 - CCM201



RATIONAL 51051009

RATIONAL 51051015

**3786470 CARRIAGE STOP GASKET 665x160 mm**  
out of silicone elastomer - 3 sides  
profile size 32x25 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CCC202  
CCD202 - CCM202




RATIONAL 51051010

**7101416 GASKET CONTROL PANEL 2000 mm**  
sided foam tape  
profile dimensions 7x5 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)




RATIONAL 51001011

**3786785 GASKET CONTROL PANEL 2200 mm**  
made of silicone elastomer  
profile dimensions 10x11 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)




RATIONAL 51051012

**3786786 GASKET CONTROL PANEL 3800 mm**  
made of silicone elastomer  
profile dimensions 10x11 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)



RATIONAL 51051014

**3786784 GASKET CONTROL PANEL 720x305 mm**  
made of silicone elastomer - 3 sides  
profile dimensions 10x11 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)



RATIONAL 51051011

**5012472 GASKET OVEN DOOR 1410x520 mm**  
made of silicone elastomer  
profile dimensions 20.3x27.5 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)



RATIONAL 1013498

RATIONAL 51051007

**5012474 GASKET OVEN DOOR 1410x720 mm**  
made of silicone elastomer  
profile dimensions 20.3x27.5 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)



RATIONAL 51051008

Suitable for:

**3586001 GASKET OVEN DOOR 500x470 mm**  
**MODEL "SUPERFLEX"**  
 out of silicone elastomer  
 profile dimensions 28.5x13 mm  
 COLOUR: BLACK



RATIONAL 2000394

RATIONAL 2000394P

RATIONAL 2001800P

Suitable for:

**3586002 GASKET OVEN DOOR 760x470 mm**  
**MODEL "SUPERFLEX"**  
 out of silicone elastomer  
 profile dimensions 28.5x13 mm  
 COLOUR: BLACK



RATIONAL 2000396

RATIONAL 2001802P

**5060671 GASKET OVEN DOOR 815x710 mm**  
 made of silicone elastomer  
 profile dimensions 20.3x27.5 mm  
 COLOUR: BLACK  
 for Convection oven (RATIONAL)



RATIONAL 51101047

**3786782 GASKET OVEN GLASS 1275x430 mm**  
 made of silicone elastomer  
 profile dimensions 15.5x11.5 mm  
 COLOUR: BLACK  
 for Convection oven (RATIONAL)



RATIONAL 51051005

**3786783 GASKET OVEN GLASS 1275x635 mm**  
 made of silicone elastomer  
 profile dimensions 15.5x11.5 mm  
 COLOUR: BLACK  
 for Convection oven (RATIONAL)




RATIONAL 51051006

**5015818 GASKET OVEN GLASS 2800 mm**  
 made of silicone elastomer  
 profile dimensions 8x7 mm  
 COLORE GRIGIO  
 for Convection oven (RATIONAL)



RATIONAL 50120201

**5044817 GASKET OVEN GLASS 3800 mm**  
 made of silicone elastomer  
 profile dimensions 8x7 mm  
 COLORE GRIGIO  
 for Convection oven (RATIONAL)



RATIONAL 50120202

**5056555 GASKET OVEN GLASS 480x425 mm**  
 made of silicone elastomer  
 profile dimensions 15.5x11.5 mm  
 COLOUR: BLACK  
 for Convection oven (RATIONAL)



RATIONAL 51051000




Suitable for:

# RATIONAL




Suitable for:

**2110900 GASKET OVEN GLASS 5400 mm**  
made of elastomero siliconico  
profile dimensions 8x7 mm  
COLORE GRIGIO  
for Convection oven (RATIONAL)




RATIONAL 50120203

**3786781 GASKET OVEN GLASS 715x600 mm**  
made of silicone elastomer  
profile dimensions 15.5x11.5 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)




RATIONAL 51051017

**2111027 GASKET OVEN GLASS 745x430 mm**  
made of silicone elastomer  
dimensions profile 15.5x11.5 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)



RATIONAL 51051003

**5038338 GASKET OVEN 680 mm**  
made of silicone elastomer  
profile dimensions 15x6 mm  
COLOUR: BLACK  
for Convection oven (RATIONAL)



RATIONAL 2400701

**3786508 OVEN CARRIAGE GASKET 565 mm**  
made of silicone elastomer  
profile dimensions 52x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC201



RATIONAL 2400187

**3186482 OVEN CARRIAGE GASKET 610 mm**  
made of silicone elastomer  
profile dimensions 60x12 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD201 - CM201N - CPC201



RATIONAL 1003278

RATIONAL 51051025

**3786503 OVEN CARRIAGE GASKET 775 mm**  
made of silicone elastomer  
profile dimensions 52x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC202



RATIONAL 2400194

**3786495 OVEN CARRIAGE GASKET 825 mm**  
out of silicone elastomer  
profile dimensions 60x12 mm  
COLOUR BLUE  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD202 - CM202  
CM202N - CPC202




RATIONAL 51051026

Suitable for:

Suitable for:

**3286006 OVEN DOOR GASKET - 25 m**  
made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOR  
for Convection oven electric (RATIONAL) CC20  
CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701


RATIONAL 50120702

**3286024 OVEN DOOR GASKET - 25 m**  
made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL

**3286077 OVEN DOOR GASKET - 3 m**  
made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOUR  
for Convection oven electric (RATIONAL) CC20  
CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 50120700

RATIONAL 50120701


RATIONAL 50120702

**3286083 OVEN DOOR GASKET - 3 m**  
made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL

**3286005 OVEN DOOR GASKET - 6 m**  
made of silicone elastomer  
profile dimensions 19x19 mm  
BLACK COLOR  
for Convection oven electric (RATIONAL)  
CC20 - CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL)  
CM21G



RATIONAL 50120700

RATIONAL 50120701

RATIONAL 50120702

**3286023 OVEN DOOR GASKET - 6 m**  
made of silicone elastomer  
profile dimensions 25x12 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)




RATIONAL



Suitable for:

**3786021 OVEN DOOR GASKET 1475x475 mm**  
made of silicone elastomer  
profile dimensions 27x17 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/01/09  
CM201E  
SCC201E  
for Convection oven gas (RATIONAL)  
since 1/01/09  
CM201G  
SCC201G



RATIONAL 2000398

RATIONAL 2000398P

Suitable for:

**3786022 OVEN DOOR GASKET 1475x670 mm**  
made of silicone elastomer  
profile dimensions 27x17 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/01/09  
CM202E  
SCC202E  
for Convection oven gas (RATIONAL)  
since 1/01/09  
CM202G  
SCC202G



RATIONAL 2000399

RATIONAL 2000399P


**3186481 OVEN DOOR GASKET 1500x480 mm**  
made of silicone elastomer  
profile dimensions 31x15 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD201  
CM201N - CPC201 - CPC201E  
for Convection oven gas (RATIONAL) CPC201G  
CPC202G



RATIONAL 51051023

RATIONAL 51051023P


**3786016 OVEN DOOR GASKET 1505x695 mm**  
made of silicone elastomer  
profile dimensions 31x15 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD202  
CM202N - CPC202 - CPC202E  
for Convection oven gas (RATIONAL) CPC202G



RATIONAL 51051024


RATIONAL 51051024P

**7150213 OVEN DOOR GASKET 1582x565 mm**  
made of silicone elastomer  
GRAY COLOUR  
for Convection oven (RATIONAL)



RATIONAL 2400490

**3186156 OVEN DOOR GASKET 485x470 mm**  
made of silicone elastomer  
profile dimensions 23x18 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CC6 - CD6  
CM6



RATIONAL 50120703



Suitable for:

**3786674 OVEN DOOR GASKET 500x470 mm**  
made of silicone elastomer  
profile dimensions 28.5x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/11  
CM61E - SCC61E  
since 1/04/04  
SCC61  
for Convection oven gas (RATIONAL)  
since 1/06/11  
CM61G - SCC61G




RATIONAL 2000394

RATIONAL 2000394P

RATIONAL 2001800P

Suitable for:

**3786243 OVEN DOOR GASKET 520x470 mm**  
made of silicone elastomer  
profile dimensions 23x22 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/05/93  
till 1/05/97  
CCD61 - CCM61  
CCC61



RATIONAL 51051001

**3186319 OVEN DOOR GASKET 530x473 mm**  
made of silicone elastomer  
profile dimensions 31x15 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD61  
CM61 - CPC61 - CPC61E  
for Convection oven gas (RATIONAL)  
CM101G - CM61G - CPC61G



RATIONAL 51051020

RATIONAL 51051020P

**3786675 OVEN DOOR GASKET 680x500 mm**  
made of silicone elastomer  
profile dimensions 28.5x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/11  
CM62E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/06/11  
CM62G - SCC62G



RATIONAL 2000395

RATIONAL 2000395P

RATIONAL 2001801P

**3186155 OVEN DOOR GASKET 720x485 mm**  
made of silicone elastomer  
profile dimensions 23x18 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CC101  
CD101 - CM101  
for Convection oven gas (RATIONAL) CM101G



RATIONAL 50120704

RATIONAL 50120705

**3786676 OVEN DOOR GASKET 760x470 mm**  
made of silicone elastomer  
profile dimensions 28.5x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/11  
CM101E - SCC101E  
for Convection oven gas (RATIONAL)  
since 1/06/11  
CM101G - SCC101G



RATIONAL 2000396

RATIONAL 2001802P



Suitable for:

Suitable for:

**3786677 OVEN DOOR GASKET 760x675 mm**  
made of silicone elastomer  
profile dimensions 28.5x13 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/11  
CM102E - SCC102E  
for Convection oven gas (RATIONAL)  
since 1/06/11  
CM102G - SCC102G



RATIONAL 2000397

RATIONAL 2000397P

RATIONAL 2001803P


**3186426 OVEN DOOR GASKET 780x470 mm**  
made of silicone elastomer  
profile dimensions 31x15 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101  
CM101N - CPC101 - CPC101E  
for Convection oven gas (RATIONAL)  
CM101G - CPC101G



RATIONAL 51051021


RATIONAL 51051021P

**3186427 OVEN DOOR GASKET 785x470 mm**  
made of silicone elastomer  
profile dimensions 23x22 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL) CCC101  
CCD101 - CCM101



RATIONAL 51051004

**3786015 OVEN DOOR GASKET 807x690 mm**  
made of silicone elastomer  
profile dimensions 31x15 mm  
COLOUR BLACK  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD102  
CM102N - CPC102 - CPC102E  
for Convection oven gas (RATIONAL) CPC102G



RATIONAL 51051022

RATIONAL 51051022P

**3286026 OVEN DRAWER GASKET - 21 m**  
made of silicone elastomer  
profile dimensions 26x19 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL 50120504

RATIONAL 50120550

RATIONAL 50120551

**3286025 OVEN DRAWER GASKET - 7 m**  
made of silicone elastomer  
profile dimensions 26x19 mm  
COLOUR BROWN  
for Convection oven (RATIONAL)



RATIONAL 50120504

RATIONAL 50120550


RATIONAL 50120551

**3786623 OVEN GLASS GASKET**  
made of silicone elastomer  
profile dimensions 8x7 mm  
COLOUR GREY  
SOLD PER METRE  
for Convection oven electric (RATIONAL)  
CD101 - CD20 - CM101 - CM6  
for Convection oven gas (RATIONAL)  
CM61G




RATIONAL 50120200

**3286048 OVEN GLASS GASKET - 25 m**  
made of silicone elastomer  
profile dimensions 9x7 mm  
COLOUR BLACK  
for Convection oven (RATIONAL)



RATIONAL 50120200

- 3286047 OVEN GLASS GASKET - 6 m**  
made of silicone elastomer  
profile dimensions 9x7 mm  
COLOUR BLACK  
for Convection oven (RATIONAL)



RATIONAL 20120200

RATIONAL 20120200-21MT

RATIONAL 50120200

## Gearmotors

- 5049382 GEARMOTOR 22N28210E 24V**  
shaft  $\varnothing$  5 mm  
external dimensions 50x32x51 mm  
for Convection oven (RATIONAL)



RATIONAL 31011001

- 5065207 GEARMOTOR 82841056 24V**  
5000rpm  
pin  $\varnothing$  4 mm  
for Convection oven (RATIONAL)



RATIONAL 31011007

- 3340149 HUMIDITY CONTROL MOTOR 12V**  
pin  $\varnothing$  4 mm  
for Convection oven electric (RATIONAL) CPC101  
CPC102 - CPC201 - CPC202 - CPC61 - SCC101E  
SCC102E - SCC201E - SCC202E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL) CPC101G  
CPC102G - CPC201G - CPC202G - CPC61G - SCC101G  
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



RATIONAL 31011010

## Glues

- 3392003 RED SILICONE SUPERSIL 60 ml**  
temperature max +350°C  
STRONG ADHESION  
excellent for the sealing of parts exposed to  
high temperatures, OVENS, MOTORS, STOVES, BOILERS  
suitable as sealer for OVEN GASKETS



RATIONAL 50060200

RATIONAL 50060207



Suitable for:

# RATIONAL



Suitable for:

## Handles

**3242090 BASE FOR DOOR HANDLE**  
for OVEN



RATIONAL 20160605

**3242481 BRACKET FOR DOOR HANDLE STRIKE**  
mounting distance 46 mm  
for OVEN



RATIONAL 2400141

**3242317 CLOSING DEVICE FOR DOOR HANDLE**  
for OVEN



RATIONAL 20161452

**3242471 COMPLETE OVEN DOOR HANDLE**  
for Convection oven electric (RATIONAL) CC20  
CC201 - CD20 - CD201 - CM20 - CM201  
for Convection oven gas (RATIONAL) CM21G



RATIONAL 20161412

RATIONAL 20161450

**3242317 CLOSING DEVICE FOR DOOR HANDLE**  
for OVEN



RATIONAL 20161452

**3242316 OVEN DOOR CLOSING SUPPORT**  
distance between mounting holes 32-90 mm  
for OVEN



RATIONAL 20161457

**3242090 BASE FOR DOOR HANDLE**  
for OVEN



RATIONAL 20160605

**3242320 DOOR CLOSING PLATE**  
distance between mounting holes 68 mm  
for OVEN



RATIONAL 20161300

**3242466 PLASTIC RING  $\varnothing$  56x40x2 mm**  
for OVEN



RATIONAL 20161453



Suitable for:

**3242318 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 68 mm  
for OVEN



RATIONAL 20160604

## RATIONAL



Suitable for:

**3242241 STRIKE FOR OVEN RIGHT HANDLE**  
distance between mounting holes 67 mm  
for OVEN



RATIONAL 20160603


**3242472 COMPLETE OVEN DOOR HANDLE**  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD102 - CD61  
CCC101 - CCC61 - CCD61 - CCM101 - CCM61 - CM101  
CM101N - CM102 - CM102N - CM61 - CPC101  
CPC102 - CPC61  
for Convection oven gas (RATIONAL) CM101G - CM102G  
CM61G - CPC101G - CPC102G - CPC61G



RATIONAL 20161500

RATIONAL 20161504

**7103779 HOOKING HANDLE OVEN DOOR 90x35x40mm**  
for Convection oven (RATIONAL)



RATIONAL 20390340

**3242312 STRIKE FOR OVEN HANDLE**  
distance between mounting holes 15 mm  
for Convection oven electric (RATIONAL)  
CC101 - CC6 - CD101 - CD6 - CM101 - CM6  
for Convection oven gas (RATIONAL)  
CM14G - CM62G



RATIONAL 20160610

**3242476 DOOR HANDLE PIN 47 mm**  
for OVEN




RATIONAL 1003323

RATIONAL 29401312

RATIONAL 29401314

**3242475 OVEN DOOR LOCK**  
for OVEN



RATIONAL 1003536

RATIONAL 84741300



Suitable for:

# RATIONAL



## 3242473 COMPLETE OVEN DOOR HANDLE

for Convection oven electric (RATIONAL)  
since 1/06/97  
CD201 - CD202  
CCC102 - CCC201 - CCC202 - CCD102 - CCD201  
CCD202 - CCM102 - CCM201 - CCM202 - CM201  
CM201N - CM202 - CM202N - CPC201 - CPC202  
for Convection oven gas (RATIONAL) CM201G - CM202G  
CPC201G - CPC202G




RATIONAL 20161501

RATIONAL 20161507

RATIONAL 20161509

## 3242474 OVEN DOOR LOCK

for OVEN



RATIONAL 84741019

RATIONAL 84741305

RATIONAL 84741410

## 3242477 STRIKE FOR DOOR HANDLE

distance between mounting holes 52 mm  
for OVEN



RATIONAL 1003540

RATIONAL 85141307

## 3242479 COMPLETE OVEN DOOR HANDLE

for Convection oven electric (RATIONAL)  
since 1/10/08  
CM101E - CM102E - CM61E - CM62E  
SCC101E - SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/10/08  
CM101G - CM102G - CM61G - CM62G  
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 2400152

## 3242480 DOOR HANDLE INTERNAL HINGE UNIT

for OVEN



RATIONAL 2400176

RATIONAL 2402762

## 3242481 BRACKET FOR DOOR HANDLE STRIKE

mounting distance 46 mm  
for OVEN



RATIONAL 2400141

## 3242465 DOOR HANDLE SPRING

for OVEN



RATIONAL 2400506

RATIONAL 2401100

RATIONAL 2402761



Suitable for:

**3242482 PIN FOR OVEN DOOR HANDLE 43 mm**  
for OVEN



RATIONAL 2400142

**3242483 COMPLETE OVEN DOOR HANDLE**  
for Convection oven electric (RATIONAL)  
since 1/10/08  
CM201E - CM202E  
SCC201E - SCC202E  
for Convection oven gas (RATIONAL)  
since 1/10/08  
CM201G - CM202G  
SCC201G - SCC202G



RATIONAL 2400136

**3242478 LOCK CLAMP FOR OVEN DOOR**  
for OVEN



RATIONAL 1010833

RATIONAL 29401305

**3242477 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 52 mm  
for OVEN



RATIONAL 1003540

RATIONAL 85141307

**3242604 COVER FOR DOOR LOCK**  
for OVEN



RATIONAL 27601049

## RATIONAL



Suitable for:

**3242464 PLATE FOR DOOR HANDLE LOCK**  
for Convection oven (RATIONAL)




RATIONAL 2400504

**3242484 COVER FOR DOOR MECHANISM**  
for Convection oven (RATIONAL)



RATIONAL 2400216

**3242474 OVEN DOOR LOCK**  
for OVEN



RATIONAL 84741019

RATIONAL 84741305

RATIONAL 84741410

**3242484 COVER FOR DOOR MECHANISM**  
for Convection oven (RATIONAL)



RATIONAL 2400216





Suitable for:

**3242320 DOOR CLOSING PLATE**  
distance between mounting holes 68 mm  
for OVEN



RATIONAL 20161300

Suitable for:

**3242480 DOOR HANDLE INTERNAL HINGE UNIT**  
for OVEN



RATIONAL 2400176

RATIONAL 2402762

**3242476 DOOR HANDLE PIN 47 mm**  
for OVEN



RATIONAL 1003323

RATIONAL 29401312

RATIONAL 29401314

**3242465 DOOR HANDLE SPRING**  
for OVEN




RATIONAL 2400506

RATIONAL 2401100

RATIONAL 2402761

**7103779 HOOKING HANDLE OVEN DOOR 90x35x40mm**  
for Convection oven (RATIONAL)



RATIONAL 20390340

**3242328 LATCH LH HANDLE OVEN**  
distance between holes 67 mm



RATIONAL

**3242478 LOCK CLAMP FOR OVEN DOOR**  
for OVEN



RATIONAL 1010833

RATIONAL 29401305

**3242316 OVEN DOOR CLOSING SUPPORT**  
distance between mounting holes 32-90 mm  
for OVEN



RATIONAL 20161457

**3242051 OVEN DOOR HANDLE 176x28 mm**  
handle mounting holes distance 121 mm  
for OVEN



RATIONAL

**3242052 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 33 mm  
for OVEN



RATIONAL

Suitable for:

**3242311 OVEN DOOR HANDLE 280x30 mm**  
handle mounting holes distance 123-136 mm  
for Convection oven electric (RATIONAL)  
CC101 - CC6 - CD101 - CD6 - CM101 - CM6  
for Convection oven gas (RATIONAL)  
CM14G - CM62G



RATIONAL 20161100

Suitable for:

**3242312 STRIKE FOR OVEN HANDLE**  
distance between mounting holes 15 mm  
for Convection oven electric (RATIONAL)  
CC101 - CC6 - CD101 - CD6 - CM101 - CM6  
for Convection oven gas (RATIONAL)  
CM14G - CM62G



RATIONAL 20160610

**3242474 OVEN DOOR LOCK**  
for OVEN




RATIONAL 84741019

RATIONAL 84741305

RATIONAL 84741410

**3242475 OVEN DOOR LOCK**  
for OVEN



RATIONAL 1003536

RATIONAL 84741300

**3242482 PIN FOR OVEN DOOR HANDLE 43 mm**  
for OVEN



RATIONAL 2400142

**3242466 PLASTIC RING  $\varnothing$  56x40x2 mm**  
for OVEN



RATIONAL 20161453

**3242464 PLATE FOR DOOR HANDLE LOCK**  
for Convection oven (RATIONAL)



RATIONAL 2400504

**3242181 RIGHTHAND COMPLETE OVEN DOOR HANDLE**



RATIONAL

**3242241 STRIKE FOR OVEN RIGHT HANDLE**  
distance between mounting holes 67 mm  
for OVEN



RATIONAL 20160603



Suitable for:

# RATIONAL



- 3242052 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 33 mm  
for OVEN



RATIONAL

Suitable for:

- 3242318 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 68 mm  
for OVEN



RATIONAL 20160604

- 3242477 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 52 mm  
for OVEN



RATIONAL 1003540

RATIONAL 85141307

- 3242312 STRIKE FOR OVEN HANDLE**  
distance between mounting holes 15 mm  
for Convection oven electric (RATIONAL)  
CC101 - CC6 - CD101 - CD6 - CM101 - CM6  
for Convection oven gas (RATIONAL)  
CM14G - CM62G



RATIONAL 20160610


- 3242241 STRIKE FOR OVEN RIGHT HANDLE**  
distance between mounting holes 67 mm  
for OVEN



RATIONAL 20160603


## Heating elements

- 3755737 HEATING ELEMENT EXTERNAL 9000W 230V**  
ø external 450 mm - overall height 150 mm  
couplings M14x1.5 mm  
for Convection oven electric (RATIONAL) CD101  
CD201



RATIONAL 30043528

- 3755735 HEATING ELEMENT EXTERNAL 9000W 400V**  
ø external 450 mm - overall height 150 mm  
couplings M14x1.5 mm  
for Convection oven electric (RATIONAL) CC101  
CC201 - CM101 - CM201



RATIONAL 30043530


**3755743 HEATING ELEMENT FOR BOILER 9000W 230V**  
 immersed length 385 mm  
 external flange ø 64/47.5 mm  
 with bulb sheathing - complete with cables



RATIONAL


Suitable for:

**3755738 HEATING ELEMENT INTERNAL 9000W 230V**  
 ø external 400 mm - overall height 135 mm  
 couplings M14x1.5 mm  
 for Convection oven electric (RATIONAL) CD101  
 CD201



RATIONAL 30043529

**3755736 HEATING ELEMENT INTERNAL 9000W 400V**  
 ø esterna 400 mm - overall height 130 mm  
 couplings M14x1.5 mm  
 for Convection oven electric (RATIONAL) CC101  
 CC201 - CM101 - CM201



RATIONAL 30043531

**3355717 HEATING ELEMENT 15000W 230V**  
 external ø 515 mm - overall height 265 mm  
 2 flanges 210x24 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD102 - CD202  
 CCC102 - CCC202 - CCD102 - CCD202 - CCM102  
 CCM202 - CM102N - CPC102 - CPC202



RATIONAL 32001002

RATIONAL 32001013


RATIONAL 87201596

**3186492 HEATING ELEMENT GASKET**  
 external dimensions 209x45 mm  
 for Convection oven (RATIONAL)



RATIONAL 51101009

**3755804 HEATING ELEMENT 18000W 230/400V**  
 for steam generator  
 immersed length 195 mm  
 flange 122x101 mm - with bulb sheath  
 complete with cables  
 for Convection oven electric (RATIONAL)  
 since 1/04/04  
 SCC102E - SCC201E - SCC202E - SCC62E  
 CM102E - CM201E - CM202E - CM62E



RATIONAL 4400195

RATIONAL 4401340

RATIONAL 8700367

RATIONAL 8701016

RATIONAL 8701017

**3186757 HEATING ELEMENT GASKET**  
 external dimensions 125x103 mm  
 for Convection oven electric (RATIONAL)



RATIONAL 4400279



Suitable for:

# RATIONAL



**5039951 HEATING ELEMENT 18000W 230V**  
external ø 477 mm - overall height 185 mm  
flange 140x62 mm - complete with cables  
for Convection oven electric (RATIONAL)



RATIONAL 4000265

RATIONAL 8700396

**5046952 HEATING ELEMENT 18000W 230V**  
external ø 480 mm - overall height 190 mm  
flange 140x62 mm - complete with cables  
for Convection oven electric (RATIONAL)



RATIONAL 4000597

RATIONAL 8700404

**7105436 HEATING ELEMENT 18000W 230V**  
external ø 480 mm - overall height 180 mm  
flange 140x62 mm - complete with cables  
for Convection oven electric (RATIONAL)



RATIONAL 4000075

RATIONAL 8700383

**3355711 HEATING ELEMENT 2000W 230V**  
length 520 mm - width 90 mm  
connections M14x1.5 mm  
for Convection oven electric (RATIONAL) CD101  
CD201 - CM101 - CM201



RATIONAL 30044003

RATIONAL 30044300

**3855038 HEATING ELEMENT 20000W 230V**  
external ø 480 mm - overall height 210 mm  
flange 140x62 mm - complete with cables  
for Convection oven electric (RATIONAL)



RATIONAL 4000113

RATIONAL 8700576

**3355712 HEATING ELEMENT 2500W 230V**  
length 510 mm - width 140 mm  
connections M14x1.5 mm  
for Convection oven electric (RATIONAL) CD20  
CM20



RATIONAL 30041004

**3355713 HEATING ELEMENT 2500W 400V**  
length 510 mm - width 140 mm  
connections M14x1.5 mm  
for Convection oven electric (RATIONAL)



RATIONAL 30044301

**3355701 HEATING ELEMENT 3000W 230V**  
immersed length 380 mm - width 60 mm  
flange 80x28 mm  
for Convection oven electric (RATIONAL) CC6 - CD20  
CD6 - CM20 - CM6



RATIONAL 30043506

RATIONAL 30044306

RATIONAL 30044113

RATIONAL 30044146



Suitable for:

# RATIONAL



**3355703 HEATING ELEMENT 3000W 400V**  
immersed length 380 mm - width 60 mm  
flange 80x28 mm  
for Convection oven electric (RATIONAL) CC20  
CM20



RATIONAL 30043509

RATIONAL 30044303

**5049945 HEATING ELEMENT 30000W 230V**  
external ø 640 mm - overall height 200 mm  
flange 160x75 mm - complete with cables  
for Convection oven electric (RATIONAL)



RATIONAL 4000267

RATIONAL 8700397

**7150208 HEATING ELEMENT 4000W 230V**  
length 445 mm - width 155 mm  
total length 260 mm - ø 14 mm fittings  
for Convection oven (RATIONAL)



RATIONAL 4002077

**3355702 HEATING ELEMENT 6000W 230V**  
immersed length 380 mm - width 60 mm  
flange 80x28 mm  
for Convection oven electric (RATIONAL) CC6  
CD101 - CD20 - CD201 - CD6 - CM02 - CM101  
CM201 - CM6



RATIONAL 30043505  
RATIONAL 30044305

RATIONAL 30044112

RATIONAL 30044136

**3355708 HEATING ELEMENT 6000W 230V**  
immersed length 350 mm - width 65 mm  
flange 80x28 mm - with bulb sheath  
for Convection oven electric (RATIONAL) CC6  
CD101 - CD20 - CD201 - CD6 - CM6



RATIONAL 30044155  
RATIONAL 30044163

RATIONAL 30044156

RATIONAL 30044162

**3455342 HEATING ELEMENT 6000W 230V**  
immersed length 350 mm - width 65 mm  
flange 80x28 mm - with bulb sheath  
complete with thermocouple probe  
for Convection oven electric (RATIONAL) CC6  
CD101 - CD20 - CD201 - CD6 - CM101 - CM20  
CM201 - CM6



RATIONAL 30043516  
RATIONAL 30044114

RATIONAL 30044105  
RATIONAL 30044121

RATIONAL 30044108  
RATIONAL 30044307

**3355704 HEATING ELEMENT 6000W 400V**  
immersed length 380 mm - width 60 mm  
flange 80x28 mm  
for Convection oven electric (RATIONAL) CC101  
CC20 - CC201 - CM101 - CM20 - CM201



RATIONAL 30043508

RATIONAL 30044302

**3355709 HEATING ELEMENT 6000W 400V**  
immersed depth 375 mm - width 65 mm  
flange 80x28 mm - with bulb sheath  
for Convection oven electric (RATIONAL) CCM101  
CC101 - CC20 - CC201 - CM20 - CM201



RATIONAL 30044157  
RATIONAL 30044165

RATIONAL 30044158

RATIONAL 30044164





Suitable for:

# RATIONAL



Suitable for:

**3455331 HEATING ELEMENT 6000W 400V**  
immersed length 365 mm - width 65 mm  
flange 80x28 mm - with bulb sheath  
complete with thermocouple probe  
for Convection oven electric (RATIONAL) CC101  
CC20 - CC201 - CM20 - CM201



RATIONAL 30043518  
RATIONAL 30044120

RATIONAL 30043522  
RATIONAL 30044304

RATIONAL 30044117  
RATIONAL 30044304+30043518

**3455224 HEATING ELEMENT 9000W 230/400V**  
immersed depth 190 mm  
flange 82x82 mm - with 2 bulbs sheath  
complete with cables  
for Convection oven electric (RATIONAL) CM101E  
CM61E - SCC101E - SCC61E



RATIONAL 4400194

RATIONAL 4400534

RATIONAL 8700366

**3786136 HEATING ELEMENT GASKET**  
external dimensions 80x82 mm  
for Convection oven electric (RATIONAL)



RATIONAL 4400280

**3355707 HEATING ELEMENT 9000W 230V**  
immersed length 200 mm  
flange 82x82 mm - with bulb sheath  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD102 - CD201 - CD202 - CD61  
CCC101 - CCC201 - CCC202 - CCC61 - CCD102 - CCD202  
CCD61 - CCM101 - CCM201 - CCM202 - CCM61  
CM101M - CM202N - CM61 - CPC102 - CPC201  
CPC202 - CPC61



RATIONAL 32001200  
RATIONAL 32011009  
RATIONAL 87201590

RATIONAL 32011000  
RATIONAL 32011200

RATIONAL 32011004  
RATIONAL 32011206

**3786136 HEATING ELEMENT GASKET**  
external dimensions 80x82 mm  
for Convection oven electric (RATIONAL)



RATIONAL 4400280

**3355714 HEATING ELEMENT 9000W 230V**  
ø external 333 mm - overall height 190 mm  
connections M14x1.5 mm  
for Convection oven electric (RATIONAL) CC6 - CD6  
CM6



RATIONAL 30043507  
RATIONAL 30353524


RATIONAL 30043515

RATIONAL 30043524



Suitable for:

**3355715 HEATING ELEMENT 9000W 230V**  
 external ø 455 mm - height total 210 mm  
 flange 220x24 mm  
 for OVEN CCC61-CCC101-CCC201-CCD61-CCD101-CCD201  
 CCM101-CCM201-CCM61-CM61-CPC61-CPC101-CPC201  
 CM201N-CM101N  
 for OVEN CD61/CD101/CD201 SINCE JUNE 97  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD201 - CD61  
 CCC101 - CCC201 - CCC61 - CCD101 - CCD201 - CCD61  
 CCM101 - CCM201 - CCM61 - CM101N - CM201N  
 CM61 - CPC101 - CPC201 - CPC61



RATIONAL 32001000


Suitable for:

**3186492 HEATING ELEMENT GASKET**  
 external dimensions 209x45 mm  
 for Convection oven (RATIONAL)



RATIONAL 51101009

**3355716 HEATING ELEMENT 9000W 230V**  
 external ø 500 mm - height 130 mm  
 flange 220x24 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD201  
 CCC101 - CCC201 - CCD101 - CCD201 - CCM101  
 CCM201 - CM101N - CM2014N - CPC101 - CPC201



RATIONAL 32001001

RATIONAL 32001009


RATIONAL 87201595

**3186492 HEATING ELEMENT GASKET**  
 external dimensions 209x45 mm  
 for Convection oven (RATIONAL)



RATIONAL 51101009

**5035086 HEATING ELEMENT 9000W 230V**  
 external ø 425 mm - overall height 180 mm  
 flange 140x62 mm - complete with cables  
 for Convection oven electric (RATIONAL)



RATIONAL 4000261

RATIONAL 8700394

**7104621 HEATING ELEMENT 9000W 230V**  
 immersed depth 190 mm  
 flange 82x82 mm - with 2 bulbs sheath  
 complete with cables  
 for Convection oven electric (RATIONAL)



RATIONAL 4400292

RATIONAL 8700371

**3786136 HEATING ELEMENT GASKET**  
 external dimensions 80x82 mm  
 for Convection oven electric (RATIONAL)




RATIONAL 4400280



Suitable for:

**3755745 INTERNAL HEATING ELEMENT 15000W 230V**  
external ø 650 mm  
2 flanges 210x24 mm  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD202  
since 1/05/97  
CD102  
CCC102 - CCC202 - CCD102 - CCD202 - CCM102  
CCM202 - CM102N - CM202N - CPC102 - CPC202



RATIONAL 32001003

RATIONAL 32001017

RATIONAL 87201597

Suitable for:

**3186492 HEATING ELEMENT GASKET**  
external dimensions 209x45 mm  
for Convection oven (RATIONAL)



RATIONAL 51101009

## Hinges, catches and accessories

**3053447 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400147

**3053451 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400159

**5044931 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 29401303

**7104582 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 29401300

**5044933 HINGE LOWER OVEN DOOR**  
for Convection oven (RATIONAL)



RATIONAL 29301306

**5038941 PLATE FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 29401302

**5044931 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 29401303

**3053455 HINGE LOWER OVEN DOOR LH**  
for Convection oven (RATIONAL)



RATIONAL 2400223

**3053449 PIN FOR LOWER HINGE LOWER OVEN DOOR**  
for Convection oven (RATIONAL)



RATIONAL 2400146

**3053450 HINGE UPPER OVEN DOOR**  
for Convection oven (RATIONAL)



RATIONAL 2400133

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13080160

**5037587 SPRING FOR DOOR HINGE  $\varnothing$  14x28 mm**  
for Convection oven (RATIONAL)



RATIONAL 20010109


Suitable for:

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13080160

**7105337 PIN FOR OVEN DOOR LOWER HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400137

**3053447 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400147

**3053446 PIN FOR OVEN UPPER HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400048



Suitable for:

**7104583 HINGE UPPER OVEN DOOR**  
for Convection oven (RATIONAL)



RATIONAL 29301307

**3528010 FLAT WASHER M6**  
ø internal/external 6,4/12 mm - thickness 1,6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13060120

**5037587 SPRING FOR DOOR HINGE ø 14x28 mm**  
for Convection oven (RATIONAL)



RATIONAL 20010109

**3053449 PIN FOR LOWER HINGE LOWER OVEN DOOR**  
for Convection oven (RATIONAL)



RATIONAL 2400146

**3053448 PIN FOR OVEN DOOR LOWER HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400145

Suitable for:

**7104582 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 29401300

**5015677 PIN FOR UPPER HINGE OVEN DOOR**  
length 49 mm  
for Convection oven (RATIONAL)



RATIONAL 21201254

**3053451 BUSHING FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)




RATIONAL 2400159



Suitable for:

**9528028** **HEXAGON HEAD SCREW M8x30**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017




## RATIONAL



Suitable for:

RATIONAL 10080766

**7105337** **PIN FOR OVEN DOOR LOWER HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400137

**5015677** **PIN FOR UPPER HINGE OVEN DOOR**  
length 49 mm  
for Convection oven (RATIONAL)



RATIONAL 21201254

**5037587** **SPRING FOR DOOR HINGE  $\varnothing$  14x28 mm**  
for Convection oven (RATIONAL)



RATIONAL 20010109

**3053446** **PIN FOR OVEN UPPER HINGE**  
for Convection oven (RATIONAL)



RATIONAL 2400048

**5038941** **PLATE FOR OVEN DOOR HINGE**  
for Convection oven (RATIONAL)



RATIONAL 29401302

## Hose reels

**3359292** **BLACK SHOWER CASE**  
for Convection oven (RATIONAL)  
since 1/01/04  
Series SCC



RATIONAL 5000130



Suitable for:

# RATIONAL



Suitable for:

## Hose reels

**3359143 BLACK SHOWER CASE  $\varnothing$  1/2" M**  
for Convection oven (RATIONAL) - Series CPC




RATIONAL 20600215

RATIONAL 20601000

RATIONAL 20601006

**3359144 SPRAY HEAD FASTENING**  
for Convection oven (RATIONAL)



RATIONAL 20601210

**5039350 CONNECTION HOSE FOR COILING HOSE 590 mm**  
for Convection oven (RATIONAL)



RATIONAL 5000174

**5061240 HOSE FITTING COILING HOSE 445 mm**  
for Convection oven (RATIONAL)



RATIONAL 5000172

**5050340 HOSE FOR SHOWER COILING ASSEMBLY 1345 mm**  
for Convection oven (RATIONAL)



RATIONAL 20670710

**5033913 HOSE FOR SHOWER COILING ASSEMBLY 1500 mm**  
for Convection oven (RATIONAL)



RATIONAL 20670605

RATIONAL 20670610

**7105034 HOUSING FOR SHOWER BLACK**



RATIONAL 5000549

**5021511 KIT SHOWER HOUSING BLACK  $\varnothing$  1/2" M**  
complete with supports  
for Convection oven (RATIONAL)



RATIONAL 20600100

**3359289 SHOWER COILER UNIT**  
with pipe 210 cm  
for Convection oven electric (RATIONAL) CPC201  
CPC202  
for Convection oven gas (RATIONAL) CPC201G  
CPC202G



RATIONAL 86552020

RATIONAL 86552020P

RATIONAL 86552021

**3359296 SHOWER COILER UNIT**  
with pipe 100 cm  
for Convection oven electric (RATIONAL)  
since 1/01/04  
till 1/01/04  
SCC101E - SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/01/04  
till 1/01/04  
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 5000140P

RATIONAL 5001238P





Suitable for:

# RATIONAL



**7105692 SHOWER COILER UNIT**



RATIONAL 5000799

RATIONAL 5000799P


Suitable for:

**7105034 HOUSING FOR SHOWER BLACK**



RATIONAL 5000549

**2110901 SHOWER ROLL ASSEMBLY**  
with 120 cm hose  
for Convection oven (RATIONAL)



RATIONAL 8410103


**5042442 SHOWER ROLL ASSEMBLY**  
with 150 cm hose  
for Convection oven (RATIONAL)



RATIONAL 5000176P

RATIONAL 5001239P

**3359144 SPRAY HEAD FASTENING**  
for Convection oven (RATIONAL)



RATIONAL 20601210

## Hydraulic piping

**7101121 HOSE SILICONE ø 17/10 mm 200 mm**  
for Convection oven (RATIONAL)



RATIONAL 20670114

**3450209 RUBBER PIPE ø 13x20 mm - 40 m**  
operating temperature -40+100°C



RATIONAL 20670301

RATIONAL 20670315

RATIONAL 21101017

**3450109 RUBBER PIPE ø 13x20 mm - 5 m**  
operating temperature -40+100°C



RATIONAL 20670300

RATIONAL 20670301

RATIONAL 20670315

**1449689 SILICONE HOSE ø 10x13 SHORE 60 - 10 m**  
alimentary



RATIONAL 21101008

RATIONAL 21101017





Suitable for:

# RATIONAL



Suitable for:

- 5038453 SILICONE PIPE  $\varnothing$  17/10 mm 1000 mm**  
for Convection oven electric (RATIONAL) CM201E  
CM202E - SCC201E - SCC202E  
for Convection oven gas (RATIONAL) CM201G - CM202G  
SCC201G - Series SCC202G



RATIONAL 1010525

RATIONAL 20670050

## Incandescent lamps and neon lamps

- 3221252 NEON LAMP FOR OVEN Ba15d 7W 230V**  
dimensions  $\varnothing$  16x35 mm  
for OVEN



RATIONAL 30250306

- 3221067 NEON LAMP FOR OVEN E10 2W 230V**  
dimensions  $\varnothing$  10x28 mm  
for OVEN



RATIONAL 30240300

- 3221250 NEUTRAL HALOGEN LAMP G4 10W 12V**  
max. temperature 300°C



RATIONAL 30240201

RATIONAL 30240201P

- 3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



RATIONAL 30240200

- 3221253 OVEN LAMP E14 6/10W 230V**  
dimensions  $\varnothing$  16x52 mm  
for Convection oven (RATIONAL)



RATIONAL 30250304

- 3221251 OVEN LAMP T10 2W 24V**  
dimensions  $\varnothing$  10x28 mm  
for Convection oven (RATIONAL)



RATIONAL 30240210

RATIONAL 30250210



## Indicator lights

- 3221425 GREEN INDICATOR LAMP 1W 250V**  
wire connection length 95 mm - 120°C  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CD - Series CPC



RATIONAL 30240309

- 3221586 HEAT ORANGE INDICATOR LAMP 1W**  
wire connection  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CCD



RATIONAL 30240307

- 3221097 NEUTRAL INDICATOR LAMP 220V**  
head ø 8 mm - 120°C




RATIONAL

- 3221163 ORANGE LAMP RECEPTACLE**  
head ø 15 mm - hole ø 10 mm



RATIONAL

- 3221427 RED INDICATOR LAMP 250V 1W**  
wire connection length 95 mm - 120°C  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CD - Series CPC



RATIONAL 30240310

## Interference suppression filters

- 2111282 INTERF. SUPPRES. FILTER LUETZE 0.22µF 24**  
for Convection oven (RATIONAL)



RATIONAL 1003379

RATIONAL 30350508

- 5048545 INTERF. SUPPRES. FILTER SCHURTER**  
for Convection oven (RATIONAL)




RATIONAL 4002424

- 5020722 INTERF. SUPPRES. FILTER 250/440Vac**  
for Convection oven (RATIONAL)



RATIONAL 30010455

- 3351240 INTERFERENCE SUPPR.FILTER AEG EB05-A240**  
72-240V



RATIONAL 30350517



Suitable for:

**5024801 INTERFERENCE SUPPRES.FILTER 1.5 $\mu$ F 275Vac**  
for Convection oven (RATIONAL)



RATIONAL 31021000

Suitable for:

**3351242 INTERFERENCE SUPPRESSION FILTER AEG LR3K**  
130-250V



RATIONAL 30350509

RATIONAL 30350519

## Ironmongery (screws,nuts,washers)

**5022406 COUNTERSUNK FLAT HEAD SCREWS M5x16**  
hexagon socket - stainless steel  
UNI 5933 - DIN 7991 - ISO 10642



RATIONAL 10051960

**5015285 COUNTERSUNK FLAT HEAD SCREWS M6x16**  
hexagon socket - stainless steel  
UNI 5933 - DIN 7991 - ISO 10642  
for Convection oven electric (RATIONAL) CPC61



RATIONAL 10061960

**3528010 FLAT WASHER M6**  
ø internal/external 6,4/12 mm - thickness 1,6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13060120

**3743145 FLAT WASHER M8**  
internal/external ø 8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13080160

**5022029 HEXAGON HEAD SCREW M10x16**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100760

**3528202 HEXAGONAL NUT M6 SHORT**  
stainless steel - UNI 5589 - DIN 936 - ISO 4035



RATIONAL 11060220

**1528030 MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



RATIONAL 11060160

RATIONAL 11060803

## Knobs

**3241361 BLACK KNOB ø 40 mm**  
round hole ø 6 mm with fastening screw  
for timer  
for Convection oven (RATIONAL) - Series CM



RATIONAL 30130325

**3241363 BLACK KNOB ø 50 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CD




RATIONAL 30130113

**3241677 BLACK KNOB ø 50 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL)  
since 1/01/04  
Series CM - Series SCC



RATIONAL 1600282

**3241362 BLACK KNOB ø 50 mm 10-120'**  
D-shaped hole 6x4.6 mm  
for timer  
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130108

**3241359 BLACK KNOB ø 50 mm 5-120'**  
D-shaped hole 6x4.6 mm  
for timer  
for Convection oven (RATIONAL) - Series CD



RATIONAL 30130105

**3241279 BLUE KNOB ø 52 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CCD  
Series CCM



RATIONAL 1003340

RATIONAL 30130344


**3242675 BLUE KNOB ø 60 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CD  
Series CPC



RATIONAL 1003341

RATIONAL 30130355

**3241360 GREY KNOB ø 40 mm**  
D-shaped hole 6x4.6 mm  
for timer  
for Convection oven (RATIONAL) - Series CCD  
Series CCM - Series CM



RATIONAL 30130330



# RATIONAL



Suitable for:

**3241696 GREY KNOB ø 70 mm**  
round hole ø 5 mm  
for Convection oven electric (RATIONAL)  
Series SCC  
for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 1600232

Suitable for:

**3241358 KNOB BLACK ø 50 mm 50-300°C**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL) - Series CD



RATIONAL 1003339


RATIONAL 30130201

**5056747 KNOB BLACK ø 52 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 30130345

**7106617 KNOB BLACK ø 67 mm**  
round hole ø 5 mm  
for Convection oven (RATIONAL)



RATIONAL 1600231

**5024397 KNOB BLUE ø 40 mm**  
round hole ø 6 mm  
for Convection oven (RATIONAL)



RATIONAL 30130329

**7109706 KNOB SILVER ø 70 mm**  
round hole ø 5 mm  
for Convection oven (RATIONAL)



RATIONAL 1602062

## Lamp receptacles and spare parts

**3221413 EXTERNAL GASKET F/GLASS LAMP RECEPTACLE**  
external dimensions 80x65 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000093

**3221423 EXTERNAL GASKET F/LAMP RECEPTACLE GLASS**  
external dimensions 93x70 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003483

RATIONAL 51101022

## 3221429 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 115x90 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 85141007

RATIONAL 85141017

## 3221434 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 85x100 mm  
complete with glass and glass gasket  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000091

RATIONAL 4000096

## 3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  48x38x5 mm  
for OVEN



RATIONAL 30250003

RATIONAL 50120509

## 3221428 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 96x73 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003487

RATIONAL 52011000

## 3221433 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 80x65 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000095

## 3221232 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 53 mm

thread  $\varnothing$  33 mm - overall height 32 mm



RATIONAL 30250002

## 3221412 HALOGEN LAMP RECEPTACLE G4 10W 12V

wire connection length 130 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC



RATIONAL 1003539

RATIONAL 85141018

## 3221431 HALOGEN LAMP RECEPTACLE G4 10W 12V

wire connection length 150 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000098





Suitable for:

# RATIONAL



## 3221414 INTERNAL GASKET F/LAMP RECEPTACLE GLASS

external dimensions 83x70 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000094

## 3221422 INTERNAL GASKET F/LAMP RECEPTACLE GLASS

external dimensions 100x75 mm  
for Convection oven (RATIONAL)  
since 1/05/93  
Series CPC




RATIONAL 1003484

RATIONAL 51101023

## 3221311 LAMP RECEPTACLE E14 25W 230V

mounting hole  $\varnothing$  36 mm  
max temperature 300°C



RATIONAL

## 3221679 LAMP RECEPTACLE W/LAMP E14 15W 230V

lamp glass  $\varnothing$  53 mm  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C  
for Convection oven (RATIONAL)



RATIONAL 30230501

## 3221053 GASKET FOR OVEN LAMP RECEPTACLE

dimensions  $\varnothing$  48x38x5 mm  
for OVEN



RATIONAL 30250003

RATIONAL 50120509

## 3221041 OVEN LAMP E14 15W 230V

max temperature 300°C  
for OVEN - PIZZA OVEN



RATIONAL 30240200

## 3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V

lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C  
for Convection oven (RATIONAL)



RATIONAL 30230502

RATIONAL 30230506

## 3221625 OVEN LAMP RECEPTACLE $\varnothing$ 51 mm

thread  $\varnothing$  33 mm - overall height 27 mm  
for Convection oven (RATIONAL)




RATIONAL 30250002



## Level regulators

- 3341049 230V CARD LEVEL ADJUSTER SET**  
230V 50/60Hz  
NEW TYPE



RATIONAL 87201501

## Level sensors

- 7110349 KIT LEVEL PROBE M15x1.5 mm 110 mm**  
complete with connecting cable  
for Convection oven (RATIONAL)



RATIONAL 4401290

RATIONAL 8701218

- 5049485 KIT LEVEL PROBE M15x1.5 mm 150 mm**  
complete with connecting cable  
for Convection oven (RATIONAL)



RATIONAL 4400287

RATIONAL 4401371

RATIONAL 8701221

- 7110169 KIT LEVEL PROBE M15x1.5 mm 190 mm**  
complete with connection cable  
for Convection oven (RATIONAL)



RATIONAL 4400514

RATIONAL 8701219

- 3341051 LEVEL PROBE 3 ELECTRODES PG9 108 mm**  
for Convection oven (RATIONAL)



RATIONAL 30020401

RATIONAL 30020410

- 3341042 LEVEL PROBE 3 ELECTRODES PG9 112 mm**  
for Convection oven (RATIONAL) - Series CM  
Series CPC



RATIONAL 30020409

- 3341052 LEVEL PROBE 3 ELECTRODES PG9 130 mm**  
for Convection oven (RATIONAL)




RATIONAL 30020402

- 3341043 PROBE HOUSING 83x83 mm**  
for Convection oven (RATIONAL) - Series CPC  
Series SCC



RATIONAL 29201300

- 5021575 PROBE SLOT 185x95 mm**  
for Convection oven (RATIONAL)



RATIONAL 83541302



Suitable for:


# RATIONAL



Suitable for:

## Microswitches


**3240753 DOOR MAGNETIC MICROSWITCH MK12**  
with cable length 1600 mm - head 32x7x15 mm  
for Convection oven (RATIONAL)  
since 1/01/04  
Series SCC  
for Convection oven electric (RATIONAL)  
since 1/01/04  
till 1/01/04  
SCC101 - SCC102 - SCC201 - SCC202 - SCC61  
for Convection oven gas (RATIONAL)  
since 1/01/04  
till 1/01/04  
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G



RATIONAL 4000335

RATIONAL 4000454

**3240754 MAGNET FOR MICROSWITCH ø 10x40 mm**  
for Convection oven electric (RATIONAL)  
since 1/01/96  
till 1/01/00  
CPC101 - CPC102 - CPC201 - CPC202 - CPC61  
for Convection oven gas (RATIONAL)  
since 1/01/96  
till 1/01/00  
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30161409

**3240437 MAGNET FOR MICROSWITCH 25x12x9 mm**  
for Convection oven (RATIONAL)



RATIONAL 30161412

**3240436 MAGNETIC MICRO SWITCH MK12**  
with cable 4000 mm - head 32x15 mm  
for Convection oven (RATIONAL)



RATIONAL 30161408

RATIONAL 30161415

**3240437 MAGNET FOR MICROSWITCH 25x12x9 mm**  
for Convection oven (RATIONAL)



RATIONAL 30161412

**3240763 MAGNETIC MICROSWITCH ø 8x65 mm**  
with cable length 2800 mm  
for Convection oven electric (RATIONAL)  
since 1/01/00  
till 1/01/00  
CPC101 - CPC202 - CPC61  
CPC201 - CPC202  
for Convection oven gas (RATIONAL)  
since 1/01/00  
till 1/01/00  
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30161417

RATIONAL 30161436

RATIONAL 30161437


**3240568 MICROSWITCH EF83161.3 16A 250V**  
for Convection oven (RATIONAL)



RATIONAL 30160101

Suitable for:

**1240805 MICROSWITCH G26 16A 250V**  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CM



RATIONAL 30403011

Suitable for:

**5037761 MICROSWITCH VALVE 0.1A 250V**  
for Convection oven electric (RATIONAL)  
Series SCC  
for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 30160102

**3240054 MICROSWITCH 83731 5A 250V**  
with cable length 500 mm  
for Convection oven (RATIONAL)



RATIONAL 30161400

RATIONAL 30161403

RATIONAL 30161407

## Motors

**7105811 COUNTER FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  26 mm - thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160875

**5039512 FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160876

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563



Suitable for:

# RATIONAL




**5061618 KIT MOTOR FAN 0.55Kw 100/240V**  
TYPE EBM M3G084-FA25-24  
for Convection oven (RATIONAL)



RATIONAL 4003378

RATIONAL 4003378P

**5037762 MOTOR SHAFT GASKET KIT**  
for Convection oven electric (RATIONAL)  
Series CM DAL 2006 - Series SCC DAL 2008  
Series SCCWE  
for Convection oven gas (RATIONAL)  
Series CM DAL 2006 - Series SCC DAL 2008  
Series SCCWE



RATIONAL 2200083

RATIONAL 8700564


**3340069 MOTOR FAN SET 0.45Kw 100/240V**  
TYPE EBM M3G084-FA22-16  
for Convection oven electric (RATIONAL)  
since 1/10/08  
CM101E - CM102E - CM201E - CM202E - CM61E - CM62E  
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
SCC62E  
for Convection oven gas (RATIONAL)  
since 1/10/08  
CM101G - CM102G - CM201G - CM202G - CM61G - CM62G  
SCC101G - SCC102G - SCC201G - SCC202G - SCC61G  
SCC62G



RATIONAL 4000274

RATIONAL 4000274P

**5037758 FAN ø 340 mm**  
thickness 130 mm  
number of blades 9 - tapered hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 2200192

**5044377 FAN ø 340 mm**  
thickness 95 mm  
number of blades 9 - tapered hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 2200188

**3340010 MOTOR SHAFT FLANGE**  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 2200123

**5037762 MOTOR SHAFT GASKET KIT**  
for Convection oven electric (RATIONAL)  
Series CM DAL 2006 - Series SCC DAL 2008  
Series SCCWE  
for Convection oven gas (RATIONAL)  
Series CM DAL 2006 - Series SCC DAL 2008  
Series SCCWE



RATIONAL 2200083


RATIONAL 8700564

**2111025 MOTOR L7RW84D-208 380/415/460V**  
P2: 0.040/0.37Kw P1: 0.10/0.55Kw  
50/60Hz 0.3/0.85A - 710/1350rpm 850/1680rpm  
for Convection oven (RATIONAL)



RATIONAL 31001000

**7106118 FAN ø 350 mm**  
thickness 125 mm  
number of blades 12 - tapered hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 20120900

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563

**3786369 MAIN SHAFT SEALING GASKET**  
external ø 37 mm - internal ø 24.5 mm  
thickness 4 mm  
for Convection oven (RATIONAL)  
since 1/11/90  
Series CLASSIC 20



RATIONAL 50010211

**3240115 MOTOR L7ZAW4D-099 0.245Kw**  
230/415V 50/60Hz  
for Convection oven electric (RATIONAL) CC101  
CC201 - CC6 - CD101 - CD20 - CD201 - CD6  
CM101 - CM20 - CM201 - CM6



RATIONAL 30010400

RATIONAL 30010426

Suitable for:

**7105811 COUNTER FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 26 mm - thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160875

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160876

**5022029 HEXAGON HEAD SCREW M10x16**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100760




Suitable for:

# RATIONAL



**3240720 MOTOR L7ZAW4D-199 0.16/0.26Kw**  
220/240V - 50/60Hz 1.3A - 1420/1720rpm  
capacitor 16 µf  
for Convection oven electric (RATIONAL) CM101  
CM201  
for Convection oven gas (RATIONAL) CM62G



RATIONAL 30010441

**3786497 MOTOR SHAFT GASKET**  
for Convection oven (RATIONAL)



RATIONAL 50020300

RATIONAL 50020301

**3240116 MOTOR L9CW4D-161 0.37/0.58Kw**  
2. 85/1. 65A - 1400rpm - 230/415V 50Hz  
for Convection oven electric (RATIONAL) CC20  
CD20 - CM20



RATIONAL 30010403

RATIONAL 30010428

RATIONAL 30010436


**3786497 MOTOR SHAFT GASKET**  
for Convection oven (RATIONAL)



RATIONAL 50020300

RATIONAL 50020301

**3240755 MOTOR L9CW4D-304 0.45/0.65Kw**  
220/240/380/415V 50Hz  
1.9/1.1A - 1400rpm  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD201 - CD61  
CM101 - CM101N - CM201 - CM201N - CM61



RATIONAL 31001021

**5022029 HEXAGON HEAD SCREW M10x16**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017




RATIONAL 10100760

**5022029 HEXAGON HEAD SCREW M10x16**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100760

**3240757 FAN ø 350 mm**  
thickness 135 mm  
total blades 12 - ø tapered hole 13-16.5 mm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC101 - CPC201 - CPC61



RATIONAL 1012741


RATIONAL 20120512





Suitable for:

**5014685 FAN ø 350 mm**  
thickness 125 mm  
number of blades 12 - conical hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 20120507


**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563

**3240761 MOTOR L9DFW4D-518 0.68/0.87Kw**  
240V 60Hz - 2.9A - 1730rpm  
for Convection oven electric (RATIONAL)  
since 1/12/01  
CD101 - CD201 - CD61 - CM101 - CM201 - CM61  
CPC101 - CPC201 - CPC61  
for Convection oven gas (RATIONAL)  
since 1/12/01  
CM101G - CM61G




RATIONAL 1010303

RATIONAL 31001080

RATIONAL 31001083

**5014685 FAN ø 350 mm**  
thickness 125 mm  
number of blades 12 - conical hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 20120507

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563

## RATIONAL



Suitable for:

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)




RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**3240757 FAN ø 350 mm**  
thickness 135 mm  
total blades 12 - ø tapered hole 13-16.5 mm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC101 - CPC201 - CPC61



RATIONAL 1012741

RATIONAL 20120512

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762




Suitable for:

# RATIONAL




**7106494 MOTOR L9DFW4D-519 0.68/0.87Kw**  
240V 60Hz - 2.9A - 1730rpm  
for Convection oven (RATIONAL)



RATIONAL 31001081

RATIONAL 31001084

**7104102 FAN ø 450 mm**  
thickness 155 mm  
number of blades 12 - tapered hole ø 13.5-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120508

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207


RATIONAL 8700563

**5036677 MOTOR L9FGW4D-395 220/240/380/415V**  
P2: 1Kw P1: 1.25Kw  
50Hz 4/2.3A - 1400rpm  
for Convection oven (RATIONAL)



RATIONAL 31001023

**7104102 FAN ø 450 mm**  
thickness 155 mm  
number of blades 12 - tapered hole ø 13.5-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120508

Suitable for:

**5037083 FAN ø 450 mm**  
thickness 165 mm  
number of blades 12 - tapered hole ø 14-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120513

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**5037083 FAN ø 450 mm**  
thickness 165 mm  
number of blades 12 - tapered hole ø 14-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120513

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160876



Suitable for:

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207


RATIONAL 8700563

**5054035 MOTOR L9FGW4D-395 220/240/380/415V**  
P2: 1Kw P1: 1.25Kw  
50Hz 4/2.3A - 1400rpm  
for Convection oven (RATIONAL)



RATIONAL 31001069

**7104102 FAN Ø 450 mm**  
thickness 155 mm  
number of blades 12 - tapered hole Ø 13.5-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120508

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563

**5014684 MOTOR L9FW4D-397 0.45/0.615Kw**  
230/240V 50Hz - 3.1A - 1440rpm  
for Convection oven (RATIONAL)



RATIONAL 31001024

RATIONAL 31001044

## RATIONAL




Suitable for:

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**5037083 FAN Ø 450 mm**  
thickness 165 mm  
number of blades 12 - tapered hole Ø 14-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120513

**5039512 FLANGE FOR MOTOR SHAFT**  
external Ø 60 mm - internal Ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)




RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**3240757 FAN Ø 350 mm**  
thickness 135 mm  
total blades 12 - Ø tapered hole 13-16.5 mm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC101 - CPC201 - CPC61




RATIONAL 1012741

RATIONAL 20120512



Suitable for:

**5014685 FAN ø 350 mm**  
thickness 125 mm  
number of blades 12 - conical hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 20120507

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563

**5017597 MOTOR L9FW4D-397 0.45/0.615Kw**  
230/240V 50Hz - 3.1A - 1440rpm  
for Convection oven (RATIONAL)




RATIONAL 31001061

**3528010 FLAT WASHER M6**  
ø internal/external 6,4/12 mm - thickness 1,6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



RATIONAL 13060120

**3240481 MOTOR L9XW84D-393 0.45/0.66Kw**  
380/415V 50Hz - 0.4/1.15A - 700/1400rpm  
for Convection oven (RATIONAL)



RATIONAL 31001020

## RATIONAL



Suitable for:

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)




RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**3240757 FAN ø 350 mm**  
thickness 135 mm  
total blades 12 - ø tapered hole 13-16.5 mm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC101 - CPC201 - CPC61



RATIONAL 1012741


RATIONAL 20120512

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**3240757 FAN ø 350 mm**  
thickness 135 mm  
total blades 12 - ø tapered hole 13-16.5 mm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC101 - CPC201 - CPC61



RATIONAL 1012741


RATIONAL 20120512





Suitable for:

**5014685 FAN ø 350 mm**  
thickness 125 mm  
number of blades 12 - conical hole ø 13-16 mm  
for Convection oven (RATIONAL)



RATIONAL 20120507

**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563

**3240762 MOTOR L9XW84D-393 0.45/0.66Kw**  
380/415V 50Hz - 0.4/1.15A - 700/1400rpm  
for Convection oven electric (RATIONAL) CPC101  
CPC201 - CPC61



RATIONAL 31001049

**3340009 MOTOR L9XW84D-408 220/240V**  
P2: 0.08/0.45Kw P1: 0.14/0.66Kw  
50Hz 0.7/2A - 700/1400rpm  
for Convection oven electric (RATIONAL)  
since 1/02/99  
CPC102 - CPC202



RATIONAL 31001048

## RATIONAL



Suitable for:

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)




RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**3240757 FAN ø 350 mm**  
thickness 135 mm  
total blades 12 - ø tapered hole 13-16.5 mm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC101 - CPC201 - CPC61



RATIONAL 1012741

RATIONAL 20120512

**3786369 MAIN SHAFT SEALING GASKET**  
external ø 37 mm - internal ø 24.5 mm  
thickness 4 mm  
for Convection oven (RATIONAL)  
since 1/11/90  
Series CLASSIC 20



RATIONAL 50010211



Suitable for:

**3340010 MOTOR SHAFT FLANGE**  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 2200123

## RATIONAL



Suitable for:

**3786497 MOTOR SHAFT GASKET**  
for Convection oven (RATIONAL)



RATIONAL 50020300


RATIONAL 50020301

**3240756 MOTOR L9ZW84D-394 380/415V**  
P2: 0.12/0.9Kw P1: 0.24/1.2Kw  
50Hz 0.9/2.1A - 700/1380rpm  
for Convection oven electric (RATIONAL)  
since 1/01/99  
CPC102 - CPC202



RATIONAL 31001068

**7104102 FAN ø 450 mm**  
thickness 155 mm  
number of blades 12 - tapered hole ø 13.5-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120508


**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207


RATIONAL 8700563

**5037853 MOTOR L9ZW84D-394 380/415V**  
P2: 0.12/0.9Kw P1: 0.24/1.2Kw  
50Hz 0.9/2.1A - 700/1380rpm  
for Convection oven (RATIONAL)



RATIONAL 31001022

**5037083 FAN ø 450 mm**  
thickness 165 mm  
number of blades 12 - tapered hole ø 14-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120513

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)




RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**5037083 FAN ø 450 mm**  
thickness 165 mm  
number of blades 12 - tapered hole ø 14-17 mm  
for Convection oven (RATIONAL)




RATIONAL 20120513





Suitable for:

**7104102 FAN ø 450 mm**  
thickness 155 mm  
number of blades 12 - tapered hole ø 13.5-17 mm  
for Convection oven (RATIONAL)



RATIONAL 20120508


**3240482 GASKET KIT FOR MAIN SHAFT**  
for Convection oven (RATIONAL)



RATIONAL 50010207

RATIONAL 8700563

**2110792 MOTOR MEASURING HUMIDITY**  
for Convection oven (RATIONAL)



RATIONAL 86801006

**5037762 MOTOR SHAFT GASKET KIT**  
for Convection oven electric (RATIONAL)  
Series CM DAL 2006 - Series SCC DAL 2008  
Series SCCWE  
for Convection oven gas (RATIONAL)  
Series CM DAL 2006 - Series SCC DAL 2008  
Series SCCWE



RATIONAL 2200083

RATIONAL 8700564

## RATIONAL



Suitable for:

**5039512 FLANGE FOR MOTOR SHAFT**  
external ø 60 mm - internal ø 22 mm  
thickness 6 mm  
for Convection oven (RATIONAL)



RATIONAL 20160876

**3528028 HEXAGON HEAD SCREW M10x20**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



RATIONAL 10100762

**3340010 MOTOR SHAFT FLANGE**  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 2200123



Suitable for:

# RATIONAL



Suitable for:

## Non-return and expansion valves

**5030100 VALVE FOR BOILER AIRING 125x60 mm**  
ø 10 mm hose-end  
for Convection oven electric (RATIONAL) CM  
Series SCC - Series SCCWE  
for Convection oven gas (RATIONAL) - Series CM  
Series SCC - Series SCCWE



RATIONAL 83541304

**7104570 VALVE OVEN VENTILATION ø 20x18 mm**  
complete with O-ring gasket  
hole ø 2 mm  
for Convection oven (RATIONAL)



RATIONAL 20690108

## Outlet solenoid valves and accessories

**3356145 BOILER DRAIN VALVE**  
12 Vdc  
for Convection oven electric (RATIONAL)  
Series SCC  
for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 5400357

RATIONAL 5401291

RATIONAL 8701191

**3322303 VALVE CLIMATE CONTROL COMPLETE 12V**  
shaft ø 6 mm  
for Convection oven electric (RATIONAL)  
Series SCC  
for Convection oven gas (RATIONAL) - Series SCC




RATIONAL 2200318

**7110467 VALVE CLIMATE CONTROL COMPLETE 12V**  
ø shaft 6 mm  
for Convection oven (RATIONAL)



RATIONAL 2200568

**5022927 VALVE FOR CLIMATE COMPLETE 12Vdc**  
ø shaft 6 mm  
for Convection oven (RATIONAL)



RATIONAL 84501319

## OR and ORM gaskets

**5034731 GASKET FILTER**  
for Convection oven (RATIONAL)




RATIONAL 50120565



## Penetration probes

### 3397159 KIT PROBE PENETRATION TCK

8 wires - connector fitting  
bulb length 97 mm  
cable length 2160 mm  
with fastening coupling M16  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC201E - SCC202E  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC201G - SCC202G



RATIONAL 4000295

RATIONAL 8700096

### 3397160 KIT PROBE PENETRATION TCK

complete with accessories  
3 wires - connector fitting  
bulb  $\varnothing$  3x97 mm  
cable length 2100 mm - handle length 40 mm  
with fastening coupling M16  
for Convection oven (RATIONAL)



RATIONAL 8700097

### 5062804 PENETRATION PROBE

3 wires - connector fitting  
probe length 98 mm  
cable length 2450 mm  
with fastening coupling M16  
for Convection oven (RATIONAL)



RATIONAL 4004040P

### 3397052 PENETRATION PROBE PT100

2 wires - probe length 180 mm  
cable length 3000 mm  
with fastening coupling M12  
for Convection oven (RATIONAL) - Series CD  
Series CM



RATIONAL 30250608

RATIONAL 30350607

RATIONAL 30350703

RATIONAL 30350604

RATIONAL 30350608

RATIONAL 30350605

RATIONAL 30350623

### 3397071 PENETRATION PROBE PT100

2 wires - probe for hot compartment  
probe length 100 mm  
silicone cable length 1500 mm  
for Convection oven (RATIONAL) - Series CD  
Series CM



RATIONAL 30140151

### 3397056 PROBE PENETRATION TCK

2 wires - probe length 175 mm  
cable length 3000 mm  
with fastening coupling M10  
for Convection oven (RATIONAL) - Series CC



RATIONAL 3035.0713

RATIONAL 30350702

RATIONAL 30350709

RATIONAL 30350712

RATIONAL 30350700

RATIONAL 30350704

RATIONAL 30350710

RATIONAL 30350701

RATIONAL 30350708

RATIONAL 30350711



Suitable for:

Suitable for:

**3397133 PROBE PENETRATION TCK**  
10 wires - connector fitting  
probe length 100 mm  
cable length 1800 mm  
with fastening coupling M12  
for Convection oven (RATIONAL)  
since 1/01/99  
CPC



RATIONAL 30350714  
RATIONAL 30350717

RATIONAL 30350715  
RATIONAL 30350717ET

RATIONAL 30350716

**3397134 PROBE PENETRATION TCK**  
8 wires - connector fitting  
probe length 110 mm  
cable length 2200 mm  
with fastening coupling M15  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000293  
RATIONAL 4000606P

RATIONAL 4000294  
RATIONAL 4001604

RATIONAL 4000606  
RATIONAL 4004097P

**3397157 PROBE PENETRATION TCK**  
3 wires - connector fitting  
bulb ø 3x97 mm  
cable length 2100 mm - handle length 40 mm  
with fastening coupling M16  
for Convection oven electric (RATIONAL)  
since 1/08/05  
CM201E - CM202E  
for Convection oven gas (RATIONAL)  
since 1/08/05  
CM201G - CM202G



RATIONAL 4002102

RATIONAL 4002102P

RATIONAL 4002103

**3397158 PROBE PENETRATION TCK**  
8 wires - connector fitting  
bulb ø 3x97 mm  
cable length 2100 mm - handle length 40 mm  
with fastening coupling M15  
for Convection oven electric (RATIONAL)  
since 1/08/05  
SCC201E - SCC202E  
for Convection oven gas (RATIONAL)  
since 1/08/05  
SCC201G - SCC202G



RATIONAL 4002100

RATIONAL 4002100P

RATIONAL 4002101

**5035087 PROBE PENETRATION TCK**  
2 wires- connector fitting  
probe length 100 mm  
cable length 2300 mm  
with fastening coupling M15  
for Convection oven electric (RATIONAL)  
Series CM61 DAL 2006  
for Convection oven gas (RATIONAL)  
Series CM61 DAL 2006



RATIONAL 4000296  
RATIONAL 4000608P

RATIONAL 4000297  
RATIONAL 4001603

RATIONAL 4000608



## Potentiometers

### 3057234 COMPLETE POTENTIOMETER WITH CABLE

D-shaped pin 6x4.6 mm  
for Convection oven (RATIONAL)  
since 1/01/04  
Series CM - Series SCC



RATIONAL 4000464

### 3057235 POTENTIOMETER


D-shaped pin 6x4.6 mm  
for Convection oven (RATIONAL) - Series CCM  
Series CM



RATIONAL 30400268

### 5054686 POTENTIOMETER

D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 30400156

### 3057106 POTENTIOMETER SELECTOR SWITCH

D-shaped pin 6x4.6 mm - pin length 27 mm  
for hot air  
for Convection oven (RATIONAL)  
till 30/04/89  
Series CM



RATIONAL 30400150

### 3057107 POTENTIOMETER SELECTOR SWITCH


pin  $\varnothing$  6 mm - pin length 36 mm  
for penetration probe  
for Convection oven (RATIONAL)  
till 30/04/89  
Series CM



RATIONAL 30400151

### 3157002 POTENTIOMETER 0-150°C

probe type PT100 (not included)



RATIONAL 30350600

### 3057231 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

pin  $\varnothing$  6 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC



RATIONAL 4000404

### 3057232 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

D-shaped pin 6x4.6 mm  
for Convection oven electric (RATIONAL)  
since 1/01/97  
CPC101 - CPC102 - CPC201 - CPC202 - CPC61  
for Convection oven gas (RATIONAL)  
since 1/01/97  
CPC101G - CPC102G - CPC201G - CPC202G - CPC61G



RATIONAL 30400258

RATIONAL 88171303



Suitable for:

# RATIONAL



Suitable for:

## Pressure switches

### 3320185 GAS PRESS.SWITCH CONTROL BOX HONEYWELL

pressione 13-15,5 mbar  
room temperature -10+70°C - 5A 250V  
for GAS OVENS from 10/97 to 11/00




RATIONAL 1003361

RATIONAL 30171004

### 3390302 HUMIDIFICATION PRESSURE SWITCH 0-10 mBAR

complete with cable



RATIONAL 30171001

RATIONAL 30171002

RATIONAL 86801018

### 3319522 PRESSURE SWITCH 0.2/3 mbar 5A 250V

for Convection oven (RATIONAL)



RATIONAL 30171003

RATIONAL 30171006

RATIONAL 30171010

### 3320157 PRESSURE SWITCH 0.35/0.15 BAR 6A 250V

for Convection oven (RATIONAL)  
since 1/01/01  
Series CPC



RATIONAL 30161418

RATIONAL 30161441

### 5069480 PRESSURE SWITCH 0-0.30 BAR 10A 12V

for Convection oven (RATIONAL)



RATIONAL 30171011

## Probes

### 3397152 OLIVE FOR PROBE

for Convection oven (RATIONAL)



RATIONAL 1013497

RATIONAL 30140162

### 3397023 PROBE TEMPERATURE TCK

twin wire  
probe length 110 mm  
cable length 290 mm  
with fastening coupling M8x1 mm  
for Convection oven electric (RATIONAL) CM101  
CM102 - CM201 - CM202 - CM61 - CPC101 - CPC102  
CPC201 - CPC202 - CPC61  
for Convection oven gas (RATIONAL) CM101G - CM102G  
CM201G - CM202G - CM61G - CPC101G - CPC102G  
CPC201G - CPC202G - CPC61G



RATIONAL 1003351

RATIONAL 30141000



Suitable for:

Suitable for:

**3397025 PROBE TEMPERATURE TCK**  
twin wire  
probe length 120 mm  
cable length 1800 mm  
with fastening coupling M8x1 mm  
for Convection oven (RATIONAL)  
since 1/06/97



RATIONAL 30141001  
RATIONAL 30141004  
RATIONAL 30141010

RATIONAL 30141002  
RATIONAL 30141005

RATIONAL 30141003  
RATIONAL 30141009

**3397084 PROBE TEMPERATURE TCK**  
2 wires - for moist measurement  
probe length 100 mm  
cable length 2000 mm  
with fastening coupling M8x1 mm  
for Convection oven (RATIONAL) - Series CD



RATIONAL 30140161

RATIONAL 30141007

RATIONAL 87201002

**3397153 PROBE TEMPERATURE TCK**  
twin wire - connector fitting  
bent bulb dimensions 53/20 mm  
cable length 2550 mm  
for Convection oven (RATIONAL)  
since 1/04/04  
Series SCC  
Series CM



RATIONAL 4000287

RATIONAL 4000398

RATIONAL 8700058

**3397152 OLIVE FOR PROBE**  
for Convection oven (RATIONAL)



RATIONAL 1013497

RATIONAL 30140162

**3397155 PROBE TEMPERATURE TCK**  
twin wire  
probe with eyelet  
silicone cable length 1800 mm  
for Convection oven (RATIONAL)



RATIONAL 4000290

RATIONAL 4000399

RATIONAL 8700470

**3397156 PROBE TEMPERATURE TCK**  
twin wire - connector fitting  
cable length 1600 mm  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC101G - SCC102G - SCC202G



RATIONAL 4001095



Suitable for:

# RATIONAL



**3397196 PROBE TEMPERATURE TCK**  
twin wire - connector fitting  
probe length 118 mm  
silicone cable length 1500 mm  
for Convection oven electric (RATIONAL) CM101E  
CM102E - CM201E - CM202E - CM61E - CM62E  
SCC101E - SCC102E - SCC201E - SCC202E - SCC61E  
SCC62E



RATIONAL 1003414

RATIONAL 4000291


**3397197 PROBE TEMPERATURE TCK**  
twin wire - connector fitting  
probe length 110 mm  
silicone cable length 1280 mm  
with fastening coupling M8x1 mm  
for Convection oven electric (RATIONAL)  
since 1/01/08  
CM101E - CM102E - CM61E - CM62E - SCC101E  
SCC102E - SCC61E - SCC62E



RATIONAL 4000395

RATIONAL 4000594

**5068082 PROBE TEMPERATURE TCK**  
connector fitting  
probe length 175 mm  
cable length made of silicone 1470 mm  
for Convection oven (RATIONAL)



RATIONAL 4000292

**3397082 PROBE TEMPERATURE WITH BYPASS PT100**  
2 wires- for steam generator  
probe length 80 mm  
cable length 1800 mm  
for Convection oven (RATIONAL) - Series CD  
Series CM



RATIONAL 30140120  
RATIONAL 30140159

RATIONAL 30140150

RATIONAL 30140152

**3397132 SENSOR CDS 105 mm**  
for Convection oven electric (RATIONAL) SCC101E  
Series SCC61E



RATIONAL 30171050

RATIONAL 4400211

**5049377 SENSOR CDS 105 mm WITH CABLE**  
cable length 1300 mm  
for Convection oven electric (RATIONAL)  
Series SCC  
for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 4400670

**5037756 SENSOR WITH CABLE 78 mm - ø 3/4"MF**  
complete with gasket  
cable length 1700 mm  
for Convection oven (RATIONAL)



RATIONAL 5000934

RATIONAL 5001523

RATIONAL 8701272

**3397072 TEMPERATURE PROBE TCK**  
2 wires  
probe length 130 mm  
silicone cable length 2000 mm



RATIONAL 30140160

RATIONAL 87201003



Suitable for:

Suitable for:

**3397083 TEMPERATURE PROBE TCK**  
2 wires -for steam generator  
probe length 100 mm  
cable length 2000 mm  
for Convection oven (RATIONAL) - Series CD



RATIONAL 30140165  
RATIONAL 30141013  
RATIONAL 4001094

RATIONAL 30141011  
RATIONAL 30141014

RATIONAL 30141012  
RATIONAL 4000291

**7106182 THERMOCOUPLE SIMPLE**



RATIONAL 4000624

## Relays

**3351016 RELAY CRYDOM SOB667330**  
for Convection oven (RATIONAL)  
since 1/06/97  
Series CPC - Series SCC




RATIONAL 30280533  
RATIONAL 4000453P

RATIONAL 30280533P  
RATIONAL 4001589

RATIONAL 4000453

**5047903 RELAY SETUP KIT MULTIFUNCTION MK7850N**  
adjustment 1"÷300h



RATIONAL 30350401

**3351101 TIME LIMIT RELAY CROUZET 0.7A 230V**  
timer 1"  
for Convection oven (RATIONAL)



RATIONAL 30350404

**3351102 TIME LIMIT RELAY 80.11 16A 240V 50/60Hz**  
1 switching contact  
slow release on excitation



RATIONAL 30350453

**3351109 TIME LIMIT RELAY 80.41 16A 240V 50/60Hz**  
multifunctional  
1 control contact



RATIONAL 30350402

**3351116 TIME LIMIT RELAY 82.11 24/240V 50/60Hz**  
1 switching contact  
slow release on excitation  
timer 0.05"÷10h



RATIONAL 30350401



Suitable for:

# RATIONAL


Suitable for:



## Rotary switches

### 3057102 SELECTOR SWITCH 0-1 POSITIONS


4 cams - contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201



RATIONAL 30161620

### 3057103 SELECTOR SWITCH 0-3 POSITIONS


contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201 - CD6



RATIONAL 30161640

### 3057233 SELECTOR SWITCH 0-3 POSITIONS


contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201 - CD6



RATIONAL 30161610

### 3057212 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 250V - 10A 400V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



RATIONAL 30161613

### 3057101 SELECTOR SWITCH 3 POSITIONS

contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.  $\varnothing$  6 mm  
for Convection oven electric (RATIONAL) CD101  
CD20 - CD201 - CD6



RATIONAL 30161300

### 3057104 SELECTOR SWITCH 5 POSITIONS

2 cams with board  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven electric (RATIONAL) CM101  
CM20 - CM201 - CM6  
for Convection oven gas (RATIONAL) CM14G - CM21G  
CM62G



RATIONAL 30161600

RATIONAL 30161630

RATIONAL 30161631

## Solenoid valves

### 3120274 COIL MULLER 220/240V 50/60Hz

max. temperature 90°C  
with cable length 2000 mm



RATIONAL 30020324

RATIONAL 30020325

RATIONAL 30020329

### 3120596 SOLEN. VALVE ELBITYPE 329 1 WAY 180°

240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet  $\varnothing$  10.5 mm  
for Convection oven electric (RATIONAL)  
Series CM  
for Convection oven gas (RATIONAL) - Series CM



RATIONAL 5000316

Suitable for:


**3120595 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
 230V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - two outlets ø 10.5 mm  
 for Convection oven electric (RATIONAL)  
 Series SCC  
 for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 5000138

Suitable for:

**3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet ø 13.5 mm



RATIONAL 30020331

**3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - two outlets ø 13.5 mm



RATIONAL 30020330

**3120363 SOLEN. VALVE INVENSYS 2 WAY 180°**  
 230/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - two outlets ø 10.5 mm  
 for Convection oven electric (RATIONAL)  
 Series SCC  
 for Convection oven gas (RATIONAL) - Series SCC



RATIONAL 5000138

**3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°**  
 220/240V 50/60Hz - max temperature 90°C  
 inlet 3/4" - three outlets ø 10.5 mm



RATIONAL 30020315

**3120550 SOLENOID VALVE INVENSYS 1 WAY 180°**  
 240V 50/60Hz 6W - max. temperature 90°C  
 inlet 3/4" - outlet ø 10.5 mm  
 for Convection oven electric (RATIONAL)  
 since 1/01/08  
 Series CM  
 Series SCC  
 for Convection oven gas (RATIONAL)  
 since 1/01/08  
 Series CM  
 Series SCC



RATIONAL 5000139

RATIONAL 5000319

RATIONAL 5001146

**3523088 SOLENOID VALVE INVENSYS 1-WAY 180°**  
 240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet ø 10.5 mm  
 for Convection oven electric (RATIONAL)  
 Series CM  
 for Convection oven gas (RATIONAL) - Series CM



RATIONAL 5000316

**5032042 SOLENOID VALVE INVENSYS 180°**  
 240V 50/60Hz - max. temperature 90°C  
 inlet da 3/8" - outlet ø 3/8"  
 complete with bracket, clamp and probes  
 for Convection oven (RATIONAL)



RATIONAL 30020343ET



Suitable for:

# RATIONAL



**3120398 SOLENOID VALVE INVENSYS 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
with cable length 2000 mm  
for Convection oven (RATIONAL)



RATIONAL 30020304

Suitable for:

**3120274 COIL MULLER 220/240V 50/60Hz**  
max. temperature 90°C  
with cable length 2000 mm



RATIONAL 30020324

RATIONAL 30020325

RATIONAL 30020329

**3120603 SOLENOID VALVE INVENSYS 2-WAY 180°**  
200/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
complete with 2 clamps and probes  
for Convection oven (RATIONAL)



RATIONAL 30020330ET

**5037763 SOLENOID VALVE INVENSYS 3-WAY 180°**  
240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm  
1 outlet with white adjuster  
complete with 3 clamps  
for Convection oven (RATIONAL)



RATIONAL 5001050

**3120264 SOLENOID VALVE MULLER 3-WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm  
with cable length 2000 mm  
for Steam oven (RATIONAL)



RATIONAL 30020311

RATIONAL 30020327

RATIONAL 30020328

**3120597 VALVE 230V ø 11.5 mm**  
valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet ø 11,5 mm  
with cable length 2000 mm



RATIONAL 30020305

## Spare parts for pumps

**3122359 HOSE FOR PUMP**  
for Convection oven electric (RATIONAL)  
Series CM - Series SCC  
for Convection oven gas (RATIONAL) - Series CM  
Series SCC



RATIONAL 21181000

**3122360 MANIFOLD FOR PUMP**  
for Convection oven (RATIONAL) - Series CD  
Series CM



RATIONAL 20220110



## Sparking and detection plugs

**3020375 ROUND SPARKING PLUG  $\varnothing$  7.5x60 mm**  
 overall length 78 mm  
 for Convection oven gas (RATIONAL)  
 since 1/06/97  
 Series CM - Series CPC



RATIONAL 1004804

RATIONAL 20680300

**7102451 SPARKING PLUG ROUND  $\varnothing$  7x63 mm**  
 overall length 79 mm  
 for Convection oven (RATIONAL)



RATIONAL 20680152

**3806004 SPARKING PLUG ROUND  $\varnothing$  9x117 mm**  
 complete with cable length 600 mm  
 for Convection oven gas (RATIONAL) CM61G - CM62G  
 SCC61G - SCC62G



RATIONAL 4400251

**3786287 GASKET FOR SPARKING PLUG 39x18 mm**  
 for Convection oven (RATIONAL)



RATIONAL 4400250

**3806005 SPARKING PLUG ROUND  $\varnothing$  9x166 mm**  
 complete with cable length 600 mm  
 for Convection oven gas (RATIONAL) CM101G - CM102G  
 CM201G - CM202G - SCC101G - SCC201G - SCC202G



RATIONAL 4400249

RATIONAL 4400249P

**5036877 SPARKING PLUG ROUND  $\varnothing$  9x42 mm**  
 overall length 63 mm  
 plate 30x18 mm  
 for Convection oven (RATIONAL)



RATIONAL 7400235

**5039265 SPARKING PLUG ROUND  $\varnothing$  9x96 mm**  
 overall length 100 mm  
 complete with cable - length 360 mm  
 for Convection oven (RATIONAL)



RATIONAL 7400230

RATIONAL 7400230P

**5021579 SPARKING PLUG 66x26 mm**  
 overall dimensions 80x26 mm  
 for Convection oven (RATIONAL)



RATIONAL 20680153



Suitable for:

# RATIONAL



Suitable for:

## Switches

**5037259** **PUSH BUTTON WHITE HOT AIR 27x27 mm**  
silk screen printing "reset"  
mounting hole ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 30161354

**3221258** **OVEN NEON LAMP Ba9s 1.5mA 230V**  
dimensions ø 10x28 mm



RATIONAL 30240301

**3319803** **PUSH BUTTON WHITE 3A 240V**  
silk screen printing "reset"  
with indicator light  
1 contact NC  
1 contact NO  
mounting hole ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 30161350

**3319802** **PUSH BUTTON WHITE STEAM 27x27 mm**  
silk screen printing "reset"  
mounting hole ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 30161353

**3221258** **OVEN NEON LAMP Ba9s 1.5mA 230V**  
dimensions ø 10x28 mm



RATIONAL 30240301

**3319803** **PUSH BUTTON WHITE 3A 240V**  
silk screen printing "reset"  
with indicator light  
1 contact NC  
1 contact NO  
mounting hole ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 30161350

Suitable for:

**3319803 PUSH BUTTON WHITE 3A 240V**  
silk screen printing "reset"  
with indicator light  
1 contact NC  
1 contact NO  
mounting hole  $\varnothing$  22 mm  
for Convection oven (RATIONAL)



RATIONAL 30161350

Suitable for:

**5042498 PUSH BUTTON 2-POLE BLACK 2A 250V**  
1 contact NC  
1 contact NO  
mounting hole  $\varnothing$  18 mm  
for Convection oven (RATIONAL)



RATIONAL 30161352

## Tangential and radial fans


**3526962 TANGENTIAL FAN 120 mm LH**  
25W 230V 50/60Hz -  $\varnothing$  60 mm  
operating temperature  $-30^{\circ}+100^{\circ}\text{C}$



RATIONAL 31011004


## Terminal blocks

**7150250 CLAMP 1 POLE**  
for cable  $1.5 \div 16 \text{ mm}^2$



RATIONAL 40011202

**7108129 TERMINAL BOX 10 POLE**  
for Convection oven (RATIONAL)



RATIONAL 30400262

**7110211 TERMINAL BOX 11 POLE**  
for Convection oven (RATIONAL)



RATIONAL 30400198



Suitable for:

# RATIONAL




Suitable for:

## Thermostats

### 3444406 SINGLE-PHASE THERMOSTAT +60+300°C

D-shaped pin 6x4.6 mm  
covered capillary length 1500 mm - 16A 230V  
bulb ø 4x120 mm - with stuffing gland nut M14x1  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101  
CD102 - CD201 - CD202 - CD61



RATIONAL 30140166

### 3444540 SINGLE-PHASE THERMOSTAT 0-110°C


D-shaped pin ø 6x4.6 mm  
covered capillary length 1400 mm  
bulb ø 6x140 mm  
for Convection oven (RATIONAL)



RATIONAL 33060301

### 3444407 SINGLE-PHASE THERMOSTAT 0-250°C


complete with auxiliary selector switch  
D-shaped pin ø 6x4.ø 6 mm  
covered capillary length 3150 mm - 16A 230V  
bulb ø 4x102 mm  
for Convection oven electric (RATIONAL)  
Series CD



RATIONAL 30140308

### 3444402 SINGLE-PHASE THERMOSTAT 0-300°C

D-shaped pin 6x4.6 mm  
covered capillary length 1200 mm - 16A 250V  
bulb ø 3x160 mm  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD20 - CD201 - CD6 - CM101 - CM6



RATIONAL 30140311

### 3444403 SINGLE-PHASE THERMOSTAT 0-300°C


D-shaped pin 6x4.6 mm  
covered capillary length 830 mm - 16A 250V  
bulb ø 4x100 mm  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CD101 - CD20 - CD201 - CD6



RATIONAL 30140318

### 3444401 SINGLE-PHASE THERMOSTAT 100-180°C

D-shaped pin 6x4.6 mm  
covered capillary length 2420 mm - 16A 250V  
bulb ø 6x90 mm - with stuff.gland coupling M9x1  
for Convection oven electric (RATIONAL)  
since 1/06/97  
CCD101 - CCD102 - CCD201 - CCD202 - CCD61 - CD101  
CD20 - CD201 - CD6



RATIONAL 30140314

**5048196 SINGLE-PHASE THERMOSTAT 157°C**  
 with manual reset  
 covered capillary length 1400 mm - 16A 250V  
 bulb ø 6x65 mm  
 for Convection oven electric (RATIONAL)  
 Series CM - Series SCC  
 for Convection oven gas (RATIONAL) - Series CM  
 Series SCC



RATIONAL 4002515

**3444591 SINGLE-PHASE THERMOSTAT 183°C**  
 with manual reset  
 covered capillary length 1460 mm - 16A 250V  
 bulb ø 6x61 mm  
 for Convection oven (RATIONAL) - Series SCC



RATIONAL 4001329

**3444400 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb ø 3x262 mm  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CCD101 - CCD102 - CCD201 - CCD61 - CD101 - CD102  
 CD20 - CD201 - CD202 - CD6 - CD61 - CM101  
 CM20 - CM201 - CM6



RATIONAL 30140312


**3444405 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb ø 4x120 mm - with stuff.gland nut M14x1  
 for Convection oven electric (RATIONAL) CCC101  
 CCC102 - CCC201 - CCC202 - CCC61 - CCD101  
 CCD102 - CCD201 - CCD202 - CCD61 - CCM101  
 CCM102 - CCM102N - CCM201 - CCM202 - CCM61  
 CC101 - CC20 - CC201 - CC6 - CD101 - CD20  
 CD201 - CD6 - CM101 - CM20 - CM6  
 for Convection oven gas (RATIONAL) CM14G - CM62G



RATIONAL 30140310

RATIONAL 30140322

**3444781 SINGLE-PHASE THERMOSTAT 360°C**  
 with automatic reset  
 covered capillary length 1170 mm - 16A 230V  
 bulb ø 4x95 mm - with stuffing gland nut M14x1  
 for Convection oven electric (RATIONAL)  
 since 1/06/97  
 CD101 - CD102 - CD201 - CD202 - CD61  
 CM101N - CM102N - CM201N - CM202N - CM61 - CPC101  
 CPC102 - CPC201 - CPC202 - CPC61  
 for Convection oven gas (RATIONAL) CM101G - CM61G  
 CPC101G - CPC61G



RATIONAL 30140326

**3444816 SINGLE-PHASE THERMOSTAT 365°C**  
 with manual reset  
 covered capillary length 1200 mm - 16A 250V  
 bulb ø 5x70 mm - with stuffing gland nut M9x1  
 for Convection oven (RATIONAL)  
 since 1/04/04  
 Series SCC



RATIONAL 4000605

RATIONAL 4001482




Suitable for:

# RATIONAL



## 40K0662 THERMOSTAT SINGLE-PHASE 100-470°C


complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1100 mm  
bulb  $\varnothing$  4x225 mm



RATIONAL 4000799

## 7110437 THERMOSTAT SINGLE-PHASE 360°C

with manual reset  
length capillary covered 1200 mm - 16A 250V  
bulb  $\varnothing$  4x103 mm - with stuffing gland fitting M8x1  
with complete tank seal fitting 1/4"  
for Convection oven (RATIONAL)



RATIONAL 30140324

## 7102869 THERMOSTAT THREE-PHASE 650°C

with manual reset  
length capillary 1200 mm - 20A 400V  
bulb  $\varnothing$  4x230 mm  
for Convection oven (RATIONAL)



RATIONAL 4000638

## 3444959 THREE-PHASE THERMOSTAT 220°C

with manual reset  
capillary length 1000 mm  
bulb  $\varnothing$  6x90 mm  
for Convection oven (RATIONAL)




RATIONAL 4000673

## Timers

### 3446091 TIMER 100 MINUTES MS65


mechanical timer with manual position  
manual winding cycle 100 minutes  
bipolar timer with contact capacity 16(3)A 250V  
max. temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)



RATIONAL 30130109

### 3446039 TIMER 120 MINUTES MS65


120 minute manually set cycle  
with manual position  
contact capacity 16(4)A 250V 50Hz  
max temperature 100°C  
D-shaped pin  $\varnothing$  6x4.6 mm



RATIONAL 30130104

### 3446090 TIMER 120 MINUTES MS65

manually set mechanical timer  
manual position possible  
manually set cycle 120 minutes  
2 poles with contact capacity 16(4)A 250V  
max temperature 100°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven (RATIONAL)  
since 1/09/87  
till 1/03/89  
Series CM




RATIONAL 30130101



## Transformers

**7102978 CABLE CONNECTION TRANSFORMER 1050 mm**  
for Convection oven (RATIONAL)



RATIONAL 4000210  
RATIONAL 4002385

RATIONAL 4000231

RATIONAL 4001543

**7107120 TRANSFORMER 0-200-208-220-230-240-250V**  
primary voltage 0-200-208-220-230-240-250V 50/60Hz  
secondary voltage 17Vdc  
ambient temperature 0÷60°C  
screw terminal box  
for Convection oven (RATIONAL)



RATIONAL 8700461

**3739016 TRANSFORMER 0-200-230V/11.5V 10VA**  
primary voltage 0-200-230V 50/60Hz  
secondary voltage 11.5Vca 10VA  
ambient temperature 0÷60°C  
faston terminal box  
for Convection oven electric (RATIONAL)  
since 1/05/93  
till 1/05/93  
CD101E - CD102E - CD61E - CD62E - CPC101E  
CPC102E - CPC61E - CPC62E  
for Convection oven gas (RATIONAL)  
since 1/05/93  
till 1/05/93  
CD101G - CD102G - CD61G - CD62G - CPC101G  
CPC102G - CPC61G - CPC62G



RATIONAL 1011196

RATIONAL 30370205

**3739032 TRANSFORMER 0-200-230V/11.5V 20VA**  
primary voltage 0-200-230V 50/60Hz  
secondary voltage 11.5V 20VA  
ambient temperature 0÷60°C  
faston terminal box  
for Convection oven (RATIONAL)



RATIONAL 30370204

**3739017 TRANSFORMER 10VA**  
primary voltage 0-200-208-220-230-240-250V  
secondary voltage 11.5V 10VA  
room temperature 0÷60°C  
faston terminal box  
for Convection oven electric (RATIONAL)  
since 1/04/04  
till 1/04/04  
CM101E - CM102E - CM61E - CM62E - SCC101E  
SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/04/04  
till 1/04/04  
CM101G - CM102G - CM61G - CM62G - SCC101G  
SCC102G - SCC61G - SCC62G



RATIONAL 4000278

**3739018 TRANSFORMER 20VA**  
primary voltage 0-200-208-220-230-240-250V  
secondary voltage 11.5V 20VA  
room temperature 0÷60°C  
faston terminal box  
for Convection oven electric (RATIONAL)  
since 1/04/05  
till 1/04/05  
CM201E - CM202E - SCC201E - SCC202E  
for Convection oven gas (RATIONAL)  
since 1/04/05  
till 1/04/05  
CM201G - CM202G - SCC201G - SCC202G



RATIONAL 4000333



Suitable for:

# RATIONAL



## 5048175 TRANSFORMER 200-230V/21-0-21V 35VA

primary voltage 200-230V 50/60Hz  
secondary voltage 21-0-21V 35VA  
ambient temperature 0÷60°C  
faston terminal box  
for Convection oven (RATIONAL)



RATIONAL 30370203

## 3739019 TRANSFORMER 21.6VA

primary voltage 200-208-220-230-240-250V 50/60Hz  
secondary voltage 12V 21.6VA  
room temperature 0÷130°C  
faston terminal box  
for Convection oven electric (RATIONAL)  
since 1/05/04  
till 1/05/04  
SCC201 - SCC201E - SCC202 - SCC202E



RATIONAL 4000592

## 3739003 TRANSFORMER 241-230-219-0V/24V 48VA


primary voltage 241-230-219-0V 50/60Hz  
secondary voltage 24V 48VA  
room temperature 0÷40°C  
screw terminal box  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CM  
Series CPC



RATIONAL 30370242

## 3739004 TRANSFORMER 68.4VA

primary voltage 260/240/230/220/200/0V 50/60Hz  
secondary voltage 0-4.2V 14.4-014.4V 0-11.5V  
room temperature 0÷65°C  
faston terminal box  
for Convection oven (RATIONAL)  
since 1/01/97  
Series CM - Series CPC



RATIONAL 30370240

## 3739028 TRANSFORMER 70VA

primary 0-200-208-220-230-240-250V  
secondary 2.1-0-2.1V 0-11.5V 0-12V 70VA  
room temperature 0÷50°C  
faston terminal box  
for Convection oven electric (RATIONAL)  
since 1/01/08  
Series CM - Series SCC  
for Convection oven gas (RATIONAL)  
since 1/01/08  
Series CM - Series SCC



RATIONAL 4000277

## Tubing and hoses

**3450177 DRAIN PIPE ø 20x62 mm - 2 PCS**  
for drip tray  
for Convection oven electric (RATIONAL)  
since 1/01/08  
CM101E - CM102E - CM61E - CM62E - SCC101E  
SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/01/08  
CM101G - CM102G - CM61G - CM62G - SCC101G  
SCC102G - SCC61G - SCC62G



RATIONAL 5000303

**7108029 DRAIN PIPE OVEN STEAM GENERATOR**  
length 345 mm  
external ø 29 mm - internal ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 4400212

RATIONAL 4400234

**5049975 DRAIN PIPE WITH HOSES**  
length 565 mm  
external ø 20 mm - internal ø 15 mm  
for Convection oven (RATIONAL)



RATIONAL 1012588

RATIONAL 5000556

RATIONAL 5001613

**5014636 HOSE SILICONE**  
external ø 50 mm  
internal ø 42 mm  
length 150 mm  
for Convection oven (RATIONAL)




RATIONAL 20670202

**5015684 HOSE SILICONE**  
external ø 65 mm  
internal ø 60 mm  
length 135 mm  
for Convection oven (RATIONAL)



RATIONAL 21121301

**5015687 HOSE SILICONE**  
external ø 52 mm  
internal ø 42 mm  
length 60 mm  
for Convection oven (RATIONAL)



RATIONAL 20670201

**5016197 HOSE SILICONE**  
external ø 50 mm  
internal ø 42 mm  
length 200 mm  
for Convection oven (RATIONAL)



RATIONAL 20670203

**5028005 HOSE SILICONE**  
external ø 55 mm  
internal ø 48 mm  
length 87 mm  
for Convection oven (RATIONAL)



RATIONAL 21121306

RATIONAL 21181250




Suitable for:

# RATIONAL



**5032994 HOSE SILICONE**  
external ø 87 mm  
internal ø 78 mm  
length 80 mm  
for Convection oven (RATIONAL)



RATIONAL 21121307

**5059781 HOSE SILICONE**  
external ø 79 mm  
internal ø 70 mm  
length 55 mm  
for Convection oven (RATIONAL)




RATIONAL 4400362

**7103386 HOSE SILICONE**  
external ø 30 mm  
internal ø 22 mm  
length 80 mm  
for Convection oven (RATIONAL)



RATIONAL 21121310

**7105545 HOSE SILICONE**  
external ø 70 mm  
internal ø 60 mm  
length 120 mm  
for Convection oven (RATIONAL)



RATIONAL 20670401

**7107674 HOSE SILICONE**  
external ø 58 mm  
internal ø 50 mm  
length 100 mm  
for Convection oven (RATIONAL)



RATIONAL 5400086

**5047708 HOSE UPPER AERATION MADE OF RUBBER**  
external ø 130/90 mm  
internal ø 123/75 mm  
height 60 mm  
for Convection oven (RATIONAL)



RATIONAL 21181201

**3450149 OUTLET PIPE FOR OVEN WASH PUMP**  
length 130 mm  
external ø 28/24 mm - internal ø 22/19 mm  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC101E - SCC102E - SCC61E - SCC62E  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC101G - SCC102G - SCC61G - SCC62G



RATIONAL 5600166

**3450146 OUTLET PIPE FOR OVEN WASHING PUMP**  
length 195 mm  
external ø 28/25 mm - internal ø 21/18 mm  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC101E - SCC202E  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC201G - SCC202G



RATIONAL 5600175

**5058774 OUTLET PIPE OVEN BOILER**  
length 730 mm  
external ø 29 mm - internal ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 4400242

**5064497 OUTLET PIPE OVEN BOILER**  
length 350 mm  
external ø 29 mm - internal ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 4400210

**7100320 OUTLET PIPE OVEN BOILER**  
length 470 mm  
external ø 29 mm - internal ø 22 mm  
for Convection oven (RATIONAL)



**7104042 OUTLET PIPE OVEN BOILER**  
length 650 mm  
external ø 29 mm - internal ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 4400241

RATIONAL 4400231

RATIONAL 4400238

**3450178 OUTLET PIPE STEAM GENERATOR**  
length 370 mm  
external ø 30 mm - internal ø 22 mm  
for Convection oven electric (RATIONAL) CD101E  
CD61E - CM61E - CPC61E  
for Convection oven gas (RATIONAL) CM101G - CM61G  
CPC101G - CPC61G



**3450182 OUTLET PIPE STEAM GENERATOR**  
length 480 mm  
external ø 28 mm - internal ø 23 mm  
for Convection oven electric (RATIONAL) CD101  
CD102 - CD201 - CD202 - CM101 - CM102 - CPC101



RATIONAL 21121302

RATIONAL 21121303

**5026668 OUTLET PIPE STEAM GENERATOR**  
length 560 mm  
external ø 29 mm - internal ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 4400233

**7108157 OUTLET PIPE STEAM GENERATOR**  
length 650 mm  
external ø 29 mm - internal ø 22 mm  
for Convection oven (RATIONAL)



RATIONAL 21121305



Suitable for:

# RATIONAL



**7150243 OUTLET PIPE STEAM GENERATOR**  
length 480 mm  
external  $\varnothing$  29 mm - internal  $\varnothing$  22 mm  
for Convection oven (RATIONAL)



RATIONAL 21121304


Suitable for:

**5054503 PIPE DRAIN WITH HOSES**  
length 575 mm  
external  $\varnothing$  20 mm - internal  $\varnothing$  15 mm  
for Convection oven (RATIONAL)



RATIONAL 5001191

**3450179 SILICONE STEAM HOSE**  
external  $\varnothing$  60 mm  
internal  $\varnothing$  50 mm  
length 50 mm  
for Convection oven (RATIONAL) - Series CD  
Series CM - Series CPC - Series SCC



RATIONAL 21121006

**7105546 STEAM PIPE 580 mm**  
external  $\varnothing$  50 mm - internal  $\varnothing$  42 mm  
for Convection oven (RATIONAL)



RATIONAL 20670205

**3450147 SUCTION PIPE FOR OVEN WASHING PUMP**  
length 250 mm  
external  $\varnothing$  29 mm - internal  $\varnothing$  22 mm  
for Convection oven electric (RATIONAL)  
since 1/04/04  
SCC201E - SCC202E  
for Convection oven gas (RATIONAL)  
since 1/04/04  
SCC201G - SCC202G



RATIONAL 5600176

**3450148 SUCTION PIPE FOR OVEN WASHING PUMP**  
length 160 mm  
external  $\varnothing$  29 mm - internal  $\varnothing$  22 mm  
for Convection oven electric (RATIONAL) SCC101E  
SCC61E  
for Convection oven gas (RATIONAL) SCC101G  
SCC61G



RATIONAL 5600188

**5047237 SUCTION PIPE FOR OVEN WASHING PUMP**  
length 115 mm  
external  $\varnothing$  29 mm - internal  $\varnothing$  22 mm  
for Convection oven (RATIONAL)




RATIONAL 5600120





## Vibrating pumps


**3331004 VIBRATORY PUMP 46-60/38-54W 208/240V**  
50/60Hz  
connections  $\varnothing$  1/8" -  $\varnothing$  7 mm  
PUMP CEME E51210EN19240C8



RATIONAL 30021003

RATIONAL 87201526


**3122469 VIBRATORY SOLENOID VALVES KIT 230V**  
complete with water - pipes - bracket  
for Convection oven electric (RATIONAL) CPC102  
CPC61



RATIONAL 87201521

## Wash arms for ovens


**3743376 OVEN WASHING ARM**  
complete with nozzles  
for Convection oven electric (RATIONAL)  
since 1/03/00  
CPC61  
for Convection oven gas (RATIONAL)  
since 1/03/00  
CPC61G



RATIONAL 86552100

RATIONAL 87101316

**3743377 OVEN WASHING ARM**  
complete with nozzles  
for Convection oven electric (RATIONAL)  
since 1/03/00  
CPC101 - CPC102 - CPC201 - CPC202  
for Convection oven gas (RATIONAL)  
since 1/03/00  
CPC101G - CPC102G - CPC201G - CPC202G



RATIONAL 86552101

**5016478 WASH ARM OVEN 130 mm**  
complete with nozzles  
for Convection oven (RATIONAL)



RATIONAL 85141346

## Washing showers for ovens

**5019363 HOSE STAINLESS STEEL  $\varnothing$  1/2" FF 280 cm**  
for Convection oven (RATIONAL)



RATIONAL 20670601



Suitable for:

# RATIONAL



Suitable for:

## Watertight seals and rings

**3786369 MAIN SHAFT SEALING GASKET**  
external  $\varnothing$  37 mm - internal  $\varnothing$  24.5 mm  
thickness 4 mm  
for Convection oven (RATIONAL)  
since 1/11/90  
Series CLASSIC 20




















RATIONAL 50010211

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- |   |   |
|---|---|
|  <b>LF SpA HEADQUARTERS</b><br>via Voltri, 80 - 47522 Cesena (FC) ITALY<br>Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10<br><a href="http://www.lfircambi724.it">www.lfircambi724.it</a> - <a href="http://www.lfircambi724.mobi">www.lfircambi724.mobi</a><br><a href="mailto:info@lfircambi.it">info@lfircambi.it</a><br>Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55<br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br><a href="mailto:export@lfspareparts.com">export@lfspareparts.com</a> |  <b>OOO LF RUSSIAN FEDERATION</b><br>Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow<br>Tel./Fax +7 495 725 26 53<br><a href="http://www.lfspareparts724.ru">www.lfspareparts724.ru</a><br><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br><a href="mailto:info@lfspareparts.ru">info@lfspareparts.ru</a>  |
|  <b>LF SpA HOUSEHOLD COMPONENTS DIVISION</b><br>Via Padriciano, 34149 Trieste - Italia - AREA Science Park<br>Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48<br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br><a href="mailto:info@lfspareparts.com">info@lfspareparts.com</a>  |  <b>LF Repuestos Horeca S.L.U. SPAIN</b><br>Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe<br>Tel. +34 91 477 91 00<br>Fax +34 91 477 90 81<br><a href="http://www.lfrepuestos-horeca724.es">www.lfrepuestos-horeca724.es</a><br><a href="http://www.lfrepuestos724.mobi">www.lfrepuestos724.mobi</a><br><a href="mailto:info@lfrepuestos.es">info@lfrepuestos.es</a>                                 |
|  <b>EPGC Sas FRANCE</b><br>13, Rue des Forts - 59960 Neuville en Ferrain<br>Tel. +33 (0)3 20 25 06 21<br>Fax +33 (0)3 20 25 34 12<br><a href="http://www.epgc.com">www.epgc.com</a><br><a href="http://www.epgc724.mobi">www.epgc724.mobi</a><br><a href="mailto:epgc@epgc.com">epgc@epgc.com</a>  |  <b>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND</b><br>Sennweidstrasse, 45 - CH-6312 Steinhausen<br>Tel. +41 (0)41 760 15 80-1<br>Fax +41 (0)41 760 15 85<br><a href="http://www.lfersatzteile724.ch">www.lfersatzteile724.ch</a><br><a href="http://www.lfersatzteilech724.mobi">www.lfersatzteilech724.mobi</a><br><a href="mailto:info@lfersatzteile.ch">info@lfersatzteile.ch</a>                        |
|  <b>LF GmbH GERMANY</b><br>Junkersstrasse, 3 - D-82178 Puchheim - München<br>Tel. +49 89 89 45 78 66<br>Fax +49 89 89 45 78 88<br><a href="http://www.lfersatzteile724.de">www.lfersatzteile724.de</a><br><a href="http://www.lfersatzteile724.mobi">www.lfersatzteile724.mobi</a><br><a href="mailto:info@lfersatzteile.de">info@lfersatzteile.de</a>   |  <b>LF Spare Parts Ltd. UNITED KINGDOM</b><br>A10a Lakeside Business Park, Broadway Lane<br>South Cerney, Gloucestershire GL7 5XL<br>Tel. +44 (0)1285 86 16 25<br>Fax +44 (0)1285 86 39 49<br><a href="http://www.lfspareparts724.co.uk">www.lfspareparts724.co.uk</a><br><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br><a href="mailto:info@lfspareparts.co.uk">info@lfspareparts.co.uk</a> |
|  <b>LF China REPUBLIC OF CHINA</b><br>Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.<br>Minhang Dist. - 201103 Shanghai<br>Tel. +86 (0)21 33 53 66 31<br>Fax +86 (0)21 33 53 66 32<br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br><a href="mailto:china@lfspareparts.com">china@lfspareparts.com</a>  |   |
- 
- |  |   |
|--|---|
|  <b>AUSTRALIA AND NEW ZEALAND</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:andrea.calvio@lfspareparts.com">andrea.calvio@lfspareparts.com</a> |  <b>DENMARK</b><br><a href="http://www.lfspareparts724.dk">www.lfspareparts724.dk</a><br><a href="mailto:michael.leth@lfspareparts.com">michael.leth@lfspareparts.com</a>  |
|  <b>AUSTRIA</b><br><a href="http://www.lfersatzteile724.at">www.lfersatzteile724.at</a><br><a href="mailto:info@lfersatzteile.at">info@lfersatzteile.at</a>                                     |  <b>JAPAN</b><br><a href="http://www.lfspareparts724.jp">www.lfspareparts724.jp</a><br><a href="mailto:hiroshi.ukai@lfspareparts.jp">hiroshi.ukai@lfspareparts.jp</a>  |
|  <b>BALKAN COUNTRIES</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:matija.ramov@lfspareparts.com">matija.ramov@lfspareparts.com</a>            |  <b>SOUTH KOREA</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:fabio.doni@lfspareparts.com">fabio.doni@lfspareparts.com</a>  |
|  <b>BALTIC COUNTRIES</b><br><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br><a href="mailto:inara.silina@lfspareparts.com">inara.silina@lfspareparts.com</a>            |  <b>TURKEY</b><br><a href="http://www.lfyedekparca724.com">www.lfyedekparca724.com</a><br><a href="mailto:basar.ergun@lfyedekparca.com">basar.ergun@lfyedekparca.com</a>   |
|  <b>CENTRAL AND EASTERN EUROPE</b><br><a href="http://www.lfspareparts724.cz">www.lfspareparts724.cz</a><br><a href="mailto:jiri.kremla@lfspareparts.cz">jiri.kremla@lfspareparts.cz</a>        |  <b>USA AND CANADA</b><br><a href="http://www.lfspareparts724.us">www.lfspareparts724.us</a><br><a href="mailto:sauro.dallaglio@lfspareparts.us">sauro.dallaglio@lfspareparts.us</a><br><a href="mailto:howard.truitt@lfspareparts.us">howard.truitt@lfspareparts.us</a> |