



Spare parts for:

**Ovens**



Suitable for:

**REPAGAS**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10230832





Suitable for:

# REPAGAS



Suitable for:

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



REPAGAS 4230006

**3240502 AXIAL FAN SUNON 80x80x25 mm**  
ball bearings  
230V 50/60Hz 14W 2450rpm  
SF23080AT-2082HBL.GN



REPAGAS 4110009

## Buzzers

**3397302 ALARM BELL 220V**



REPAGAS 1230015

## Cables for piezo igniters

**3001019 IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for electrode



REPAGAS 00106042

**3001017 IGNITION LEAD 600 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



REPAGAS 4010009


## Contactors

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



REPAGAS 1130014

**3446509 CONTACTOR SIEMENS 3RT1025-1A**  
coil 17A 240V 50Hz 7.5Kw  
3 normally open contacts  
1 normally open auxiliary contact  
1 normally closed auxiliary contact



REPAGAS 1260010

Suitable for:

**3351049 CONTACTOR SIEMENS 3RT2016-1AP01**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



REPAGAS 1430006

Suitable for:

**3351059 RELAY THERMAL SIEMENS 1.8-2.5A**  
 1 contact NO  
 1 contact NC  
 3RU2116-1CB0 series S00



REPAGAS 1420005

## Drain pumps

**3122000 DRAIN ELECTRIC PUMP 40W 230V 50Hz**  
 inlet external  $\varnothing$  30 mm - output external  $\varnothing$  22 mm



REPAGAS 1250030

## Electronic boxes

**3526402 CONTROL BOX S4560A1008**  
 model HONEYWELL - 220/240V 50Hz 10VA



REPAGAS 1440006

**3526182 CONTROL BOX S4565A2092**  
 model HONEYWELL - 220/240V 50/60Hz 4VA



REPAGAS 43000031

**3091024 CONTROL BOX 537 ABC**  
 model SIT - 230V 50/60Hz 10VA



REPAGAS 43000008



Suitable for:

# REPAGAS



Suitable for:

## Electronic controllers

### 3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000

power supply 12Vca/dc 1.5VA  
 thermostat setting range 99+600°C  
 ON-OFF control with one actuation point  
 1 exchange relay output 6(3)A 250V  
 inbuilt alarm buzzer  
 access to configuration parameters through password  
 serial port for data exchange  
 room temperature 0+60°C  
 PTC/NTC/PT100/PT1000 type probe (not included)  
 connections by screwed terminal block  
 front dimensions 74x32x65 mm  
 mounting hole 71x29 mm



REPAGAS 1230020

## Electronic printed-circuit boards

### 5023359 CONTROL PC BOARD 393x76 mm



### 5047417 CONTROL PC BOARD 475x92 mm two D-shaped pins ø 6x4.6 mm




REPAGAS 005154

REPAGAS 47700001

REPAGAS 49000004

### 5070061 PC BOARD FOR BOILER 119x93 mm



### 7109021 PC BOARD REVERSE 95x80 mm



REPAGAS 005736

REPAGAS 49200003

REPAGAS 005883

REPAGAS 49200017

## Energy regulators

### 3350024 ENERGY ADJUSTER

contact capacity 240V 13A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction




REPAGAS 1230018



## Fans for motors

**5025719** FAN  $\varnothing$  145 mm  
thickness 38 mm  
number of blades 28 -  $\varnothing$  hole 7 mm



REPAGAS 41100010

**3240030** FAN  $\varnothing$  180 mm  
thickness 60 mm  
total blades 16 -  $\varnothing$  tapered hole 11.5-16.5 mm




REPAGAS 1250014

**3240109** FAN  $\varnothing$  220 mm  
thickness 79 mm  
total blades 20 -  $\varnothing$  tapered hole 11.5-16.5 mm




REPAGAS 44700002

**3240392** FAN  $\varnothing$  300 mm  
thickness 100 mm  
total blades 24 -  $\varnothing$  tapered hole 19-24 mm



REPAGAS 1260007

**3240036** FAN  $\varnothing$  350 mm  
thickness 100 mm  
total blades 24 -  $\varnothing$  tapered hole 19-24 mm



REPAGAS 1410004

## Gas burners

**3023155** BURNER  $\varnothing$  40x420 mm  
overall length 425 mm  
made of STAINLESS steel



REPAGAS 008025

REPAGAS 1430003

**3023158** BURNER  $\varnothing$  50x325 mm  
overall length 355 mm  
made of STAINLESS steel



REPAGAS 008017

REPAGAS 1430002

**3023159** BURNER  $\varnothing$  50x480 mm  
overall length 490 mm  
made of STAINLESS steel



REPAGAS 1440002

**3023154** BURNER  $\varnothing$  51x620 mm  
overall length 625 mm  
made of STAINLESS steel



REPAGAS 1450001



Suitable for:

# REPAGAS



Suitable for:

## Gaskets and seals

**3186173 GASKET FOR OVEN LAMP RECEPTACLE**  
external dimensions 93x79 mm



REPAGAS 44100005


## Gaskets for oven door

**5058644 GASKET FOR OVEN DOOR 760x640 mm**  
made of silicone elastomer  
profile dimensions 15/12x27 mm  
COLOUR: BLACK



REPAGAS 49200013

**3286027 GASKET FOR OVEN GLASS 3198 - 6 m**  
made of silicone elastomer  
profile dimensions 14x12 mm  
BLACK COLOR



REPAGAS 1240011


**3786108 GLASS TOP/BOTTOM GASKET**  
length 490 mm  
made of silicone elastomer  
profile dimensions 12x5 mm  
BLACK COLOR



REPAGAS 007609

REPAGAS 42300002


**3786109 LATERAL OVEN GLASS GASKET 1210 mm**  
made of silicone elastomer  
profile dimensions 12x5 mm  
COLOUR BLACK



REPAGAS 007620


REPAGAS 42300003

**3286030 OVEN DOOR GASKET 04880 - 15 m**  
made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR



REPAGAS 1240012

**3286084 OVEN DOOR GASKET 04880 - 3 m**  
made of silicone elastomer  
profile dimensions  
BLACK COLOUR




REPAGAS 1240012



Suitable for:

**3286029 OVEN DOOR GASKET 04880 - 6 m**  
made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR



REPAGAS 1240012


Suitable for:

**3786619 OVEN DOOR GASKET 400x330 mm**  
made of silicone elastomer  
with fastening clips  
COLOUR BLACK



REPAGAS 1270024

**3186345 OVEN GLASS GASKET 1700 mm**  
made of silicone elastomer  
profile dimensions 15x12 mm  
COLOUR BLACK



REPAGAS 009293

REPAGAS 1250054

## Grids for refrigerator-oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



REPAGAS 04100029

**3185055 CHROME PLATED GRID GN 2/1 530x650 mm**



REPAGAS 00100115


**3185144 CHROME PLATED SUPPORT GRID 530x530 mm**



REPAGAS 02100034

## Handles

**3242044 BUSHING FOR DOOR HANDLE**



REPAGAS 010051

REPAGAS 1260020

**3242298 CATCH 6195 69 mm - 42 mm**  
mounting distance 57 mm - 30 mm  
RAHRBACH



REPAGAS 1270034



# REPAGAS



Suitable for:

**3242255 CENTRAL LOCK MECHANISM RIGHT**  
for OVEN



REPAGAS 1260017

**3242250 COMPLETE OVEN DOOR HANDLE**



REPAGAS 1250061

REPAGAS 45100002

**3242255 CENTRAL LOCK MECHANISM RIGHT**  
for OVEN



REPAGAS 1260017

**3242080 HANDLE GUIDE LOCK**  
for OVEN



REPAGAS 1260032

**3242064 HANDLE SPACER BUSHING**



REPAGAS 1260018

**3242043 OVEN HANDLE TOP TIE ROD 155 mm**



REPAGAS 008870

REPAGAS 1250008

Suitable for:

**3242041 CLASP  $\varnothing$  3x25 mm**  
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



REPAGAS 1260021

**3242044 BUSHING FOR DOOR HANDLE**



REPAGAS 010051

REPAGAS 1260020

**3242041 CLASP  $\varnothing$  3x25 mm**  
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



REPAGAS 1260021

**3242254 HANDLE LOCK FOR OVEN DOOR**



REPAGAS 1220018

**3242057 OVEN HANDLE BOTTOM TIE ROD 122 mm**  
for FOINOX OVEN series FC06



REPAGAS 008902

REPAGAS 1250011

**3242253 PIN FOR DOOR HANDLE**



REPAGAS 1220017





Suitable for:

**3242251 SPRING FOR DOOR HANDLE  $\varnothing$  16x37 mm**  
for OVEN



REPAGAS 005303

REPAGAS 1220015

**3242252 WASHER FOR DOOR HANDLE**



REPAGAS 010043

REPAGAS 1260019

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



REPAGAS 1250046

**3242254 HANDLE LOCK FOR OVEN DOOR**



REPAGAS 1220018

**3242144 OVEN DOOR HANDLE 260x30 mm**  
with strike mounting distance 45 mm  
handle mounting distance 133 mm



REPAGAS 1250056

# REPAGAS



Suitable for:

**3242059 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 21 mm  
for OVEN



REPAGAS 008854

REPAGAS 1250006

REPAGAS 3738.1

**3242080 HANDLE GUIDE LOCK**  
for OVEN



REPAGAS 1260032

**3242064 HANDLE SPACER BUSHING**



REPAGAS 1260018

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



REPAGAS 1250046



Suitable for:

**3242057 OVEN HANDLE BOTTOM TIE ROD 122 mm**  
for FOINOX OVEN series FC06



REPAGAS 008902

REPAGAS 1250011

Suitable for:

**3242043 OVEN HANDLE TOP TIE ROD 155 mm**



REPAGAS 008870

REPAGAS 1250008

**3242253 PIN FOR DOOR HANDLE**



REPAGAS 1220017

**3242251 SPRING FOR DOOR HANDLE  $\varnothing$  16x37 mm**  
for OVEN



REPAGAS 005303

REPAGAS 1220015

**3242059 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 21 mm  
for OVEN



REPAGAS 008854

REPAGAS 1250006

REPAGAS 3738.1

**3242252 WASHER FOR DOOR HANDLE**



REPAGAS 010043

REPAGAS 1260019

## Heating elements

**3355862 HEATING ELEMENT 2000W 230V**  
immersed length 220 mm - width 65 mm  
flange 80x27 mm



REPAGAS 4890001

**3755092 HEATING ELEMENT 3000/3266W 230/240V**  
external  $\varnothing$  190 mm - overall height 70 mm  
flange 100x22 mm



REPAGAS 1230005

**3755209 HEATING ELEMENT 3000W 230V**  
immersed length 220 mm - width 65 mm  
flange 80x28 mm



REPAGAS 4200003

**3355433 HEATING ELEMENT 3500W 240V**  
length 115 mm - width 625 mm  
flange 70x22 mm



REPAGAS 1240014



Suitable for:


**3355431 HEATING ELEMENT 4000W 230V**  
 immersed length 310 mm  
 flange external  $\varnothing$  63 mm  
 with bulb sheath  $\varnothing$  6 mm  
 complete with O-RING  
 nut and washer upon request  
 for boiler



REPAGAS 1250007


Suitable for:

**3355769 HEATING ELEMENT 8000W 230V**  
 external  $\varnothing$  300 mm - overall height 165 mm  
 flange 145x25 mm



REPAGAS 45200001

**3355432 HEATING ELEMENT 8000W 240V**  
 external  $\varnothing$  260 mm - height 80 mm  
 flange 140x25 mm



REPAGAS 1250016

**3755208 HEATING ELEMENT 920W 230V**  
 length 260 mm - width 210 mm  
 overall height 120 mm - connections  $\varnothing$  1/4"



REPAGAS 1230006

## Hinges, catches and accessories

**5021411 HINGE UPPER OVEN DOOR**



REPAGAS 001988

REPAGAS 43000034

**5037730 HINGE UPPER OVEN DOOR**



REPAGAS 000657

REPAGAS 67100004

**3053230 OVEN DOOR BOTTOM HINGE**



REPAGAS 009400

REPAGAS 1250066

**3053232 OVEN DOOR TOP HINGE**



REPAGAS 009413

REPAGAS 1250067

## Incandescent lamps and neon lamps

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
 max. temperature 300°C



REPAGAS 42200007

**3221041 OVEN LAMP E14 15W 230V**  
 max temperature 300°C  
 for OVEN - PIZZA OVEN



REPAGAS 1230009



Suitable for:

# REPAGAS



Suitable for:

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



REPAGAS 1250021

## Indicator lights

**3221132 GREEN INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



REPAGAS 1250050

**3221095 ORANGE INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



REPAGAS 1230023

**3221080 RED INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C



REPAGAS 1230025

## Ironmongery (screws,nuts,washers)

**3528017 HEXAGONAL NUT M12 SHORT**  
stainless steel - UNI 5589 - DIN 936 - 4035



REPAGAS 30100048

## Knobs

**3241340 BLACK KNOB ø 38 mm**  
D-shaped hole 6x4.6 mm



REPAGAS 1250049

**3241336 KNOB BLACK ø 50 mm**  
D-shaped hole 6x4.6 mm



REPAGAS 006577

REPAGAS 1230021



## Lamp receptacles and spare parts

**3221172 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 96x80 mm



REPAGAS 44100006

**3221255 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 140x72 mm



REPAGAS 1250018

**3221173 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 73x58 mm



REPAGAS 44100004

**3221256 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 112x65 mm  
max temperature 500°C



REPAGAS 1250019

**3221052 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  57 mm**  
thread  $\varnothing$  33.5 mm - overall height 34 mm




REPAGAS 1230007

**3221204 HALOGEN LAMP RECEPTACLE G4 20W 12V**  
UL certified - wire connection length 300 mm




REPAGAS 42200008

**3221311 LAMP RECEPTACLE E14 25W 230V**  
mounting hole  $\varnothing$  36 mm  
max temperature 300°C



REPAGAS 1230010

**3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V**  
dimensioni esterne 106x65 mm



REPAGAS 1250065

**3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE**  
external dimensions 140x75 mm



REPAGAS 1250020



Suitable for:

# REPAGAS

Suitable for:



## Level regulators

**3341026 LEVEL ADJUSTER RL30/3ES/F/G**  
230V 50/60Hz



REPAGAS 4370002

## Level sensors

**3341028 LEVEL PROBE  $\varnothing$  1/4" M-150 mm**



REPAGAS 4300007

**3341014 SET BOILER PROBE M12x1 mm 3 PCS**  
this kit includes:  
1 probe 155 mm  
1 probe 160 mm  
1 probe 173 mm



REPAGAS 1260005

## Microswitches

**3240410 MICROSWITCH 16(4)A 250V**



REPAGAS 1230024

## Motors

**5025716 COUNTER FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  24 mm  
thickness 5 mm



REPAGAS 002115

REPAGAS 43000047

**5027647 COUNTER FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  48 mm - internal  $\varnothing$  15 mm - thickness 5



REPAGAS 002080

REPAGAS 43000044

**5025715 FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  24 mm - thickness 8



REPAGAS 002101

REPAGAS 43000046

**5027648 FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  48 mm - internal  $\varnothing$  15 mm - thickness 8



REPAGAS 002067

REPAGAS 43000043



Suitable for:

**3240723 MOTOR FB100L 4/8 0.55/0.13Kw 380/415V**  
50/60Hz 1.4/0.38A - 1600/700rpm



REPAGAS 009961

REPAGAS 1260008

Suitable for:

**3186447 MAIN SHAFT SEALING GASKET**  
external  $\varnothing$  29.5 mm - internal  $\varnothing$  23.5 mm  
thickness 3 mm



REPAGAS 4300045

**3240319 MOTOR LM50/2 0.04Kw 220/240V 50Hz**  
0.6A capacitor 4  $\mu$ F



REPAGAS 4110002

**5004420 MOTOR ST100L/4 0.55Kw 50/60Hz**  
220/240/346-415V 50Hz 0.55Kw 2.6/1.5A 1400rpm  
200/240/346-460V 60Hz 0.55Kw 2.3/1.3A 1700rpm



REPAGAS 1240004


**5025716 COUNTER FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  24 mm  
thickness 5 mm



REPAGAS 002115


REPAGAS 4300047

**3240392 FAN  $\varnothing$  300 mm**  
thickness 100 mm  
total blades 24 -  $\varnothing$  tapered hole 19-24 mm



REPAGAS 1260007

**3240036 FAN  $\varnothing$  350 mm**  
thickness 100 mm  
total blades 24 -  $\varnothing$  tapered hole 19-24 mm



REPAGAS 1410004

**5025715 FLANGE FOR MOTOR SHAFT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  24 mm - thickness 8



REPAGAS 002101

REPAGAS 4300046

**3186447 MAIN SHAFT SEALING GASKET**  
external  $\varnothing$  29.5 mm - internal  $\varnothing$  23.5 mm  
thickness 3 mm



REPAGAS 4300045




Suitable for:

# REPAGAS



Suitable for:

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan ø 150 mm



REPAGAS 1510006


**2000183 MOTOR 1057.1957 0.5/0.1HP 220/240V 50Hz**  
WITH THERMAL  
2/0.7A - 2700/1400 rpm - capacitor 20 µf



REPAGAS 008939

REPAGAS 1250015

**3240109 FAN ø 220 mm**  
thickness 79 mm  
total blades 20 - ø tapered hole 11.5-16.5 mm




REPAGAS 44700002

**3186421 GASKET SEALING MOTOR SHAFT**  
external ø 20 mm - internal ø 14.5 mm - thickness



REPAGAS 43000042

**3240391 MOTOR 1057.2157 0.37Kw 220/240V 50Hz**  
2700rpm - capacitor 12.5 µf



REPAGAS 44700005

**5027647 COUNTER FLANGE FOR MOTOR SHAFT**  
external ø 48 mm - internal ø 15 mm - thickness 5



REPAGAS 002080

REPAGAS 43000044

**5027648 FLANGE FOR MOTOR SHAFT**  
external ø 48 mm - internal ø 15 mm - thickness 8



REPAGAS 002067

REPAGAS 43000043

**5027647 COUNTER FLANGE FOR MOTOR SHAFT**  
external ø 48 mm - internal ø 15 mm - thickness 5



REPAGAS 002080

REPAGAS 43000044



Suitable for:

**3240030 FAN ø 180 mm**  
thickness 60 mm  
total blades 16 - ø tapered hole 11.5-16.5 mm



REPAGAS 1250014

**5027648 FLANGE FOR MOTOR SHAFT**  
external ø 48 mm - internal ø 15 mm - thickness 8



REPAGAS 002067

REPAGAS 43000043

## REPAGAS



Suitable for:

**3240109 FAN ø 220 mm**  
thickness 79 mm  
total blades 20 - ø tapered hole 11.5-16.5 mm



REPAGAS 44700002

**3186421 GASKET SEALING MOTOR SHAFT**  
external ø 20 mm - internal ø 14.5 mm - thickness



REPAGAS 43000042

## Outlet solenoid valves and accessories

**3525006 BOILER MOTOR DRAIN VALVE**  
230V 50/60Hz 2.5W  
fittings ø 1/2" FF DN15



REPAGAS 43000004

## Penetration probes

**3397040 PENETRATION PROBE PT100**  
connector fitting  
probe length 185 mm  
compartment internal cable length 445 mm  
compartment external cable length 1440 mm



REPAGAS 011915

REPAGAS 4270001

**3397006 PROBE PENETRATION PT100**  
connector fitting  
probe length 180 mm  
compartment internal cable length 680 mm  
compartment external cable length 1400 mm



REPAGAS 4270004

## Pilot burners and accessories

**3020084 NUT & OLIVE ø 6 mm**



REPAGAS 00131131

REPAGAS 43000018

**3020040 PILOT JET ø 0.30 mm**



REPAGAS 00142185



Suitable for:

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



REPAGAS 00106039

Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



REPAGAS 40100008

## Potentiometers

**3057230 COMPLETE POTENTIOMETER FOR BOARD**  
D-shaped pin 6x4.6 mm



REPAGAS 020042

REPAGAS 44100002

## Pre-rinse units

**3359605 WHITE SHOWER HEAD NEW  $\varnothing$  1/2" F**



REPAGAS 1270003R

## Probes

**3397128 PROBE TEMPERATURE PT100**  
2 wires - bulb  $\varnothing$  6x37 mm  
probe length 120 mm  
cable length 1400 mm  
with fastening coupling M10x1 mm



REPAGAS 1460011

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range  $-30+80^{\circ}\text{C}$   
bulb  $\varnothing$  6x40 mm



REPAGAS 44300002



## Relays

- 3351007 POWER RELAY FINDER 55.32.8.230.0040**  
 230V 50/60Hz  
 2 exchange contacts 10A  
 with to test push-button + mechanic gauge




REPAGAS 4120002

REPAGAS 4300001


## Rotary switches

- 3057097 SELECTOR SWITCH 0-2 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




REPAGAS 1270012

- 3057010 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



REPAGAS 1230016

- 3057047 SELECTOR SWITCH 5 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



REPAGAS 1250031

## Solenoid valves

- 5022177 ADJUSTER OUTLET 0.15 L/min BROWN**



REPAGAS 009006

REPAGAS 1250022

- 5036913 ADJUSTER OUTLET 0.2 L/min RED**



REPAGAS 008887

REPAGAS 1250009

- 3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet  $\varnothing$  10.5 mm



REPAGAS 1230013

- 3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - two outlets  $\varnothing$  10.5 mm



REPAGAS 1240007



Suitable for:

# REPAGAS



Suitable for:

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz



REPAGAS 1430008

## Sparking and detection plugs

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



REPAGAS 4010008

**3020065 ROUND SPARKING PLUG  $\varnothing$  9.5x77 mm**  
overall length 125 mm



REPAGAS 4300026

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



REPAGAS 00142187

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



REPAGAS 4010008

## Switches

**3319168 BIPOLAR SWITCH 16A 250V**



REPAGAS 1250039

**3319272 BUTTON ELLIPTICAL 17x13 mm LIGHT GRAY**



REPAGAS 4470003

**3319271 BUTTON SUPPORT ELLIPT. 17x13 mm GRAY**  
mounting hole 21x17 mm - pale gray colour



REPAGAS 4470004



Suitable for:

**3319272** BUTTON ELLIPTICAL 17x13 mm LIGHT GRAY



REPAGAS 44700003

Suitable for:

**3319271** BUTTON SUPPORT ELLIPT. 17x13 mm GRAY  
mounting hole 21x17 mm - pale gray colour



REPAGAS 44700004

**3319617** DOUBLE CONTACT SWITCH 16A 250V



REPAGAS 43000005

## Telethermometers

**3441037** WHITE TELETHERMOMETER  $\varnothing$  52 mm 50-350°C  
plastic sheath  
capillary length 970 mm  
bulb  $\varnothing$  6x40mm



REPAGAS 1230022

## Terminal blocks


**3247003** TERMINAL BLOCK 2-POLE CERAMIC  
for cable max. 4 mmq  
operating temperature 300°C  
nominal voltage 450V  
dimensions 20x21x18 mm



REPAGAS 32100015

## Thermocouples and accessories

**3440066** INTERRUPTED THERMOCOUPLE M9x1 60 cm  
interrupted contact with fastons



REPAGAS 09500065

**3440006** THERMOCOUPLE SIT M10X1 32 cm



REPAGAS 24204026



Suitable for:

# REPAGAS



Suitable for:

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



REPAGAS 00106040

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



REPAGAS 00106040

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



REPAGAS 00106040

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



REPAGAS 25100058

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



REPAGAS 25100058

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



REPAGAS 25100058


## Thermostats

**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x129 mm



REPAGAS 1440003

**3444598 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 930 mm - 16A 250V  
bulb  $\varnothing$  5x70 mm




REPAGAS 57103016



Suitable for:


**3444552 SINGLE-PHASE THERMOSTAT 30-120°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  6x115 mm



REPAGAS 4300006

Suitable for:

**3444676 SINGLE-PHASE THERMOSTAT 335°C**  
 with manual reset  
 covered capillary length 920 mm - 16A 250V  
 bulb  $\varnothing$  3x150 mm




REPAGAS 1250026

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm




REPAGAS 1230017

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



REPAGAS 1270013


**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 950 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



REPAGAS 32403007

REPAGAS 4100014

**3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  6.5x95 mm




REPAGAS 25304008

**3444333 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  4x310 mm



REPAGAS 1220011


**3444695 3-PHASE THERMOSTAT 160°C**  
 with manual reset  
 covered capillary length 890 mm - 10A 400V  
 bulb  $\varnothing$  6x87 mm - with stuffing gland fitting M10x1



REPAGAS 1250025

## Timers

**3446055 TIMER FINDER 85.32 10A 230V**  
 10 h maximum time



REPAGAS 4300002



Suitable for:

# REPAGAS



Suitable for:

## Timers

**3446056 TIMER 120 MINUTES M2**  
 mechanical timer with acoustic alarm  
 manual left position possible  
 manually set cycle 120 minutes  
 contact capacity 16(4)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



REPAGAS 1250037

**3241336 KNOB BLACK  $\varnothing$  50 mm**  
 D-shaped hole 6x4.6 mm



REPAGAS 006577

REPAGAS 1230021

**3446053 TIMER 6 SECONDS 5A 250V**



REPAGAS 4110005

**3446054 TIMER 60 SECONDS 5A 230V**



REPAGAS 4110006

## Watertight seals and rings

**3186421 GASKET SEALING MOTOR SHAFT**  
 external  $\varnothing$  20 mm - internal  $\varnothing$  14.5 mm - thickness



REPAGAS 4300042

**3186447 MAIN SHAFT SEALING GASKET**  
 external  $\varnothing$  29.5 mm - internal  $\varnothing$  23.5 mm  
 thickness 3 mm






















REPAGAS 4300045

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)