



Spare parts for:

Ovens



Suitable for:

ROLLER GRILL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10230841





Suitable for:

ROLLER GRILL



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ROLLER GRILL SA03018

Cable glands

7151078 SERRE CABLE PA84
pour câble 1.5 mm² 16A
pour trou ø 26 mm avec cosse 6.3 mm



ROLLER GRILL A10002

Contact thermostats

3443052 CONTACT THERMOSTAT 135°C 16A 250V
with automatic reset
for Convection oven electric (ROLLER GRILL)
FC110 - FC110G



ROLLER GRILL A06034

ROLLER GRILL A06034/1

3444610 CONTACT THERMOSTAT 90°C 10A 250V
with automatic reset
for BOILER
for Convection oven electric (ROLLER GRILL) FC110
FC110G



ROLLER GRILL A06048

Contactors

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



ROLLER GRILL A05002

ROLLER GRILL A05006

3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10
18A 400V 7.5Kw - coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ROLLER GRILL A05007

Suitable for:

Suitable for:

3446562 CONTACTOR LOVATO BF0901A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact
 for Convection oven electric (ROLLER GRILL) FC110E
 FC110EG



ROLLER GRILL A05008

Energy regulators


3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ROLLER GRILL A04006

Fans for motors

5068175 FAN \varnothing 150 mm
 height 20 mm
 central hole for D-shaped pin 6x5 mm
 for Convection oven electric (ROLLER GRILL) FC60
 FC60P - FC60TQ



ROLLER GRILL A03058

Gaskets for oven door

3186693 OVEN DOOR GASKET 335x218 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 9x7 mm
 BLACK COLOUR
 for Convection oven electric (ROLLER GRILL) FC26



ROLLER GRILL H03002

3186692 OVEN DOOR GASKET 370x235 mm
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (ROLLER GRILL)
 CLASSIC NOIR - FC33 - FC34
 for Convection oven electric (ROLLER GRILL) FC340
 FC340TQ



ROLLER GRILL H03010



Suitable for:

ROLLER GRILL



3186691 OVEN DOOR GASKET 445x340 mm
 made of silicone elastomer
 with fastening clips
 COLOUR RED
 for Convection oven electric (ROLLER GRILL)
 FC60 - FC60G
 for Convection oven electric (ROLLER GRILL) FC60P
 FC60TQ



ROLLER GRILL H03005

Suitable for:

3186669 OVEN DOOR GASKET 630x340 mm
 made of silicone elastomer
 with fastening clips
 COLOUR RED
 for Convection oven electric (ROLLER GRILL)
 FC110 - FC110G
 for Convection oven electric (ROLLER GRILL) FC110E
 FC110EG



ROLLER GRILL H03006

Handles

3242735 OVEN DOOR HANDLE
 distance between mounting holes 180 mm



ROLLER GRILL A15018

Heating elements

7150287 HEATING ELEMENT 1500W 230V
 ø external 145 mm - total height 69 mm
 for Convection oven electric (ROLLER GRILL)
 for Convection oven electric (ROLLER GRILL) FCV280
 FC280



ROLLER GRILL D02009

5033457 HEATING ELEMENT 1500W 240V
 external ø 190 mm - total height 51 mm
 flangia 47x17 mm
 for Electric oven (ROLLER GRILL) FC26



ROLLER GRILL D02144

3855002 HEATING ELEMENT 2500W 240V
 external ø 190 mm - total height 68 mm
 flange 47x17 mm
 for Electric oven (ROLLER GRILL) FC33-FC34



ROLLER GRILL D02143

3755634 HEATING ELEMENT 3000W 230V
 external ø 190 mm - overall height 80 mm
 flange 70x22 mm
 for Convection oven electric (ROLLER GRILL)
 FC60 - FC60G
 for Convection oven electric (ROLLER GRILL) FC60TQ



ROLLER GRILL D02034



Suitable for:

3755621 HEATING ELEMENT 5000W 230V
 external \varnothing 240 mm - overall height 83 mm
 flange 100x22 mm
 for Convection oven electric (ROLLER GRILL) FC110
 FC110G



ROLLER GRILL D02045

Suitable for:

7102219 HEATING ELEMENT 6000W 240V
 \varnothing external 255 mm - total height 80 mm
 flange 100x22 mm
 for Convection oven (ROLLER GRILL)
 FC110E
 for Convection oven electric (ROLLER GRILL)
 FC110EG



ROLLER GRILL D02151

5027373 INSULATOR FOR CERAMIC HEATING ELEMENT
 external \varnothing 15 mm - length 20.5 mm



ROLLER GRILL A09001

7102247 QUARTZ HEATING ELEMENT 530W 77V
 length 480 mm - \varnothing 11 mm
 for Convection oven electric (ROLLER GRILL)
 FC60G
 for Convection oven electric (ROLLER GRILL) FC60P
 FC60TQ



ROLLER GRILL D04028

7102246 QUARTZ HEATING ELEMENT 750W 115V
 length 415 mm - \varnothing 11 mm
 for Convection oven electric (ROLLER GRILL)
 FC60G
 for Convection oven (ROLLER GRILL)
 FC340TQ
 for Convection oven electric (ROLLER GRILL)
 FC34TQ
 FC340



ROLLER GRILL D04020

Hinges, catches and accessories

3053281 RIGHT/LEFT HINGE FOR OVEN
 mounting distance 130 mm - overall length 155 mm
 height 147 mm
 for Convection oven electric (ROLLER GRILL)
 FC110 - FC110G - FC60 - FC60G
 for Convection oven electric (ROLLER GRILL) FC110E
 FC110EG - FC60P - FC60TQ



ROLLER GRILL B09005

3053108 ROLL HOLDER FOR HINGE
 mounting distance 95 mm - overall length 110 mm
 height 23 mm
 for Convection oven electric (ROLLER GRILL)
 FC110 - FC110G - FC60 - FC60G
 for Convection oven electric (ROLLER GRILL) FC60P
 FC60TQ



ROLLER GRILL B09007



Suitable for:

ROLLER GRILL



Suitable for:

3053108 ROLL HOLDER FOR HINGE
 mounting distance 95 mm - overall length 110 mm
 height 23 mm
 for Convection oven electric (ROLLER GRILL)
 FC110 - FC110G - FC60 - FC60G
 for Convection oven electric (ROLLER GRILL) FC60P
 FC60TQ



ROLLER GRILL B09007

Hydraulic piping

3010133 BLACK POLYETHYLENE PIPE LLDPE JG
 \varnothing 8x4.75 mm
 sold per metre



ROLLER GRILL SH03012

Indicator lights

3221303 GREEN INDICATOR LAMP 230V
 head \varnothing 14 mm - hole \varnothing 12 mm - 120°C
 wire connection length 200 mm



ROLLER GRILL A08011

1221006 GREEN INDICATOR LAMP 250V
 head \varnothing 14 mm - hole \varnothing 12 mm - 75°C



ROLLER GRILL A08009

3221085 INDICATOR LAMP GREEN 230V
 \varnothing head 18 mm - \varnothing hole 12 mm - 120°C



ROLLER GRILL A08020

3221024 INDICATOR LAMP RED 230V
 head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
 faston M 6.3x0.8 mm
 universal application



ROLLER GRILL A08008



Suitable for:

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ROLLER GRILL A08003

Suitable for:

3221139 RED INDICATOR LIGHT 230V
head \varnothing 14 mm - hole \varnothing 12 mm - 120°C



ROLLER GRILL A08005

Knobs


3241515 BLACK KNOB \varnothing 40 mm
D shaft hole 6x4.6 mm
for Electric oven (ROLLER GRILL)



ROLLER GRILL A14042

ROLLER GRILL A14084

3241512 BLACK KNOB \varnothing 51 mm
D shaft hole 6x4.6 mm



ROLLER GRILL A14078

Lamp receptacles and spare parts

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C



ROLLER GRILL A18022

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



ROLLER GRILL A18004

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
lamp glass \varnothing 72 mm
mounting hole \varnothing 68 mm
max temperature 300°C



ROLLER GRILL A18005



Suitable for:

ROLLER GRILL



Suitable for:

Microswitches

3240589 MICROSWITCH 16A 250V
for Convection oven electric (ROLLER GRILL)
FC110 - FC110E - FC110G



ROLLER GRILL A07017

5025981 MICROSWITCH 6A 250V
for Convection oven (ROLLER GRILL) FC33



ROLLER GRILL A07023

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm
for Convection oven electric (ROLLER GRILL)
FC26 - FC34
for Electric oven (ROLLER GRILL)
FC26 - FC33 - FC34
for Convection oven electric (ROLLER GRILL)
FC60G
FCV280 - FC280 - FC340 - FC340TQ - FC380 - FC380TQ



ROLLER GRILL A03001

ROLLER GRILL A03006

5068174 MOTOR WITH FAN 55W 220V 50/60Hz
fan \varnothing 150 mm
for Convection oven electric (ROLLER GRILL) FC60
FC60P - FC60TQ




ROLLER GRILL A03057

ROLLER GRILL A03057+B08050

ROLLER GRILL A03057+B08050+

5068175 FAN \varnothing 150 mm
height 20 mm
central hole for D-shaped pin 6x5 mm
for Convection oven electric (ROLLER GRILL) FC60
FC60P - FC60TQ



ROLLER GRILL A03058

Pilot burners and accessories

3020054 PILOT JET \varnothing 0.20 mm



ROLLER GRILL E02086

3020055 PILOT JET \varnothing 0.35 mm



ROLLER GRILL E02086

Rotary switches

- 7104489 SELECTOR SWITCH 4 POSITIONS**
 contact capacity 6A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ROLLER GRILL) FC110G



ROLLER GRILL A01014

Springs

- 3250138 SPRING FOR DOOR \varnothing 8x130 mm**
 for Electric oven (ROLLER GRILL) CLASSIC NOIR
 FC26 - FC33 - FC34



ROLLER GRILL B07002

Switches

- 3319310 BLACK BIPOLAR SWITCH 10A 250V**
 silk-screen printing 0 - I
 mounting hole 13x20 mm
 for Convection oven electric (ROLLER GRILL) TH1



ROLLER GRILL A07005

- 5053098 SINGLE-POLE SWITCH 16A 250V RED**
 with push-button cap
 mounting hole 13x20 mm
 for Convection oven (ROLLER GRILL) FC110E




ROLLER GRILL A07014

- 3319969 SWITCH 1-POLE RED 16A 250V**
 16(4)A 250V - with indicator lamp
 max. temperature 120°C
 mounting hole 11x30 mm



ROLLER GRILL A07012

- 3319154 SWITCH 2-POLE BLACK 16A 250V**
 16(4)A 250V - max. temperature 120°C
 with push-button cap - silk screen printing 0 - I
 mounting hole 22x30 mm



ROLLER GRILL A07002

ROLLER GRILL SA07002



ROLLER GRILL



Suitable for:

3319371 SWITCH 2-POLE BLACK 16A 250V
 16(4)A 250V
 silk screen printing 0 - I
 max. temperature 120°C
 mounting hole 22x30 mm
 for Gyros electronic (ROLLER GRILL)
 for Proving oven electric (ROLLER GRILL) EP800



ROLLER GRILL A07025

ROLLER GRILL A07027

ROLLER GRILL A07030

Suitable for:

3319944 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp - silk screen printing 0 - I
 mounting hole 22x30 mm



ROLLER GRILL A07032

3319016 SWITCH 2-POLE RED 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp - silk screen printing 0 - I
 mounting hole 22x30 mm



ROLLER GRILL A07003

3319252 SWITCH 2-POLE BLACK 16A 250V
 16(4)A 250V - max. temperature 120°C
 mounting hole 22x30 mm
 for Convection oven electric (ROLLER GRILL) FC33



ROLLER GRILL A07022

3319029 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp - mounting hole 22x30 mm



ROLLER GRILL A07032

Telethermometers

3441029 TELETHERMOMETER WHITE 56x25 mm 50-350°C
 plastic body
 capillary length 1000 mm
 bulb \varnothing 6x25 mm



ROLLER GRILL A18007



Terminal blocks

3247003 TERMINAL BLOCK 2-POLE CERAMIC

for cable max. 4 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 20x21x18 mm



ROLLER GRILL A16003

3247006 TERMINAL BLOCK 2-POLE CERAMIC

for cable max. 10 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ROLLER GRILL A16011

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



ROLLER GRILL A16012

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V
for Convection oven electric (ROLLER GRILL)
FC110E - FC110EG
for Gyros electric (ROLLER GRILL)
GR40E - GR60E - GR80E



ROLLER GRILL A16014

Thermocouples and accessories

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.

female nut M9x1



ROLLER GRILL E02251

3440051 THERMOCOUPLE SIT M8x1 32 cm. THREAD M8x1



ROLLER GRILL E02237

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



ROLLER GRILL E02147

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



ROLLER GRILL E02011



Suitable for:

ROLLER GRILL




Suitable for:

Thermostats

3444758 SINGLE-PHASE THERMOSTAT 30-85°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 850 mm - 16A 230V
bulb \varnothing 6x92 mm




ROLLER GRILL A06002

ROLLER GRILL A06041

3744138 SINGLE-PHASE THERMOSTAT 45-230°C


D-shaped pin \varnothing 6x4.6 mm
capillary length covered 620 mm - 16A 400V
bulb \varnothing 3x150 mm
for Electric oven (ROLLER GRILL) TH1



ROLLER GRILL A06019

3444361 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary 950 mm - 16A 250V
bulb \varnothing 3x160 mm
for Convection oven electric (ROLLER GRILL)
FC26-FC33-FC34-FC60-FC110-CLASSIC NOIR
FC60G-FC110G
for Convection oven (ROLLER GRILL)
FC60TQ



ROLLER GRILL A06006

ROLLER GRILL A06020


ROLLER GRILL A06022

ROLLER GRILL A06042

ROLLER GRILL A06044

3444593 SINGLE-PHASE THERMOSTAT 50-320°C


D-shaped pin \varnothing 6x4.6 mm
capillary length 860 mm - 16A 400V
bulb \varnothing 3x150 mm
for Convection oven electric (ROLLER GRILL)
FC26-FC33-FC34-FC60-FC110-CLASSIC NOIR
FC60G-FC110G
for Convection oven electric (ROLLER GRILL)
FC110E - FC110EG - FC260 - FC60 - FC60P - FC60TQ



ROLLER GRILL A06042

3444596 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1180 mm - 16A 400V
bulb \varnothing 3x150 mm
for Convection oven electric (ROLLER GRILL)
CLASSIC NOIR - FC110 - FC26 - FC34 - FC60
FC60G-FC110G



ROLLER GRILL A06006

5045789 SINGLE-PHASE THERMOSTAT 58-180°C

D-shaped pin \varnothing 6x4.6 mm
capillary length covered 610 mm - 16A 400V
bulb \varnothing 6x75 mm
for Convection oven electric (ROLLER GRILL)
FC26-FC33-FC34-FC60



ROLLER GRILL A06007

ROLLER GRILL A06009

ROLLER GRILL A06026

ROLLER GRILL A06056



Timers

5049696 TIMER 120 MINUTES MI7
 mechanical movement with balance wheel
 mechanical timer with manual reset
 120 minute manual reset cycle
 contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ROLLER GRILL) TH1



ROLLER GRILL A02010

3446111 TIMER 120 MINUTES MT59
 mechanical movement with balance wheel
 120 minute manually set cycle
 2-pole with contact capacity 16A 250V
 max temperature 125°C - D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ROLLER GRILL)
 FC26-FC33-FC34-CLASSIC NOIR



ROLLER GRILL A02015

7150277 TIMER 120 MINUTES MT59
 mechanical movement with balance wheel
 manually set mechanical timer
 120 minute manually set cycle
 2-pole with contact capacity 16(4)A 250V
 max. temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (ROLLER GRILL) FC26 - FC34



ROLLER GRILL A02019

3446056 TIMER 120 MINUTES M2
 mechanical timer with acoustic alarm
 manual left position possible
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ROLLER GRILL)
 FC110 - FC60
 for Convection oven electric (ROLLER GRILL) FC110E
 FC110EG - FC60P - FC60TQ



ROLLER GRILL A02014

ROLLER GRILL A02028

3446114 TIMER 15 MINUTES M2
 manually set mechanical timer
 manually set cycle 15 minutes
 contact capacity 16(4)A 250V 50Hz
 max temperature 120°C
 D-shaped pin \varnothing 6x4.6 mm



ROLLER GRILL A02013



















ROLLER GRILL A02016

ROLLER GRILL A02029

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us