




Spare parts for:

Ovens



Suitable for:

ROSINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ROSINOX



Suitable for:

Ball valves and accessories

- 3526632 GAS/WATER BALLCOCK VALVE $\varnothing$ 3/4"FF**
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle




ROSINOX RX94032687

ROSINOX RX94812688

Buzzers

- 3397302 ALARM BELL 220V**



ROSINOX RX94027794

Cables for piezo igniters

- 3001016 IGNITION LEAD 1000 mm**
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



ROSINOX RX94805074

ROSINOX RX94805694

Capacitors, electrical

- 3068019 CAPACITOR μ F 12.5 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ROSINOX RX94814010

- 9068002 CAPACITOR μ F 25 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
compliant with EEC 93/68 and EEC 92/31



ROSINOX RX94051638

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



ROSINOX RX94801305

Contactors

3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
1.1Kw / 1.6÷2.5A
3 normally open contacts




ROSINOX RX94810904

3397405 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz
1.5Kw / 2.5÷4A
3 normally open contacts



ROSINOX RX94810902

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



ROSINOX RX94804408

ROSINOX RX94813830

3351221 CONTACTOR AEG LS15K 32A 230V 16Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



ROSINOX RX27400282

3351222 CONTACTOR AEG LS22K 50A 230V 22Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



ROSINOX RX27400290

3351223 CONTACTOR AEG LS30K 65A 230V 30Kw
coil 230V 50/60Hz
3 normally open contacts
no auxiliary contact



ROSINOX RX27400308

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ROSINOX RX27400324

3454066 CONTACTOR SCHNEIDER LC1D25P7
25A 400V 11Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact



ROSINOX RX94019155



Suitable for:

ROSINOX



Suitable for:

Drain pumps

- 3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz**
inlet external $\varnothing$ 24 mm - outlet external $\varnothing$ 24 mm



ROSINOX RX27500297

Electrical gas valves and accessories

- 3526098 COIL 220V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ROSINOX 27440130

- 3526090 ELETTROSIT VALVE $\varnothing$ 3/4"FF**
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



ROSINOX RX94024965

- 3526096 VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ROSINOX RX94034683


- 3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF**
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3 ÷ 30 mbar
room temperature 0 ÷ 70°C
power supply 230V 50Hz



ROSINOX 94023744

Electronic printed-circuit boards

- 3390234 BYPASS BOARD 150x125 mm**



ROSINOX RX27450220

- 5028738 CONTROL PC BOARD 350x121 mm**
three pins $\varnothing$ 6 mm
for Convection oven (ROSINOX) MULTIMAX A10-11



ROSINOX RX94820035



Suitable for:

ROSINOX




5022004 CONTROL PC BOARD 460x120 mm
three D-shaped pins $\varnothing$ 6x4.6 mm



ROSINOX RX27450238

Suitable for:

5048272 KIT PC BOARD PUSH-BUTTON PANEL 320x75mm
complete with buzzer, potentiometers, probes and accessories



ROSINOX RX94814232


ROSINOX RX94814236

3390359 PC BOARD LEVEL 90x70 mm
SERSA n° 921216a - 13-pole
for Convection oven electric (ROSINOX)
TVTS10E - TVTS6E - TVT10E - TVT6E



ROSINOX RX94023587

3390358 PC BOARD SETTING 90x50 mm
SERSA n° 911124b
depth 100 mm
for Convection oven (ROSINOX) TVT20G
for Convection oven electric (ROSINOX) TVTS10E
TVT10E
for Convection oven (ROSINOX) TVT20G



ROSINOX RX94050218


Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction



ROSINOX RX94045299


3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ROSINOX RX94812641


Fans for motors

5023022 FAN $\varnothing$ 280 mm
thickness 125 mm
number of blades 12 - tapered hole $\varnothing$ 11-16 mm



ROSINOX RX27490051

3240397 FAN $\varnothing$ 350 mm
thickness 125 mm
total blades 12 - $\varnothing$ tapered hole 13-16 mm



ROSINOX RX94050051



Feet

- 3313005 STAINLESS STEEL FOOT $\varnothing$ 2" x h 125 mm**
with fixed screw M12x25 mm



ROSINOX RX94809563

Fittings

- 3349330 NICHEL-PLATED FITTING $\varnothing$ 1/4"M-1/8"F**



ROSINOX RX94814405

Fuses

- 2111942 CLAMP FUSEHOLDER $\varnothing$ 5x20 mm**
250V 10A
for cable 10 mmq
for Convection oven electric (ROSINOX) TV10E



ROSINOX RX27630110

- 3049020 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS**
250V 6.3A



ROSINOX RX27630086

- 7105361 FUSE NEOZED 400V 35A**



ROSINOX RX27630227

- 3049052 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS**
250V 4A



ROSINOX RX27630268

Gas taps and accessories

- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22




ROSINOX RX94812588

Gaskets and seals

3186009 ASBESTOS FREE FLAT GASKET $\varnothing$ 45x33x2 mm


ROSINOX RX94801446

3786496 BOILER LEVEL GASKET 70x70x4 mm


ROSINOX 24390320

3186526 GASKET FOR THERMOSTAT
 internal $\varnothing$ 15 mm
 external $\varnothing$ 21 mm


ROSINOX RX94820006

7100510 GASKET RUBBER
 external $\varnothing$ 58 mm - internal $\varnothing$ 42 mm -thickness 4 mm


ROSINOX RX24390627

3786497 MOTOR SHAFT GASKET


ROSINOX RX24390296


3786614 OVEN LAMP RECEPTACLE GASKET
 dimensions 48x41x3 mm


ROSINOX RX24390700

Gaskets for oven door

3186528 GASKET OVEN DOOR 1495x520 mm
 made of silicone elastomer
 profile dimensions 33x18 mm
 COLOUR: BLACK


ROSINOX RX94820002

3786340 OVEN DOOR GASKET
 made of silicone elastomer
 profile dimensions 25x22 mm
 COLOUR GREY
 SOLD PER METRE
 for Convection oven (ROSINOX) FP10E - TVT10
 854222
 for Convection oven (ROSINOX) FP10E - TVSI20G


ROSINOX RX94050309




Suitable for:

ROSINOX




3286006 OVEN DOOR GASKET - 25 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR




ROSINOX RX24390288

3286077 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOUR




ROSINOX RX24390288

3286005 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 19x19 mm
BLACK COLOR




ROSINOX RX24390288

3186156 OVEN DOOR GASKET 485x470 mm
made of silicone elastomer
profile dimensions 23x18 mm
COLOUR BLACK



ROSINOX RX24390379

3186524 OVEN DOOR GASKET 520x490 mm
made of silicone elastomer
profile dimensions 33x18 mm
COLOUR BLACK




ROSINOX RX94820000

3786067 OVEN DOOR GASKET 610x435 mm
made of silicone elastomer
COLOUR BLACK




ROSINOX RX94814225

3186155 OVEN DOOR GASKET 720x485 mm
made of silicone elastomer
profile dimensions 23x18 mm
COLOUR BLACK




ROSINOX RX24390338

3186527 OVEN DOOR GASKET 765x510 mm
made of silicone elastomer
profile dimensions 33x18 mm
COLOUR BLACK



ROSINOX RX94820001

3286026 OVEN DRAWER GASKET - 21 m
made of silicone elastomer
profile dimensions 26x19 mm
COLOUR BROWN



ROSINOX RX24390510

3286025 OVEN DRAWER GASKET - 7 m
made of silicone elastomer
profile dimensions 26x19 mm
COLOUR BROWN



ROSINOX RX24390510




Suitable for:

ROSINOX




- 3786623 OVEN GLASS GASKET**
made of silicone elastomer
profile dimensions 8x7 mm
COLOUR GREY
SOLD PER METRE



ROSINOX RX24390502


Suitable for:

- 3286048 OVEN GLASS GASKET - 25 m**
made of silicone elastomer
profile dimensions 9x7 mm
COLOUR BLACK



ROSINOX RX24390502

- 3286047 OVEN GLASS GASKET - 6 m**
made of silicone elastomer
profile dimensions 9x7 mm
COLOUR BLACK



ROSINOX RX24390502

Handles

- 3242090 BASE FOR DOOR HANDLE**
for OVEN



ROSINOX RX22705073

- 3242317 CLOSING DEVICE FOR DOOR HANDLE**
for OVEN



ROSINOX RX94802832

- 3242320 DOOR CLOSING PLATE**
distance between mounting holes 68 mm
for OVEN



ROSINOX RX26728261

- 3242718 DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm
for OVEN




ROSINOX LF-3242042

- 5027148 DOOR HANDLE STRIKE**
base 40x25 mm - distance between holes 13 mm



ROSINOX RX94814240

- 3242316 OVEN DOOR CLOSING SUPPORT**
distance between mounting holes 32-90 mm
for OVEN



ROSINOX RX26728287



Suitable for:

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm



ROSINOX RX94026168

Suitable for:

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



ROSINOX LF-3242042

3242311 OVEN DOOR HANDLE 280x30 mm
handle mounting holes distance 123-136 mm
for Convection oven (ROSINOX) TV10E



ROSINOX RX26728030

3242312 STRIKE FOR OVEN HANDLE
distance between mounting holes 15 mm
for Convection oven (ROSINOX) TV10E



ROSINOX RX26728022

3242225 PIN FOR HANDLE STRIKE $\varnothing$ 4x36 mm
for OVEN



ROSINOX RX94814246

3242466 PLASTIC RING $\varnothing$ 56x40x2 mm
for OVEN



ROSINOX RX26160119

3242224 SPRING FOR HANDLE STRIKE
for OVEN



ROSINOX RX94814244

3242922 STRIKE FOR DOOR CATCH



ROSINOX

3242093 STRIKE FOR DOOR HANDLE



ROSINOX RX94814245

3242318 STRIKE FOR DOOR HANDLE
distance between mounting holes 68 mm
for OVEN



ROSINOX RX26728253

- 3242312 STRIKE FOR OVEN HANDLE**
distance between mounting holes 15 mm
for Convection oven (ROSINOX) TV10E



ROSINOX RX26728022

Suitable for:

- 3242241 STRIKE FOR OVEN RIGHT HANDLE**
distance between mounting holes 67 mm
for OVEN



ROSINOX RX26728212


- 3242223 STRIKE WITH FLANGE FOR DOOR HANDLE**
for OVEN



ROSINOX RX94814243

Heating elements

- 3355712 HEATING ELEMENT 2500W 230V**
length 510 mm - width 140 mm
connections M14x1.5 mm



ROSINOX RX27307966

- 3355701 HEATING ELEMENT 3000W 230V**
immersed length 380 mm - width 60 mm
flange 80x28 mm



ROSINOX RX27318591

- 3455384 HEATING ELEMENT 3600W 240V**
width 340 mm - length 135 mm
connections M12x1 mm
for Convection oven electric (ROSINOX)
Series TVT - Series TVTS
for Convection oven (ROSINOX) FP10E



ROSINOX RX94050010



Suitable for:

ROSINOX



3355106 HEATING ELEMENT 6000W 230/400V
for boiler and wash tank
immersed length 350 mm
ext. ø flange 72 mm - with bulb-sheathing
with O-ring gasket ø 67 mm (3186014)
nut (3528232) and washer (3528238) on request



ROSINOX RX94810958

Suitable for:

3186014 O-RING GASKET 06225 EPDM ø 67 mm



ROSINOX RX94807294

3355702 HEATING ELEMENT 6000W 230V
immersed length 380 mm - width 60 mm
flange 80x28 mm




ROSINOX RX27318583

3455342 HEATING ELEMENT 6000W 230V
immersed length 350 mm - width 65 mm
flange 80x28 mm - with bulb sheath
complete with thermocouple probe



ROSINOX RX27318724

3755206 HEATING ELEMENT 6000W 240V
external ø 230 mm - height 130 mm
flange 140x25 mm



ROSINOX RX94814229

3355714 HEATING ELEMENT 9000W 230V
ø external 333 mm - overall height 190 mm
connections M14x1.5 mm



ROSINOX RX27307982

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ROSINOX RX94805280



Hinges, catches and accessories

- 3053007 LEFTHAND DOOR HINGE FOR OVEN**
distance between holes 175 mm - overall length 205
height 160 mm



ROSINOX RX94805272

- 3053003 DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



ROSINOX RX94805280

- 3053006 RIGHTHAND DOOR HINGE FOR OVEN**
distance between holes 175 mm - overall length 205
height 160 mm



ROSINOX RX94805264

- 3053003 DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



ROSINOX RX94805280

Hose-end fittings

- 3315106 3-WAY HOSE END RUBBER FITTING ø 10 mm**



ROSINOX RX94809241

Incandescent lamps and neon lamps

- 3221252 NEON LAMP FOR OVEN Ba15d 7W 230V**
dimensions ø 16x35 mm
for OVEN



ROSINOX RX27610302

- 3221067 NEON LAMP FOR OVEN E10 2W 230V**
dimensions ø 10x28 mm
for OVEN



ROSINOX RX27610179

- 3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**
max. temperature 300°C



ROSINOX RX94820004

- 3221041 OVEN LAMP E14 15W 230V**
max temperature 300°C
for OVEN - PIZZA OVEN



ROSINOX RX27610120



Suitable for:

3221253 OVEN LAMP E14 6/10W 230V
dimensions ø 16x52 mm



ROSINOX RX27610153

Suitable for:

3221251 OVEN LAMP T10 2W 24V
dimensions ø 10x28 mm



ROSINOX RX27610286

Indicator lights

3221162 GREEN LAMP RECEPTACLE
head ø 14.5 mm - hole ø 10 mm



ROSINOX RX94810956

3221194 GREEN NEON INDICATOR LAMP 220V
ø head 9 mm



ROSINOX RX94813811

3221192 LAMP SUPPORT



ROSINOX RX94813812

3221166 INDICATOR LAMP GREEN 400V
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



ROSINOX RX94806346

3221025 INDICATOR LAMP ORANGE 230V
head ø 15 mm - hole ø 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



ROSINOX RX94801529

ROSINOX RX94801537

3221165 INDICATOR LAMP ORANGE 400V
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



ROSINOX RX94806353

3221166 INDICATOR LAMP GREEN 400V
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



ROSINOX RX94806346

Suitable for:

3221024 INDICATOR LAMP RED 230V
head ø 15 mm - hole ø 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



ROSINOX RX94801511

Suitable for:

3221025 INDICATOR LAMP ORANGE 230V
head ø 15 mm - hole ø 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



ROSINOX RX94801529

ROSINOX RX94801537

3221097 NEUTRAL INDICATOR LAMP 220V
head ø 8 mm - 120°C



ROSINOX RX94801073

ROSINOX RX94809845

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ROSINOX RX94812468

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF



ROSINOX RX94808409

Ironmongery (screws,nuts,washers)

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



ROSINOX RX94801651



Suitable for:

ROSINOX



Suitable for:

Lamp receptacles and spare parts

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm
thread ø 33.5 mm - overall height 34 mm




ROSINOX RX27610112

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C



ROSINOX RX27610104

5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V
external dimensions 96x80 mm
max temperature 300°C



ROSINOX RX94814234

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz



ROSINOX RX94812666

Level sensors

3397192 LEVEL PROBE ø 1/4" M-270 mm
overall length 330 mm
for Convection oven electric (ROSINOX)
TVTS10E - TVTS6E - TVT10E - TVT6E



ROSINOX RX94023512

3341051 LEVEL PROBE 3 ELECTRODES PG9 108 mm



ROSINOX RX24849150

3341052 LEVEL PROBE 3 ELECTRODES PG9 130 mm



ROSINOX RX24849143



Magnet groups

3182010 MAGNETIC UNIT PEL

ø head 24 mm - ø end 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



ROSINOX 244761276

3182003 MAGNETIC UNIT SIT

ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ROSINOX

Microswitches

3240196 MAGNETIC MICROSWITCH E5201V

0.04A 250V - NO contact - head 40x13x8 mm
with cable length 1400 mm



ROSINOX RX94808292


3240189 MICRO SWITCH M1DX20 10A 250V



ROSINOX RX94806130

3240407 MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ROSINOX RX94810935

3240820 MICROSWITCH 16A 250V



ROSINOX RX94812476

3240054 MICROSWITCH 83731 5A 250V

with cable length 500 mm
for Convection oven electric (ROSINOX) TVS40E
TV10E - TV6E



ROSINOX RX94050119

3240181 PROTECTED MAGNET 62x18x10 mm



ROSINOX RX94809266



Suitable for:

ROSINOX



Suitable for:

Motors

3240325 MOTOR K48210 M01616 0.12Kw 220/240V
1.6A 2100-3100rpm
capacitor 5 μ F



ROSINOX RX94814228

3240983 MOTOR L7ZAW4D-087 0.26/0.16Kw
220/240V-380/415V 50Hz 1.2/0.7A 1440rpm
for Convection oven electric (ROSINOX) TVTXR3
for Convection oven electric (ROSINOX) FP6E



ROSINOX RX94050044

3240992 MOTOR WITH FAN R2S150AD08-39
46W 220V 50Hz - SINGLE-PHASE
for Convection oven (ROSINOX)



ROSINOX

Non-return and expansion valves

1526503 NON-RETURN VALVE $\varnothing$ 40 mm
ballcock - outlets $\varnothing$ 12 mm
stainless steel cap



ROSINOX RX94813738

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ROSINOX RX94807781

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ROSINOX RX94807294



Penetration probes

5068552 PENETRATION PROBE

5 threads
probe length 100 mm
cable length 1900 mm



ROSINOX RX94820008

3397052 PENETRATION PROBE PT100

2 wires - probe length 180 mm
cable length 3000 mm
with fastening coupling M12



ROSINOX RX24849135

ROSINOX RX24849168

3397071 PENETRATION PROBE PT100

2 wires - probe for hot compartment
probe length 100 mm
silicone cable length 1500 mm



ROSINOX RX24849093

7104352 SONDE A COEUR


ROSINOX RX94050713

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ROSINOX RX94805082

**3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1**


ROSINOX RX94805090

3020082 OLIVE FOR 12 mm ø PIPE


ROSINOX RX94810978

3020042 PILOT GAS JET ø 0.19 mm


ROSINOX 822140380

3020202 PILOT GAS JET ø 0.27 mm


ROSINOX RX94806072

3020449 PILOT GAS JET ø 0.54 mm


ROSINOX RX94034519



Suitable for:

3020156 PILOT JET $\varnothing$ 0.25 mm



ROSINOX RX94812644

Suitable for:

**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**



ROSINOX RX94812587

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



ROSINOX RX94805041

3020042 PILOT GAS JET $\varnothing$ 0.19 mm



ROSINOX 822140380

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



ROSINOX RX94034642

ROSINOX 94805207

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



ROSINOX RX9402741

ROSINOX RX94027471

ROSINOX RX94034659

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm




ROSINOX RX94034642

ROSINOX 94805207

ROSINOX 94034659

Potentiometers

3390357 POTENTIOMETER COMPLETE WITH CABLE
pin $\varnothing$ 6 mm
for Convection oven (ROSINOX) - Series TVT
Series TVTS



ROSINOX RX94050333

3057215 SELECTOR SWITCHES ENCODER W/CABLES KIT
D-shaped pin $\varnothing$ 6x4.6 mm



ROSINOX RX94814233



Pressure gauges

- 3245010 PRESSURE GAUGE ø 52 mm**
fitting ø 1/4" M
scale 0-6 bar



ROSINOX RX94809357

Pressure regulators

- 7100794 ADJUSTER PRESSURE BRASS ø 1/8" FF**
adjustment 0.1-2 bar



ROSINOX RX94820013

Pressure switches

- 3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V**
fitting ø 1/8" M



ROSINOX RX94814247

Probes

- 3397082 PROBE TEMPERATURE WITH BYPASS PT100**
2 wires- for steam generator
probe length 80 mm
cable length 1800 mm



ROSINOX RX24849036

- 3397191 TEMPERATURE PROBE FOR OVEN**
2 wires - bulb ø 4x100 mm
for Convection oven electric (ROSINOX)
TVTS10E - TVTS6E - TVT10E - TVT6E



ROSINOX RX94050341



Suitable for:

3397034 TEMPERATURE PROBE PT100
2 wires
probe length 83 mm
cable length 1500 mm



ROSINOX RX94814231

Suitable for:

5054238 TEMPERATURE PROBE TCK
2 threads
probe length 30 mm
cable length 2800 mm



ROSINOX RX94820007

Relays

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



ROSINOX RX94804291

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ROSINOX RX94807054

ROSINOX RX94813866

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ROSINOX RX94813837

3351101 TIME LIMIT RELAY CROUZET 0.7A 230V
timer 1"



ROSINOX RX27470053

3351102 TIME LIMIT RELAY 80.11 16A 240V 50/60Hz
1 switching contact
slow release on excitation



ROSINOX RX27470236

Rinse aid pumps and accessories

3090033 FOOT VALVE WITH NON RETURN
with filter and STAINLESS steel ring



ROSINOX RX94045172




Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




ROSINOX RX94002813

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm
back connection for thermostat



ROSINOX RX94805892

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm




ROSINOX RX273349196

3057103 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm




ROSINOX RX27338144

3057233 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



ROSINOX RX27338151

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



ROSINOX RX94015021

3057101 SELECTOR SWITCH 3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (ROSINOX) TVS10E



ROSINOX RX27338060

3057104 SELECTOR SWITCH 5 POSITIONS
2 cams with board
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



ROSINOX RX27338136

Solenoid valves

3120004 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet $\varnothing$ 10.5 mm



ROSINOX RX94805520

3120007 SOLEN. VALVE ELBITYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets $\varnothing$ 10.5 mm



ROSINOX RX94050168



Suitable for:

ROSINOX




3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ROSINOX RX94804671

Suitable for:

3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ROSINOX RX94809282

3120010 SOLEN. VALVE ELBI TYPE 352 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm




ROSINOX RX94809795

3120404 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm




ROSINOX RX94813749

3120407 SOLEN. VALVE T&P 2 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ROSINOX RX94807480

3120398 SOLENOID VALVE INVENSYS 2 WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
with cable length 2000 mm



ROSINOX RX24720054

3120261 SOLENOID VALVE MULLER 1-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ROSINOX RX94820016

3120264 SOLENOID VALVE MULLER 3-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm
with cable length 2000 mm



ROSINOX RX24720054

ROSINOX RX24720179

3120364 SOLENOID VALVE PARKER 121KS8358 L48A
with coil 4818653D D5LF 8W 230V 50Hz 2 vie
for Convection oven (ROSINOX) 854222



ROSINOX RX94052347

2111565 SOLENOID VALVE 230V ø 1/8"FF
coil AL230C - 4W 230V 50/60Hz



ROSINOX RX94820014



Spare parts for pumps

3122360 MANIFOLD FOR PUMP



ROSINOX RX24556078

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS 220/240V 50/60Hz



ROSINOX RX94027802

ROSINOX RX94805108

3181003 SPARK GENERATOR 4 OUTLETS 220/240V 50/60Hz



ROSINOX RX94039229

ROSINOX RX94805116


3181004 SPARK GENERATOR 6 OUTLETS 220/240V - 50/60Hz



ROSINOX RX94805124

Sparking and detection plugs

3020214 KIT SPARKING PLUG 2 plugs $\varnothing$ 9x68 mm - overall length 85 mm complete with covered cables length 350 mm plate 60x20 mm



ROSINOX RX94820030

ROSINOX RX94820047

3020212 ROUND DETECTION PLUG $\varnothing$ 7x60 mm overall length 115 mm complete with covered cable length 460 mm



ROSINOX RX94820029

ROSINOX RX94820048

3806021 ROUND DETECTOR ELECTRODE with flange for Convection oven gas (ROSINOX) TVTS10G for Convection oven gas (ROSINOX) TVTS10G



ROSINOX RX94051521

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm male faston M4x1 mm total length 65 mm



ROSINOX RX94034642

ROSINOX 94805207



Suitable for:

ROSINOX



3020325 SPARKING AND FLAME DETECTION PLUG

two plugs kit:
long-life plug $\varnothing$ 9 mm
original plug $\varnothing$ 7x180 mm



ROSINOX RX94814239

Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ROSINOX RX94805066

ROSINOX RX94805306

ROSINOX RX94805686

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

connection $\varnothing$ 2.4 mm
overall length 58 mm



ROSINOX RX94027729

ROSINOX 94027729

Switches


3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK

mounting hole $\varnothing$ 25 mm



ROSINOX RX94805173

3319617 DOUBLE CONTACT SWITCH 16A 250V



ROSINOX RX94813834

5042498 PUSH BUTTON 2-POLE BLACK 2A 250V

1 contact NC
1 contact NO
mounting hole $\varnothing$ 18 mm



ROSINOX RX26645481

3319944 SWITCH 2-POLE GREEN 16A 250V

16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ROSINOX RX94805496

Terminal blocks

- 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ROSINOX RX94810223

Thermocouples and accessories

- 3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1**



ROSINOX 94028529

- 3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ROSINOX RX94015112

- 3440037 THERMOCOUPLE SIT M9x1 100 cm.**



- 3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ROSINOX RX94015112

ROSINOX RX94015112

- 3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**
GIUNTO M8x1



ROSINOX RX94805025

- 3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**



ROSINOX RX94805025

- 3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**
GIUNTO M8x1



ROSINOX RX94805025



Suitable for:

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ROSINOX RX94024973

3440036 THERMOCOUPLE SIT M9x1 85 cm.



ROSINOX RX94024973

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS




ROSINOX RX94024973

Thermostats

3444402 SINGLE-PHASE THERMOSTAT 0-300°C


D-shaped pin 6x4.6 mm
covered capillary length 1200 mm - 16A 250V
bulb ø 3x160 mm



ROSINOX

3444401 SINGLE-PHASE THERMOSTAT 100-180°C

D-shaped pin 6x4.6 mm
covered capillary length 2420 mm - 16A 250V
bulb ø 6x90 mm - with stuff.gland coupling M9x1



ROSINOX RX24848269

3444974 SINGLE-PHASE THERMOSTAT 100-615°C

complete with switch
D-shaped pin ø 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb ø 4x230 mm
for Convection oven (ROSINOX)



ROSINOX RX94090032

3744005 SINGLE-PHASE THERMOSTAT 150°C

with manual reset
capillary length 1500 mm - 16A 250V
bulb ø 6x80 mm
for Convection oven (ROSINOX) TVTS10 - TVTS20
TVTS6
for Convection oven electric (ROSINOX)
TVT10E



ROSINOX 94050911

3444346 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 6x130 mm - with stuffing gland fitting M9x1



ROSINOX RX94805249


3444400 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb ø 3x262 mm



ROSINOX RX24848145

3444312 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
capillary length covered 1500 mm - 16A 250V
bulb $\varnothing$ 4x110 mm



ROSINOX RX94800158


ROSINOX RX94812622

3444405 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1170 mm - 16A 250V
bulb $\varnothing$ 4x120 mm - with stuff.gland nut M14x1



ROSINOX RX24848111

3444509 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 1170 mm - 16A 250V
button bulb $\varnothing$ 15 mm



ROSINOX RX94820005

3186526 GASKET FOR THERMOSTAT
internal $\varnothing$ 15 mm
external $\varnothing$ 21 mm



ROSINOX RX94820006

3444804 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 860 mm - 16A 250V
button bulb $\varnothing$ 11x10 mm - nut M14x1



ROSINOX RX94814230

3444907 SINGLE-PHASE THERMOSTAT 365°C
with manual reset
capillary length 850 mm - 16A 250V
bulb $\varnothing$ 3x166 mm
for Convection oven electric (ROSINOX) TVTS20E
TVT20E




ROSINOX 94050481

3444770 THREE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 6x80 mm



ROSINOX RX94805413

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm



ROSINOX RX94805645



Suitable for:

ROSINOX



Suitable for:

Timers

3446091 TIMER 100 MINUTES MS65

mechanical timer with manual position
manual winding cycle 100 minutes
bipolar timer with contact capacity 16(3)A 250V
max. temperature 125°C
D-shaped pin $\varnothing 6 \times 4.6$ mm




ROSINOX RX27298066

Tubing and hoses

7105545 HOSE SILICONE

external $\varnothing 70$ mm
internal $\varnothing 60$ mm
length 120 mm



ROSINOX RX24556094

Washing showers for ovens

3359615 FLEX HOSE $\varnothing 1/2$ "FF 200 cm

stainless steel 18/10 double braid
with transparent PVC coating
nickel-plated brass fitting $\varnothing 1/2$ "F



ROSINOX RX94814124

5019363 HOSE STAINLESS STEEL $\varnothing 1/2$ "FF 280 cm



ROSINOX RX25177072

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  <p>LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> |  <p>OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
|  <p>LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com</p> |  <p>LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
|  <p>EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> |  <p>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch</p> |
|  <p>LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> |  <p>LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
|  <p>LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | |
-
- | | |
|---|---|
|  <p>AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> |  <p>DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
|  <p>AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at</p> |  <p>JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp</p> |
|  <p>BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> |  <p>SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
|  <p>BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> |  <p>TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com</p> |
|  <p>CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> |  <p>USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |