




Spare parts for:

**Ovens**



Suitable for:

**SAMMIC**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10230844





Suitable for:

# SAMMIC



Suitable for:

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2050610

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 2302620

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



SAMMIC 6054512

**3068010 CAPACITOR  $\mu$ F 6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



SAMMIC 4420032

## Contactors

**3454046 CONTACTOR ABB A16-40-00**  
30A - coil 230V 50/60Hz  
4 normally open contacts



SAMMIC 2300135

SAMMIC 2319447

**3351019 THERMAL RELAY ABB TA25DU**  
7.5÷11A  
1 normally open contact  
1 normally closed contact



SAMMIC 2141177

**3454042 CONTACTOR ABB A9-30-01**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



SAMMIC 2059435

SAMMIC 2600121

**3454045 CONTACTOR ABB A9-40-00**  
9A 400V 4Kw - coil 230V 50/60Hz  
4 normally open contacts



SAMMIC 2600123

SAMMIC 2600124

Suitable for:

**3351018 THERMAL RELAY ABB TA25DU**  
4.5÷6.5A  
1 normally open contact  
1 normally closed contact



SAMMIC 2306358

Suitable for:

**3351019 THERMAL RELAY ABB TA25DU**  
7.5÷11A  
1 normally open contact  
1 normally closed contact



SAMMIC 2141177

**3351033 THERMAL RELAY ABB TA25DU**  
6÷8.5A  
1 normally open contact  
1 normally closed contact



SAMMIC 2141175

## Energy regulators

**3350026 ENERGY ADJUSTER**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



SAMMIC 6503625

## Fans for motors

**3240324 FAN  $\varnothing$  200 mm**  
thickness 40 mm  
total blades 45 -  $\varnothing$  hole 8x6 mm



SAMMIC VEN226



Suitable for:

# SAMMIC



Suitable for:

## Feet

**3313040 ADJUSTABLE S/STEEL FOOT  $\varnothing$  1"1/2 x h 95mm**  
with fixed screw M10x25 mm  
adjustable height 95÷150 mm



SAMMIC 2310659

## Fuses

**3049013 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 1A



SAMMIC 2149131

## Gaskets for oven door

**3786081 OVEN DOOR GASKET 460x370 mm**  
made of silicone elastomer  
with fixing clips  
BLACK COLOR



SAMMIC GUA029

SAMMIC 6121548

**3786082 OVEN DOOR GASKET 660x360 mm**  
made of silicone elastomer  
with fixing clips  
BLACK COLOR



SAMMIC GUA44

## Gastronorm pans

**3015023 S/STEEL DRIP TRAY GN 1/1 530x325xH20 mm**



SAMMIC 9051020

**3015024 S/STEEL DRIP TRAY GN 1/1 530x325xH40 mm**



SAMMIC 9051040

**3015025 S/STEEL DRIP TRAY GN 1/1 530x325xH65 mm**



SAMMIC 9051050

**3015029 S/STEEL DRIP TRAY GN 1/2 325x265xH20 mm**



SAMMIC 9053020

Suitable for:

Suitable for:

**3015031 S/STEEL DRIP TRAY GN 1/2 325x265xH65 mm**

**3015021 S/STEEL DRIP TRAY GN 2/1 650x530xH40 mm**



SAMMIC 9053050

SAMMIC 9050040

**3015022 S/STEEL DRIP TRAY GN 2/1 650x530xH65 mm**

**3015026 S/STEEL DRIP TRAY GN 2/3 355x325xH20 mm**



SAMMIC 9050050

SAMMIC 9052020

**3015027 S/STEEL DRIP TRAY GN 2/3 355x325xH40 mm**

**3015028 S/STEEL DRIP TRAY GN 2/3 355x325xH65 mm**



SAMMIC 9052040

SAMMIC 9052050

**3015020 S/STEEL DRIP TRAY 2/1 GN 650x530x20 mm**



SAMMIC 9050020

## Grids for refrigerator-oven

**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm**  
thickness 7 mm

**3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm**



SAMMIC 9771700

SAMMIC 9770700



Suitable for:

# SAMMIC



Suitable for:

## Heating elements

**3755307 HEATING ELEMENT 3300W 230V**  
external  $\varnothing$  235 mm - internal  $\varnothing$  225 mm  
overall height 80 mm - flange 70x22 mm



SAMMIC RES229

SAMMIC 6121602

## Incandescent lamps and neon lamps

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



SAMMIC 6126042

## Indicator lights

**3221024 INDICATOR LAMP RED 230V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



SAMMIC 2309960

## Inlet hoses

**3449001 INLET ELBOW HOSE  $\varnothing$  3/4" FF 1500 mm**  
thermoplastic hose  $\varnothing$  10x16 mm  
nylon fittings  $\varnothing$  3/4" with gaskets  
max temperature 90°C  
max pressure 10 bar



SAMMIC 2309745

**3449055 INLET ELBOW HOSE  $\varnothing$  3/4" FF 1500 mm**  
thermoplastic hose  $\varnothing$  13x19 mm  
brass fittings  $\varnothing$  3/4" F with gaskets  
max temperature 90°C  
max pressure 10 bar  
with WRAS approval



SAMMIC 2309745





## Lamp receptacles and spare parts

### 3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V

lamp glass  $\varnothing$  54 mm  
mounting hole  $\varnothing$  45 mm  
max temperature 300°C



SAMMIC 6126073

### 3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass  $\varnothing$  42 mm  
mounting hole  $\varnothing$  38 mm  
max temperature 300°C  
for OVEN



SAMMIC PORTALAM290

## Microswitches

### 3240148 MICROSWITCH MAGNET 63x19x11 mm



SAMMIC 2310472

SAMMIC 2319428

### 3240820 MICROSWITCH 16A 250V



SAMMIC 6420114

## Motors

### 3240325 MOTOR K48210 M01616 0.12Kw 220/240V 1.6A 2100-3100rpm capacitor 5 $\mu$ F



SAMMIC MOTCOND44

### 3240000 MOTOR WITH FAN 45W 220V 50/60Hz fan $\varnothing$ 150 mm



SAMMIC VEN046

## Solenoid valves

### 3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180° 220/240V 50/60Hz - max. temperature 90°C inlet 3/4" - two outlets $\varnothing$ 10.5 mm



SAMMIC 8100265

### 3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90° 220/240V 50/60Hz - max. temperature 90°C inlet 3/4" - outlet $\varnothing$ 13.5 mm



SAMMIC 2304941



Suitable for:

# SAMMIC




Suitable for:

## Thermostats

### 3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



SAMMIC 2309068

### 3444498 THERMOSTAT SINGLE-PHASE 50-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1400 mm - 16A 250V  
bulb  $\varnothing$  3x180 mm -with stuffing gland fitting M10x1  
with tank hold fitting complete M14x1



SAMMIC TER034

SAMMIC 6121614

## Timers

### 3446099 60 MINUTES TIMER M2 KIT

with board - board external dimension 45x48 mm  
manually set mechanical timer  
60 minutes manually set cycle  
contact capacity 16(4)A 250V  
max temperature 100°C  
D-shaped pin  $\varnothing$  6x4.6 mm



SAMMIC TIM060

SAMMIC 6121605

## Water softeners and accessories

### 3010061 MANUAL WATER SOFTENER 12 L $\varnothing$ 3/4"

for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 12 L  
connections 3/4"  
dimensions: height 500 mm -  $\varnothing$  185 mm  
resin content 9 L  
regeneration salt(NaCl-table salt)1.5 Kg



SAMMIC 5320010

### 3010062 MANUAL WATER SOFTENER 16 L $\varnothing$ 3/4"

for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 16 L  
connections 3/4"  
dimensions: height 600 mm -  $\varnothing$  185 mm  
resin content 12 L  
regeneration salt(NaCl-table salt)2 Kg



SAMMIC 5320015





Suitable for:

# SAMMIC



**3010063 MANUAL WATER SOFTENER 20 L ø 3/4"**  
for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 20 L  
connections 3/4"  
dimensions: height 900 mm - ø 185 mm  
resin content 15 L  
regeneration salt(NaCl-table salt)3 Kg



SAMMIC 5320020

Suitable for:

**3010060 MANUAL WATER SOFTENER 8 L ø 3/4"**  
for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 8 L  
connections 3/4"  
dimensions: height 400 mm - ø 185 mm  
resin content 5.8 L  
regeneration salt(NaCl-table salt)1 Kg




















SAMMIC 5320005

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
  -  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)