



Spare parts for:

Ovens

Suitable for:

SOLYMAC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

SOLYMAC



Suitable for:

Alarms

- 3397022 ALARM WITH CARD**
dimensions 32x52 mm
for OVEN ALL MODELS
for Convection oven (COVEN)



SOLYMAC

Boilers

- 3048001 STEAM BOILER 2kW**
with probe and safety thermostat
for Convection oven electric (COVEN) TEC10MX
TEC3MX - TEC4MX - TEC6MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6
for Convection oven gas (COVEN) TEC6GMX



SOLYMAC

Contactors

- 3454006 CONTACTOR SIEMENS 3RT1016-1AP02**
9A 230V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact
for Convection oven electric (COVEN) N5PMEC
TEC10 - TEC10MD - TEC10MX - TEC10P - TEC15
TEC15MX - TEC20 - TEC20MD - TEC3MD - TEC3MX
TEC4MX - TEC4P - TEC5P - TEC6 - TEC6MD
TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP5P - SOLYP6
for Convection oven gas (COVEN) TEC15GMD



SOLYMAC

Drain pumps

3122203 DRAIN ELECTRIC PUMP 40W 230V 50Hz

inlet external $\varnothing$ 23 mm - outlet external $\varnothing$ 23 mm
for Convection oven (SOLYMAC)
for Convection oven electric (COVEN) TEC10MX
TEC4MX - TEC6MX - 10EMX - 6EMX
for Convection oven gas (COVEN) TEC6GMX - 6GMX



SOLYMAC

Electronic thermostats and controllers

3445020 THERMOSTAT TLK38 TCJ/TCK/PT100

power supply 12V
thermostat setting range $-200+1370^{\circ}\text{C}$
ON-OFF control with two actuation points
2 exchange relay outputs 8(3)A 250V
room temperature $0+50^{\circ}\text{C}$
probe type TCJ-TCK-PT100 (not included)
connections by screwed terminal block
front dimensions 75x33x64 mm
mounting hole 71x29 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC)



SOLYMAC

3445021 PROBE PT100 1500 mm

3-wire probe
bulb $\varnothing$ 4x55 mm
for chamber temperature
for all models
for Convection oven (COVEN)
for Convection oven (SOLYMAC)



SOLYMAC

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Convection oven (KELVIN)
for Convection oven electric (GIERRE) FEV106M
FEV166E - FEV166M - FEV166P - FEV168E
FEV168M - FEV56M
for Convection oven electric (SMEG) ALFA30V
ALFA31V
for Convection oven gas (GIERRE) FEV107M - FEV167E
FEV167M - FEV167P - FEV57M



SOLYMAC P82



Suitable for:

SOLYMAC



Suitable for:

Fans for motors

- 3340073 FAN ø 240 mm**
thickness 43 mm
total blades 55 - ø hole 13 mm
for Convection oven gas (COVEN) C6G - TEC6G
TEC6GMD - TEC6GMX - 6GMD - 6GMX



SOLYMAC

Gaskets for oven door

- 3786355 OVEN DOOR GASKET 780x640 mm**
made of silicone elastomer
profile dimensions 19x17 mm
COLOUR BLACK
for Convection oven (SOLYMAC) - Series 800
Series 900
for Convection oven electric (BOURGEOIS) FC2100E
FC611E



SOLYMAC FS12

- 3786179 OVEN GLASS GASKET 3500 mm**
made of silicone elastomer
profile dimensions 13x11 mm
COLOUR BLACK
for Convection oven (COVEN) - Series TEC5
Series TEC6
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC7



SOLYMAC

Handles

- 3242255 CENTRAL LOCK MECHANISM RIGHT**
for OVEN
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX 10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Electric oven (CAPIC) R220



SOLYMAC

- 3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm**
for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



SOLYMAC



Suitable for:

5028241 CLOSING CENTRAL GEAR LEFT
for OVEN



SOLYMAC

Suitable for:

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



SOLYMAC LF-3242042

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm
for Convection oven (COVEN) - Series TEC5 - TEC8
TEC9P
for Convection oven electric (COVEN) TEC10MX
TEC4MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC6G - TEC7G



SOLYMAC

3242110 OVEN DOOR HANDLE
for Convection oven (FOINOX) MIDI005GM
for Convection oven (SOLYMAC) SOLY 5P - SOLYMIX 6
SOLYP 6
for Convection oven electric (COVEN) N5P - N5PMEC
N6MD - N6MX - TEC3MD - TEC3MX - TEC4MX - TEC5P
TEC5PMEC - TEC6 - TEC6EMD - TEC6EMX - TEC6MD
TEC6MX - TEC7
for Convection oven electric (FOINOX) FC05EU
MIDI005EEP - MM06EBM
for Convection oven gas (COVEN) N6GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G
for Convection oven gas (FOINOX) MIDI005GEP



SOLYMAC

3242111 STRIKE FOR DOOR HANDLE M8x1
overall length 50.5 mm
for Convection oven (GIORIK)
for Convection oven (KELVIN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (COVEN) N6MD - N6MX
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
TEC6MD - TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX6
SOLYP6
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



SOLYMAC



Suitable for:

SOLYMAC



3242422 OVEN DOOR HANDLE

for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC10PMEC - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20MD - 10EMD
10EMX
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC10GPMEC - TEC15G - TEC15GMD
TEC20G - TEC20GMD - 10GMD



SOLYMAC

3242685

STRIKE FOR DOOR HANDLE

distance between holes 20 mm
for Convection oven electric (COVEN) TEC10
TEC10GMD - TEC10MD - TEC10MX - TEC10P - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20GMD - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GP
TEC15G - TEC15GMD - TEC20G



SOLYMAC

3242144 OVEN DOOR HANDLE 260x30 mm

with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



SOLYMAC FS13

3242183

OVEN HANDLE TOP/BOT.TIE ROD 146 mm

for Convection oven (MODULAR) - Series GMBA
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (FAGOR) - Series HME
Series HMI - Series HMM - Series HMP
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Convection oven gas (FAGOR) - Series HCG
Series HVG
for Electric oven (CAPIC) R220



SOLYMAC

3242685 STRIKE FOR DOOR HANDLE

distance between holes 20 mm
for Convection oven electric (COVEN) TEC10
TEC10GMD - TEC10MD - TEC10MX - TEC10P - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20GMD - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GP
TEC15G - TEC15GMD - TEC20G



SOLYMAC

3242111

STRIKE FOR DOOR HANDLE M8x1

overall length 50.5 mm
for Convection oven (GLORIK)
for Convection oven (KELVIN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (COVEN) N6MD - N6MX
TEC3MD - TEC3MX - TEC4MX - TEC5P - TEC6
TEC6MD - TEC6MX - TEC7
for Convection oven electric (SOLYMAC) SOLYMIX6
SOLYP6
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC5GP - TEC6G - TEC6GMD - TEC6GMX - TEC7G



SOLYMAC



Suitable for:

SOLYMAC



Suitable for:

Heating elements

- 3455088 HEATING ELEMENT 2000W 230V**
length 380 mm - width 133 mm
for Convection oven electric (SOLYMAC) SOLYVEC40X60



SOLYMAC FS3

- 3755265 HEATING ELEMENT 3000W 240V**
external $\varnothing$ 190 mm - total height 75 mm
flange 100x22 mm
for Convection oven electric (COVEN) TEC10
TEC10MX - TEC3 - TEC3H - TEC3MX - TEC4MX
TEC4P - TEC6 - TEC6MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



SOLYMAC

- 3455087 HEATING ELEMENT 4000W 230V**
length 580 mm - width 130 mm
2 flanges 110x20 mm
for Convection oven electric (SOLYMAC) SOLYVEC2/1



SOLYMAC FS1

- 3455453 HEATING ELEMENT 6000W 230/380V**
internal $\varnothing$ 215 mm - height up to flange 30 mm
flange 150x20 mm
for Convection oven electric (SOLYMAC) SOLYVEC1/1
SOLYVEC2/3



SOLYMAC FS2

- 3455050 HEATING ELEMENT 900W 230V**
overall length 580 mm
width 75 mm - fittings $\varnothing$ 14 mm
for OVEN-PIZZA OVEN



SOLYMAC P30

Knobs

- 3241736 BLACK KNOB**
round hole $\varnothing$ 6 mm
for thermostat and selector switch
for Convection oven (COVEN)
for Convection oven (SOLYMAC) SOLYMIX 6 - SOLYP 10
SOLYP 5P - SOLYP 6
for Convection oven electric (SOLYMAC) SOLYMIX 10



SOLYMAC

- 3241277 BLACK KNOB $\varnothing$ 48 mm**
D-shaped hole 6x4.6 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC) SOLY 5P - SOLYMIX 6
SOLYP 10 - SOLYP 6
for Convection oven electric (SOLYMAC) SOLYMIX 10



SOLYMAC



Suitable for:

SOLYMAC



3241758 BLACK KNOB FOR GAS TAP
D shaft hole 10x8 mm
for Convection oven (SOLYMAC)
Series DOPO IL 07/95



SOLYMAC P72B

Suitable for:

3241735 BLACK KNOB 2-3-4-5-6-7-8
for GAS VALVE GC1300



SOLYMAC P72D

3241734 RED KNOB STOP
for GAS VALVE GC1300



SOLYMAC P72J

Lamps

3221085 GREEN INDICATOR LAMP 230V
head ø 18 mm - hole ø 11.5 mm - 120°C
for Convection oven (SOLYMAC)



SOLYMAC

3221231 LAMP RECEPTACLE W/LAMP G9 25W 230V
lamp glass ø 53 mm
mounting hole ø 40 mm
max.temperature 300°C
for Convection oven electric (COVEN) N5P - TEC10MD
TEC10MX - TEC3MD - TEC3MX - TEC4MX - TEC5P
TEC6MD - TEC6MX
for Convection oven gas (COVEN) TEC5GP - TEC6GMD
TEC6GMX



SOLYMAC

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



SOLYMAC



Suitable for:

SOLYMAC



Suitable for:

Microswitches

3240286 DOOR MICROSWITCH MS09 5A 250V

for Convection oven (COVEN)
for Convection oven (SOLYMAC) SOLY5P
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



SOLYMAC

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan ø 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



SOLYMAC

3240285 MOTOR 1055/B 0.2Kw 230V 50Hz

1.5A 1380rpm - capacitor 8 µF
for Convection oven electric (COVEN) N5P - N5PMEC
N6MD - N6MX - TEC10P - TEC10PMEC - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20MD - TEC5P
TEC5PMEC - TEC7 - 10EMD - 10EMX - 6EMD - 6EMX
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G
10GMD - 6GMD - 6GMX




SOLYMAC

3340073

FAN ø 240 mm

thickness 43 mm
total blades 55 - ø hole 13 mm
for Convection oven gas (COVEN) C6G - TEC6G
TEC6GMD - TEC6GMX - 6GMD - 6GMX



SOLYMAC



Suitable for:

SOLYMAC



Suitable for:

Penetration probes

3397021 PENETRATION PROBE PT100

3 wires
probe length 185 mm
cable length 3000 mm
for OVEN ALL MODELS
for Convection oven (COVEN)
for Convection oven (SOLYMAC)



SOLYMAC

Pilot burners and accessories

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet $\varnothing 0.20$ mm
with 3 positions bracket



SOLYMAC P74B

Probes

3445021 PROBE PT100 1500 mm

3-wire probe
bulb $\varnothing 4 \times 55$ mm
for chamber temperature
for all models
for Convection oven (COVEN)
for Convection oven (SOLYMAC)



SOLYMAC



Suitable for:

SOLYMAC

Suitable for:



Rotary switches

3057019 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC) - Series SOLYMIX
for Convection oven electric (GIERRE) BRIOMAXI
BRIOMIDI - FEV106M - FEV120M - FEV166E
FEV166M - FEV166P - FEV168E - FEV168M
FEV168P - FEV56M - FEV60M
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM
EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIERRE) FEV107M - FEV121M
FEV167E - FEV167M - FEV167P - FEV169E
FEV169M - FEV169P - FEV57M - FEV61M
for Convection oven gas (GIORIK) CG06MX - CG10MX



SOLYMAC

3057137 SELECTOR SWITCH 0-1 POSITIONS

for cooking selection
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (COVEN) TEC10MX
TEC15MX - TEC4MX - TEC6MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6
for Convection oven gas (COVEN) N6GMD - TEC10GMD
TEC15GMD - TEC6GMD



SOLYMAC

3057138 SELECTOR SWITCH 0-3 POSITIONS

for steam adjustment
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (COVEN) TEC10MX
TEC15MX - TEC4MX - TEC6MX - 10EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6
for Convection oven gas (COVEN) TEC6GMX



SOLYMAC

Thermocouples and accessories

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SOLYMAC P73D



Suitable for:

SOLYMAC



Suitable for:

Thermocouples and accessories

3440051 THERMOCOUPLE SIT M8x1 32 cm.THREAD M8x1



SOLYMAC P73D

3440851 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS.



SOLYMAC P73D

3440039 THERMOCOUPLE SIT M9x1 150 cm



SOLYMAC P73B

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SOLYMAC P73B

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



SOLYMAC P73B

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SOLYMAC P73C

3440036 THERMOCOUPLE SIT M9x1 85 cm.



SOLYMAC P73C

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SOLYMAC P73C

Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-645°C
complete with switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb $\varnothing$ 4x230 mm
for Convection oven (ROSINOX)
for Convection oven (SOLYMAC)



SOLYMAC P709

3444440 SINGLE-PHASE THERMOSTAT 50-280°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x200 mm
for Convection oven electric (COVEN) TEC10
TEC10P - TEC10PMEC - TEC15 - TEC2 - TEC20
TEC3 - TEC4P - TEC5PMEC - TEC6
for Convection oven gas (COVEN) TEC10G
TEC10GPMEC - TEC15G - TEC20G - TEC5GPMEC



SOLYMAC



Suitable for:

SOLYMAC



Suitable for:

Timers

3446067 TIMER 120 MINUTES M2

mechanical movement with balance wheel

manually set cycle 120 minutes

2 poles with contact capacity 16(4)A 250V

max temperature 125°C

D-shaped pin ø 6x4.6 mm

for Convection oven electric (SOGECO) N5PMEC

TEC10 - TEC10P - TEC10PMEC - TEC15 - TEC2

TEC20 - TEC3 - TEC4P - TEC5PMEC - TEC6

for Convection oven gas (SOGECO) TEC10G

TEC10GPMEC - TEC15G - TEC20G - TEC5GPMEC

for Proving oven electric (SOGECO) LIEVITATORE10



SOLYMAC