



Spare parts for:

**Ovens**



Suitable for:

**WHIRLPOOL**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10230925





Suitable for:

# WHIRLPOOL



Suitable for:

## Air regulators

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



WHIRLPOOL 157251

WHIRLPOOL 483286010417

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN  
for Convection oven (WHIRLPOOL) ADN505



WHIRLPOOL 102690

WHIRLPOOL 483286008695

WHIRLPOOL 771985000170

**3240337 AXIAL VENTILATOR SUNON 80x80x38 mm**  
ball bearings  
230V 50/60Hz 18W 2400rpm  
SF23080A-2083HBL.GN



WHIRLPOOL 771985012290

## Ball valves and accessories

**3359136 BRACKET FOR ROD**



WHIRLPOOL 103378

**3359137 DRAIN TAP  $\varnothing$  3/4"FF**




WHIRLPOOL 156114

WHIRLPOOL 771985003246

## Boilers

**3024016 STEAM GENERATING BOILER**  
made of STAINLESS STEEL  
sizes 700x280x170 mm



WHIRLPOOL 771985000127

**3186429 SEALING GASKET 270x112 mm**  
for boiler



WHIRLPOOL 102706

WHIRLPOOL 771985000184

Suitable for:

Suitable for:

## 3024017 STEAM GENERATOR PLUG



WHIRLPOOL 102692

WHIRLPOOL 771985000172

## Bushings

### 3449284 COUPLING RING for OVEN



WHIRLPOOL 155324

WHIRLPOOL 771985003107

## Cables for piezo igniters

### 3001002 IGNITION LEAD 1000 mm with faston 6.35x0.8 mm for ignition with faston $\varnothing$ 4 mm for ignition plug



WHIRLPOOL 154273

WHIRLPOOL 771985002900

### 3001016 IGNITION LEAD 1000 mm with faston $\varnothing$ 2.4 mm for ignition with faston $\varnothing$ 4 mm for electrode



WHIRLPOOL 102544

WHIRLPOOL 158494

WHIRLPOOL 159146

WHIRLPOOL 159842

WHIRLPOOL 483286009216

WHIRLPOOL 483286009303

WHIRLPOOL 771985000108

### 3001018 IGNITION LEAD 600 mm with faston $\varnothing$ 2.4 mm for ignition with faston $\varnothing$ 4 mm for electrode



WHIRLPOOL 483286009233

## Capacitors, electrical

### 3068016 CAPACITOR $\mu$ F 10 450V 50/60Hz operating temperature $-25+85^{\circ}\text{C}$ in compliance with EEC 93/68 and 92/31 regulations



WHIRLPOOL 483286008883



Suitable for:

# WHIRLPOOL



Suitable for:

## Centrifugal fans

**3240500 MOTOR FAN 37/43W 220/240V 50/60HZ**



WHIRLPOOL 102639

## Clamps

**3449462 HOSE CLAMP 12-20**  
for pipes  $\varnothing$  12÷20 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



WHIRLPOOL 483286008156

## Contact thermostats

**3744083 CONTACT THERMOSTAT 250°C 10A 250V**  
with automatic reset  
connection M4



WHIRLPOOL 105203

WHIRLPOOL 771985000536


## Contactors

**3454056 CONTACTOR ABB A16-30-01**  
17A 400V 7.5Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



WHIRLPOOL 483286002765

**3446034 CONTACTOR ABB B6-30-01**  
6A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



WHIRLPOOL 483286002862



Suitable for:

**3446223 CONTACTOR AEG LS02K400**  
6A 400V 2.2Kw - coil 230V 50/60Hz  
4 normally open contacts



WHIRLPOOL 48328600401

Suitable for:

**3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



WHIRLPOOL 483286009362

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



WHIRLPOOL 48328600845

**3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10**  
10A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



WHIRLPOOL 483286009363

**3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10**  
14A 400V 5.5Kw - coil 24V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



WHIRLPOOL 146994

WHIRLPOOL 260360

WHIRLPOOL 771985012115

**3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10**  
18A 400V 7.5Kw - coil 220/240V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



WHIRLPOOL 106879

WHIRLPOOL 771985011771

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



WHIRLPOOL 771985010014

WHIRLPOOL 820105

**3446552 CONTACTOR LOVATO BG0610A**  
coil 6A 230V 50/60Hz 2.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



WHIRLPOOL 771985010036

WHIRLPOOL 820538

**3446556 CONTACTOR LOVATO BG0910A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally open auxiliary contact



WHIRLPOOL 148519

WHIRLPOOL 483286008836

WHIRLPOOL 483286008909

**3351054 THERMAL RELAY T16**  
1.7-2.3A  
1 normally open contact  
1 normally closed contact



WHIRLPOOL 483286009765



Suitable for:

# WHIRLPOOL



Suitable for:

## Controllers and changeover switches

**3210050 REVERSING SWITCH P255 2 CAMS 250V 50Hz**  
8 minutes cycle



WHIRLPOOL 483286010094

## Drip trays for kitchens and ovens

**3242046 DOOR CONDENSATION-EXHAUST DEVICE**



WHIRLPOOL 103773

## Electrical gas valves and accessories

**3526137 BUTTON FOR ELETTROSIT VALVE 46 mm**



WHIRLPOOL 771985002741

**3526142 DOUBLE COIL FOR VALVE**  
220V 50Hz  
for VALVE 830 TANDEM-836 TANDEM



WHIRLPOOL 771985000089

**3526087 ELETTROSIT VALVE  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷60°C  
power supply 24V 50Hz  
pilot connection and LOWER thermocouple



WHIRLPOOL 154437

WHIRLPOOL 771985002952

**3526090 ELETTROSIT VALVE  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



WHIRLPOOL 157543



Suitable for:


**3241141 EXTENSION FOR 820 NOVA VALVE**  
D-shaped pin 10x8 mm  
for OVEN- FRYER



WHIRLPOOL 159305

Suitable for:

**3526066 HONEYWELL VALVE V4400C  $\varnothing$  3/4"FF 220V**  
inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
thermocouple connection ASA pitch  
maximum gas inlet pressure 60 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz



WHIRLPOOL 157340

**3440200 TWIN LEAD THERMOPILE  $\varnothing$  9x65 mm**  
cable length 580 mm - with coupling M11X1



WHIRLPOOL 102607

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



WHIRLPOOL 154539

WHIRLPOOL 156601

WHIRLPOOL 483286009412

**3526079 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz




WHIRLPOOL 155446

WHIRLPOOL 156514

WHIRLPOOL 202440

WHIRLPOOL 483286009413

**3526361 VALVE 822 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
thermocouple fitting M10x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz



WHIRLPOOL 159473

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



WHIRLPOOL 152833



Suitable for:

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



WHIRLPOOL 152834


WHIRLPOOL 483286008457

# WHIRLPOOL



Suitable for:

**3526175 VALVE 822 NOVA 230V 50Hz**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
gas inlet max. pressure 60 mbar  
outlet pressure range  
3 ÷ 30 mbar  
room temperature 0 ÷ 60°C  
power supply 230V 50Hz



WHIRLPOOL 483286009797

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



WHIRLPOOL 152833


**3020084 NUT & OLIVE  $\varnothing$  6 mm**



WHIRLPOOL 152834

WHIRLPOOL 483286008457

**3526141 VALVE 830 TANDEM  $\varnothing$  1/2" FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M10x1  
maximum gas inlet pressure 60 mbar  
outlet gas pressure setting range 3 ÷ 50 mbar  
room temperature 0 ÷ 60°C  
power supply 230V 50Hz




WHIRLPOOL 102340

WHIRLPOOL 771985000067



## Electronic boxes


**3091026 CONTROL BOX S4560M1010**  
 model HONEYWELL - 220/240V 50Hz 10vA  
 for 10-20 SHELVES



WHIRLPOOL 102641

WHIRLPOOL 771985000136

**3091005 KIT CONTROL BOX 571 DBC**  
 complete with cable  
 model SIT - 230V 50/60Hz  
 for Convection oven gas (WHIRLPOOL) AGS898



WHIRLPOOL 483286008708

## Electronic controllers

**3445073 THERMOSTAT EVK411 TCJ**  
 power supply 12Vca/dc 1.5VA  
 thermostat setting range 0+600°C  
 ON-OFF control with one actuation point only  
 1 changeover relay output 16A  
 alarm buzzer  
 access to configuration parameters through  
 password - TTL serial port  
 room temperature 0+60°C  
 thermocouple TCJ type probe (not included)  
 connections by screw terminal block  
 front dimensions 74x32x65 mm  
 mounting hole 71x29mm




WHIRLPOOL 104109

WHIRLPOOL 153540

## Electronic printed-circuit boards

**3390232 CIRCUIT BOARD INTERFACE 275x110mm**  
 two D-shaped pins  $\varnothing$  6x4.6 mm



WHIRLPOOL 102725

WHIRLPOOL 771985000196

**3241676 LOCK NUT FOR KNOB 1/2"**



WHIRLPOOL 151263

WHIRLPOOL 771985002349

**3319297 PUSH-BUTTON EXTENSION**  
 external  $\varnothing$  7 mm  
 for circuit boards  
 for Convection oven electric (WHIRLPOOL)  
 for Convection oven gas (WHIRLPOOL)




WHIRLPOOL 771985000156



Suitable for:

**3390055** **CIRCUIT BOARD USER INTERFACE 210x110 mm**  
D-shaped pin  $\varnothing$  6x4.6 mm



WHIRLPOOL 771985000151

Suitable for:

**3390038** **ELECTRONIC CONTROL BOARD 195x95 mm**  
for ovens with penetration probe



WHIRLPOOL F50110

WHIRLPOOL 483286008696

WHIRLPOOL 771985010279

**3390054** **MOTHERBOARD 335x110 mm**



WHIRLPOOL 106517

WHIRLPOOL 771985000628

**3390075** **MOTHERBOARD 335x110 mm**



WHIRLPOOL 771985000639

**3390229** **MOTHERBOARD 335x110 mm**



WHIRLPOOL 771985000638


**3390230** **MOTHERBOARD 335x110 mm**  
230V 50/60Hz



WHIRLPOOL 273757

WHIRLPOOL 771985013931

**3390231** **PIN ELECTRONIC CIRCUIT BOARD 132x110 mm**  
D-shaped hole  $\varnothing$  6x4.6 mm



WHIRLPOOL 102666

WHIRLPOOL 771985000152

**3241676** **LOCK NUT FOR KNOB 1/2"**



WHIRLPOOL 151263


WHIRLPOOL 771985002349

**3319297** **PUSH-BUTTON EXTENSION**  
external  $\varnothing$  7 mm  
for circuit boards  
for Convection oven electric (WHIRLPOOL)  
for Convection oven gas (WHIRLPOOL)



WHIRLPOOL 771985000156

1050501 16-POLE CABLE FLAT 600 m m



WHIRLPOOL 48328600245

## Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



WHIRLPOOL 202482

WHIRLPOOL 248611

WHIRLPOOL 271605

WHIRLPOOL 481227328267

WHIRLPOOL 481227338086

WHIRLPOOL 481927328279


WHIRLPOOL 483286000399

WHIRLPOOL 483286008224

WHIRLPOOL 771985003070

## Fans for motors


3240243 FAN  $\varnothing$  165 mm  
thickness 40 mm  
total blades 36 -  $\varnothing$  hole 8 mm  
for Convection oven electric (WHIRLPOOL) AGB632/WP



WHIRLPOOL F50020

WHIRLPOOL 771985010218

3240244 FAN  $\varnothing$  210 mm  
thickness 100 mm  
total blades 20 -  $\varnothing$  tapered hole 16-11 mm  
for Convection oven (WHIRLPOOL) AGB633/WP  
AGB639/WP - AGB640/WP  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103F




WHIRLPOOL F50032

WHIRLPOOL 483286008701

WHIRLPOOL 771985010230

3240110 FAN  $\varnothing$  280 mm  
thickness 100 mm  
total blades 6 -  $\varnothing$  hole 9.5 mm



WHIRLPOOL 155422

WHIRLPOOL 771985003154

3240289 FAN  $\varnothing$  280 mm  
thickness 100 mm  
total blades 6 -  $\varnothing$  hole 10 mm



WHIRLPOOL 102754

WHIRLPOOL 771985000217




Suitable for:

# WHIRLPOOL



**3240291 FAN ø 350 mm**  
thickness 135 mm  
total blades 6 - ø via hole 10 mm




WHIRLPOOL 102617

WHIRLPOOL 771985000118


Suitable for:

**3240112 FAN ø 440 mm**  
thickness 152 mm  
total blades 6 - ø hole 9.5 mm



WHIRLPOOL 155378

**3240739 FAN ø 440 mm**  
height 155 mm  
total blades 6 - ø hole 10 mm



WHIRLPOOL 771985000205

**3340064 MOTOR FAN ø 145 mm**  
for Convection oven electric (WHIRLPOOL) FFE4



WHIRLPOOL 105221

WHIRLPOOL 771985000550

## Feet

**3313036 ADJUSTABLE S/STEEL FOOT ø 1" x h 115 mm**  
with plastic support for tubular foot 40x40 mm  
adjustable height 115÷205 mm



WHIRLPOOL 771985000960

**3313001 STAINLESS STEEL FOOT ø 2" HEIGHT 125 mm**



WHIRLPOOL 153792

WHIRLPOOL 483286009173

WHIRLPOOL 771985002725

## Filters

**3160232 DRAIN-FILTER STAINLESS STEEL ø 73 mm**



WHIRLPOOL 771985003287

**3160234 SUPPORT FOR FILTER**



WHIRLPOOL 771985003047

**3160234 SUPPORT FOR FILTER**



WHIRLPOOL 771985003047

**3160462 WATER FILTER ø 1/2"FF**



WHIRLPOOL 771985004022

**Fittings**

**3349589 FITTING**  
for new series



WHIRLPOOL 771985012218

**Fuses**

**3049007 DELAY FUSE**  $\varnothing$  5x20 mm - 10 PCS  
250V 250mA



WHIRLPOOL 481925338011

**3049092 FUSE HOLDER**  $\varnothing$  5x20 mm  
500V 6.3A  
for Convection oven gas (WHIRLPOOL) AGB636/WP



WHIRLPOOL F50182

WHIRLPOOL 483286008719

WHIRLPOOL 771985013299

**3049046 QUICK ACTING FUSE**  $\varnothing$  5x20 mm - 10 PCS  
250V 1A



WHIRLPOOL 483286002957


**Gas burners**

**3023202 AIR ADJUSTER**  $\varnothing$  40 mm



WHIRLPOOL 771985002822

**3023319 BURNER**  $\varnothing$  50x340 mm  
overall length 390 mm  
made of STAINLESS steel



WHIRLPOOL 771985000376

**3023202 AIR ADJUSTER**  $\varnothing$  40 mm



WHIRLPOOL 771985002822



Suitable for:

**3023205 GAS BURNER  $\varnothing$  50x475 mm  
STAINLESS STEEL**



WHIRLPOOL 771985003182

# WHIRLPOOL



Suitable for:


**3023202 AIR ADJUSTER  $\varnothing$  40 mm**



WHIRLPOOL 771985002822

## Gaskets and seals

**3186342 GASKET FOR OVEN  
soft - external  $\varnothing$  13,5 mm**



WHIRLPOOL 125245

WHIRLPOOL 771985002739

**3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS**



WHIRLPOOL 102626


WHIRLPOOL 771985000123

**3786117 HEAT EXCHANGER GASKET 100x100 mm**



WHIRLPOOL 771985000402

**3786476 HEAT EXCHANGER GASKET 100x100 mm**



WHIRLPOOL 102629


WHIRLPOOL 771985000126

**3786118 HEAT EXCHANGER GASKET 110x110 mm**



WHIRLPOOL 771985000404

**3786477 HEAT EXCHANGER GASKET 119x108 mm**



WHIRLPOOL 102745

WHIRLPOOL 771985000208

**3786119 HEAT EXCHANGER GASKET 140x135 mm**



WHIRLPOOL 771985000407

**3186067 HEATING ELEMENT GASKET  
external dimensions 75x50 mm**



WHIRLPOOL 155327

WHIRLPOOL 7719850003110

**3186098 HEATING ELEMENT GASKET  
external dimensions 71x23 mm**



WHIRLPOOL 157534

WHIRLPOOL 771985003459

**3186099 HEATING ELEMENT GASKET  
external dimensions 76x50 mm**




WHIRLPOOL 153840

WHIRLPOOL 771985002750

Suitable for:

**3186508 HEATING ELEMENT GASKET**  
external dimensions 138x80 mm



WHIRLPOOL 102689

WHIRLPOOL 771985000169

Suitable for:

**3786478 HEATING ELEMENT GASKET**  
external dimensions 80x45 mm



WHIRLPOOL 103726

WHIRLPOOL 771985000380

**3186429 SEALING GASKET 270x112 mm**  
for boiler




WHIRLPOOL 102706

WHIRLPOOL 771985000184

## Gaskets for oven door

**3786544 GASKET OVEN DOOR 955 mm**  
made of silicone elastomer  
profile dimensions 8x4 mm  
COLOUR: BLACK



WHIRLPOOL 178168


WHIRLPOOL 771985004606

**3286029 OVEN DOOR GASKET 04880 - 6 m**  
made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR  
for Convection oven electric (WHIRLPOOL) FMI/E2/3



WHIRLPOOL F50023

**3186351 OVEN DOOR GASKET 1140 mm**  
made of silicone elastomer  
profile dimensions 18x10 mm  
COLOUR BLACK




WHIRLPOOL 771985003032

**3186358 OVEN DOOR GASKET 1300 mm**  
made of silicone elastomer  
COLOUR BLACK




WHIRLPOOL 771985003304

**3186354 OVEN DOOR GASKET 1400x640 mm**  
snap-in gasket  
made of silicone elastomer  
profile dimensions 17x17 mm  
COLOUR BLACK



WHIRLPOOL 771985003063

**3186410 OVEN DOOR GASKET 1400x640 mm**  
made of silicone elastomer  
profile dimensions 24x20 mm  
COLOUR BLACK



WHIRLPOOL 105705

WHIRLPOOL 771985000573



# WHIRLPOOL




Suitable for:

Suitable for:

## 3186425 OVEN DOOR GASKET 1400x650 mm

made of silicone elastomer  
profile dimensions 24x20 mm  
COLOUR BLACK




WHIRLPOOL 103995

WHIRLPOOL 105711

WHIRLPOOL 771985000575

## 3186412 OVEN DOOR GASKET 1420 mm

made of silicone elastomer  
profile dimensions 24x15 mm  
COLOUR BLACK




WHIRLPOOL F50153

WHIRLPOOL 483286008201

WHIRLPOOL 771985010945

## 3186397 OVEN DOOR GASKET 2200 mm

made of silicone elastomer  
profile dimensions 28x20 mm  
COLOUR BLACK




WHIRLPOOL F50112

WHIRLPOOL 483286008726

WHIRLPOOL 771985010281

## 3286002 OVEN DOOR GASKET 2554 - 20 m


made of silicone elastomer  
profile dimensions 26x14 mm  
COLOUR BLACK



WHIRLPOOL 771985003465

## 3286075 OVEN DOOR GASKET 2554 - 3 m


made of silicone elastomer  
profile dimensions 26x14 mm  
COLOUR BLACK



WHIRLPOOL 771985003465

## 3286001 OVEN DOOR GASKET 2554 - 6 m


made of silicone elastomer  
profile dimensions 26x14 mm  
COLOUR BLACK



WHIRLPOOL 771985003465

## 3186414 OVEN DOOR GASKET 2600 mm

made of silicone elastomer  
profile dimensions 28x20 mm  
COLOUR BLACK



WHIRLPOOL 483286010123

## 3186398 OVEN DOOR GASKET 2820 mm

made of silicone elastomer  
profile dimensions 28x20 mm  
COLOUR BLACK  
for Convection oven electric (WHIRLPOOL) HW10E  
for Convection oven gas (WHIRLPOOL) AGS895  
AGS898 - HW10G



WHIRLPOOL F50113


WHIRLPOOL 483286008684

WHIRLPOOL 771985010282



Suitable for:

**3186413 OVEN DOOR GASKET 3200 mm**  
made of silicone elastomer  
profile dimensions 28x20 mm  
COLOUR BLACK



WHIRLPOOL 483286010099

Suitable for:

**3186668 OVEN DOOR GASKET 395x290 mm**  
stiff gasket  
BLACK COLOR



WHIRLPOOL 105194


WHIRLPOOL 771985000531

**3186415 OVEN DOOR GASKET 4500 mm**  
made of silicone elastomer  
profile dimensions 44x24 mm  
COLOUR BLACK



WHIRLPOOL 771985010296


**3186041 OVEN DOOR GASKET 585x395 mm**  
snap-in gasket  
made of silicone elastomer  
profile dimensions 17x17 mm  
COLOUR BLACK



WHIRLPOOL 155414


WHIRLPOOL 771985003151

**3786126 OVEN DOOR GASKET 610x430 mm**  
made of silicone elastomer  
profile dimensions 24x20 mm  
COLOUR BLACK



WHIRLPOOL 771985000574


**3186408 OVEN DOOR GASKET 635x430 mm**  
made of silicone elastomer  
profile dimensions 24x20 mm  
COLOUR BLACK



WHIRLPOOL 105713

WHIRLPOOL 771985000577


**3186040 OVEN DOOR GASKET 715x645 mm**  
middle edged gasket  
made of silicone elastomer  
profile dimensions 22x15 mm  
COLOUR BLACK



WHIRLPOOL 153751

WHIRLPOOL 771985002706

**3186043 OVEN DOOR GASKET 720x640 mm**  
snap-in gasket  
made of silicone elastomer  
profile dimensions 17x17 mm  
COLOUR BLACK



WHIRLPOOL 155315

WHIRLPOOL 771985003102




Suitable for:

# WHIRLPOOL




**3186088 OVEN DOOR GASKET 730x665 m m**  
made of silicone elastomer  
profile dimensions 24x20 mm  
COLOUR BLACK



WHIRLPOOL 771985000576


Suitable for:

**3286036 OVEN GLASS GASKET - 20 m**  
made of silicone elastomer  
profile dimensions 9x6 mm  
COLOUR BLACK




WHIRLPOOL 771985003490

**3286035 OVEN GLASS GASKET - 9 m**  
made of silicone elastomer  
profile dimensions 9x6 mm  
COLOUR BLACK



WHIRLPOOL 771985003490


**3186352 OVEN GLASS GASKET 1400 mm**  
made of silicone elastomer  
profile dimensions 22x16 mm  
COLOUR BLACK



WHIRLPOOL 155412

WHIRLPOOL 771985003150

**3186423 OVEN GLASS GASKET 1500 mm**  
made of silicone elastomer  
profile dimensions 35.5x12.5 mm  
COLOUR BLACK



WHIRLPOOL 103680

WHIRLPOOL 771985000368


**3186407 OVEN GLASS GASKET 2000 mm**  
made of silicone elastomer  
profile dimensions 20x16 mm  
COLOUR BLACK



WHIRLPOOL 102878


WHIRLPOOL 771985000265

**3186409 OVEN GLASS GASKET 2010 mm**  
made of silicone elastomer  
profile dimensions 20x16 mm  
COLOUR BLACK



WHIRLPOOL 771985000382

**3186355 OVEN GLASS GASKET 2200 mm**  
made of silicone elastomer  
profile dimensions 22x16 mm  
COLOUR BLACK



WHIRLPOOL 771985003101

## Glasses

**3519009 COMPLETE CHAMBER GLASS**  
complete with glass and gasket



WHIRLPOOL 157400

## Glasses

**3519001 FRAME 35x35 mm**



WHIRLPOOL 157382

WHIRLPOOL 771985003443

**3519009 COMPLETE CHAMBER GLASS**  
complete with glass and gasket



WHIRLPOOL 157400


**3519002 GASKET GLASS FRAME**



WHIRLPOOL 157402

WHIRLPOOL 771985003447

**3519002 GASKET GLASS FRAME**



WHIRLPOOL 157402

WHIRLPOOL 771985003447

## Glues

**3180052 RED HIGH TEMPERATURE SEALER 280 ml**  
operating temperature -65+260°C with peaks 320°C  
for OVEN GASKETS



WHIRLPOOL 771985003823

## Grids for refrigerator-oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



WHIRLPOOL 771985003454

**3185055 CHROME PLATED GRID GN 2/1 530x650 mm**



WHIRLPOOL 125020

WHIRLPOOL 771985000673

WHIRLPOOL 771985004752



Suitable for:

# WHIRLPOOL



Suitable for:

## Handles

**3242674** **BOTTOM TIE ROD SHAFT**  $\varnothing$  10x112 mm  
old series



WHIRLPOOL 156570

WHIRLPOOL 771985003329

**3242200** **CASE FOR OVEN HANDLE PLATE**  
for CONVECTION OVEN old series



WHIRLPOOL 771985003088

**3242213** **CENTRAL LOCK MECHANISM**



WHIRLPOOL 156550

WHIRLPOOL 771985003321

**3242255** **CENTRAL LOCK MECHANISM RIGHT**  
for OVEN



WHIRLPOOL 771985003390

**3242451** **CLASP**  $\varnothing$  3x16 mm  
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



WHIRLPOOL 771985006288

**3242214** **COMPLETE OVEN DOOR HANDLE**  
for OVEN series FCF-ZCF-ACF ELECT/GAS 20 GRILLS  
for OVEN FCV-ACV-ECV-ZCV ELECT/GAS 6-10-20 GRILLS  
for OVEN FDV20-FDV40G-FCS201G-FCS202G-FCS201E-  
FCS202E



WHIRLPOOL 102717

WHIRLPOOL 771985000193

**3242450** **COMPLETE OVEN DOOR HANDLE** 260x30 mm  
handle mounting holes distance 122-133 mm



WHIRLPOOL 771985006289

**3242204** **DIVERTER FOR DOOR HANDLE** 59 mm  
for CONVECTION OVEN old series



WHIRLPOOL 771985002709

**3242202** **DOOR HANDLE PUSH-BUTTON**  
for CONVECTION OVEN old series



WHIRLPOOL 771985002713

**3242718** **DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



WHIRLPOOL F50016

WHIRLPOOL 771985010214

Suitable for:


**3242289 DOOR LOCK EXTERNAL FOOT**  
for OVEN



WHIRLPOOL 771985000422

Suitable for:

**3242048 DOOR STRIKE**  
distance between mounting holes 40 mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB638  
AGB639 - AGB640  
for Convection oven electric (WHIRLPOOL) FMIE102F  
FMIE103F - FMIE63F - HW10E - HW6E  
for Convection oven gas (WHIRLPOOL) FMIG103F  
FMIG63F - HW10G - HW6G



WHIRLPOOL F50031

WHIRLPOOL 483286008725

WHIRLPOOL 771985010229

**3242462 HANDLE BOTTOM TIE ROD  $\varnothing$  10x420 mm**



WHIRLPOOL 771985000521

**3242463 HANDLE TOP TIE ROD  $\varnothing$  10x465 mm**



WHIRLPOOL 771985000520

**3242753 LH-RH CATCH WITHOUT LOCK 791 CR**  
for high temperatures  
curved handgrip  
length 254x30 mm - distance 133 mm  
adjustable catch from 9 to 22 mm



WHIRLPOOL F50015

WHIRLPOOL 771985010213

**3242718 DOOR HANDLE STRIKE**  
for high temperatures  
mounting distance 43 mm  
for OVEN



WHIRLPOOL F50016

WHIRLPOOL 771985010214

**3242089 LOCK FOR DOOR HANDLE**



WHIRLPOOL 156414

WHIRLPOOL 771985003281


**3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188**  
RAHRBACH - distance between holes 150 mm  
base length 185.5x23.5x33.2h mm



WHIRLPOOL 483286008196

WHIRLPOOL 771985013041

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm




WHIRLPOOL 157414

WHIRLPOOL 771982003450



Suitable for:

**3242211 OVEN DOOR COMPLETE LOCKING KIT**



WHIRLPOOL 156411 WHIRLPOOL 771985003278

**3242213 CENTRAL LOCK MECHANISM**



WHIRLPOOL 156550 WHIRLPOOL 771985003321

**3528066 NUT INOX M26x1.5 mm**



WHIRLPOOL 156409 WHIRLPOOL 771985003277

**3242088 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 29 mm



WHIRLPOOL 156571 WHIRLPOOL 771985003330

**3528067 WASHER 22x12x2 mm**



WHIRLPOOL 156416 WHIRLPOOL 771985003283

**3242201 OVEN DOOR HANDLE**  
for CONVECTION OVEN old series



WHIRLPOOL 771985003087

Suitable for:

**3242674 BOTTOM TIE ROD SHAFT  $\varnothing$  10x112 mm**  
old series



WHIRLPOOL 156570 WHIRLPOOL 771985003329

**3242089 LOCK FOR DOOR HANDLE**



WHIRLPOOL 156414 WHIRLPOOL 771985003281

**3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm**  
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES  
old series



WHIRLPOOL 156551 WHIRLPOOL 771985003322

**3242673 TOP TIE ROD SHAFT  $\varnothing$  10x112 mm**  
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES  
old series



WHIRLPOOL 156552 WHIRLPOOL 771985003323

**3242200 CASE FOR OVEN HANDLE PLATE**  
for CONVECTION OVEN old series



WHIRLPOOL 771985003088



Suitable for:

**3242204 DIVERTER FOR DOOR HANDLE 59 mm**  
for CONVECTION OVEN old series



WHIRLPOOL 771985002709

**3242217 PIN FOR OVEN DOOR HANDLE M6**  
dimensions  $\varnothing$  12x66 mm  
for OVEN



WHIRLPOOL 771985002715

**3242205 SPRING F/DOOR HANDLE DIVERTER  $\varnothing$  22x30 mm**



WHIRLPOOL 153757

WHIRLPOOL 771985002710

**3242215 OVEN DOOR HANDLE DUPLO 6200**  
for OVEN



WHIRLPOOL 102647

WHIRLPOOL 771985000141

**3242596 OVEN DOOR HANDLE 250x30 mm**  
handle mounting holes distance 123-133 mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB638  
AGB639 - AGB640  
for Convection oven electric (WHIRLPOOL) FMIE102F  
FMIE103F - FMIE63F - HW10E - HW6E  
for Convection oven gas (WHIRLPOOL) FMIG103F  
FMIG63F - HW10G - HW6G



WHIRLPOOL F50030

WHIRLPOOL 483286008706

WHIRLPOOL 771985010228

# WHIRLPOOL



Suitable for:

**3242202 DOOR HANDLE PUSH-BUTTON**  
for CONVECTION OVEN old series



WHIRLPOOL 771985002713

**3242203 SCREW CAP**  
for CONVECTION OVEN old series



WHIRLPOOL 771985003080

**3242206 SPRING FOR DOOR HANDLE 176 mm**



WHIRLPOOL 154282

WHIRLPOOL 771985002905

**3242048 DOOR STRIKE**  
distance between mounting holes 40 mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB638  
AGB639 - AGB640  
for Convection oven electric (WHIRLPOOL) FMIE102F  
FMIE103F - FMIE63F - HW10E - HW6E  
for Convection oven gas (WHIRLPOOL) FMIG103F  
FMIG63F - HW10G - HW6G



WHIRLPOOL F50031

WHIRLPOOL 483286008725

WHIRLPOOL 771985010229



Suitable for:

**3242144 OVEN DOOR HANDLE 260x30 mm**  
 with strike mounting distance 45 mm  
 handle mounting distance 133 mm  
 for Convection oven electric (WHIRLPOOL) FMI/E5



WHIRLPOOL F50015

Suitable for:

**3242718 DOOR HANDLE STRIKE**  
 for high temperatures  
 mounting distance 43 mm  
 for OVEN



WHIRLPOOL F50016


WHIRLPOOL 771985010214

**3242047 OVEN DOOR HANDLE 265x30 mm**  
 with strike mounting distance 43 mm  
 handle mounting distance 122-132 mm  
 for Convection oven (WHIRLPOOL) AGB633 - AGB638  
 AGB639 - AGB640  
 for Convection oven electric (WHIRLPOOL) FMIE102F  
 FMIE103F - FMIE63F  
 for Convection oven gas (WHIRLPOOL) FMIG103F  
 FMIG63F



WHIRLPOOL 483286002378

**3242048 DOOR STRIKE**  
 distance between mounting holes 40 mm  
 for Convection oven (WHIRLPOOL) AGB633 - AGB638  
 AGB639 - AGB640  
 for Convection oven electric (WHIRLPOOL) FMIE102F  
 FMIE103F - FMIE63F - HW10E - HW6E  
 for Convection oven gas (WHIRLPOOL) FMIG103F  
 FMIG63F - HW10G - HW6G



WHIRLPOOL F50031

WHIRLPOOL 483286008725

WHIRLPOOL 771985010229

**3242216 STRIKE FOR DOOR HANDLE**  
 distance between mounting holes 43 mm  
 for Convection oven (WHIRLPOOL)  
 AGB633 - AGB638 - AGB639 - AGB640  
 for Convection oven electric (WHIRLPOOL)  
 FMIE102F - FMIE103F - FMIE63F  
 for Convection oven gas (WHIRLPOOL)  
 FMIG103F - FMIG63F



WHIRLPOOL 102650

WHIRLPOOL 771985000142

**3242607 OVEN DOOR HANDLE 265x30 mm**  
 with strike mounting distance 43 mm  
 handle mounting distance 122-132 mm



WHIRLPOOL F50030

**3242216 STRIKE FOR DOOR HANDLE**  
 distance between mounting holes 43 mm  
 for Convection oven (WHIRLPOOL)  
 AGB633 - AGB638 - AGB639 - AGB640  
 for Convection oven electric (WHIRLPOOL)  
 FMIE102F - FMIE103F - FMIE63F  
 for Convection oven gas (WHIRLPOOL)  
 FMIG103F - FMIG63F



WHIRLPOOL 102650

WHIRLPOOL 771985000142



Suitable for:

**3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm**



WHIRLPOOL 771985010633

Suitable for:

**3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm**  
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES  
old series



WHIRLPOOL 156551

WHIRLPOOL 771985003322

**3242208 PIN FOR OVEN DOOR HANDLE M5**  
dimensions  $\varnothing$  9x45 mm  
for OVEN



WHIRLPOOL 102086

**3242228 PIN FOR OVEN DOOR HANDLE M5**  
dimensions  $\varnothing$  10x22 mm  
for OVEN



WHIRLPOOL 771985003033

**3242217 PIN FOR OVEN DOOR HANDLE M6**  
dimensions  $\varnothing$  12x66 mm  
for OVEN



WHIRLPOOL 771985002715

**3242203 SCREW CAP**  
for CONVECTION OVEN old series



WHIRLPOOL 771985003080

**3242205 SPRING F/DOOR HANDLE DIVERTER  $\varnothing$  22x30 mm**



WHIRLPOOL 153757

WHIRLPOOL 771985002710

**3242209 SPRING FOR DOOR HANDLE 123 mm**  
for OVEN



WHIRLPOOL 102088

**3242206 SPRING FOR DOOR HANDLE 176 mm**



WHIRLPOOL 154282

WHIRLPOOL 771985002905

**3242229 SPRING FOR DOOR HANDLE 70 mm**  
for OVEN



WHIRLPOOL 771985003200



Suitable for:

**3242117 SPRING FOR DOOR HANDLE 97 mm**  
for OVEN



WHIRLPOOL 154560

Suitable for:

**3242088 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 29 mm



WHIRLPOOL 156571

WHIRLPOOL 771985003330

**3242216 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 43 mm  
for Convection oven (WHIRLPOOL)  
AGB633 - AGB638 - AGB639 - AGB640  
for Convection oven electric (WHIRLPOOL)  
FMIE102F - FMIE103F - FMIE63F  
for Convection oven gas (WHIRLPOOL)  
FMIG103F - FMIG63F



WHIRLPOOL 102650

WHIRLPOOL 771985000142

**3242238 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 26 mm  
for OVEN



WHIRLPOOL 771985006290

**3242673 TOP TIE ROD SHAFT  $\varnothing$  10x112 mm**  
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES  
old series



WHIRLPOOL 156552

WHIRLPOOL 771985003323

## Heat exchangers

**3240745 TOROIDAL EXCHANGER**  
fan housing  $\varnothing$  approx. 410 mm



WHIRLPOOL 771985000406

**3786117 HEAT EXCHANGER GASKET 100x100 mm**



WHIRLPOOL 771985000402

**3786118 HEAT EXCHANGER GASKET 110x110 mm**



WHIRLPOOL 771985000404

**3786479 INSULATOR FOR HEAT EXCHANGER**  
dimensions 291x164 mm



WHIRLPOOL 103874

WHIRLPOOL 771985000403



Suitable for:

**3786643 INSULATOR FOR HEAT EXCHANGER**  
dimensions 275x155 mm



WHIRLPOOL 771985000408

**3240746 TOROIDAL EXCHANGER**  
fan housing  $\varnothing$  approx. 485 mm




WHIRLPOOL 771985000409

**3786119 HEAT EXCHANGER GASKET 140x135 mm**



WHIRLPOOL 771985000407

**3786643 INSULATOR FOR HEAT EXCHANGER**  
dimensions 275x155 mm



WHIRLPOOL 771985000408

# WHIRLPOOL



Suitable for:

**3786118 HEAT EXCHANGER GASKET 110x110 mm**



WHIRLPOOL 771985000404

**3786479 INSULATOR FOR HEAT EXCHANGER**  
dimensions 291x164 mm




WHIRLPOOL 103874

WHIRLPOOL 771985000403

## Heating elements

**3755572 BRACKET FOR HEATING ELEMENT**  
external  $\varnothing$  90 mm - internal  $\varnothing$  50 mm  
thickness 2.5 mm



WHIRLPOOL 771985000331

**3755233 HEATING ELEMENT 14000W 230V**  
external  $\varnothing$  390 mm - height 200 mm  
flange 142x25 mm



WHIRLPOOL F50130

WHIRLPOOL 771985010299



Suitable for:

Suitable for:

**3355056 HEATING ELEMENT 17000W 220/380V**  
 immersed length 470 mm  
 flange external  $\varnothing$  63 mm  
 complete with O-RING  
 complete with cables

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



WHIRLPOOL 156012

WHIRLPOOL 146213

WHIRLPOOL 167620

WHIRLPOOL 169456

WHIRLPOOL 483286009434

**3455337 HEATING ELEMENT 17000W 220V**  
 immersed depth 575 mm  
 flange external  $\varnothing$  63 mm  
 complete with O-RING

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



WHIRLPOOL 158672

WHIRLPOOL 771985003605

WHIRLPOOL 146213

WHIRLPOOL 167620

WHIRLPOOL 169456

WHIRLPOOL 483286009434

**3755171 HEATING ELEMENT 17000W 230V**  
 immersed length 590 mm  
 flange external  $\varnothing$  63 mm  
 complete with gasket OR  $\varnothing$  57 mm (3186013)

**3755572 BRACKET FOR HEATING ELEMENT**  
 external  $\varnothing$  90 mm - internal  $\varnothing$  50 mm  
 thickness 2.5 mm



WHIRLPOOL 158995

WHIRLPOOL 771985003667

WHIRLPOOL 771985000331

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



WHIRLPOOL 146213

WHIRLPOOL 167620

WHIRLPOOL 169456

WHIRLPOOL 483286009434

**3355590 HEATING ELEMENT 2000W 230V**  
 length 325 mm - width 290 mm  
 flange 40x22 mm

**3247036 3-POLE TERMINAL BLOCK**  
 for CONV/ELECTRIC OVEN 4 SHELVES



WHIRLPOOL 154326

WHIRLPOOL 771985002940

WHIRLPOOL 154331

WHIRLPOOL 771985002942

Suitable for:

Suitable for:

**3455325 HEATING ELEMENT 2100W 230V**  
 external  $\varnothing$  190 mm - internal  $\varnothing$  180 mm  
 overall height 100 mm - flange 70x22 mm



WHIRLPOOL 483286009674


**3755177 HEATING ELEMENT 24000W 400V**  
 immersed depth 590 mm  
 flange external  $\varnothing$  63 mm  
 with bulb sheath  
 complete with O-RING



WHIRLPOOL 102751

WHIRLPOOL 771985000215

**3755572 BRACKET FOR HEATING ELEMENT**  
 external  $\varnothing$  90 mm - internal  $\varnothing$  50 mm  
 thickness 2.5 mm



WHIRLPOOL 771985000331

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



WHIRLPOOL 146213

WHIRLPOOL 167620

WHIRLPOOL 169456

WHIRLPOOL 483286009434

**3355055 HEATING ELEMENT 2500W 220V**  
 external  $\varnothing$  190 mm - overall height 93 mm  
 flange 70x22 mm



WHIRLPOOL 154843

WHIRLPOOL 771985003028

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



WHIRLPOOL 157534

WHIRLPOOL 771985003459

**3355580 HEATING ELEMENT 2500W 230V**  
 inner part length 540 mm - width 350 mm  
 flange 70x20 mm



WHIRLPOOL 156945

WHIRLPOOL 771985003430

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



WHIRLPOOL 157534

WHIRLPOOL 771985003459



# WHIRLPOOL



Suitable for:

**3355889 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  190 mm - total height 70 mm  
flange 70x22 mm



WHIRLPOOL 483286000411

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



WHIRLPOOL 157534

WHIRLPOOL 771985003459

**3755229 HEATING ELEMENT 2800W 230V**  
external  $\varnothing$  205 mm - overall height 40 mm  
flange 100x22 mm



WHIRLPOOL 483286008199

WHIRLPOOL 483286008226

**3755231 HEATING ELEMENT 3900W 230V**  
external  $\varnothing$  220 mm - overall height 103 mm  
flange 142x25 mm



WHIRLPOOL F50017

WHIRLPOOL 483286008226

WHIRLPOOL 771985010215

**3755239 HEATING ELEMENT 5600W 230V**  
external  $\varnothing$  495 mm - overall height 65 mm  
flange 80x45 mm



WHIRLPOOL 102688

WHIRLPOOL 771985000168

**3186508 HEATING ELEMENT GASKET**  
external dimensions 138x80 mm



WHIRLPOOL 102689

WHIRLPOOL 771985000169

**3786478 HEATING ELEMENT GASKET**  
external dimensions 80x45 mm



WHIRLPOOL 103726

WHIRLPOOL 771985000380

**3355586 HEATING ELEMENT 5666W 230V**  
external  $\varnothing$  490 mm - overall height 70 mm  
flange 80x45 mm



WHIRLPOOL 158196

WHIRLPOOL 771985003505

**3186067 HEATING ELEMENT GASKET**  
external dimensions 75x50 mm



WHIRLPOOL 155327


WHIRLPOOL 771985003110

Suitable for:

Suitable for:

**3355106 HEATING ELEMENT 6000W 230/400V**  
 for boiler and wash tank  
 immersed length 350 mm  
 ext.  $\varnothing$  flange 72 mm - with bulb-sheathing  
 with O-ring gasket  $\varnothing$  67 mm (3186014)  
 nut (3528232) and washer (3528238) on request

**3755230 HEATING ELEMENT 7800W 230V**  
 external  $\varnothing$  280 mm - overall height 170 mm  
 flange 142x25 mm  
 for Convection oven electric (WHIRLPOOL)  
 AGS85 - AGS891 - AGS893 - AGS895 - AGS897 - AGS899  
 AGS901 - AGS962  
 for Convection oven (WHIRLPOOL) AGB639/WP  
 for Convection oven electric (WHIRLPOOL)  
 AGS899  
 FMI/E5



WHIRLPOOL 149898

WHIRLPOOL 771985010908

WHIRLPOOL F50041

WHIRLPOOL 483286002543

WHIRLPOOL 483286008722

**3355589 HEATING ELEMENT 7900W 230V**  
 for boiler  
 immersed length 280 mm  
 flange external  $\varnothing$  63 mm  
 complete with O-RING

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



WHIRLPOOL 158666

WHIRLPOOL 771985003601


WHIRLPOOL 146213

WHIRLPOOL 167620

WHIRLPOOL 169456

WHIRLPOOL 483286009434


**3455300 HEATING ELEMENT 800/1750W 230V**  
 870/1900W 240V  
 length 340 mm - width 350 mm  
 flange 120x25 mm  
 per FORNO FCF/E4



WHIRLPOOL 771985000538

**3355582 HEATING ELEMENT 8000W 230V**  
 length 645 mm - overall height 245 mm  
 flange 75x50 mm  
 upon demand nut and washer

**3186099 HEATING ELEMENT GASKET**  
 external dimensions 76x50 mm



WHIRLPOOL 156929

WHIRLPOOL 771985003424


WHIRLPOOL 153840

WHIRLPOOL 771985002750



Suitable for:

**3355584 HEATING ELEMENT 8000W 380V**  
length 645 mm - overall height 240 mm  
flange 75x50 mm  
upon demand nut and washer



WHIRLPOOL 771985003432

Suitable for:


**3186099 HEATING ELEMENT GASKET**  
external dimensions 76x50 mm



WHIRLPOOL 153840

WHIRLPOOL 771985002750

**3755238 HEATING ELEMENT 8000W 400V**  
external  $\varnothing$  580 mm - overall height 70 mm  
flange 80x45 mm



WHIRLPOOL 205330

WHIRLPOOL 771985005923

**3186508 HEATING ELEMENT GASKET**  
external dimensions 138x80 mm



WHIRLPOOL 102689

WHIRLPOOL 771985000169

**3786478 HEATING ELEMENT GASKET**  
external dimensions 80x45 mm



WHIRLPOOL 103726

WHIRLPOOL 771985000380

**3755240 HEATING ELEMENT 9000W 230V**  
immersed depth 290 mm  
flange external  $\varnothing$  63 mm  
with bulb sheath  
complete with O-RING



WHIRLPOOL 771985000247

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



WHIRLPOOL 146213

WHIRLPOOL 167620

WHIRLPOOL 169456

WHIRLPOOL 483286009434

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



WHIRLPOOL 153096

WHIRLPOOL 159227

WHIRLPOOL 483286009243

WHIRLPOOL 483286009255

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm



WHIRLPOOL 483286000445



Suitable for:

Suitable for:

**3053572 HINGE BUSHING**  
for Convection oven electric (WHIRLPOOL) AGB631  
AGB632



WHIRLPOOL F50150

WHIRLPOOL 483286008217

WHIRLPOOL 771985010319

**3053236 HINGE LOWER OVEN DOOR**



WHIRLPOOL 771985003103

**3053576 HINGE LOWER OVEN DOOR**  
dimensions 125x50 mm



WHIRLPOOL 771985002652

**3053233 HINGE POSITIONER**



WHIRLPOOL 771985000145

**3053233 HINGE POSITIONER**



WHIRLPOOL 771985000145

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



WHIRLPOOL 202004

WHIRLPOOL 483286009255

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



WHIRLPOOL 153096

WHIRLPOOL 159227

WHIRLPOOL 483286009243


WHIRLPOOL 483286009255

**3053353 OVEN DOOR BOTTOM HINGE**  
for OVEN series 10 SHELVES



WHIRLPOOL 771985010431

**3053238 OVEN DOOR GLASS TOP HINGE**



WHIRLPOOL 771985000263



Suitable for:

**3053352 OVEN DOOR TOP HINGE**  
for OVEN series 10-20 SHELVES



WHIRLPOOL 771985010430

Suitable for:

**3053233 HINGE POSITIONER**



WHIRLPOOL 771985000145

**3053353 OVEN DOOR BOTTOM HINGE**  
for OVEN series 10 SHELVES



WHIRLPOOL 771985010431

**3053528 OVEN DOOR TOP HINGE**  
for Convection oven (WHIRLPOOL)



WHIRLPOOL 483286008716

**3053452 OVEN DOOR TOP/BOTTOM HINGE**



WHIRLPOOL 483286008218

**3053572 HINGE BUSHING**  
for Convection oven electric (WHIRLPOOL) AGB631  
AGB632



WHIRLPOOL F50150

WHIRLPOOL 483286008217

WHIRLPOOL 771985010319

**3053516 RIGHT/LEFT HINGE FOR OVEN**  
overall length 210 mm - width 21 mm  
holes mounting distance 120 mm  
for Convection oven electric (WHIRLPOOL) 4GN1/1



WHIRLPOOL 105186

WHIRLPOOL 771985000530

Suitable for:

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



WHIRLPOOL 202005

WHIRLPOOL 483286009243

Suitable for:

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



WHIRLPOOL 153096

WHIRLPOOL 159227

WHIRLPOOL 483286009243

WHIRLPOOL 483286009255

## Hydraulic piping

**3450209 RUBBER PIPE  $\varnothing$  13x20 mm - 40 m**  
operating temperature  $-40+100^{\circ}\text{C}$



WHIRLPOOL 483286001543

WHIRLPOOL 483286008167

**3450109 RUBBER PIPE  $\varnothing$  13x20 mm - 5 m**  
operating temperature  $-40+100^{\circ}\text{C}$



WHIRLPOOL 483286001543

**3450621 RUBBER PIPE  $110^{\circ}\text{C}$ .  $\varnothing$  10x16 mm - 5 m**  
temperature  $-30^{\circ}+110^{\circ}\text{C}$   
operating pressure 10 bar  
burst pressure 40 bar  
non-toxic rubber hose  
external  $\varnothing$  16 mm  
internal  $\varnothing$  10 mm  
for 40 m rolls see 3450651



WHIRLPOOL 483286008177

WHIRLPOOL 771985000185

## Incandescent lamps and neon lamps

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature  $300^{\circ}\text{C}$



WHIRLPOOL 771985011342

**3221416 NEUTRAL HALOGEN LAMP G4 35W 12V**  
temperatura massima  $250^{\circ}\text{C}$   
for Convection oven (WHIRLPOOL)



WHIRLPOOL F50114

WHIRLPOOL 483286008688

WHIRLPOOL 771985010283



Suitable for:

# WHIRLPOOL



**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



WHIRLPOOL 154319

WHIRLPOOL 481913488135

WHIRLPOOL 771985010335

Suitable for:

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



WHIRLPOOL 154840

WHIRLPOOL 771985003026

## Indicator lights

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



WHIRLPOOL 771985003566

WHIRLPOOL 771985010932

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



WHIRLPOOL 104169

WHIRLPOOL 158544

**3221164 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
dashboard mounting



WHIRLPOOL 771985002866

**3221176 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  10 mm - hole  $\varnothing$  9 mm - 120°C



WHIRLPOOL 483286008203

WHIRLPOOL 771985010290

**3221005 GREEN INDICATOR LIGHT 400V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



WHIRLPOOL 153148

WHIRLPOOL 153154

WHIRLPOOL 771985002626

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



WHIRLPOOL 104895

WHIRLPOOL 148832

WHIRLPOOL 146241

WHIRLPOOL 175095

WHIRLPOOL 148488

WHIRLPOOL 771985001920

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



WHIRLPOOL 158522

WHIRLPOOL 202225

**3221215 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  11.5 mm - 120°C  
for Convection oven electric (WHIRLPOOL) FMI/E5



WHIRLPOOL F50010



# WHIRLPOOL



Suitable for:

**3221170 ORANGE INDICATOR LIGHT 230V**  
head  $\varnothing$  10 mm - hole  $\varnothing$  9 mm - 120°C



WHIRLPOOL 483286008202

WHIRLPOOL 771985010291

Suitable for:

**3221176 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  10 mm - hole  $\varnothing$  9 mm - 120°C



WHIRLPOOL 483286008203

WHIRLPOOL 771985010290

**3221006 ORANGE INDICATOR LIGHT 400V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



WHIRLPOOL 153149

WHIRLPOOL 153155

WHIRLPOOL 771985002627

**3221004 RED INDICATOR LIGHT 400V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



WHIRLPOOL 153153

WHIRLPOOL 771985002625

**3221005 GREEN INDICATOR LIGHT 400V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



WHIRLPOOL 153148

WHIRLPOOL 153154

WHIRLPOOL 771985002626

**3221006 ORANGE INDICATOR LIGHT 400V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



WHIRLPOOL 153149

WHIRLPOOL 153155

WHIRLPOOL 771985002627

## Injectors

**3500082 GAS JET M10x1  $\varnothing$  1.90 mm**



WHIRLPOOL 771985002817

**3500081 GAS JET M10x1  $\varnothing$  2.10 mm**



WHIRLPOOL 771985003250



Suitable for:

3500084 GAS JET M10x1 ø 3.30 mm



WHIRLPOOL 771985003147

# WHIRLPOOL



Suitable for:

3500085 GAS JET M10x1 ø 3.40 mm



WHIRLPOOL 771985002857

## Inlet hoses

**3449034 FLEX HOSE ø 3/4" Fp x CFp 1500 mm**  
EPDM hose covered in stainless steel  
hose external ø 17 mm - internal ø 12 mm  
max temperature 90°C  
max pressure 20 bar  
WRAS approved



WHIRLPOOL 771985004408

**3449017 INLET ELBOW HOSE ø 3/4" FF 1500 mm**  
thermoplastic hose ø 13x19 mm  
nylon fittings ø 3/4"F with gaskets  
max temperature 90°C  
max pressure 10 bar  
with WRAS approval



WHIRLPOOL 481953028736

**3449056 INLET ELBOW HOSE ø 3/4" FF 2000 mm**  
thermoplastic hose ø 13x19 mm  
brass fittings ø 3/4"F with gaskets  
max temperature 90°C  
max pressure 10 bar  
with WRAS approval



WHIRLPOOL 483286008815

## Insulators

**3786479 INSULATOR FOR HEAT EXCHANGER**  
dimensions 291x164 mm



WHIRLPOOL 103874

WHIRLPOOL 771985000403

**3786643 INSULATOR FOR HEAT EXCHANGER**  
dimensions 275x155 mm



WHIRLPOOL 771985000408



## Interference suppression filters

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
0.47 $\mu$ F



WHIRLPOOL 483286008914

**3160233 INTERFERENCE SUP.FILTER PROCOND411135901**



WHIRLPOOL 149303

WHIRLPOOL 771985002151

**3160099 INTERFERENCE SUPPRES. FILTER F3CF71112**  
0.47 $\mu$ F



WHIRLPOOL 77198500987

WHIRLPOOL 820018

## Ironmongery (screws,nuts,washers)

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



WHIRLPOOL 483286002234

**3528111 HEXAGONAL HEAD SCREW M6x10**  
st./steel - UNI 5739 - DIN 933 - ISO 4017



WHIRLPOOL 483286008826

**1528030 MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



WHIRLPOOL 483286002141


**3528066 NUT INOX M26x1.5 mm**



WHIRLPOOL 156409

WHIRLPOOL 771985003277

**3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6**  
stainless steel - cone end  
UNI 5927 - DIN 914 - ISO 4027



WHIRLPOOL 147842

WHIRLPOOL 771985001723

**1186504 WASHER FLAT M10**  
internal/external  $\varnothing$  10.5/20 mm - thickness 2 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



WHIRLPOOL 483286008757



Suitable for:

# WHIRLPOOL



Suitable for:

**3528067 WASHER 22x12x2 mm**



WHIRLPOOL 156416

WHIRLPOOL 771985003283

## Knobs

**3241784 BLACK KNOB  $\varnothing$  25 mm**  
hole  $\varnothing$  5 mm  
for exhaust valve  
for OVEN SUA-4-5E/SUTA-4E-5E/SCA-4-5E  
for Convection oven gas (WHIRLPOOL) AGB636




WHIRLPOOL F50154

WHIRLPOOL 483286008718

WHIRLPOOL 771985011191

**3241392 BLACK KNOB  $\varnothing$  40 mm**  
D shaft hole 6x4.6 mm  
for Convection oven electric (WHIRLPOOL) HW10E  
HW6E  
for Convection oven gas (WHIRLPOOL) AGB636 - HW10G  
HW6G




WHIRLPOOL F50119

WHIRLPOOL 483286008204

WHIRLPOOL 771985010288

**3241867 BLACK KNOB  $\varnothing$  55 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (WHIRLPOOL) ACF/E10 - ACF/E101  
ACF/E102 - ACF/E20 - ACF/E201 - ACF/E202  
ACV/E10C4 - ACV/E102/1C4 - ACV/E20/C4  
ACV/E202/1C4  
for Convection oven gas (WHIRLPOOL) ACV/G10C4  
ACV/G102/1C4 - ACV/G20C4 - ACV/G202/1C4



WHIRLPOOL 205323


WHIRLPOOL 771985005917

**3241055 FIXING CLIP**  
for knob with  $\varnothing$  8 mm hole



WHIRLPOOL 153816

**3241672 GREY KNOB  $\varnothing$  55 mm**  
D-shaped hole 6x4.6 mm




WHIRLPOOL 102672

**3241329 GREY KNOB  $\varnothing$  55 mm WITH SILKSCREEN PRINT**  
D-shaped hole 6x4.6 mm



WHIRLPOOL 771985003258

**3186342 GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm



WHIRLPOOL 125245

WHIRLPOOL 771985002739





# WHIRLPOOL



Suitable for:


**3241330 GREY KNOB  $\varnothing$  55 mm 0-120°C**  
D-shaped hole 6x4.6 mm



WHIRLPOOL 771985003249

Suitable for:

**3186342 GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm



WHIRLPOOL 125245

WHIRLPOOL 771985002739


**3241327 GREY KNOB  $\varnothing$  55 mm 50-250°C**  
D-shaped hole 6x4.6 mm



WHIRLPOOL 156197

WHIRLPOOL 771985003257

**3186342 GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm



WHIRLPOOL 125245

WHIRLPOOL 771985002739

**3241142 KNOB GASKET  $\varnothing$  44 mm**



WHIRLPOOL 159326

**3241676 LOCK NUT FOR KNOB 1/2"**



WHIRLPOOL 151263

WHIRLPOOL 771985002349

## Lamp receptacles and spare parts

**3221255 FRAME FOR OVEN LAMP RECEPTACLE**  
external dimensions 140x72 mm  
for Convection oven (WHIRLPOOL)



WHIRLPOOL 155022

WHIRLPOOL 252410

**3221349 GLASS F.OVEN RECEPTACLE LAMP  $\varnothing$  73 mm**  
thread  $\varnothing$  63 mm - overall height 45 mm



WHIRLPOOL 104163

**3221256 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 112x65 mm  
max temperature 500°C  
for Convection oven (WHIRLPOOL)



WHIRLPOOL 247522

**3520021 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  44 mm**



WHIRLPOOL 102627

WHIRLPOOL 771985000124




Suitable for:

Suitable for:

**3221399 LAMP RECEPTACLE E14 25W 230V**  
max temperature 300°C

**3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS**



WHIRLPOOL 102625


WHIRLPOOL 771985000122

WHIRLPOOL 102626

WHIRLPOOL 771985000123

**3520021 GLASS FOR OVEN LAMP RECEPTACLE ø 44 mm**

**3520022 OVEN GLASS FRAME ø 76 mm**



WHIRLPOOL 102627

WHIRLPOOL 771985000124

WHIRLPOOL 102628

WHIRLPOOL 771985000125

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



WHIRLPOOL 154319

WHIRLPOOL 481913488135


WHIRLPOOL 771985010335

WHIRLPOOL 154840

WHIRLPOOL 771985003026

**3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V**  
dimensioni esterne 106x65 mm

**3221268 LAMP RECEPTACLE W/LAMP G9 25W 240V**  
external dimensions 96x80 mm  
max temperature 300°C



WHIRLPOOL 154991

WHIRLPOOL 771985010209

WHIRLPOOL 483286002063

**3221649 LAMP RECEPTACLE WITH GLASS E14**  
WITHOUT BULB  
lamp glass ø 72 mm  
mounting hole ø 68 mm  
max temperature 300°C

**3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass ø 42 mm  
mounting hole ø 38 mm  
max temperature 300°C



WHIRLPOOL 104160

WHIRLPOOL 154320



# WHIRLPOOL



Suitable for:

**3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  54 mm  
mounting hole  $\varnothing$  45 mm  
max temperature 300°C



WHIRLPOOL 771985010401

Suitable for:

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



WHIRLPOOL 154319

WHIRLPOOL 481913488135

WHIRLPOOL 771985010335

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



WHIRLPOOL 154840


WHIRLPOOL 771985003026

**3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  57 mm  
mounting hole  $\varnothing$  42 mm  
max temperature 300°C  
for OVEN



WHIRLPOOL 483286009669

**3520022 OVEN GLASS FRAME  $\varnothing$  76 mm**



WHIRLPOOL 102628

WHIRLPOOL 771985000125

**3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE**  
external dimensions 140x75 mm  
for Convection oven (WHIRLPOOL)



WHIRLPOOL 771985003072

## Level regulators

**3341000 LEVEL ADJUSTER RL30/3ES/F/G**  
230V 50/60Hz



WHIRLPOOL 155458

WHIRLPOOL 771985003169

**3341003 LEVEL PROBE  $\varnothing$  1/4" M-110 mm**



WHIRLPOOL 156449



Suitable for:

**3341002 LEVEL PROBE  $\varnothing$  1/4"M-114.5 mm**



WHIRLPOOL 155346

**3391037 LEVEL PROBE SPACER**



WHIRLPOOL 155347

WHIRLPOOL 771985003127

**3341038 LEVEL ADJUSTER RL30/3ES/11  
24V 50/60Hz**



WHIRLPOOL 771985002766

# WHIRLPOOL



Suitable for:

**3341001 LEVEL PROBE  $\varnothing$  1/4"M-155 mm**



WHIRLPOOL 153909

**3391038 LEVEL PROBE SPACER**



WHIRLPOOL 155435

WHIRLPOOL 771985003160

## Level sensors

**3341003 LEVEL PROBE  $\varnothing$  1/4"M-110 mm**



WHIRLPOOL 156449

**3341019 LEVEL PROBE  $\varnothing$  1/4"M-122 mm**



WHIRLPOOL 202838

WHIRLPOOL 771985005809

**3391038 LEVEL PROBE SPACER**



WHIRLPOOL 155435

WHIRLPOOL 771985003160

**3341002 LEVEL PROBE  $\varnothing$  1/4"M-114.5 mm**



WHIRLPOOL 155346

**3391037 LEVEL PROBE SPACER**



WHIRLPOOL 155347

WHIRLPOOL 771985003127



# WHIRLPOOL



Suitable for:

Suitable for:

**3341033 LEVEL PROBE ø 1/4"M-139 mm**

**3391038 LEVEL PROBE SPACER**



WHIRLPOOL 103878

WHIRLPOOL 771985000405

WHIRLPOOL 155435

WHIRLPOOL 771985003160

**3341001 LEVEL PROBE ø 1/4"M-155 mm**



WHIRLPOOL 153909

**3341034 LEVEL PROBE 77 mm**

**3341032 SPACER FOR PROBE 16 mm**



WHIRLPOOL 102632

WHIRLPOOL 771985000128

WHIRLPOOL 102633

WHIRLPOOL 771985000129

**3341032 SPACER FOR PROBE 16 mm**



WHIRLPOOL 102633

WHIRLPOOL 771985000129

**3397173 WATER LEVEL PROBE 125 mm**

**3391037 LEVEL PROBE SPACER**



WHIRLPOOL 102694

WHIRLPOOL 771985000174

WHIRLPOOL 155347

WHIRLPOOL 771985003127

**3391038 LEVEL PROBE SPACER**



WHIRLPOOL 155435

WHIRLPOOL 771985003160



Suitable for:

# WHIRLPOOL



Suitable for:

## Magnet groups

**3182010 MAGNETIC UNIT PEL**  
ø head 24 mm - ø end 18 mm - length 59 mm  
thermocouple coupling M10x1  
for PEL tap model 23



WHIRLPOOL 156596

**3182003 MAGNETIC UNIT SIT**  
ø head 25 mm - ø end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT



WHIRLPOOL 156587

**3182008 MAGNETIC UNIT SIT**  
ø head 35 mm - ø end 20 mm - length 47 mm  
for valve SIT NOVASIT 820



WHIRLPOOL 156589

## Microswitches

**3240189 MICRO SWITCH M1DX20 10A 250V**



WHIRLPOOL 483286000402

**3240407 MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheel - lever 27 mm with wheel



WHIRLPOOL 169484

WHIRLPOOL 483286009539

WHIRLPOOL 751006

WHIRLPOOL 771985008812

**3240148 MICROSWITCH MAGNET 63x19x11 mm**



WHIRLPOOL 149627

WHIRLPOOL 483286008117

WHIRLPOOL 483286008762

WHIRLPOOL 483286008861



Suitable for:

**9014015 MICROSWITCH MAGNETIC  $\varnothing$  10x33 mm**  
0.04A 250V - contact NO  
with cable length 750 mm



WHIRLPOOL 483286008341

Suitable for:

**3240148 MICROSWITCH MAGNET 63x19x11 mm**



WHIRLPOOL 149627

WHIRLPOOL 483286008117

WHIRLPOOL 483286008762

WHIRLPOOL 483286008861

**3240469 MICROSWITCH MAGNETIC E710-1B**  
50VA 250V - NO contact - head 50x19 mm



WHIRLPOOL 149921

WHIRLPOOL 771985002220

**3240148 MICROSWITCH MAGNET 63x19x11 mm**



WHIRLPOOL 149627

WHIRLPOOL 483286008117

WHIRLPOOL 483286008762

WHIRLPOOL 483286008861

**3240410 MICROSWITCH 16(4)A 250V**



WHIRLPOOL F50008

WHIRLPOOL F50125

WHIRLPOOL 483286001289

WHIRLPOOL 483286008198

WHIRLPOOL 771985010294

**3240123 MICROSWITCH 16A 250V**



WHIRLPOOL 310052

WHIRLPOOL 771985006356

**3240820 MICROSWITCH 16A 250V**



WHIRLPOOL 146286

WHIRLPOOL 147485

WHIRLPOOL 771985001180

WHIRLPOOL 771985001636

**3240152 BUSHING FOR MICROSWITCH**



WHIRLPOOL 147487

WHIRLPOOL 771985001638

**3240153 ROD FOR MICROSWITCH**



WHIRLPOOL 147488

WHIRLPOOL 771985001639

**3240154 SPRING FOR MICROSWITCH ROD**



WHIRLPOOL 147489

WHIRLPOOL 771985001640



Suitable for:

# WHIRLPOOL



Suitable for:

## Motors

**3340008 COUNTER-FLANGE FOR MAIN SHAFT**  
 external  $\varnothing$  60 mm - internal  $\varnothing$  18.5 mm  
 thickness 6 mm  
 for Convection oven (WHIRLPOOL) AGB633 - AGB639  
 AGB640  
 for Convection oven electric (WHIRLPOOL) FMIE103F  
 for Convection oven gas (WHIRLPOOL) AGB636/WP  
 FMIG102F - FMIG103F



WHIRLPOOL F50072

WHIRLPOOL 483286008699

WHIRLPOOL 771985010257

**3161004 FLANGE FOR MAIN SHAFT**  
 external  $\varnothing$  60 mm - internal  $\varnothing$  18.5 mm  
 thickness 8 mm  
 for Convection oven (WHIRLPOOL) AGB633 - AGB639  
 AGB640  
 for Convection oven electric (WHIRLPOOL) FMIE103F  
 for Convection oven gas (WHIRLPOOL) AGB636/WP  
 FMIG102F - FMIG103G



WHIRLPOOL F50071

WHIRLPOOL 483286008698

WHIRLPOOL 771985010256


**3340063 MOTOR FAN 24/28W 220/240V 50/60Hz**  
 for Convection oven electric (WHIRLPOOL) FFE4



WHIRLPOOL 105202

WHIRLPOOL 771985000535


**3340064 MOTOR FAN  $\varnothing$  145 mm**  
 for Convection oven electric (WHIRLPOOL) FFE4



WHIRLPOOL 105221

WHIRLPOOL 771985000550


**3240907 MOTOR FLANGE**  
 external  $\varnothing$  270 mm - flange internal  $\varnothing$  16 mm  
 height 3.5 mm



WHIRLPOOL 158977


WHIRLPOOL 771985003657

**3240287 MOTOR LM/FB80 4/6 0.11/0.35Kw 230V**  
 50/60Hz - 1.3/2.7A - 900/1400rpm  
 capacitor 16  $\mu$ F



WHIRLPOOL 771985000211


**3240740 MOTOR LM/FB80 4/6 0.19/0.06Kw 230V**  
 50/60Hz - 1.5/0.7A - 930/1380rpm  
 capacitor 12.5 $\mu$ F



WHIRLPOOL 102698

WHIRLPOOL 771985000176

**3240289 FAN  $\varnothing$  280 mm**  
 thickness 100 mm  
 total blades 6 -  $\varnothing$  hole 10 mm



WHIRLPOOL 102754

WHIRLPOOL 771985000217

**3240291 FAN  $\varnothing$  350 mm**  
 thickness 135 mm  
 total blades 6 -  $\varnothing$  via hole 10 mm



WHIRLPOOL 102617

WHIRLPOOL 771985000118

**3240290 MAIN SHAFT SEALING GASKET**  
 external  $\varnothing$  38mm - internal  $\varnothing$  16mm - thickness 17mm



WHIRLPOOL 102699


WHIRLPOOL 771985000177



Suitable for:

Suitable for:


**3240295 MOTOR SPACER**  
threads M6-M8  
overall height 47 mm



WHIRLPOOL 158731

WHIRLPOOL 771985003622

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan ø 150 mm



WHIRLPOOL 131484

WHIRLPOOL 154314

WHIRLPOOL 202010

WHIRLPOOL 483286000397

WHIRLPOOL 483286001327

WHIRLPOOL 483286011127

**3240253 MOTOR 1020.5450 0.37Kw 230/400V 50Hz**  
1.9/1.1A - 2600rpm  
for Convection oven (WHIRLPOOL) AGB633/WP  
AGB639/WP - AGB640/WP  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103F



WHIRLPOOL F50042

WHIRLPOOL 483286008681

WHIRLPOOL 771985010240

**3340008 COUNTER-FLANGE FOR MAIN SHAFT**  
external ø 60 mm - internal ø 18.5 mm  
thickness 6 mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB639  
AGB640  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103F



WHIRLPOOL F50072

WHIRLPOOL 483286008699

WHIRLPOOL 771985010257

**3240244 FAN ø 210 mm**  
thickness 100 mm  
total blades 20 - ø tapered hole 16-11 mm  
for Convection oven (WHIRLPOOL) AGB633/WP  
AGB639/WP - AGB640/WP  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103F



WHIRLPOOL F50032

WHIRLPOOL 483286008701

WHIRLPOOL 771985010230

**3161004 FLANGE FOR MAIN SHAFT**  
external ø 60 mm - internal ø 18.5 mm  
thickness 8 mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB639  
AGB640  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103G



WHIRLPOOL F50071

WHIRLPOOL 483286008698

WHIRLPOOL 771985010256

**3340007 MAIN SHAFT SEALING GASKET**  
external ø 22mm - internal ø 17mm - thickness 4mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB639  
AGB640  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103F



WHIRLPOOL F51082


WHIRLPOOL 483286008697

WHIRLPOOL 771985010237



Suitable for:

**3240105 MOTOR 1048.1920 0.045/0.0765Kw 220/240V**  
50/60Hz 2800/3400rpm  
plate dimensions 150x150 mm  
distance between holes 130 mm



WHIRLPOOL F50018

WHIRLPOOL 771985010216

Suitable for:

**3161004 FLANGE FOR MAIN SHAFT**  
external  $\varnothing$  60 mm - internal  $\varnothing$  18.5 mm  
thickness 8 mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB639  
AGB640  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103G



WHIRLPOOL F50071

WHIRLPOOL 483286008698

WHIRLPOOL 771985010256

**3186411 MAIN SHAFT SEALING GASKET**  
external  $\varnothing$  22mm - internal  $\varnothing$  10mm-thickness 3.5mm  
for Convection oven electric (WHIRLPOOL) AGB632/WP




WHIRLPOOL F50025

WHIRLPOOL 483286008205

WHIRLPOOL 771985010223

**3240015 MOTOR 1052.1400 0.1Kw 220V 50Hz**  
1A 1400rpm - capacitor 4  $\mu$ f




WHIRLPOOL 154829

WHIRLPOOL 158587

WHIRLPOOL 771985003577


**3240110 FAN  $\varnothing$  280 mm**  
thickness 100 mm  
total blades 6 -  $\varnothing$  hole 9.5 mm



WHIRLPOOL 155422

WHIRLPOOL 771985003154


**3240295 MOTOR SPACER**  
threads M6-M8  
overall height 47 mm



WHIRLPOOL 158731

WHIRLPOOL 771985003622

**3240016 MOTOR 1052.2500 0.19Kw 220/380V 50Hz**  
1.4/0.9A 1400rpm




WHIRLPOOL 154836

WHIRLPOOL 158667

WHIRLPOOL 771985003602

Suitable for:

**3240019 MOTOR 1053.2500 0.35Kw 220/380V 50Hz**  
1.8/1.04A 1400rpm



WHIRLPOOL 154837  
WHIRLPOOL 771985003585

WHIRLPOOL 158607

WHIRLPOOL 771985003024


Suitable for:

**3240112 FAN ø 440 mm**  
thickness 152 mm  
total blades 6 - ø hole 9.5 mm



WHIRLPOOL 155378


**3240295 MOTOR SPACER**  
threads M6-M8  
overall height 47 mm



WHIRLPOOL 158731


WHIRLPOOL 771985003622

**3240715 MOTOR 1092.2330 0.1Kw 220V 50Hz**  
0.9A 1350rpm - capacitor 4 µf



WHIRLPOOL 771985003517


**3240110 FAN ø 280 mm**  
thickness 100 mm  
total blades 6 - ø hole 9.5 mm



WHIRLPOOL 155422

WHIRLPOOL 771985003154

**3391040 MOTOR BASE**



WHIRLPOOL 158729

WHIRLPOOL 771985003620

**3240907 MOTOR FLANGE**  
external ø 270 mm - flange internal ø 16 mm  
height 3.5 mm



WHIRLPOOL 158977

WHIRLPOOL 771985003657

**3240295 MOTOR SPACER**  
threads M6-M8  
overall height 47 mm



WHIRLPOOL 158731

WHIRLPOOL 771985003622




Suitable for:

# WHIRLPOOL



Suitable for:

**3240017 MOTOR 110.4.370M 0.37Kw 230V 50/60Hz**  
2.7A 1400rpm - capacitor 10 µf  
(old type)



WHIRLPOOL 771985003494

## Non-return and expansion valves

**1526503 NON-RETURN VALVE ø 40 mm**  
ballcock - outlets ø 12 mm  
stainless steel cap



WHIRLPOOL 149332

WHIRLPOOL 483286008154

## Outlet solenoid valves and accessories

**3525014 BOILER MOTOR DRAIN VALVE**  
230V 50/60Hz 2.5W  
fittings ø 1"FF DN25



WHIRLPOOL 771985000514

**3525021 VALVE BOILER DRAIN MOTORIZED**  
230V 50/60Hz 2.5W  
fittings ø 3/4"FF DN20



WHIRLPOOL 771985000190

## OR and ORM gaskets

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



WHIRLPOOL 146213

WHIRLPOOL 167620

WHIRLPOOL 483286009434

WHIRLPOOL 169456

**3786008 O-RING 04112 BROWN VITON**  
for coffee group upper piston



WHIRLPOOL 771985000260

**3186290 O-RING 04187 EPDM**



WHIRLPOOL 148229

WHIRLPOOL 771985001818

WHIRLPOOL 860076

WHIRLPOOL 771985010108



## Penetration probes

**3397013 PENETRATION PROBE PT100**  
 2 wires - faston connection  
 probe length 160 mm  
 chamber internal cable length 1200 mm  
 chamber external cable length 1850 mm



WHIRLPOOL 102821

WHIRLPOOL 771985000242

**3397015 PENETRATION PROBE PT100**  
 2 wires - faston fitting  
 probe length 140 mm  
 compartment internal cable length 1000 mm  
 compartment external cable length 1550 mm



WHIRLPOOL 103853


WHIRLPOOL 771985000399

**3397202 PENETRATION PROBE PT100**  
 2 wires - bulb  $\varnothing$  4x100 mm  
 probe length 1600 mm  
 for Convection oven (WHIRLPOOL)  
 Series COMPACT/V-210M



WHIRLPOOL 483286008705

**3397012 PENETRATION PROBE PT1000**  
 2 wires - faston fitting  
 probe length 140 mm  
 compartment internal cable length 530 mm  
 compartment external cable length 1550 mm



WHIRLPOOL 102673

WHIRLPOOL 771985000159

**3397100 PROBE PENETRATION PT1000**  
 2 wires - faston connection  
 probe length 140 mm  
 chamber internal cable 950 mm  
 chamber external cable 1500 mm



WHIRLPOOL 771985011262

## Pilot burners and accessories

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



WHIRLPOOL 157960

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



WHIRLPOOL 152833

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



WHIRLPOOL 152834

WHIRLPOOL 483286008457

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



WHIRLPOOL 153665



Suitable for:

# WHIRLPOOL



Suitable for:

**3020308 PILOT ASSEMBLY WITH NOZZLE  $\varnothing$  0.40 mm**



WHIRLPOOL 771985012952

**3020036 PILOT BURNER SIT 3 FLAMES**  
multigas type with nozzle  $\varnothing$  0.35 mm  
with 3 position bracket



WHIRLPOOL 483286009491

**3020055 PILOT JET  $\varnothing$  0.35 mm**



WHIRLPOOL 156750

WHIRLPOOL 158525

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



WHIRLPOOL 483286009489

WHIRLPOOL 771985003373

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



WHIRLPOOL 159216

WHIRLPOOL 483286003494

**3020054 PILOT JET  $\varnothing$  0.20 mm**



WHIRLPOOL 156799

WHIRLPOOL 158330

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



WHIRLPOOL 146755

WHIRLPOOL 483286009266

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



WHIRLPOOL 483286000863

WHIRLPOOL 483286009228

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



WHIRLPOOL 483286009231



# WHIRLPOOL



Suitable for:

**3020044 PILOT GAS JET  $\varnothing$  0.20 mm**



WHIRLPOOL 154286

Suitable for:

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



WHIRLPOOL 159215

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



WHIRLPOOL 483286009232

**3020045 PILOT GAS JET  $\varnothing$  0.50 mm**



WHIRLPOOL 154037

WHIRLPOOL 154038

**3020054 PILOT JET  $\varnothing$  0.20 mm**



WHIRLPOOL 156799


WHIRLPOOL 158330

**3020156 PILOT JET  $\varnothing$  0.25 mm**



WHIRLPOOL 158525

**3020157 PILOT JET  $\varnothing$  0.25 mm**



WHIRLPOOL 154593

**3020040 PILOT JET  $\varnothing$  0.30 mm**



WHIRLPOOL 153667

WHIRLPOOL 157388

**3020055 PILOT JET  $\varnothing$  0.35 mm**



WHIRLPOOL 156750

WHIRLPOOL 158525

**3020041 PILOT JET  $\varnothing$  0.41 mm**



WHIRLPOOL 146755

WHIRLPOOL 153668

WHIRLPOOL 153670

**3020113 PILOT OLIVE FOR PIPE  $\varnothing$  4 mm**



WHIRLPOOL 159161

**3020107 PILOT WITH 0.35 mm  $\varnothing$  JET**



WHIRLPOOL 152686



Suitable for:

# WHIRLPOOL



Suitable for:

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



WHIRLPOOL 146755

WHIRLPOOL 483286009266

**3020010** TARGET PILOT BURNER SIT 2 FLAMES  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting



WHIRLPOOL 159379


WHIRLPOOL 483286009227

**3020042** PILOT GAS JET  $\varnothing$  0.19 mm



WHIRLPOOL 483286009231

**3020043** PILOT GAS JET  $\varnothing$  0.36 mm



WHIRLPOOL 483286009232

**3020077** PIPE FITTING  $\varnothing$  4 mm  
thread M10x1



WHIRLPOOL 146755

WHIRLPOOL 483286009266

**3001003** ROUND SPARKING PLUG  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm



WHIRLPOOL 483286009489

WHIRLPOOL 771985003373

**3020060** SPARKING PLUG ROUND  $\varnothing$  7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



WHIRLPOOL 483286000863

WHIRLPOOL 483286009228

**3020011** THREE-FLAME PILOT BURNER  
without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple connection  
with sparking plug fitting



WHIRLPOOL 154032

**3020044** PILOT GAS JET  $\varnothing$  0.20 mm



WHIRLPOOL 154286





Suitable for:

**3020045 PILOT GAS JET  $\varnothing$  0.50 mm**



WHIRLPOOL 154037

WHIRLPOOL 154038

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



WHIRLPOOL 483286009489

WHIRLPOOL 771985003373

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



WHIRLPOOL 154335

WHIRLPOOL 483286009215

**3020055 PILOT JET  $\varnothing$  0.35 mm**



WHIRLPOOL 156750

WHIRLPOOL 158525

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



WHIRLPOOL 483286009489

WHIRLPOOL 771985003373

# WHIRLPOOL



Suitable for:

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



WHIRLPOOL 146755

WHIRLPOOL 483286009266

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



WHIRLPOOL 483286000863

WHIRLPOOL 483286009228

**3020054 PILOT JET  $\varnothing$  0.20 mm**



WHIRLPOOL 156799

WHIRLPOOL 158330

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



WHIRLPOOL 146755

WHIRLPOOL 483286009266

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



WHIRLPOOL 483286000863

WHIRLPOOL 483286009228



# WHIRLPOOL



Suitable for:

Suitable for:

**3020012 TWO-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



WHIRLPOOL 157411

WHIRLPOOL 771985003449


**3020040 PILOT JET  $\varnothing$  0.30 mm**



WHIRLPOOL 153667

WHIRLPOOL 157388

**3020041 PILOT JET  $\varnothing$  0.41 mm**




WHIRLPOOL 146755

WHIRLPOOL 153668

WHIRLPOOL 153670

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



WHIRLPOOL 146755

WHIRLPOOL 483286009266

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



WHIRLPOOL 483286000863

WHIRLPOOL 483286009228

## Pressure gauges

**3245010 PRESSURE GAUGE  $\varnothing$  52 mm**  
fitting  $\varnothing$  1/4" M  
scale 0-6 bar



WHIRLPOOL F50100

WHIRLPOOL 158941

WHIRLPOOL 771985003651

WHIRLPOOL 771985010269

**3120502 BRASS PRESSURE REDUCER VALVE  $\varnothing$  1/2" FF**



WHIRLPOOL F50063

WHIRLPOOL 483286002062

WHIRLPOOL 771985010255

**3349589 FITTING**  
for new series



WHIRLPOOL 771985012218

**3350028 PRESSURE REDUCER VALVE  $\varnothing$  1/2" FF**



WHIRLPOOL 102678

WHIRLPOOL 771985000163



## Pressure regulators

**3120502 BRASS PRESSURE REDUCER VALVE  $\varnothing$  1/2"FF**



WHIRLPOOL F50063

WHIRLPOOL 483286002062

WHIRLPOOL 771985010255

**3350028 PRESSURE REDUCER VALVE  $\varnothing$  1/2"FF**



WHIRLPOOL 102678

WHIRLPOOL 771985000163

## Pressure switches

**3320051 ADJUSTABLE PRESSURE SWITCH  $\varnothing$  1/4" M**  
 operating pressure regulation 5-20 mbar  
 differential 3 mbar  
 contact capacity 16(4)A 250V  
 max operating temperature 85°C



WHIRLPOOL 771985000131

**3320053 ADJUSTABLE PRESSURE SWITCH  $\varnothing$  1/4" M**  
 operating pressure regulation 10-50 mbar  
 differential 3 mbar  
 contact capacity 16(4)A 250V  
 max operating temperature 85°C  
 for OVEN



WHIRLPOOL 483286009792

**3320114 BOILER PRESSURE SWITCH 0.5-1.2 BAR**  
 16A 250V - fitting 1/8" M



WHIRLPOOL 483286002416

**3320113 BOILER PRESSURE SWITCH 1.5-4 BAR**  
 16A 250V - connection  $\varnothing$  1/8" M



WHIRLPOOL 483286002417

**3320056 PRESSURE SWITCH HONEYWELL C6065A12752**  
 pressure 0.4-10 mbar  
 enabling ON switching



WHIRLPOOL 102640

WHIRLPOOL 103772

WHIRLPOOL 771985000387

## Probes

**3445012 PROBE PT100**  
 2-wire probe  
 bulb  $\varnothing$  4x60 mm - cable length 1000 mm



WHIRLPOOL 483286008713

WHIRLPOOL 771985010276

**3440159 TEMPERATURE PROBE**  
 2 wires - bulb  $\varnothing$  6x30 mm  
 cable length 1500 mm



WHIRLPOOL 483286009648



Suitable for:

# WHIRLPOOL



**3397027 TEMPERATURE PROBE PT100**  
2 wires - connector fitting  
bulb  $\varnothing$  4x60 mm  
cable length 1300 mm



WHIRLPOOL 771985003603

Suitable for:

**3397080 TEMPERATURE PROBE PT1000**  
2 wires - faston connection  
probe length 275 mm  
cable length 1800 mm



WHIRLPOOL 102615

WHIRLPOOL 771985000116

## Relays

**3351901 POWER RELAY FINDER 60.62.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 10A



WHIRLPOOL 158857

WHIRLPOOL 169882

WHIRLPOOL 183215

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A



WHIRLPOOL 483286000112

WHIRLPOOL 483286008336

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



WHIRLPOOL 185647

**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A




WHIRLPOOL 156446

WHIRLPOOL 186214

## Rotary switches

**3057132 BOARD SELECTOR SWITCH**  
contact capacity 12A 600V - max 60/75°C  
D-shaped pin  $\varnothing$  6x4.6 mm



WHIRLPOOL F50105

WHIRLPOOL 483286008709

WHIRLPOOL 771985010274

**3057050 CONNECTING BRACKET 28x21x16 mm**  
distance between hooking brackets 27 mm  
f/connection between selector switch and thermost.




WHIRLPOOL 483286009346

WHIRLPOOL 771985005769



Suitable for:

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm  
 back connection for thermostat




WHIRLPOOL 126945  
 WHIRLPOOL 77198500744

WHIRLPOOL 481227328258

WHIRLPOOL 483286009371

Suitable for:

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm



WHIRLPOOL 202227

WHIRLPOOL 771985005771

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm




WHIRLPOOL 154375

WHIRLPOOL 481227328245

WHIRLPOOL 771985002946


**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm



WHIRLPOOL 132677

WHIRLPOOL 771985000964


**3059057 SELECTOR SWITCH 0-1 POSITIONS**  
 ON-OFF-START  
 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



WHIRLPOOL 148271


WHIRLPOOL 771985001844

**3057228 SELECTOR SWITCH 0-10 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (WHIRLPOOL) AGS895



WHIRLPOOL 483286002489

**3057001 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm



WHIRLPOOL 129147

WHIRLPOOL 481227328237


WHIRLPOOL 771985000764

**3057009 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




WHIRLPOOL 157573

**3057010 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



WHIRLPOOL 157934

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm



WHIRLPOOL 202022

WHIRLPOOL 481227328239




Suitable for:

# WHIRLPOOL




**3057136 SELECTOR SWITCH 0-6 POSITIONS**  
 5 cams - contact capacity 16A 250V - max 150°C  
 D-shaped pin ø 6x4.6  
 for OVEN 6-10-20 SHELVES  
 for Convection oven electric (WHIRLPOOL) ACV/E10C2  
 ACV/E20C4 - ACV/E202/1  
 for Convection oven gas (WHIRLPOOL) ACV/G10C2  
 ACV/G20C4 - ACV/G202/1C4 - ACV/G61C3



WHIRLPOOL 102661

WHIRLPOOL 771985000148

**3057034 SELECTOR SWITCH 0-7 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin ø 6x4.6 mm



WHIRLPOOL 155017

WHIRLPOOL 771985007011

**3057099 SELECTOR SWITCH 3 POSITIONS**  
 contact capacity 16A 600V - max 60/75°C  
 square pin 5x4.6 mm




WHIRLPOOL F50137

WHIRLPOOL 483286008197

WHIRLPOOL 771985010306

**3057120 SELECTOR SWITCH 5 POSITIONS**  
 contact capacity 12A 600V - max 60/75°C  
 square pin 5x4.6 mm  
 for Convection oven gas (WHIRLPOOL)  
 AGB636  
 for Convection oven electric (WHIRLPOOL) FMIE201




WHIRLPOOL F50120

WHIRLPOOL 483286008691

WHIRLPOOL 771985010289

**3057130 SELECTOR SWITCH 5 POSITIONS**  
 contact capacity 16A 600V - max 60/75°C  
 D-shaped pin 6x4.6 mm



WHIRLPOOL 483286008222

## Solenoid valves

**3120292 FLOWRATE ADJUSTER ø 0.60 mm**



WHIRLPOOL 102091

WHIRLPOOL 771985000017

**3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**  
 220/240V 50/60Hz - max. temperature 90°C  
 inlet 3/4" - outlet ø 10.5 mm



WHIRLPOOL 481928128225

WHIRLPOOL 481981729014

WHIRLPOOL 481981729021

WHIRLPOOL 481981729326



Suitable for:

Suitable for:

**3120104 SOLEN. VALVE ELBITYPE 319 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



WHIRLPOOL 148817

WHIRLPOOL 771985002009

**3120504 SOLEN. VALVE ELBITYPE 319 1 WAY 90°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm




WHIRLPOOL 148180

WHIRLPOOL 771985001805

WHIRLPOOL 771985006285


WHIRLPOOL 771985010440

**3120005 SOLEN. VALVE ELBITYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



WHIRLPOOL 483286008141

**3120505 SOLEN. VALVE ELBITYPE 329 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



WHIRLPOOL 771985003668


**3120006 SOLEN. VALVE ELBITYPE 339 2 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



WHIRLPOOL 771985003163

WHIRLPOOL 771985003415

**3120507 SOLEN. VALVE ELBITYPE 349 2 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



WHIRLPOOL 771985001805

**3120008 SOLEN. VALVE ELBITYPE 350 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



WHIRLPOOL 483286008339

**3120010 SOLEN. VALVE ELBITYPE 352 2 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 13.5 mm



WHIRLPOOL 483286008343

**3120405 SOLEN. VALVE T&P 1 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



WHIRLPOOL 147533

WHIRLPOOL 186014

WHIRLPOOL 481981729022

WHIRLPOOL 483286009934

WHIRLPOOL 147756

WHIRLPOOL 481981728265

WHIRLPOOL 481981729329

WHIRLPOOL 771985008638

WHIRLPOOL 155132

WHIRLPOOL 481981729013

WHIRLPOOL 483286008223

**3120404 SOLEN. VALVE T&P 1 WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



WHIRLPOOL 102613

WHIRLPOOL 156350

WHIRLPOOL 147531

WHIRLPOOL 202064

WHIRLPOOL 155350



Suitable for:


Suitable for:

**3120408 SOLEN. VALVE T&P 1 WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm




WHIRLPOOL 147529      WHIRLPOOL 147532      WHIRLPOOL 148178  
WHIRLPOOL 148898      WHIRLPOOL 169179      WHIRLPOOL 771985001657  
WHIRLPOOL 771985001804      WHIRLPOOL 771985002042      WHIRLPOOL 771985004253

**3120255 SOLEN. VALVE T&P 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm  
1 outlet with red adjuster 0.5 L/min




WHIRLPOOL 147579      WHIRLPOOL 771985001687

**3120407 SOLEN. VALVE T&P 2 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



WHIRLPOOL 145631      WHIRLPOOL 146427      WHIRLPOOL 147536  
WHIRLPOOL 169463      WHIRLPOOL 48328600125

**3120411 SOLEN. VALVE T&P 2 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 13.5 mm



WHIRLPOOL 169262

**3120406 SOLEN. VALVE T&P 2 WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



WHIRLPOOL 155444      WHIRLPOOL 156872      WHIRLPOOL 169295

**3120414 SOLEN. VALVE T&P 3 WAY 180°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm



WHIRLPOOL 147538      WHIRLPOOL 153038      WHIRLPOOL 156793  
WHIRLPOOL 169464      WHIRLPOOL 190330      WHIRLPOOL 481981729332

**3120413 SOLEN. VALVE T&P 3 WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm



WHIRLPOOL 102712      WHIRLPOOL 147539      WHIRLPOOL 147540  
WHIRLPOOL 149077      WHIRLPOOL 169296      WHIRLPOOL 202415  
WHIRLPOOL 771985000189      WHIRLPOOL 771985001663      WHIRLPOOL 771985001664  
WHIRLPOOL 771985004278      WHIRLPOOL 771985005783      WHIRLPOOL 771985011981

**3120166 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 13.5 mm



WHIRLPOOL 752132      WHIRLPOOL 771985009089



Suitable for:

**3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°**  
220/240V 50/60Hz - max temperature 90°C  
inlet 3/4" - three outlets ø 10.5 mm



WHIRLPOOL 483286001413  
WHIRLPOOL 771985008631

WHIRLPOOL 483286008703

WHIRLPOOL 771985004337

Suitable for:

**3120167 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - three outlets ø 13.5 mm



WHIRLPOOL 483286008635

**3120509 STEAM SOLENOID VALVE 3-WAYS 230V ø 1/8"**  
coil 6628 EN series 688 230V 50Hz  
pressure from 0.1 to 4.5 bar  
max.temperature 150°C



WHIRLPOOL 483286002414

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz



WHIRLPOOL 483286009414

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz



WHIRLPOOL 77198000435

**3181004 SPARK GENERATOR 6 OUTLETS**  
220/240V - 50/60Hz



WHIRLPOOL 771985000353


## Sparking and detection plugs

**3020163 DETECTION PLUG ROUND ø 7x60 mm**  
complete with cable length 780 mm



WHIRLPOOL 483286008714

**3020206 ROUND DETECTOR ELECTRODE ø 9.5x60 mm**  
overall length 109 mm



WHIRLPOOL 102638

WHIRLPOOL 771985000134



# WHIRLPOOL



Suitable for:

**3020205 ROUND IGNITION ELECTRODE  $\varnothing$  9.5x60 mm**  
overall length 90 mm



WHIRLPOOL 102637

WHIRLPOOL 771985000133

Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



WHIRLPOOL 483286009489

WHIRLPOOL 771985003373

**3020164 ROUND SPARKING PLUG  $\varnothing$  9.5x60 mm**  
overall length 104 mm



WHIRLPOOL 256803

WHIRLPOOL 771985006291

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



WHIRLPOOL 483286000863

WHIRLPOOL 483286009228

**3020124 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 58 mm



WHIRLPOOL 154336

WHIRLPOOL 771985002944

WHIRLPOOL 771985003373

## Supports

**3391037 LEVEL PROBE SPACER**



WHIRLPOOL 155347

WHIRLPOOL 771985003127


**3391038 LEVEL PROBE SPACER**



WHIRLPOOL 155435

WHIRLPOOL 771985003160

**3391040 MOTOR BASE**



WHIRLPOOL 158729

WHIRLPOOL 771985003620

**3391035 TRAY SUPPORT**



WHIRLPOOL 131970

WHIRLPOOL 771985000914

## Switches

**3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK**  
mounting hole  $\varnothing$  25 mm



WHIRLPOOL 153978

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



WHIRLPOOL 153979

WHIRLPOOL 771985002806

**3319168 BIPOLAR SWITCH 16A 250V**



WHIRLPOOL 483286008918

**3319272 BUTTON ELLIPTICAL 17x13 mm LIGHT GRAY**



WHIRLPOOL 483286008921

**3319617 DOUBLE CONTACT SWITCH 16A 250V**



WHIRLPOOL 483286008917

**3319014 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V  
with indicator lamp and switch cover  
"fan" symbol screenprinted  
max temperature 120°C  
mounting hole 22x30 mm



WHIRLPOOL 154552

WHIRLPOOL 771985002978

**3319297 PUSH-BUTTON EXTENSION**  
external  $\varnothing$  7 mm  
for circuit boards  
for Convection oven electric (WHIRLPOOL)  
for Convection oven gas (WHIRLPOOL)



WHIRLPOOL 771985000156

**3319270 PUSH-BUTTON 1-POLE RED 3A 250V**  
with protection cap  
mounting hole  $\varnothing$  17 mm  
for Convection oven gas (WHIRLPOOL) ACV/G10C2  
ACV/G10C4 - ACV/G10C6 - ACV/G102/1C4  
ACV/G102/1C6 - ACV/G20C4 - ACV/G61C3  
ACVG202/1C4



WHIRLPOOL 102418

WHIRLPOOL 771985000077



Suitable for:

# WHIRLPOOL



**3319160 PUSH-BUTTON 2-POLE GREEN 16A 250V**  
16(4)A 250V - with indicator lamp  
"ignition" silk-screen printing  
max temperature 120°C  
mounting hole 22x30 mm



WHIRLPOOL 156717

Suitable for:

**3319011 PUSH-BUTTON 2-POLE RED 16A 250V**  
16(4)A 250V - max. temperature 120°C  
NC  
with indicator lamp and push-button cap  
mounting hole 22x30 mm



WHIRLPOOL 15457

WHIRLPOOL 155014

WHIRLPOOL 771985002977

WHIRLPOOL 771985003069


**3319151 SWITCH PROTECTION CAP**  
ø external 34 mm  
for push-buttons with mounting hole ø 25 mm



WHIRLPOOL 153979

WHIRLPOOL 771985002806

**3319012 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator lamp and push-button cap  
mounting hole 22x30 mm - silk screen print 0 - I



WHIRLPOOL 153810

WHIRLPOOL 483286000334

WHIRLPOOL 771985002735

**3319928 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - mounting hole ø 25 mm



WHIRLPOOL 154518

WHIRLPOOL 483286009938

WHIRLPOOL 771985002968

**3319151 SWITCH PROTECTION CAP**  
ø external 34 mm  
for push-buttons with mounting hole ø 25 mm



WHIRLPOOL 153979

WHIRLPOOL 771985002806

**3319944 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator lamp - silk screen printing 0 - I  
mounting hole 22x30 mm



WHIRLPOOL 483286011125

**3319295 SWITCH 2-POLE BLACK 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator lamp with green led  
mounting hole 22x30 mm



WHIRLPOOL 771985008580

**3319013 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator lamp and push-button cap  
mounting hole 22x30 mm - silk screen print I - II



WHIRLPOOL 153837

WHIRLPOOL 771985002749



## Tangential and radial fans

- 3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT**  
 230V 50/60Hz -  $\varnothing$  45 mm  
 operating temperature  $-30^{\circ}+135^{\circ}\text{C}$



WHIRLPOOL 181795

WHIRLPOOL 771985004729

## Telethermometers

- 3441024 TELETHERMOMETER BLACK  $\varnothing$  52 mm 50-350 $^{\circ}\text{C}$**   
 metal body  
 covered capillary length 1500 mm  
 bulb  $\varnothing$  6x30 mm



WHIRLPOOL 153808

WHIRLPOOL 771985002733

WHIRLPOOL 771985003272

- 3441026 TELETHERMOMETER BLACK  $\varnothing$  60 mm 50-350 $^{\circ}\text{C}$**   
 metal body  
 capillary length 1500 mm  
 bulb  $\varnothing$  4x104 mm



WHIRLPOOL 158081

WHIRLPOOL 771985010704

- 3441025 TELETHERMOMETER WHITE  $\varnothing$  52 mm 50-350 $^{\circ}\text{C}$**   
 metal body  
 capillary length 1500 mm  
 bulb  $\varnothing$  4x120 mm



WHIRLPOOL 152987

## Terminal blocks

- 3247017 12-POLE PLASTIC TERMINAL BLOCK**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150 $^{\circ}\text{C}$   
 nominal voltage 450V



WHIRLPOOL 483286000846

- 3247034 12-POLES TERMINAL BLOCK**



WHIRLPOOL 483286009661



Suitable for:

# WHIRLPOOL



**3247036 3-POLE TERMINAL BLOCK**  
for CONV/ELECTRIC OVEN 4 SHELVES



WHIRLPOOL 154331

WHIRLPOOL 771985002942

Suitable for:

**3247016 3-POLE TERMINAL BLOCK FV273 40A 450V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V




WHIRLPOOL 483286008335

**3247035 4-POLES TERMINAL BLOCK**



WHIRLPOOL 483286009667

**3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



WHIRLPOOL 146347

WHIRLPOOL 158613

WHIRLPOOL 483286008913

WHIRLPOOL 483286009169


## Thermocouples and accessories

**3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm**  
cut-off contact with cables 100 cm



WHIRLPOOL 156914

**3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.**  
interrupted contact with terminals



WHIRLPOOL 151932

WHIRLPOOL 154055


WHIRLPOOL 156574

WHIRLPOOL 156750

WHIRLPOOL 483286009219

WHIRLPOOL 771985002827

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



WHIRLPOOL 156573

WHIRLPOOL 483286009324

**3440064 NUT FOR THERMOCOUPLE M8x1**



WHIRLPOOL 155033

WHIRLPOOL 483286000447

**3440045 THERMOCOUPLE ASA SIT 150 cm**



WHIRLPOOL 102177

**3440042 THERMOCOUPLE ASA SIT 85 cm**



WHIRLPOOL 771985003441



Suitable for:


Suitable for:

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.**  
female nut M9x1



WHIRLPOOL 155032

**3440047 THERMOCOUPLE M8X1 75 cm**



WHIRLPOOL 154102  
WHIRLPOOL 158332

WHIRLPOOL 154103

WHIRLPOOL 154104

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



WHIRLPOOL 154102  
WHIRLPOOL 158332

WHIRLPOOL 154103

WHIRLPOOL 154104

**3440031 THERMOCOUPLE SIT M8x1 120 cm**



WHIRLPOOL 102573

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



WHIRLPOOL 102573

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



WHIRLPOOL 102573

**3440032 THERMOCOUPLE SIT M8x1 150 cm**



WHIRLPOOL 151119

WHIRLPOOL 771985002337


**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



WHIRLPOOL 151119

WHIRLPOOL 771985002337


**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



WHIRLPOOL 151119

WHIRLPOOL 771985002337

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**  
GIUNTO M8x1



WHIRLPOOL 150235

WHIRLPOOL 483286000523



# WHIRLPOOL



Suitable for:

**3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**




WHIRLPOOL 150235

WHIRLPOOL 483286000523

Suitable for:

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS GIUNTO M8x1**



WHIRLPOOL 150235


WHIRLPOOL 483286000523

**3440028 THERMOCOUPLE SIT M8x1 60 cm**



WHIRLPOOL 483286000615

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



WHIRLPOOL 483286000615

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**




WHIRLPOOL 483286000615

**3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



WHIRLPOOL 158332

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS GIUNTO M8x1**




WHIRLPOOL 210075

**3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1**



WHIRLPOOL 210075

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS GIUNTO M8x1**



WHIRLPOOL 210075

**3440046 THERMOCOUPLE SIT M8X1 60 cm**



WHIRLPOOL 158332

**3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



WHIRLPOOL 158332



Suitable for:

Suitable for:

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



WHIRLPOOL 483286009219

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



WHIRLPOOL 483286009219

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



WHIRLPOOL 483286009219

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



WHIRLPOOL 152814

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



WHIRLPOOL 152814

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



WHIRLPOOL 152814

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



WHIRLPOOL 483286009247

**3440080 THERMOCOUPLE SIT M9x1 40 cm.**



WHIRLPOOL 483286009247

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



WHIRLPOOL 483286009247

**3440034 THERMOCOUPLE SIT M9x1 50 cm**



WHIRLPOOL 483286009282

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



WHIRLPOOL 483286009282



Suitable for:

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



WHIRLPOOL 483286009282

Suitable for:

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



WHIRLPOOL 104942

WHIRLPOOL 483286009294

WHIRLPOOL 125031

WHIRLPOOL 771985000676

WHIRLPOOL 157781

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS  
GIUNTO M8x1**



WHIRLPOOL 483286000457

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**



WHIRLPOOL 483286000457

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS  
GIUNTO M8x1**



WHIRLPOOL 483286000457

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**



WHIRLPOOL 104942

WHIRLPOOL 483286009294

WHIRLPOOL 125031

WHIRLPOOL 771985000676

WHIRLPOOL 157781

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



WHIRLPOOL 104942

WHIRLPOOL 483286009294

WHIRLPOOL 125031

WHIRLPOOL 771985000676

WHIRLPOOL 157781

## Thermostats


**3444253 BIPOLAR THERMOSTAT 340°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x195 mm  
for very old series



WHIRLPOOL 158222

WHIRLPOOL 771985003516

**3444406 SINGLE-PHASE THERMOSTAT +60+300°C**  
D-shaped pin 6x4.6 mm  
covered capillary length 1500 mm - 16A 230V  
bulb  $\varnothing$  4x120 mm - with stuffing gland nut M14x1



WHIRLPOOL 48122718043



Suitable for:

Suitable for:

**3444401 SINGLE-PHASE THERMOSTAT 100-180°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 2420 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuff.gland coupling M9x1

**3444809 SINGLE-PHASE THERMOSTAT 110°C**  
 with automatic reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  3x220 mm - with stuff.gland coupling M9x1  
 for Convection oven electric (WHIRLPOOL) ADN500




WHIRLPOOL 481227118039

WHIRLPOOL 483286008707

**3444746 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 3000 mm - 16A 230V  
 bulb  $\varnothing$  3.1x197 mm

**3444400 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  3x262 mm





WHIRLPOOL 195032

WHIRLPOOL 771985005517

WHIRLPOOL 481227118037

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
 with manual reset  
 covered capillary length 830 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm

**3444417 SINGLE-PHASE THERMOSTAT 340°C**  
 with manual reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x145 mm - with stuff.gland coupling M9x1  
 for Convection oven (WHIRLPOOL)  
 for Convection oven electric (WHIRLPOOL) ADN500





WHIRLPOOL 102730

WHIRLPOOL 483286008208

WHIRLPOOL 771985010203

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 capillary length covered 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x110 mm

**3444114 SINGLE-PHASE THERMOSTAT 50-250°C**  
 D-shaped pin 6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



WHIRLPOOL 103594

WHIRLPOOL 153980

WHIRLPOOL 771985000360


WHIRLPOOL 483286000462

WHIRLPOOL 771985002807



Suitable for:

**3444413 SINGLE-PHASE THERMOSTAT 50-250°C**  
D-shaped pin 6x4.6 mm  
covered capillary length 2400 mm - 16A 230V  
bulb  $\varnothing$  3x160 mm



WHIRLPOOL 240646

WHIRLPOOL 240674

WHIRLPOOL 481227118042

Suitable for:

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



WHIRLPOOL 157937

**3444289 SINGLE-PHASE THERMOSTAT 50-270°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm - 16A 250V  
bulb  $\varnothing$  3x210 mm - with adapter nipple band M9x1



WHIRLPOOL F50003

WHIRLPOOL 483286008211

WHIRLPOOL 771985010201

**3444432 SINGLE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



WHIRLPOOL 156384

WHIRLPOOL 771985003273

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



WHIRLPOOL 481227118051

WHIRLPOOL 481927128269

WHIRLPOOL 483286000407

**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm



WHIRLPOOL 481228228068

WHIRLPOOL 481927128391

**3444701 SINGLE-PHASE THERMOSTAT 55-250°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1



WHIRLPOOL 481227118027

**3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1**



WHIRLPOOL 167899

**3444007 THERMOSTAT SINGLE-PHASE TR2 0-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  3.5x190 mm



WHIRLPOOL 154323

WHIRLPOOL 771985002937

**3444418 THERMOSTAT SINGLE-PHASE 30-90°C**  
D-shaped pin 6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x97 mm  
for Convection oven (WHIRLPOOL)



WHIRLPOOL 771985010232



Suitable for:

**3444040 THREE-PHASE THERMOSTAT 100-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm



WHIRLPOOL 152916

WHIRLPOOL 483286009368

WHIRLPOOL 771985002609

Suitable for:


**3444025 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length 1200 mm - 10A 400V  
 bulb  $\varnothing$  6x160 mm



WHIRLPOOL 151454


WHIRLPOOL 151643

**3444354 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 capillary length coated 950 mm - 10A 400V  
 bulb  $\varnothing$  3x190 mm



WHIRLPOOL 256134


**3444251 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 10A 400V  
 bulb  $\varnothing$  3x220 mm



WHIRLPOOL 159235

WHIRLPOOL 771985003710

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x230 mm



WHIRLPOOL 202206

WHIRLPOOL 202236

WHIRLPOOL 771985005770

**3444044 THREE-PHASE THERMOSTAT 60-260°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 10A 400V  
 bulb  $\varnothing$  4x130 mm



WHIRLPOOL 151362

WHIRLPOOL 771985002382

## Timers

**3446005 BLACK KNOB ABS 38x38 mm**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer



WHIRLPOOL 483286002386

**3446070 TIMER P205 2 CAMS 230V 50/60Hz**  
 cycle 144 minutes - D-shaped pin  $\varnothing$  6x4.6 mm



WHIRLPOOL 155366

WHIRLPOOL 771985003138

**3446010 TIMER P345 2 CAMS 230V 50/60Hz**  
 cycle 30 minutes - D-shaped pin  $\varnothing$  6x4.6 mm  
 for old series



WHIRLPOOL 771985001112



Suitable for:

# WHIRLPOOL



## 3446001 TIMER 120 MINUTES

complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



WHIRLPOOL 103432  
 WHIRLPOOL 157936

WHIRLPOOL 129920  
 WHIRLPOOL 771985000342

WHIRLPOOL 153817

## 3446005 BLACK KNOB ABS 38x38 mm


D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer



WHIRLPOOL 483286002386

## 3446004 TIMER 120 MINUTES

complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



WHIRLPOOL 103431

WHIRLPOOL 771985000341

## 3446005 BLACK KNOB ABS 38x38 mm


D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer



WHIRLPOOL 483286002386

## 3446039 TIMER 120 MINUTES MS65

120 minute manually set cycle  
 with manual position  
 contact capacity 16(4)A 250V 50Hz  
 max temperature 100°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (WHIRLPOOL) AGS896



WHIRLPOOL 483286008723

Suitable for:

**3446007 TIMER 60 MINUTES**  
 complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 60 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (WHIRLPOOL) AGS962  
 AGS964 - AGS965



WHIRLPOOL 483286008209

WHIRLPOOL 771985010200

Suitable for:

**3446005 BLACK KNOB ABS 38x38 mm**  
 D-shaped hole  $\varnothing$  6x4.6 mm  
 for timer



WHIRLPOOL 483286002386

**3446094 TIMER 60 MINUTES CR5 M229**  
 manually set mechanical timer  
 manually set cycle 60 minutes  
 2 poles with contact capacity 16(4)A 250V  
 max temperature 120°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven (WHIRLPOOL)



WHIRLPOOL 240484

## Transformers

**5037407 TRANSFORMER 0-220-240V/12V 20VA**  
 primary voltage 220/240V 50/60Hz  
 secondary voltage 12V 20VA  
 room temperature 0÷50°C  
 screwed terminal block



WHIRLPOOL 483286000021

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



WHIRLPOOL 182378



Suitable for:

# WHIRLPOOL




Suitable for:

## Vibrating pumps

### 1122737 VIBRATORY PUMP EP5 48W 230V 50Hz

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm



WHIRLPOOL 483286002395

## Watertight seals and rings

### 3186411 MAIN SHAFT SEALING GASKET

external  $\varnothing$  22mm - internal  $\varnothing$  10mm - thickness 3.5mm  
for Convection oven electric (WHIRLPOOL) AGB632/WP



WHIRLPOOL F50025

WHIRLPOOL 483286008205

WHIRLPOOL 771985010223

### 3240290 MAIN SHAFT SEALING GASKET

external  $\varnothing$  38mm - internal  $\varnothing$  16mm - thickness 17mm



WHIRLPOOL 102699

WHIRLPOOL 771985000177

### 3340007 MAIN SHAFT SEALING GASKET

external  $\varnothing$  22mm - internal  $\varnothing$  17mm - thickness 4mm  
for Convection oven (WHIRLPOOL) AGB633 - AGB639  
AGB640  
for Convection oven electric (WHIRLPOOL) FMIE103F  
for Convection oven gas (WHIRLPOOL) AGB636/WP  
FMIG102F - FMIG103F



WHIRLPOOL F51082

WHIRLPOOL 483286008697



















WHIRLPOOL 771985010237



*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)