




Spare parts for:

Ovens



Suitable for:

ZANUSSI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2015-10230927





Suitable for:

ZANUSSI



Suitable for:

Air regulators

4051774 ADJUSTER AIR
internal \varnothing 23 mm - external \varnothing 26 mm
height 42 mm



ZANUSSI 051774

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ZANUSSI 057251

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANUSSI 0C1478
ZANUSSI 0E2261
ZANUSSI 058855

ZANUSSI 0C4106
ZANUSSI 002656

ZANUSSI 0C4423
ZANUSSI 002690

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



ZANUSSI 006125

3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



ZANUSSI

3240515 AXIAL MOTOR FAN EBM 8556N
230V 50Hz 12W 2800rpm
80x80x38 mm
ball bearing



ZANUSSI 083528

Ball valves and accessories

3359136 BRACKET FOR ROD



ZANUSSI 003378



Ball valves and accessories

3359137 DRAIN TAP \varnothing 3/4"FF
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCV - Series FCVA - Series RCV
Series ZCV



ZANUSSI 056114

3359136 BRACKET FOR ROD



ZANUSSI 003378

3356067 DRAIN TAP LEVER 200 mm



ZANUSSI 003377

3356067 DRAIN TAP LEVER 200 mm



ZANUSSI 003377

3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



ZANUSSI 0K7222

Bearings

3063123 BEARING 6201 2RSH SKF
external \varnothing 32mm - internal \varnothing 12mm - thickness 10mm



ZANUSSI 0D7339


3063120 BEARING 6202 2RSH SKF
external \varnothing 35mm - internal \varnothing 15mm - thickness 11mm



ZANUSSI 0D0035

ZANUSSI 072751

3063017 BEARING 6203 DDU NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



ZANUSSI 0D0821

ZANUSSI 0D5458

ZANUSSI 0KJ007

3063121 BEARING 6203 2RSH SKF
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



ZANUSSI 0D0821

ZANUSSI 0KJ007

ZANUSSI 089918

ZANUSSI 089918



Suitable for:

ZANUSSI



Suitable for:

3063122 BEARING 6204 2RSH SKF
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm




ZANUSSI 0H2694
ZANUSSI 065048

ZANUSSI 0KQ395

ZANUSSI 045726

Boilers

3024016 STEAM GENERATING BOILER
made of STAINLESS STEEL
sizes 700x280x170 mm
for Convection oven (ZANUSSI) FCV 10 GRIGLIE



ZANUSSI 0C5335

ZANUSSI 002631

3186429 SEALING GASKET 270x112 mm
for boiler
for Convection oven (ZANUSSI) - Series FCS
Series FCV



ZANUSSI 002706

3024017 STEAM GENERATOR PLUG
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 002692

Bushings

3449284 COUPLING RING
for OVEN



ZANUSSI 055324

Buzzers

3397301 ALARM BELL AC00206 85x45x25 mm
power 220/240GV



ZANUSSI 0C7006

ZANUSSI 055368



Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



ZANUSSI 054273

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



ZANUSSI 002544
ZANUSSI 059146

ZANUSSI 006514
ZANUSSI 059842

ZANUSSI 058494

3001019 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



ZANUSSI 005559

4003755 IGNITION LEAD 1000 mm
with faston 3x0.8 mm for ignition
with faston \varnothing 4 mm for plug
for Convection oven gas (ZANUSSI) - Series ACF/G10
Series ACF/G20 - Series ECF/G10 - Series ECF/G20
Series FCF/G10 - Series FCF/G20 - Series JCF/G10
Series NCF/G10 - Series ZCF/G10 - Series ZCF/G20



ZANUSSI 003755

3001028 IGNITION LEAD 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



ZANUSSI 059578

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



ZANUSSI 004943

4006023 KIT CABLES FOR PLUG
two ground cables 140 mm
one cable - red silicone 750 mm
one cable - red silicone 850 mm
one ignition cable 720 mm
one ignition cable - 1320 mm
for Convection oven gas (ZANUSSI) - Series ACV/G10
Series ECV/G10 - Series FCS101G - Series FCS102G
Series FCV/G10 - Series NCV/G10 - RCV101G2
RCV101G4 - Series ZCV/G10



ZANUSSI 006023

4003082 KIT PLUG CABLES
four ground cables 140 mm
one cable made of red silicone 1200 mm
two red silicone cables 1350 mm
one red silicone cable
two ignition leads 1350 mm
two ignition leads 1700 mm
for Convection oven gas (ZANUSSI)
Series ACV/G201 - Series ACV/G202
Series ECV/G201 - Series ECV/G202
Series FCV/G201 - Series FCV/G202
Series ZCV/G201 - Series ZCV/G202



ZANUSSI 003082



Suitable for:

ZANUSSI



Suitable for:

3001031 PLUG CABLES KIT
 two grounding cables 100 mm
 one red silicone cable 950 mm
 one red silicone cable 1200 mm
 one ignition cable 1100 mm
 one ignition cable 1600 mm
 for Convection oven gas (ZANUSSI)



ZANUSSI 006024

Capacitors, electrical

3068016 CAPACITOR μF 10 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 00U403

ZANUSSI 056148

3068019 CAPACITOR μF 12.5 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883

3068024 CAPACITOR μF 16 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

3068002 CAPACITOR μF 2.5 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0E0174

3068027 CAPACITOR μF 20 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0H1044

ZANUSSI 047744

3068008 CAPACITOR μF 5 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0K9108

ZANUSSI 037268

3068010 CAPACITOR μF 6.3 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 049260

3068014 CAPACITOR μF 8 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 049126



Caps

- 40C1151 CAP BLUE ø 48 mm**
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ



ZANUSSI 0C1151

- 40C1152 CAP RED ø 48 mm**
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ



ZANUSSI 0C1152


Centrifugal fans

- 3240743 MOTOR FAN RG128/1300-3612 55W 24V**
 for Convection oven gas (ZANUSSI) AOS102G
 AOS201G - AOS202G




ZANUSSI 0C1112

- 40C4103 MOTOR FAN RG128/1300-3612-030204**
 70W 230V 50Hz
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series RDR



ZANUSSI 0C4103

- 3240500 MOTOR FAN 37/43W 220/240V 50/60HZ**
 for Convection oven electric (ZANUSSI) FCV/E10
 FCV/E20
 for Convection oven gas (ZANUSSI) FCV/G10
 FCV/G20



ZANUSSI 002639

Clamps

- 3449462 HOSE CLAMP 12-20**
 for pipes ø 12÷20 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



ZANUSSI 049888

- 3449476 HOSE CLAMP 70-90**
 for pipes ø 70÷90 mm
 made of stainless steel AISI 304
 height 12 mm and screw E7
 suitable for food industry



ZANUSSI 0E1354

ZANUSSI 0K1583



Suitable for:

ZANUSSI



Suitable for:

Contact thermostats

40KL023 CONTACT THERMOSTAT 210°C
with automatic reset
for Convection oven electric (ZANUSSI) CC030
CC030G - ECO312CF - OTS100



ZANUSSI 0KL023

3744083 CONTACT THERMOSTAT 250°C 10A 250V
with automatic reset
connection M4
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - JCF/E4 - NCF/E4 - ZCF/E4



ZANUSSI 005203

Contactors

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3454048 CONTACTOR ABB A9-30-10
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0KJ022

ZANUSSI 0KQ380

ZANUSSI 033108

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



ZANUSSI 004159

40C7622 CONTACTOR BENEDIKT/JAGER K3-10NA00-40
10A 400V 4Kw - coil 230V 50/60Hz
4 normally open contacts
for Convection oven (ZANUSSI) AOW101EA - FCS/201EX



ZANUSSI 0C7622

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

Suitable for:

3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01
 10A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



ZANUSSI 0E3757 ZANUSSI 0L0285 ZANUSSI 047048
 ZANUSSI 048825 ZANUSSI 072319

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704 ZANUSSI 046995

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
 10A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Convection oven (ZANUSSI)



ZANUSSI 082986 ZANUSSI 088477

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704 ZANUSSI 046995

3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10
 14A 400V 5.5Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Convection oven (ZANUSSI)



ZANUSSI 0E0020 ZANUSSI 0E1291 ZANUSSI 0K3968
 ZANUSSI 0L0360 ZANUSSI 046994

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704 ZANUSSI 046995

3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10
 18A 400V 7.5Kw - coil 220/240V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Convection oven (ZANUSSI)



ZANUSSI 003598 ZANUSSI 006879

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704 ZANUSSI 046995



Suitable for:

ZANUSSI



Suitable for:

40K3384 CONTACTOR BENEDIKT/JAGER K3-22ND01
 22A 400V 11Kw - coil 220/240V 50Hz 230/264V 60Hz
 3 contact NO
 1 auxiliary contact NC
 for Convection oven (ZANUSSI)



ZANUSSI 0H7052

ZANUSSI 0K3384

4007080 CONTACTOR BENEDIKT/JAGER K3-32A00
 32A 15Kw 400V - coil 220/240V-230/264V 50/60Hz
 3 contacts NO
 for Convection oven (ZANUSSI)



ZANUSSI 007080

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704

ZANUSSI 046995

4007104 CONTACTOR BENEDIKT/JAGER K3-40A00
 40A 400V 18.5Kw - coil 220/240V-230/264V 50/60Hz
 3 contacts NO
 for Convection oven (ZANUSSI)



ZANUSSI 007104

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704

ZANUSSI 046995


3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 003027

ZANUSSI 004206

3454022 CONTACTOR LOVATO BF1201A
 coil 12A 230V 50/60Hz 5.7Kw
 3 normally closed contacts
 1 normally closed auxiliary contact



ZANUSSI 0KD792



Suitable for:

Suitable for:

3446506 CONTACTOR LOVATO BF2510A
 25A 400V 12.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 for Convection oven (ZANUSSI)



ZANUSSI 0K4938

ZANUSSI 054928

3446552 CONTACTOR LOVATO BG0610A
 coil 6A 230V 50/60Hz 2.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 086215

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



ZANUSSI 086169

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 054544

ZANUSSI 075796

3351098 THERMAL RELAY ABB TA25DU
 2.2÷3.1A
 1 normally open contact
 1 normally closed contact



ZANUSSI 0D1626

Detergents

3092248 DEGREASER DETERGENT ECOLAB 1 L - 4 PCS
 detergent for grills and hot plates
 it can be used on hot suefaces
 please see the attached documentation for use
 for Convection oven (ZANUSSI)



ZANUSSI 0S1195

40S1192 DETERGENT FOR OVENS EXTRA STRONG CLEAN 5L
 for cooking chamber cleaning
 please see the attached documentation for use
 for Convection oven (ZANUSSI)



ZANUSSI 0S1192



Suitable for:

ZANUSSI



Suitable for:

Door glasses for oven and accessories

40C0942 GLASS EXTERNAL OVEN DOOR 755x670 mm
 for Convection oven electric (ZANUSSI)
 Series ACV/E10 - Series ECV/E10 - Series FCV/E10
 Series NCV/E10 - Series ZCV/E10
 for Convection oven gas (ZANUSSI) - Series ACV/G10
 Series ECV/G10 - Series FCV/G10 - Series NCV/G10
 Series ZCV/G10



ZANUSSI 0C0942


ZANUSSI 002646

4004838 LOCK FOR DOOR GLASS ø 33x40 mm
 pin head ø 18 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



ZANUSSI 004838


4006976 STOP RUBBER DOOR GLASS ø 25 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCS - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series FCS - Series FCZ



ZANUSSI 006976

Drip trays for kitchens and ovens

3242046 DOOR CONDENSATION-EXHAUST DEVICE
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series ZCV
 for Convection oven gas (ZANUSSI) FDV20G - FDV40G



ZANUSSI 002648

ZANUSSI 003773

40C4242 DRIP TRAY 604x78x24 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ - Series HOR
 Series RDR
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series HOR - Series RDR



ZANUSSI 0C4242

40C4298 DRIP TRAY 785x78x24 mm
 for Convection oven electric (ZANUSSI)
 Series AOS062E - Series AOS102E - Series EJM102E
 Series FCZ102E
 for Convection oven gas (ZANUSSI) - Series AOS062G
 Series AOS102G - Series EJM102G - Series FCZ102G
 Series RDR102G



ZANUSSI 0C4298



Electrical gas valves and accessories

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



ZANUSSI 004667

3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



ZANUSSI 053820

ZANUSSI 053992

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

3526087 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 24V 50Hz
pilot connection and LOWER thermocouple



ZANUSSI 054437

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



ZANUSSI 057543

3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
for switching on/off buttons



ZANUSSI 051281

ZANUSSI 055805

3241141 EXTENSION FOR 820 NOVA VALVE
D-shaped pin 10x8 mm
for OVEN- FRYER




ZANUSSI 059305



Suitable for:

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



ZANUSSI 057340

Suitable for:

3526136 SPRING FOR PUSH-BUTTON



ZANUSSI 053819

3440200 TWIN LEAD THERMOPILE \varnothing 9x65 mm
 cable length 580 mm - with coupling M11X1



ZANUSSI 002607

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

4006596 VALVE VK4105P HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting pitch ASA
 maximum pressure gas inlet 60 mbar
 ambient temperature -15÷60°C
 power supply 220/240V 50Hz
 for Convection oven gas (ZANUSSI) ACV/G201
 ACV/G202 - ECV/G201 - ECV/G202 - FCS/101GX
 FCS/102GX - FCS/201GP - FCS/201GX - FCS/201G4
 FCS/202GP - FCS/202GX - FCS/202G4 - FCV/G201
 FCV/G202 - ZCV/G201 - ZCV/G202



ZANUSSI 006596

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



ZANUSSI 055446

3526183 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 60Hz
 for Convection oven gas (ZANUSSI) ACF/G101
 FCF/G10 - FCF/G101



ZANUSSI 006182

Suitable for:

Suitable for:

3526361 VALVE 822 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 059473

ZANUSSI 052833


3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3÷50 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Convection oven gas (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series NCV
 Series RCV - Series ZCV

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 max. gas outlet pressure adjustment range 7÷50 mbar
 outlet gas pressure setting range min. 2÷45 mbar
 room temperature 0÷60°C
 power supply 230V 30A rectified
 for Convection oven gas (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FDV - Series NCV
 Series RCV - Series ZCV



ZANUSSI 002340

ZANUSSI 005897

ZANUSSI 002714

3526012 VALVE 848 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4" M - outlet \varnothing 3/4" M
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 0.5÷12 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz 2.8VA
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series RDR

3526009 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 gas max inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz
 slow ignition
 for Convection oven gas (ZANUSSI) - Series ACF
 Series FCF - Series NCF - Series ZCF



ZANUSSI 0C1057

ZANUSSI 003719



Suitable for:

ZANUSSI



Suitable for:

Electronic boxes

3526402 CONTROL BOX S4560A1008
 model HONEYWELL - 220/240V 50Hz 10VA
 for Convection oven (ZANUSSI) FCVG6L4
 for Convection oven gas (ZANUSSI) FCVMG62



ZANUSSI 0E1499


ZANUSSI 002351

3091017 CONTROL BOX S4560B1006
 model HONEYWELL - 220/240V 50Hz 10VA



ZANUSSI 0C0064

3091026 CONTROL BOX S4560M1010
 model HONEYWELL - 220/240V 50Hz 10vA
 for 10-20 SHELVES
 for Convection oven (ZANUSSI)
 for Convection oven gas (ZANUSSI) ZCV/G10T4



ZANUSSI 002641

3526403 CONTROL BOX S4565C1033U
 model HONEYWELL - 230V 50/60Hz 4VA
 for 6-20 grills
 for Convection oven gas (ZANUSSI)



ZANUSSI 005924

3091012 CONTROL BOX 503 EDF FOR TANDEM
 model SIT - 220/240V 50/60Hz 7VA



ZANUSSI 005898

3091029 CONTROL BOX 537 ABC
 SIT model - 220/240V 50/60Hz 12VA
 for 6 SHELVES
 for Convection oven gas (ZANUSSI)



ZANUSSI 005908

3091015 CONTROL BOX 577 DBC
 model SIT - 220/240V 50/60Hz 20VA
 for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1059

40C4260 CONTROL UNIT 579 DBC
 SIT model - 220/240V 50/60Hz 12VA
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJN - Series FCZ - Series RDR



ZANUSSI 0C4260



Electronic controllers

- 3445375 CONTROLLER ELIWELL ID PLUS 902**
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ZANUSSI 0S0295

- 3445028 PROBE NTC PVC 4000 mm**
 temperature field -30°+80°C
 bulb ø 6x20 mm



ZANUSSI 087832

ZANUSSI 092176

- 3445070 PTC PVC PROBE 1500 mm**
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

- 3445073 THERMOSTAT EVK411 TCJ**
 power supply 12Vca/dc 1.5VA
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 1 changeover relay output 16A
 alarm buzzer
 access to configuration parameters through
 password - TTL serial port
 room temperature 0+60°C
 thermocouple TCJ type probe (not included)
 connections by screw terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29mm



ZANUSSI 004109

ZANUSSI 053540

- 3445109 PROBE TCJ VETROTEX 3000 mm**
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit ±0.75% below 0°C
 response time 30 sec
 bulb ø 6x100 mm



ZANUSSI 004116



Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ZANUSSI 0A2269
ZANUSSI 083833

ZANUSSI 004120

ZANUSSI 082378


ZANUSSI



Suitable for:

Electronic printed-circuit boards

3390232 CIRCUIT BOARD INTERFACE 275x110mm
 two D-shaped pins \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - ECV/E6 - FCS061E - FCS101E
 FCS102E - FCS201E - FCS202E - FCV/E201
 FCV/E202 - FCV/E6 - RCV/E6 - RCVE101E4
 ZCV/E10 - ZCV/E201 - ZCV/E202 - ZCV/E6
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ACV/G6 - ECV/G201
 ECV/G202 - ECV/G6 - FCS061G - FCS101G
 FCS102G - FCV/G10 - FCV/G201 - FCV/G202
 FCV/G6 - NCV/G10 - RCV061G2 - RCV101G4
 ZCV/G10 - ZCV/G201 - ZCV/G202 - ZCV/G6



ZANUSSI 002725

3241676 LOCK NUT FOR KNOB 1/2"



ZANUSSI 051263

3319297 PUSH-BUTTON EXTENSION
 external \varnothing 7 mm
 for circuit boards
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)




ZANUSSI 002670

Suitable for:


Suitable for:

3390228 CIRCUIT BOARD INTERFACE 450x150mm
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS062E - AOS101E - AOS102E - AOS201E
 AOS202E - EJN061E - EJN101E - EJN102E
 EJN201E - EJN202E - FCZ061E - FCZ101E
 FCZ102E - FCZ201E - FCZ202E - RDR061E
 RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS062G - AOS101G - AOS102G - AOS201G
 AOS202G - EJN061G - EJN101G - EJN102G
 EJN201G - EJN202G - FCZ061G - FCZ101G
 FCZ102G - FCZ201G - FCZ202G - RDR061G
 RDR101G - RDR201G



ZANUSSI 0C0043

3390055 CIRCUIT BOARD USER INTERFACE 210x110 mm
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ACV/E6 - ECV/E201
 ECV/E202 - FCS061E - FCS101E - FCV/E10
 FCV/E20 - FCV/E201 - FCV/E202 - FCV/E6
 NCV/E10 - NCV/E6 - RCV061E2 - RCV101E2
 ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ACV/G6 - ECV/G201
 ECV/G202 - ECV/G6 - FCS061G - FCS101G
 FCV/G10 - FCV/G20 - FCV/G201 - FCV/G202
 FCV/G6 - NCV/G10 - NCV/G6 - RCV061G2
 RCV101G2 - ZCV/G201 - ZCV/G202 - ZCV/G6



ZANUSSI 0C3758


ZANUSSI 002665

3050159 CONNECTING CABLE FOR PC BOARD
 length 1500 mm
 for Convection oven (ZANUSSI)



ZANUSSI 002763

40C1071 FEEDER BOARD 120x100 mm
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS20G - AOS201G



ZANUSSI 0C1071

3390054 MOTHERBOARD 335x110 mm
 for Convection oven electric (ZANUSSI)
 ACV/E10 - ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - ECV/E6 - FCS061E - FCS101E
 FCS102E - FCS201E - FCS202E - FCV/E6 - RCV/E6
 RCV101E4 - ZCV/E10 - ZCV/E201 - ZCV/E202
 ZCV/E6
 for Convection oven gas (ZANUSSI)
 ACV/G10 - ACV/G201 - ACV/G202 - ACV/G6 - ECV/G10
 ECV/G201 - ECV/G202 - ECV/G6 - FCS061G
 FCS101G - FCS102G - FCS201G - FCS202G
 FCV/G201 - FCV/G202 - FCV/G6 - NCV/G10
 RCV061G2 - RCV101G4 - ZCV/G10 - ZCV/G201
 ZCV/G202 - ZCV/G6
 for Convection oven gas (ZANUSSI) ZCV/G10T4



ZANUSSI 0C3762

ZANUSSI 006517

3390075 MOTHERBOARD 335x110 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - FCV/E10 - FCV/E201 - FCV/E202
 ZCV/E10 - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ECV/G10 - ECV/G201
 ECV/G202 - ECV/G6 - FCV/G10 - FCV/G201
 FCV/G202 - FCV/G6 - ZCV/G10 - ZCV/G201
 ZCV/G202 - ZCV/G6



ZANUSSI 0C3764

ZANUSSI 006717



Suitable for:

ZANUSSI



Suitable for:

3390229 MOTHERBOARD 335x110 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
 FCV/E10 - FCV/E201 - FCV/E202 - NCV/E10
 RCV101E2 - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ECV/G201 - ECV/G202
 ECV/G6 - FCV/G10 - FCV/G201 - FCV/G202
 FCV/G6 - NCV/G10 - RCV101G2 - ZCV/G201
 ZCV/G202 - ZCV/G6



ZANUSSI 0C3761
ZANUSSI 006716

ZANUSSI 004105

ZANUSSI 006612

3390230 MOTHERBOARD 335x110 mm
 230V 50/60Hz
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E6 - FCS061E - FCS101E2 - FCV/E10 - FCV/E6
 NCV/E10 - NCV/E6 - RCV061E2 - RCV101E2
 for Convection oven gas (ZANUSSI) ACV/G10 - ACV/G6
 FCS061G - FCS101G2 - FCV/G10 - FCV/G6
 NCV/G10 - NCV/G6 - RCV061G2 - RCV101G2
 ZCV/G6



ZANUSSI 0C3757

ZANUSSI 002684

ZANUSSI 006715

40C4347 MOTHERBOARD 335x110 mm
 for Convection oven electric (ZANUSSI)
 Series FCA102EX - Series FCS061EX
 Series FCS101EX
 for Convection oven gas (ZANUSSI) - Series FCS101G
 Series FCS102G - Series FCS201G - Series FCS202G



ZANUSSI 0C4347

4006674 MOTHERBOARD 335x110 mm
 for Convection oven electric (ZANUSSI)
 Series FCV/E10 - Series FCV/E20 - Series FCV/E6
 for Convection oven gas (ZANUSSI) - Series FCV/G10
 Series FCV/G20 - Series FCV/G6



ZANUSSI 006674

3390227 MOTHERBOARD 350x140 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS062E - AOS101E - AOS102E - AOS201E
 AOS202E - EJN061E - EJN101E - EJN102E
 EJN201E - EJN202E - FCZ061E - FCZ101E
 FCZ102E - FCZ201E - FCZ202E - RDR061E
 RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS062G - AOS101G - AOS102G - AOS201G
 AOS202G - EJN061G - EJN101G - EJN102G
 EJN201G - EJN202G - FCZ061G - FCZ101G
 FCZ102G - FCZ201G - FCZ202G - RDR061G
 RDR101G - RDR201G



ZANUSSI 0C0042

40C0970 PC BOARD DISPLAY 222x134 mm
 complete with potentiometer
 for Convection oven electric (ZANUSSI)
 Series FCS
 for Convection oven gas (ZANUSSI) - Series FCS



ZANUSSI 0C0970



Suitable for:

Suitable for:

40C3765 PC BOARD INTERFACE 410x110mm
 for Convection oven electric (ZANUSSI)
 Series ACV/E - Series ECV/E - Series FCV/E
 Series ZCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 Series ECV/G - Series FCV/G - Series ZCV/G

40C0041 PC BOARD INTERFACE 450x150mm
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ




ZANUSSI 0C3765

ZANUSSI 002720

ZANUSSI 0C0041

40C3759 PC BOARD PIN 133x110 mm
 for Convection oven electric (ZANUSSI)
 Series ACV/E - Series FCS101E2 - Series FCV/E
 Series NCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 FCS101G2 - Series FCV/G - Series NVC/G




ZANUSSI 0C3759

ZANUSSI 002683

3390231 PIN ELECTRONIC CIRCUIT BOARD 132x110 mm
 D-shaped hole \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ACV/E6 - ECV/E10
 ECV/E201 - ECV/E202 - FCS061E - FCS101E
 FCS102E - FCS201E4 - FCS202E4 - FCV/E10
 FCV/E201 - FCV/E202 - FCV/E6 - NCV/E10
 NCV/E6 - RCV/E6 - RCVE101E4 - RCV061E2
 RCV101E2 - ZCV/E10 - ZCV/E201 - ZCV/E202
 ZCV/E6
 for Convection oven gas (ZANUSSI) ACV/G10
 ACV/G201 - ACV/G202 - ACV/G6 - ECV/G10
 ECV/G201 - ECV/G202 - ECV/G6 - FCS061G
 FCS101G - FCS102G - FCV/G10 - FCV/G201
 FCV/G202 - FCV/G6 - NCV/G10 - NCV/G6
 RCV061G2 - RCV101G2 - RCV101G4 - ZCV/G10

3241676 LOCK NUT FOR KNOB 1/2"



ZANUSSI 002666

ZANUSSI 051263



Suitable for:

3319297 PUSH-BUTTON EXTENSION

external \varnothing 7 mm
for circuit boards
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 002670

ZANUSSI



Suitable for:

3390165 POWER SUPPLY ELEC.CIRCUIT BOARD 105x72mm

for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - AOS201E
AOS202E - AOW101E - EJN061E - EJN101E
EJN102E - EJN201E - EJN202E - FCZ061E
FCZ101E - FCZ102E - FCZ201E - FCZ202 - RDR061E
RDR101E - RDR201E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - AOS201G
AOS202G - EJN061G - EJN101G - EJN102G
EJN201G - EJN202G - FCZ061G - FCZ101G
FCZ102G - FCZ201G - FCZ202G - RDR061G
RDR101G - RDR201G



ZANUSSI 007047

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ZANUSSI 0A2482

ZANUSSI 0C1605

ZANUSSI 0K8611

ZANUSSI 005270


ZANUSSI 026861

ZANUSSI 055016



Fans for motors


3240110 FAN \varnothing 280 mm
 thickness 100 mm
 total blades 6 - \varnothing hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E6
 FCV/E6 - FCV/E6-1
 for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
 FCV/G6-1 - ZOFCV/G6-3



ZANUSSI 054585

ZANUSSI 055422

3240289 FAN \varnothing 280 mm
 thickness 100 mm
 total blades 6 - \varnothing hole 10 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACF/E6
 ACV/E10C4 - ACV/E10C6 - ACV/E102/1C4
 ACV/E102/1C6 - ACV/E6 - FCF/E6 - FCS061E
 FCV/E6 - NCV/E6 - ZCF/E6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACF/G6 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G6 - ACV/G61C3 - FCF/G6
 FCS061G - FCV/G6 - JCF/G6 - NCV/G6 - ZCF/G6



ZANUSSI 0C6462

ZANUSSI 002754

ZANUSSI 003560


3240736 FAN \varnothing 288 mm
 thickness 130 mm
 total blades 10 - \varnothing hole 10 mm
 for Convection oven electric (ZANUSSI) AOS061E
 EJN061E - FCZ061E - RDR061E
 for Convection oven gas (ZANUSSI) AOS061G
 EJN061G - FCZ061G - RDR061G



ZANUSSI 0C7029

ZANUSSI 007000

3240111 FAN \varnothing 350 mm
 thickness 135 mm
 total blades 6 - \varnothing hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
 for Convection oven gas (ZANUSSI) FCF/G10
 FCV/G10



ZANUSSI 053782

ZANUSSI 054890


3240291 FAN \varnothing 350 mm
 thickness 135 mm
 total blades 6 - \varnothing via hole 10 mm
 for Convection oven (ZANUSSI) - Series ACF
 Series ACV - Series ECV - Series FCF - Series FCV
 Series NCV - Series ZCF - Series ZCV
 for Convection oven electric (ZANUSSI) FCS101E
 FCS102E - FCS201E - FCS202E
 for Convection oven gas (ZANUSSI) FCS101G
 FCS102G - FCS201G - FCS202G



ZANUSSI 0C6461

ZANUSSI 002617

3240737 FAN \varnothing 350 mm
 thickness 135 mm
 total blades 6 - \varnothing hole 10 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 for Convection oven gas (ZANUSSI) FCV/G10



ZANUSSI 0C8309

ZANUSSI 002139



Suitable for:

ZANUSSI



Suitable for:


3240738 FAN ø 350 mm
 height 140 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI) AOS101E
 AOS201E - AOW101E - EJM101E - EJM201E
 FCZ101E - FCZ201E - RDR201E
 for Convection oven gas (ZANUSSI) AOS101G
 AOS102G - AOS201G - EJM101G - EJM201G
 FCZ101G - FCZ201G - RDR101G - RDR201G



ZANUSSI 0C1129

ZANUSSI 0C6463

40C6464 FAN ø 380 mm
 thickness 170 mm
 number of blades 12 - hole ø 10 mm
 for Convection oven electric (ZANUSSI)
 Series AOS/062E - Series AOS/102E
 Series AOS/202E - Series EJM/102E
 Series EJM/202E - Series FCZ/102E
 Series FCZ/202E - Series RDR/202E
 for Convection oven gas (ZANUSSI)
 Series AOS/062G - Series AOS/102G
 Series AOS/202G - Series EJM/102G
 Series EJM/202G - Series FCZ/102G
 Series FCZ/202G - Series RDR/102G
 Series RDR/202G



ZANUSSI 0C1172

ZANUSSI 0C6464

3240112 FAN ø 440 mm
 thickness 152 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCV/E20 - FCV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202




ZANUSSI 000274

ZANUSSI 054014

ZANUSSI 055378

3240739 FAN ø 440 mm
 height 155 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - Series ECF/E
 Series ECV/E - Series FCF/E - FCS101E - FCS102E
 FCS201E - FCS202E - Series FCV/E
 Series ZCF/E - Series ZCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 Series ECV/G - FCS101G - FCS102G - FCS201G
 FCS202G - Series FCV/G - Series ZCV/G



ZANUSSI 0C8306

ZANUSSI 002740

3340064 MOTOR FAN ø 145 mm



ZANUSSI 005221

Feet

3313036 ADJUSTABLE S/STEEL FOOT ø 1" x h 115 mm
 with plastic support for tubular foot 40x40 mm
 adjustable height 115÷205 mm



ZANUSSI 032550

3313045 ADJUSTABLE S/STEEL FOOT ø 2" x h 125 mm
 with square flange 74x74x2.5 mm
 adjustable height 135÷235 mm



ZANUSSI 048579

Suitable for:

3313003 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with rectangular flange 100x90 mm



ZANUSSI 057536

Suitable for:

3313001 STAINLESS STEEL FOOT \varnothing 2" HEIGHT 125 mm



ZANUSSI 053792

Filters

3160347 DRAIN-FILTER STAINLESS STEEL \varnothing 101 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1740

3160232 DRAIN-FILTER STAINLESS STEEL \varnothing 73 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 056444

3160234 SUPPORT FOR FILTER
for Convection oven (ZANUSSI)



ZANUSSI 054905

40C1155 FILTER VIBRATION PUMP \varnothing 11x19 mm
 \varnothing hose end fitting 7 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series AOW - Series EJM - Series FCZ
for Convection oven gas (ZANUSSI) - Series AOS
Series EJM - Series FCZ



ZANUSSI 0C1155

3160265 STAINLESS STEEL DRAIN FILTER \varnothing 50 mm
for Convection oven (ZANUSSI)



ZANUSSI 004836

3160234 SUPPORT FOR FILTER
for Convection oven (ZANUSSI)



ZANUSSI 054905



Suitable for:

ZANUSSI



3160234 SUPPORT FOR FILTER
for Convection oven (ZANUSSI)



ZANUSSI 054905

Suitable for:

3160462 WATER FILTER \varnothing 1/2"FF
for Steam oven (ZANUSSI)




ZANUSSI 054450

ZANUSSI 067392

Fittings

40C1116 COUPLING \varnothing 1/8"M-1/4"F
for Convection oven (ZANUSSI)



ZANUSSI 0C1116

3349589 FITTING
for new series
for Convection oven (ZANUSSI)



ZANUSSI 006453

4057862 FITTING \varnothing 3/4"M-3/4"M BRASS
for Convection oven gas (ZANUSSI)




ZANUSSI 057862

4007117 FITTING BRASS \varnothing 3/4"M
external pipe \varnothing 30 mm - internal pipe \varnothing 20 mm
for Convection oven (ZANUSSI)



ZANUSSI 007117

40C2313 FITTING CHROME-PLATED \varnothing 3/4"M - \varnothing 3/4"F
internal \varnothing 20 mm - length 61 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C2313

40C4246 KIT PIPE FITTING VIBRATION PUMP
external coupling \varnothing 15 mm
internal coupling \varnothing 10 mm
pipe length 520 mm
side pipe length 220 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series FCZ
for Convection oven gas (ZANUSSI) - Series AOS
Series FCZ



ZANUSSI 0C4246



Suitable for:

Suitable for:

3349625 4-WAY COUPLING \varnothing 1/2" F
 for Convection oven electric (ZANUSSI) AOS061E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G



ZANUSSI 007020

Fuses

3049003 DELAY FUSE \varnothing 5x20 mm - 10 PCS
 250V 100mA



ZANUSSI 086338

3049012 DELAY FUSE \varnothing 5x20 mm - 10 PCS
 250V 800mA



ZANUSSI 0C2301

40F0031 FUSEHOLDER 10A 500V
 mounting hole \varnothing 14.5 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0F0031

4058872 HEATING ELEMENT ELECTR. CIRCUITS 100 Ohm
 dimensions 35x10x10 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



ZANUSSI 058872

3049068 QUICK ACTING FUSE \varnothing 10x38 mm - 10 PCS
 500V 1A



ZANUSSI 048995

ZANUSSI 048995_10PZ

3049038 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
 250V 160mA



ZANUSSI 002820

3049040 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
 250V 250mA



ZANUSSI 002920

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
 250V 315mA



ZANUSSI 0W3499

ZANUSSI 005032

ZANUSSI 4005032



Suitable for:

3049042 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 400mA



ZANUSSI 002750

Suitable for:

3049044 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 630mA



ZANUSSI 0W5452

ZANUSSI 058871

3049046 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 1A



ZANUSSI 0W5451

3049049 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



ZANUSSI 0A8438

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



ZANUSSI 057783


Gas burners

3023202 AIR ADJUSTER \varnothing 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039

3023319 BURNER \varnothing 50x340 mm
overall length 390 mm
made of STAINLESS steel
for Convection oven gas (ZANUSSI) FCFG101
FCFG102 - FCFG201 - FCFG202



ZANUSSI 003709

3023202 AIR ADJUSTER \varnothing 40 mm
for Convection oven gas (ZANUSSI) ACF/G20
ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
FCFG102 - FCFG201 - FCFG202 - FCV/G10
FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039



Suitable for:

3023344 BURNER \varnothing 60x570 mm
 overall length 615 mm
 made of STAINLESS steel
 for Convection oven gas (ZANUSSI) ACF/G201/1
 ACF/G202/1 - ECF/G201/1 - ECF/G202/1
 FCF/G201/1 - FCF/G202/1 - ZCF/G201/1
 ZCF/G202/1



ZANUSSI 004831

3023205 GAS BURNER \varnothing 50x475 mm
 STAINLESS STEEL
 for Convection oven gas (ZANUSSI) FCV/G20



ZANUSSI 055487

Suitable for:

3023202 AIR ADJUSTER \varnothing 40 mm
 for Convection oven gas (ZANUSSI) ACF/G20
 ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
 FCFG102 - FCFG201 - FCFG202 - FCV/G10
 FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039

3023202 AIR ADJUSTER \varnothing 40 mm
 for Convection oven gas (ZANUSSI) ACF/G20
 ECF/G20 - FCF/G20 - FCF/G40 - FCFG101
 FCFG102 - FCFG201 - FCFG202 - FCV/G10
 FCV/G20 - FCV/G6 - ZCF/G20



ZANUSSI 054039

Gas hoses

3449228 COPPER PIPE 1x4 mm - 25 mt



ZANUSSI 0C1547

3020077 PIPE FITTING \varnothing 4 mm
 thread M10x1



ZANUSSI 046755

3449628 COPPER PIPE 1x4 mm - 5 mt



ZANUSSI 0C1547

3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



ZANUSSI 052127

3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



ZANUSSI 052127



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



ZANUSSI 046755

ZANUSSI



Suitable for:

3449582 GAS HOSE \varnothing 1/2"FF 1000 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m3/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1005

3449585 GAS HOSE \varnothing 1/2"FF 2000 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m3/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1003

3449572 GAS HOSE \varnothing 1/2"MF 1000 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m3/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1006

3449584 GAS HOSE \varnothing 1/2"FF 1500 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m3/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1008

3449580 GAS HOSE \varnothing 1/2"FF 500 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m3/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1026

3449574 GAS HOSE \varnothing 1/2"MF 1500 mm
made of steel AISI 316L
max temperature 60°C - max pressure 0.5 bar
resistance to 6 bar internal pressure
resistance in case of fire 30 minutes at 650°C
flow rate efficiency 2.2 m3/h
in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1007



Suitable for:

3449575 GAS HOSE \varnothing 1/2"MF 2000 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1015

Suitable for:

3449570 GAS HOSE \varnothing 1/2"MF 500 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ZANUSSI 0S1025

Gas taps and accessories

3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
 for model PEL 21-22-25




ZANUSSI 020992

3348036 OLIVE FOR 4 mm \varnothing PIPE
 for model PEL 21-22



ZANUSSI 052127

3348034 PIPE FITTING \varnothing 16 mm
 thread M24x1.5
 for model PEL 23




ZANUSSI 054816

3348035 PIPE FITTING \varnothing 20 mm
 thread M28x1.5
 for model PEL 23



ZANUSSI 054814

3348029 PIPE FITTING \varnothing 4 mm
 thread M10x1
 for model PEL 21-22



ZANUSSI 052125

3348041 PIPE OLIVE \varnothing 16 mm
 for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

3348042 PIPE OLIVE \varnothing 20 mm
 for model PEL 23



ZANUSSI 054815



Suitable for:

ZANUSSI



Suitable for:

Gas valves and accessories

4056009 CAP FOR VALVE EUROSIT



ZANUSSI 056009

Gaskets and seals

4002610 GASKET \varnothing 60x38x7 mm
for Convection oven (ZANUSSI)



ZANUSSI 002610

40C7016 GASKET \varnothing 74x17x12 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C7016


ZANUSSI 002634

4053829 GASKET \varnothing 86x60x7 mm
for Convection oven (ZANUSSI)




ZANUSSI 053829

4002704 GASKET EXCHANGER 100x100 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 002704

4005760 GASKET EXCHANGER 74x74 mm
for Convection oven (ZANUSSI)



ZANUSSI 005760

4005754 GASKET EXCHANGER 85x80 mm
for Convection oven (ZANUSSI)



ZANUSSI 005754

4007053 GASKET FOR AIR CONDUCT
external dimensions 92x92 mm
internal dimensions 51x51 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series FCZ
for Convection oven gas (ZANUSSI) - Series AOS
Series FCZ



ZANUSSI 007053


4003990 GASKET FOR COMPLETE LOCK
external dimensions 40x34 mm
for Convection oven (ZANUSSI)



ZANUSSI 003990

Suitable for:

40C5834 GASKET FOR HEATING ELEMENT
external dimensions 103x85 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C5834


Suitable for:

4002645 GASKET FOR HINGE 70 mm
profile 15x7 mm
for Convection oven (ZANUSSI)



ZANUSSI 002645

3186342 GASKET FOR OVEN
soft - external \varnothing 13,5 mm



ZANUSSI 053816

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002626

40C4104 GASKET FOR SPARKING PLUG
external dimensions 65x20 mm
for Convection oven (ZANUSSI)




ZANUSSI 0C4104

3786117 HEAT EXCHANGER GASKET 100x100 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003873

3786476 HEAT EXCHANGER GASKET 100x100 mm
for Convection oven gas (ZANUSSI)




ZANUSSI 002629

3786118 HEAT EXCHANGER GASKET 110x110 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003875

3786477 HEAT EXCHANGER GASKET 119x108 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 002745

3786119 HEAT EXCHANGER GASKET 140x135 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003882



Suitable for:

ZANUSSI



3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm
for Convection oven (ZANUSSI)



ZANUSSI 055327

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm
for Convection oven (ZANUSSI)



ZANUSSI 057534

3186099 HEATING ELEMENT GASKET
external dimensions 76x50 mm
for Convection oven (ZANUSSI)



ZANUSSI 053840

3186187 HEATING ELEMENT GASKET
external dimensions 68x14 mm



ZANUSSI 0H6665

ZANUSSI 0K1831

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3786478 HEATING ELEMENT GASKET
external dimensions 80x45 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003726

4003955 KIT KNOB GASKET - 50 PCS
external \varnothing 16 mm
D-shaped hole 7x5 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)
for Convection oven steam (ZANUSSI)



ZANUSSI 003955

3186429 SEALING GASKET 270x112 mm
for boiler
for Convection oven (ZANUSSI) - Series FCS
Series FCV



ZANUSSI 002706




Gaskets for oven door

40C0899 GASKET LOWER OVEN DOOR 610 mm
 made of silicone elastomer
 profile dimensions 60x16 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI)
 Series AOS201E
 for Convection oven gas (ZANUSSI) - Series AOS201G




ZANUSSI 0C0899

40C4121 GASKET LOWER OVEN DOOR 660 mm
 made of silicone elastomer
 profile dimensions 60x16 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI)
 Series AOS201E - Series EJNI201E - Series FCZ201E
 Series RDR201E
 for Convection oven gas (ZANUSSI) - Series AOS201G
 Series EJNI201G - Series FCZ201G - Series RDR201G




ZANUSSI 0C4121

4006176 GASKET LOWER OVEN DOOR 660 mm
 made of silicone elastomer
 profile dimensions 33x24 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI)
 Series FCV/E20
 for Convection oven gas (ZANUSSI) - Series FCV/G20




ZANUSSI 006176

7102035 GASKET LOWER OVEN DOOR 805 mm
 made of silicone elastomer
 profile dimensions 60x16 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI)
 Series AOS202E - Series EJNI202E - Series FCZ202E
 Series RDR202E
 for Convection oven gas (ZANUSSI) - Series EJNI202G
 Series FCZ202G - Series RDR202G
 for Convection oven gas (ZANUSSI) - Series AOS202G




ZANUSSI 0C4131

4005708 GASKET OVEN DOOR 1490x450 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI)
 Series CS20GE - Series CS20GT - Series CS20LCE
 Series CS20LCT - Series CS20ME - Series CS20MT
 Series C20E - Series C20PE - Series C20PT
 Series C20T



ZANUSSI 005708

4005710 GASKET OVEN DOOR 550x450 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI)
 Series CS7GE - Series CS7GT - Series CS7LCE
 Series CS7LCT - Series CS7ME - Series CS7MT
 Series C7E - Series C7PE - Series C7PT
 Series C7T



ZANUSSI 005710




Suitable for:

ZANUSSI




4005709 GASKET OVEN DOOR 770x450 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI)
 Series C10E - Series C10PE - Series C10PT
 Series C10T



ZANUSSI 005709

3786544 GASKET OVEN DOOR 955 mm
 made of silicone elastomer
 profile dimensions 8x4 mm
 COLOUR: BLACK
 for Convection oven electric (ZANUSSI) FCF/EPN
 FCF/E3N



ZANUSSI 078168

3786124 LOWER GASKET FOR OVEN DOOR 650 mm
 made of silicone elastomer
 profile dimensions 22x18 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/E201/1
 FCF/E202/1 - FCV/E201/1 - FCV/E202/1
 for Convection oven gas (ZANUSSI) FCF/G201/1
 FCF/G202/1



ZANUSSI 0H6662

3786123 LOWER OVEN DOOR GASKET 745 mm
 made of silicone elastomer
 profile dimensions 60x16 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) AOS202E
 for Convection oven gas (ZANUSSI) AOS202G




ZANUSSI 0C1196

3286022 OVEN DOOR GASKET - 24 m
 made of silicone elastomer
 profile dimensions 21x15.5 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI) - Series 55




ZANUSSI 0H6663

3286014 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 25x7.5 mm
 COLOUR RED
 for Convection oven (ZANUSSI)




ZANUSSI 0H6760

3286042 OVEN DOOR GASKET - 25 m
 made of silicone elastomer
 profile dimensions 16x12 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ZANUSSI

3286079 OVEN DOOR GASKET - 3 m
 made of silicone elastomer
 profile dimensions 25x7.5 mm
 COLOUR RED
 for Convection oven (ZANUSSI)



ZANUSSI 0H6760

Suitable for:


3286082 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55



ZANUSSI 0H6663

Suitable for:

3286088 OVEN DOOR GASKET - 3 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286013 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 25x7.5 mm
COLOUR RED
for Convection oven (ZANUSSI)




ZANUSSI 0H6760

3286021 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 21x15.5 mm
COLOUR BLACK
for Convection oven (ZANUSSI) - Series 55




ZANUSSI 0H6663

3286041 OVEN DOOR GASKET - 6 m
made of silicone elastomer
profile dimensions 16x12 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286040 OVEN DOOR GASKET 013 - 25 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)




ZANUSSI

3286087 OVEN DOOR GASKET 013 - 3 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI

3286039 OVEN DOOR GASKET 013 - 6 m
middle edged gasket
made of silicone elastomer
profile dimensions 22x15 mm
COLOUR BLACK
for Convection oven (ZANUSSI)



ZANUSSI




Suitable for:

ZANUSSI



3186351 OVEN DOOR GASKET 1140 mm
 made of silicone elastomer
 profile dimensions 18x10 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/E2
 FCF/E4 - FCF/E4OLD3 - ZCF/E2




ZANUSSI 054850

3186358 OVEN DOOR GASKET 1300 mm
 made of silicone elastomer
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FVE3
 VAPE3




ZANUSSI 056480

3186354 OVEN DOOR GASKET 1400x640 mm
 snap-in gasket
 made of silicone elastomer
 profile dimensions 17x17 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCFE40
 FCVE20 - FF/E40
 for Convection oven gas (ZANUSSI) FCFG40 - FF/G40



ZANUSSI 054986


3186410 OVEN DOOR GASKET 1400x640 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/E20
 FCV/E20
 for Convection oven gas (ZANUSSI) FCF/G20
 FCV/G20



ZANUSSI 003088

ZANUSSI 005705


3186425 OVEN DOOR GASKET 1400x650 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E20
 ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
 FCF/E20 - FCS201EP - FCS201EX - FCS201E4
 FCS202EP - FCS202EX - FCS202E4 - FCV/E201
 FCV/E202 - ZCF/E20 - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACF/G20
 ACV/G201 - ACV/G202 - ECF/G20 - ECV/G201
 ECV/G202 - FCF/G20 - FCS201GP - FCS201GX
 FCS201G4 - FCS202GP - FCS202GX - FCS202G4
 FCV/G201 - FCV/G202 - FDV20G - FDV20GA
 FDV20GZ - FDV40G - FDV40GA - FDV40GZ - ZCF/G20
 ZCV/G201 - ZCV/G202



ZANUSSI 003995

ZANUSSI 005711

3186480 OVEN DOOR GASKET 1470x480 mm
 made of silicone elastomer
 profile dimensions 31x15 mm
 COLOUR BLACK
 for OVEN AOS201G-AOS201E



ZANUSSI 00C0881

ZANUSSI 00C1473




Suitable for:

Suitable for:

3786121 OVEN DOOR GASKET 1475x660 m m
 made of silicone elastomer
 profile dimensions 31x15 mm
 BLACK COLOR
 for Convection oven electric (ZANUSSI) AOS202E
 FCZ202E
 for Convection oven gas (ZANUSSI) AOS202G
 FCZ202G

4005885 OVEN DOOR GASKET 1600 mm
 made of silicone elastomer
 profile dimensions 17x10 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E4
 ECF/E4 - FCF/E4 - NCF/E4 - ZCF/E4





ZANUSSI 0C1195

ZANUSSI 0C1889

ZANUSSI 005885

3286002 OVEN DOOR GASKET 2554 - 20 m
 made of silicone elastomer
 profile dimensions 26x14 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)

3286075 OVEN DOOR GASKET 2554 - 3 m
 made of silicone elastomer
 profile dimensions 26x14 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ZANUSSI 057396


ZANUSSI 057656

ZANUSSI 057396

ZANUSSI 057656

3286001 OVEN DOOR GASKET 2554 - 6 m
 made of silicone elastomer
 profile dimensions 26x14 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)

3786135 OVEN DOOR GASKET 300x260 m m
 made of silicone elastomer
 with fixing clips
 BLACK COLOR
 for Convection oven electric (ZANUSSI) CC030
 CC030G - ECO312CF - OTS100



ZANUSSI 057396

ZANUSSI 057656

ZANUSSI 0E3680

3186668 OVEN DOOR GASKET 395x290 m m
 stiff gasket
 BLACK COLOR
 for Convection oven electric (ZANUSSI) FCF/E4

40C4159 OVEN DOOR GASKET 400x310 m m
 made of silicone elastomer
 with fastening clips
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E4
 ECF/E4 - FCF/E4



ZANUSSI 005194

ZANUSSI 0C4159



Suitable for:

ZANUSSI



Suitable for:


3186478 OVEN DOOR GASKET 500x480 mm
 made of silicone elastomer
 profile dimensions 31x15 mm
 BLACK COLOR
 for Convection oven electric (ZANUSSI) AOS61E
 EJN061E - FCZ061E - RDR061E
 for Convection oven gas (ZANUSSI) AOS61G - EJN061G
 FCZ061G - RDR061G



ZANUSSI 0C1496


ZANUSSI 006992

3186041 OVEN DOOR GASKET 585x395 mm
 snap-in gasket
 made of silicone elastomer
 profile dimensions 17x17 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCF/E6
 FCV/E6
 for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
 FCVA/G6




ZANUSSI 055414

3786126 OVEN DOOR GASKET 610x430 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven gas (ZANUSSI) ACV/G6 - ECV/G6
 FCS061G - FCS061GP - FCV/G6 - RCV061G2
 ZCV/G6




ZANUSSI 005707

3186386 OVEN DOOR GASKET 620x414 mm
 made of silicone elastomer
 profile dimensions 23x13 mm
 COLOUR BLACK
 for Steam oven (ZANUSSI) - Series 55



ZANUSSI 0H6653

3186408 OVEN DOOR GASKET 635x430 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E6
 ACV/E6 - ECF/E6 - ECV/E6 - FCF/E6 - FCS061EX
 FCS601E - FCV/E6 - JCF/E6 - NCF/E6 - NCV/E6
 RCF061E - RCV/E6 - RCV061E2 - ZCF/E6 - ZCV/E6
 for Convection oven gas (ZANUSSI) ACF/G6 - ACV/G6
 ECF/G6 - FCF/G6 - FCV/G6 - JCF/G6 - NCF/G6
 NCV/G6 - RCF061G - ZCF/G6




ZANUSSI 002828

ZANUSSI 004226

ZANUSSI 005713

3186385 OVEN DOOR GASKET 699x620 mm
 made of silicone elastomer
 profile dimensions 23x13 mm
 COLOUR BLACK
 for Steam oven (ZANUSSI) - Series 55



ZANUSSI 0H6656





Suitable for:

Suitable for:

3186040 OVEN DOOR GASKET 715x645 mm
 middle edged gasket
 made of silicone elastomer
 profile dimensions 22x15 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI)
 till 2/11/86
 FCF/E20
 for Convection oven gas (ZANUSSI)
 till 2/11/86
 FCF/G20

3186043 OVEN DOOR GASKET 720x640 mm
 snap-in gasket
 made of silicone elastomer
 profile dimensions 17x17 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI)
 since 3/11/86
 FCF/E10 - FCF/E20 - FCV/E10 - FCV/E20
 for Convection oven gas (ZANUSSI)
 since 3/11/86
 FCF/G10 - FCF/G20 - FCV/G10 - FCV/G20





ZANUSSI 053751

ZANUSSI 055315

3786125 OVEN DOOR GASKET 720x640 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCE/E10
 FCV/E10
 for Convection oven gas (ZANUSSI) FCV/G10

3186088 OVEN DOOR GASKET 730x665 mm
 made of silicone elastomer
 profile dimensions 24x20 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E10
 ACV/E10 - ECF/E10 - ECV/E10 - FCF/E10
 FCS101EP - FCS101EX - FCS101E2 - FCS101E4
 FCS102EP - FCS102EX - FCS102E4 - FCV/E10
 JCF/E10 - NCF/E10 - NCV/E10 - RCF/E10
 RCVE101E4 - RCV101E2 - ZCF/E10 - ZCV/E10
 for Convection oven gas (ZANUSSI) ACF/G10
 ACV/G10 - ECF/G10 - ECV/G10 - FCF/G10
 FCS101GP - FCS101GX - FCS101G2 - FCS101G4
 FCS102GP - FCS102GX - FCS102G4 - FCV/G10
 JCF/G10 - NCF/G10 - NCV/G10 - RCF102G
 RCV101G2 - RCV101G4 - ZCF/G10 - ZCV/G10




ZANUSSI 005706

ZANUSSI 004227

ZANUSSI 005712

3786120 OVEN DOOR GASKET 755x660 mm
 made of silicone elastomer
 profile dimensions 31x15 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) AOS102E
 EJN102E - FCZ102E
 for Convection oven gas (ZANUSSI) AOS102G
 EJN102G - FCZ102G

3186483 OVEN DOOR GASKET 760x485 mm
 made of silicone elastomer
 profile dimensions 31x15 mm
 BLACK COLOR
 for Convection oven electric (ZANUSSI) AOS101E
 EJN101E - FCZ101E
 for Convection oven gas (ZANUSSI) AOS101G
 EJN101G - FCZ101G - RDR101G



ZANUSSI 0C1887

ZANUSSI 0C1477

ZANUSSI 007069



Suitable for:


5028525 OVEN DOOR GASKET 800x760 mm
made of silicone elastomer
COLOUR BLACK



ZANUSSI 0LX015


Suitable for:

3286036 OVEN GLASS GASKET - 20 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)




ZANUSSI 057866

3286035 OVEN GLASS GASKET - 9 m
made of silicone elastomer
profile dimensions 9x6 mm
COLOUR BLACK
for Convection oven (ZANUSSI)




ZANUSSI 057866

3186352 OVEN GLASS GASKET 1400 mm
made of silicone elastomer
profile dimensions 22x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCVA/G6




ZANUSSI 055412

3186423 OVEN GLASS GASKET 1500 mm
made of silicone elastomer
profile dimensions 35.5x12.5 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E6
ECF/E6 - FCF/E6 - NCF/E6 - RCF061E - ZCF/E6
for Convection oven gas (ZANUSSI) ACF/G6 - ECF/G6
FCF/G6 - JCF/G6 - NCF/G6 - RCF061G - ZCF/G6



ZANUSSI 003680

3186407 OVEN GLASS GASKET 2000 mm
made of silicone elastomer
profile dimensions 20x16 mm
COLOUR BLACK
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
ECF/E10 - ECF/E20 - ECV/E10 - ECV/E201
ECV/E202 - FCF/E10 - FCV/E10 - FCV/E201
FCV/E202 - JCF/E10 - NCF/E10 - NCV/E10
RCV101E2 - RCV101E4 - ZCF/E10 - ZCF/E20
ZCV/E10
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G20 - ACV/G10 - ACV/G201 - ACV/G202
ECF/G10 - ECF/G20 - ECV/G10 - ECV/G201
ECV/G202 - FCF/G10 - FCF/G20 - FCV/G10
FCV/G201 - FCV/G202 - JCF/G10 - NCF/G10



ZANUSSI 002878





Suitable for:

Suitable for:

3186409 OVEN GLASS GASKET 2010 mm
 made of silicone elastomer
 profile dimensions 20x16 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E20 - ECF/E10 - FCF/E10 - FCF/E20
 JCF/E10 - NCF/E10 - ZCF/E10 - ZCF/E20
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G20 - ECF/G10 - ECF/G20 - FCF/G10
 FCF/G20 - JCF/G10 - NCF/G10 - RCF102G
 ZCF/G10 - ZCF/G20

3186355 OVEN GLASS GASKET 2200 mm
 made of silicone elastomer
 profile dimensions 22x16 mm
 COLOUR BLACK
 for Convection oven electric (ZANUSSI) FCVE10
 FCVE20
 for Convection oven gas (ZANUSSI) FCVA/G10
 FCVG10





ZANUSSI 003739

ZANUSSI 055314

3286038 OVEN GLASS GASKET 3524 - 20 m
 made of silicone elastomer
 profile dimensions 7x5 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)

3286037 OVEN GLASS GASKET 3524 - 9 m
 made of silicone elastomer
 profile dimensions 7x5 mm
 COLOUR BLACK
 for Convection oven (ZANUSSI)



ZANUSSI

ZANUSSI

Gastronorm pans

3018002 DRIP TRAY U-PAN GN 1/1 530x325xH40 mm
 NON-STICK

3018003 DRIP TRAY U-PAN GN 1/1 530x325xH60 mm
 NON-STICK



ZANUSSI 0S0871

ZANUSSI 0S0872

Gearmotors

3340140 GEARMOTOR 230V 50Hz 30 SECONDS
 pin \varnothing 4 mm
 for SMOKE EXHAUST
 for Convection oven (ZANUSSI) - Series AOS
 Series FCS - Series FCV



ZANUSSI 002696



Suitable for:

ZANUSSI



Suitable for:

Glasses

3519009 COMPLETE CHAMBER GLASS
complete with glass and gasket
for Convection oven (ZANUSSI) - Series FCF
Series FCS - Series FCV - Series FCVA



ZANUSSI 0C5340

ZANUSSI 057400

3519001 FRAME 35x35 mm



ZANUSSI 057382


3519009 COMPLETE CHAMBER GLASS
complete with glass and gasket
for Convection oven (ZANUSSI) - Series FCF
Series FCS - Series FCV - Series FCVA



ZANUSSI 0C5340

ZANUSSI 057400

3519002 GASKET GLASS FRAME



ZANUSSI 057402

3519002 GASKET GLASS FRAME



ZANUSSI 057402

Glues

3180052 RED HIGH TEMPERATURE SEALER 280 ml
operating temperature $-65+260^{\circ}\text{C}$ with peaks 320°C
for OVEN GASKETS



ZANUSSI 059611

3180021 THERMAL MASTIC PM8 228 g
thermally conductive paste
operating temperature $-45^{\circ}+105^{\circ}\text{C}$



ZANUSSI 049196



Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ZANUSSI 057468

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ZANUSSI 025020

ZANUSSI 081883

3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



ZANUSSI 003189

Handles

3242674 BOTTOM TIE ROD SHAFT \varnothing 10x112 mm
old series
for Convection oven electric (ZANUSSI) FCV/E10



ZANUSSI 056570

3242084 BUSHING FOR DOOR HANDLE
for OVEN



ZANUSSI 003994

40C4091 CAP HANDLE \varnothing 32 mm
for Convection oven (ZANUSSI)




ZANUSSI 0C4091

3242200 CASE FOR OVEN HANDLE PLATE
for CONVECTION OVEN old series



ZANUSSI 055059

3242114 CENTRAL LOCK MECHANISM
for OVEN



ZANUSSI 006977

3242213 CENTRAL LOCK MECHANISM
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ZANUSSI 056550



Suitable for:

3242451 CLASP \varnothing 3x16 mm
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87



ZANUSSI 0H6043

ZANUSSI 052061

ZANUSSI 060920

Suitable for:

5028241 CLOSING CENTRAL GEAR LEFT
for OVEN



ZANUSSI 003824

3242113 COMPLETE OVEN DOOR HANDLE
for OVEN series AOS061/101/201/202 ELECTRIC-GAS
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS201E - AOS202E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G - AOS202G



ZANUSSI 006978

3242114 CENTRAL LOCK MECHANISM
for OVEN



ZANUSSI 006977

3242214 COMPLETE OVEN DOOR HANDLE
for OVEN series FCF-ZCF-ACF ELECT/GAS 20 GRILLS
for OVEN FCV-ACV-ECV-ZCV ELECT/GAS 6-10-20 GRILLS
for OVEN FDV20-FDV40G-FCS201G-FCS202G-FCS201E-
FCS202E
for Convection oven electric (ZANUSSI)
Series ACF - Series ACV - Series ECV - Series FCF
FCS201E - FCS202E - Series FCV - Series ZCF
Series ZCV
for Convection oven gas (ZANUSSI) - Series ACF
Series ACV - Series ECV - Series FCF - FCS201G
FCS202G - Series FCV - FDV20G - FDV40G
Series ZCF - Series ZCV



ZANUSSI 0A5320
ZANUSSI 002722

ZANUSSI 0F0029

ZANUSSI 002717

3242084 BUSHING FOR DOOR HANDLE
for OVEN



ZANUSSI 003994

3242215 OVEN DOOR HANDLE DUPLO 6200
for OVEN



ZANUSSI 002647

3242183 OVEN HANDLE TOP/BOT.TIEROD 146 mm
for Convection oven (ZANUSSI) AOS202EAA1 267005



ZANUSSI 0K2246

ZANUSSI 003822



Suitable for:

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm



ZANUSSI 0K8039

ZANUSSI 002650

ZANUSSI



Suitable for:

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



ZANUSSI 0H6728

3242452 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS102E - AOS201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS102G - AOS202G



ZANUSSI 0C1616

3242114 CENTRAL LOCK MECHANISM
for OVEN




ZANUSSI 006977

3242461 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for OVEN



ZANUSSI 0C2215

3242454 COMPLETE OVEN DOOR HANDLE
for Convection oven electric (ZANUSSI) FCS101E
FCS102E - FCS61E
for Convection oven gas (ZANUSSI) FCS101G
FCS102G - FCS61G



ZANUSSI 0C1588

3242456 DOOR HANDLE STRIKE SUPPORT
distance between mounting holes 40 mm
for OVEN



ZANUSSI 0C1583

3242455 DOOR LOCKING MECHANISM
for OVEN



ZANUSSI 0C1581

3242459 STRIKE FOR DOOR HANDLE M8
overall length 34.5 mm
for OVEN



ZANUSSI 0C1584



Suitable for:

ZANUSSI



3242738 COMPLETE OVEN DOOR HANDLE
for OVEN series FCF-ECF-ZCF-ACF-NCF 6-10 GRILLS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 0F0135

3243266 O-RING 02081 EPDM



ZANUSSI 052779

40G6450 PIN THREADED M6x32 mm
for Convection oven (ZANUSSI)



ZANUSSI 0G6450

ZANUSSI 025033

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 053757

40C0446 STOP-PLATE FOR OVEN HANDLE
external dimensions 88x42 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C0446

Suitable for:

3242739 DIVERTER FOR DOOR HANDLE 107 mm
for OVEN



ZANUSSI 0C0447

4003712 PIN FOR OVEN HANDLE M6
dimensions \varnothing 12x71 mm
for Convection oven (ZANUSSI)



ZANUSSI 003712

4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



ZANUSSI 053759

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

4006939 SUPPORT OVEN HANDLE 265x40x33 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 006939



Suitable for:

3242450 COMPLETE OVEN DOOR HANDLE 260x30 mm
 handle mounting holes distance 122-133 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCF/E6
 for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6



ZANUSSI 0H6459

ZANUSSI 0K1669

Suitable for:

4003749 COVER INSULATING FOR HANDLE 147 mm
 for Convection oven electric (ZANUSSI)
 Series ACF/E10 - Series ACF/E6 - Series ECF/E10
 Series ECF/E6 - Series FCF/E10 - Series FCF/E6
 Series NCF/E10 - Series NCF/E6 - Series ZCF/E10
 Series ZCF/E6
 for Convection oven gas (ZANUSSI) - Series ACF/G10
 Series ACF/G6 - Series ECF/G10 - Series ECF/G6
 Series FCF/G10 - Series FCF/G6 - Series NCF/G10
 Series NCF/G6 - Series ZCF/G10 - Series ZCF/G6



ZANUSSI 003749

3242739 DIVERTER FOR DOOR HANDLE 107 mm
 for OVEN



ZANUSSI 0C0447

3242204 DIVERTER FOR DOOR HANDLE 59 mm
 for CONVECTION OVEN old series



ZANUSSI 053756

3242460 DIVERTER FOR DOOR HANDLE 70 mm
 for OVEN



ZANUSSI 003747

3242202 DOOR HANDLE PUSH-BUTTON
 for CONVECTION OVEN old series



ZANUSSI 053761

3242456 DOOR HANDLE STRIKE SUPPORT
 distance between mounting holes 40 mm
 for OVEN



ZANUSSI 0C1583

3242289 DOOR LOCK EXTERNAL FOOT
 for OVEN



ZANUSSI 004104

3242455 DOOR LOCKING MECHANISM
 for OVEN



ZANUSSI 0C1581

4004098 FLANGE DOOR HANDLE 95x40 mm
 ø pin 8 mm
 for Convection oven (ZANUSSI)



ZANUSSI 004098



Suitable for:

ZANUSSI



Suitable for:

3242462 HANDLE BOTTOM TIE ROD \varnothing 10x420 mm
 for Convection oven electric (ZANUSSI) FCV/E201
 FCV/E202
 for Convection oven gas (ZANUSSI) FCV/G201
 FCV/G202



ZANUSSI 005038

40C4090 HANDLE COMPLETE OVEN DOOR
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ




ZANUSSI 0C4090

40C4091 CAP HANDLE \varnothing 32 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0C4091

3242749 OVEN DOOR CATCH ASSEMBLY
 fastening plate 124x45 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS062E - AOS101E - AOS102E - EJM061E
 EJM101E - EJM102E - FCZ061E - FCZ101E
 FCZ102E - RDR061E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS062G - AOS101G - AOS102G - EJM061G
 EJM101G - EJM102G - FCZ061G - FCZ101G
 FCZ102G - RDR061G - RDR101G



ZANUSSI 0C4477

40C4237 SUPPORT FOR OVEN DOOR LOCK
 fastening plate 124x45 mm
 for Convection oven (ZANUSSI)




ZANUSSI 0C4237

40C6569 HANDLE COMPLETE OVEN DOOR
 for Convection oven electric (ZANUSSI)
 Series AOS - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series FCZ



ZANUSSI 0C6569

3242749 OVEN DOOR CATCH ASSEMBLY
 fastening plate 124x45 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS062E - AOS101E - AOS102E - EJM061E
 EJM101E - EJM102E - FCZ061E - FCZ101E
 FCZ102E - RDR061E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS062G - AOS101G - AOS102G - EJM061G
 EJM101G - EJM102G - FCZ061G - FCZ101G
 FCZ102G - RDR061G - RDR101G



ZANUSSI 0C4477



Suitable for:

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



ZANUSSI 0C4092

40C6572 HANDLE OVEN DOOR
for Convection oven electric (ZANUSSI)
Series AOS - Series FCZ
for Convection oven gas (ZANUSSI) - Series AOS
Series FCZ



ZANUSSI 0C6572

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



ZANUSSI 0C4092

3242463 HANDLE TOP TIE ROD \varnothing 10x465 mm
for Convection oven electric (ZANUSSI) FCV/E201
FCV/E202
for Convection oven gas (ZANUSSI) FCV/G201
FCV/G202




ZANUSSI 005037

ZANUSSI




Suitable for:

40C4237 SUPPORT FOR OVEN DOOR LOCK
fastening plate 124x45 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C4237

3242749 OVEN DOOR CATCH ASSEMBLY
fastening plate 124x45 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - EJN061E
EJN101E - EJN102E - FCZ061E - FCZ101E
FCZ102E - RDR061E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - EJN061G
EJN101G - EJN102G - FCZ061G - FCZ101G
FCZ102G - RDR061G - RDR101G



ZANUSSI 0C4477

40C4237 SUPPORT FOR OVEN DOOR LOCK
fastening plate 124x45 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C4237

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON
for OVEN



ZANUSSI 005624



Suitable for:

ZANUSSI



3242086 KIT OVEN DOOR HANDLE
for Convection oven (ZANUSSI)



ZANUSSI 0CA138

ZANUSSI 003826

Suitable for:

3242089 LOCK FOR DOOR HANDLE
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056414

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm
for Convection oven electric (ZANUSSI) FVE3



ZANUSSI 002278

ZANUSSI 055510


ZANUSSI 056459

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



ZANUSSI 057414

3242749 OVEN DOOR CATCH ASSEMBLY
fastening plate 124x45 mm
for Convection oven electric (ZANUSSI) AOS061E
AOS062E - AOS101E - AOS102E - EJNI061E
EJNI101E - EJNI102E - FCZ061E - FCZ101E
FCZ102E - RDR061E
for Convection oven gas (ZANUSSI) AOS061G
AOS062G - AOS101G - AOS102G - EJNI061G
EJNI101G - EJNI102G - FCZ061G - FCZ101G
FCZ102G - RDR061G - RDR101G




ZANUSSI 0C4477

3242737 OVEN DOOR COMPLETE LOCK
length 1320 mm
for Convection oven electric (ZANUSSI) FCV/E201
FCV/E202
for Convection oven gas (ZANUSSI) FCV/G201
FCV/G202



ZANUSSI 005342

3242211 OVEN DOOR COMPLETE LOCKING KIT
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ZANUSSI 056411

3242674 BOTTOM TIE ROD SHAFT \varnothing 10x112 mm
old series
for Convection oven electric (ZANUSSI) FCV/E10



ZANUSSI 056570



Suitable for:

3242213 CENTRAL LOCK MECHANISM
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCVA/G10 - FCVA/G20



ZANUSSI 056550

3528066 NUT INOX M26x1.5 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056409

3242088 STRIKE FOR DOOR HANDLE
distance between mounting holes 29 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056571

3528067 WASHER 22x12x2 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056416

3242201 OVEN DOOR HANDLE
for CONVECTION OVEN old series



ZANUSSI 053760

ZANUSSI 055057

ZANUSSI



Suitable for:

3242089 LOCK FOR DOOR HANDLE
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056414

3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056551

3242673 TOP TIE ROD SHAFT \varnothing 10x112 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ZANUSSI 056552

3242200 CASE FOR OVEN HANDLE PLATE
for CONVECTION OVEN old series



ZANUSSI 055059



Suitable for:

3242204 DIVERTER FOR DOOR HANDLE 59 mm
for CONVECTION OVEN old series



ZANUSSI 053756

3242217 PIN FOR OVEN DOOR HANDLE M6
dimensions \varnothing 12x66 mm
for OVEN



ZANUSSI 053766

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
for Convection oven (ZANUSSI) - Series FCV




ZANUSSI 053757

4055044 STOP-PLATE FOR OVEN HANDLE
external dimensions 85x40 mm
for Convection oven (ZANUSSI)



ZANUSSI 055044

3242227 OVEN DOOR HANDLE
for Convection oven electric (ZANUSSI) FCF/E2
ZCF/E2



ZANUSSI 025083

ZANUSSI



Suitable for:

3242202 DOOR HANDLE PUSH-BUTTON
for CONVECTION OVEN old series



ZANUSSI 053761

3242203 SCREW CAP
for CONVECTION OVEN old series



ZANUSSI 0C6059

ZANUSSI 055043

ZANUSSI 055661

ZANUSSI 055687

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

3242228 PIN FOR OVEN DOOR HANDLE M5
dimensions \varnothing 10x22 mm
for OVEN



ZANUSSI 054854



Suitable for:

3242229 SPRING FOR DOOR HANDLE 70 mm
for OVEN



ZANUSSI 055558

3242453 OVEN DOOR HANDLE
for Convection oven electric (ZANUSSI) FCF/E6
FCFE101 - FCFE102
for Convection oven gas (ZANUSSI) FCF/G6 - FCFG101
FCFG102



ZANUSSI 003683

3242460 DIVERTER FOR DOOR HANDLE 70 mm
for OVEN



ZANUSSI 003747

3243266 O-RING 02081 EPDM



ZANUSSI 052779

40G6450 PIN THREADED M6x32 mm
for Convection oven (ZANUSSI)



ZANUSSI 0G6450

ZANUSSI 025033

ZANUSSI

Suitable for:



3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



ZANUSSI 053820

ZANUSSI 053992

3242457 KEYWAY FOR DOOR HANDLE PUSH-BUTTON
for OVEN



ZANUSSI 005624

4003712 PIN FOR OVEN HANDLE M6
dimensions \varnothing 12x71 mm
for Convection oven (ZANUSSI)



ZANUSSI 003712

4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



ZANUSSI 053759



Suitable for:

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 053757

40C0446 STOP-PLATE FOR OVEN HANDLE
external dimensions 88x42 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C0446

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm
for Convection oven electric (ZANUSSI)
FCF/E10 - FCF/E20 - FCF/E40
for Convection oven gas (ZANUSSI)
FCF/G10 - FCF/G20 - FCF/G40



ZANUSSI 003010

ZANUSSI 053990

3242217 PIN FOR OVEN DOOR HANDLE M6
dimensions \varnothing 12x66 mm
for OVEN



ZANUSSI 053766

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 053757

ZANUSSI



Suitable for:

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

4006939 SUPPORT OVEN HANDLE 265x40x33 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 006939

3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



ZANUSSI 053820

ZANUSSI 053992

4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



ZANUSSI 053759

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282



Suitable for:

3242215 OVEN DOOR HANDLE DUPLO 6200
for OVEN



ZANUSSI 002647

Suitable for:

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm
for Convection oven (ZANUSSI) AOS202EAA1 267005



ZANUSSI 0K2246

ZANUSSI 003822

3212014 OVEN HANDLE TOP/BOT.TIE ROD 170 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056551

3242208 PIN FOR OVEN DOOR HANDLE M5
dimensions \varnothing 9x45 mm
for OVEN



ZANUSSI 002086

3242228 PIN FOR OVEN DOOR HANDLE M5
dimensions \varnothing 10x22 mm
for OVEN



ZANUSSI 054854

3242217 PIN FOR OVEN DOOR HANDLE M6
dimensions \varnothing 12x66 mm
for OVEN



ZANUSSI 053766

4003712 PIN FOR OVEN HANDLE M6
dimensions \varnothing 12x71 mm
for Convection oven (ZANUSSI)



ZANUSSI 003712

40G6450 PIN THREADED M6x32 mm
for Convection oven (ZANUSSI)



ZANUSSI 0G6450

ZANUSSI 025033

3242181 RIGHTHAND COMPLETE OVEN DOOR HANDLE



ZANUSSI 0K8322

3242203 SCREW CAP
for CONVECTION OVEN old series



ZANUSSI 0C6059

ZANUSSI 055687

ZANUSSI 055043

ZANUSSI 055661



Suitable for:

3242205 SPRING F/DOOR HANDLE DIVERTER \varnothing 22x30 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 053757

Suitable for:

3242425 SPRING FOR DOOR HANDLE
external dimensions 54x27 mm
for OVEN



ZANUSSI 0C6978

3242209 SPRING FOR DOOR HANDLE 123 mm
for OVEN



ZANUSSI 002088

3242206 SPRING FOR DOOR HANDLE 176 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 054282

3242229 SPRING FOR DOOR HANDLE 70 mm
for OVEN



ZANUSSI 055558

3242117 SPRING FOR DOOR HANDLE 97 mm
for OVEN



ZANUSSI 054560

40C0446 STOP-PLATE FOR OVEN HANDLE
external dimensions 88x42 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C0446

4055044 STOP-PLATE FOR OVEN HANDLE
external dimensions 85x40 mm
for Convection oven (ZANUSSI)



ZANUSSI 055044

3242052 STRIKE FOR DOOR HANDLE
distance between mounting holes 33 mm
for OVEN



ZANUSSI

3242088 STRIKE FOR DOOR HANDLE
distance between mounting holes 29 mm
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056571

Suitable for:

3242216 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm



ZANUSSI 0K8039

ZANUSSI 002850

Suitable for:

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm
for OVEN



ZANUSSI 0H6728

3242461 STRIKE FOR DOOR HANDLE
distance between mounting holes 43 mm
for OVEN



ZANUSSI 0C2215

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



ZANUSSI 0C4092

3242459 STRIKE FOR DOOR HANDLE M8
overall length 34.5 mm
for OVEN



ZANUSSI 0C1584

40C4237 SUPPORT FOR OVEN DOOR LOCK
fastening plate 124x45 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C4237

4006939 SUPPORT OVEN HANDLE 265x40x33 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 006939

3242673 TOP TIE ROD SHAFT \varnothing 10x112 mm
for CONV/STEAM/ELECTRIC OVEN 10-20 SHELVES
old series



ZANUSSI 056552

Heat exchangers

4002703 EXCHANGER TOROIDAL
fan slot \varnothing approx. 410 mm
for Convection oven gas (ZANUSSI)
FCV/G10 FINO AL 10/97



ZANUSSI 002703

4002704 GASKET EXCHANGER 100x100 mm
for Convection oven gas (ZANUSSI)




ZANUSSI 002704




Suitable for:

3786476 HEAT EXCHANGER GASKET 100x100 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 002629

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003883

3240745 TOROIDAL EXCHANGER
fan housing \varnothing approx. 410 mm
for Convection oven gas (ZANUSSI)
FCV/G10 DAL 11/97




ZANUSSI 003881

3786118 HEAT EXCHANGER GASKET 110x110 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003875

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003883

ZANUSSI




Suitable for:

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003874

3786117 HEAT EXCHANGER GASKET 100x100 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003873

3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003874




Suitable for:

3240746 TOROIDAL EXCHANGER
fan housing \varnothing approx. 485 mm
for Convection oven gas (ZANUSSI)
since 1/11/97
FCV/G20




ZANUSSI 003884

3786119 HEAT EXCHANGER GASKET 140x135 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003882

3786643 INSULATOR FOR HEAT EXCHANGER
dimensions 275x155 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003883

Suitable for:

3786118 HEAT EXCHANGER GASKET 110x110 mm
for Convection oven gas (ZANUSSI)



ZANUSSI 003875


3786479 INSULATOR FOR HEAT EXCHANGER
dimensions 291x164 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 003874

Heating elements


3755572 BRACKET FOR HEATING ELEMENT
external \varnothing 90 mm - internal \varnothing 50 mm
thickness 2.5 mm



ZANUSSI 003362

ZANUSSI 065558

3755585 HEATING ELEMENT 1000/1100W 230/240V
length 340 mm - width 350 mm
flange 80x15 mm
for Convection oven electric (ZANUSSI) ACF/E4
FCF/E4



ZANUSSI 005218



Suitable for:

ZANUSSI



3355720 HEATING ELEMENT 1000W 220V
immersed length 225 mm - width 60 mm
flange 80x28 mm - with receptacle hole
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6199

Suitable for:

3355724 HEATING ELEMENT 1000W 230V
immersed length 450 mm - width 65 mm
flange 70x22 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6195

ZANUSSI 0K0601

3355056 HEATING ELEMENT 17000W 220/380V
immersed length 470 mm
flange external \varnothing 63 mm
complete with O-RING
complete with cables
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-4 - FV/E4



ZANUSSI 056012

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3455337 HEATING ELEMENT 17000W 220V
immersed depth 575 mm
flange external \varnothing 63 mm
complete with O-RING
for Convection oven electric (ZANUSSI) FCV/E10-2
FCV/E10-3 - FCV/E10-4 - FCV/E20-2V



ZANUSSI 058672

ZANUSSI 058676

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755171 HEATING ELEMENT 17000W 230V
immersed length 590 mm
flange external \varnothing 63 mm
complete with gasket OR \varnothing 57 mm (3186013)
for Convection oven electric (ZANUSSI) ACV/E10
ECV/E10 - FCS101E - FCS102E - FCV/E10
FCV/E10-P - ZCV/E10
for Convection oven electric (ZANUSSI) FCV/E10L3




ZANUSSI 0C5336

ZANUSSI 058995

ZANUSSI 059003

3755572 BRACKET FOR HEATING ELEMENT
external \varnothing 90 mm - internal \varnothing 50 mm
thickness 2.5 mm



ZANUSSI 003362

ZANUSSI 065558



Suitable for:

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI

Suitable for:



3755573 HEATING ELEMENT 17000W 400V
immersed length 450 mm
flange external ø 72 mm
with bulb sheath
for Convection oven electric (ZANUSSI) AOS101E
AOW101E - FCZ101E



ZANUSSI 0C5384

ZANUSSI 007076

3186014 O-RING GASKET 06225 EPDM ø 67 mm



ZANUSSI 0E5037
ZANUSSI 049909

ZANUSSI 007029


ZANUSSI 047156

40C5840 HEATING ELEMENT 17000W 400V
immersed length 395 mm
flange 105x87 mm
with bulb sheathing
for Convection oven electric (ZANUSSI)
Series AOS101E - Series AOW101E - Series EJN101E
Series FCZ101E - Series RDR101E




ZANUSSI 0C5840

40C5834 GASKET FOR HEATING ELEMENT
external dimensions 103x85 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C5834

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



ZANUSSI 0K4812



Suitable for:

Suitable for:

3355590 HEATING ELEMENT 2000W 230V
 length 325 mm - width 290 mm
 flange 40x22 mm
 for Convection oven electric (ZANUSSI) ACF/E4
 FCF/E4 - FCF/E4D - FCFE4PH

3247036 3-POLE TERMINAL BLOCK
 for CONV/ELECTRIC OVEN 4 SHELVES



ZANUSSI 054326

ZANUSSI 054331

3355588 HEATING ELEMENT 20000W 380V
 for boiler
 immersed length 595 mm
 flange external \varnothing 63 mm - complete with cable
 complete with O-RING
 for Convection oven electric (ZANUSSI) FCV/E20-2
 FCV/E20-3 - FCV/E20-4 - FCVE20-2UK
 FCVE20-4UK

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



ZANUSSI 056013


ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755177 HEATING ELEMENT 24000W 400V
 immersed depth 590 mm
 flange external \varnothing 63 mm
 with bulb sheath
 complete with O-RING
 for Convection oven electric (ZANUSSI) ACV/E10
 ACV/E201 - ACV/E202 - ECV/E10 - ECV/E201
 ECV/E202 - FCS101E - FCS102E - FCS201E
 FCS202E - FCF/E10 - FCF/E201 - FCF/E202
 ZCV/E10 - ZCV/E201 - ZCV/E202

3755572 BRACKET FOR HEATING ELEMENT
 external \varnothing 90 mm - internal \varnothing 50 mm
 thickness 2.5 mm



ZANUSSI 0C5337

ZANUSSI 002751

ZANUSSI 003362

ZANUSSI 065558

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620




Suitable for:

Suitable for:

40C5841 HEATING ELEMENT 24000W 400V
 immersed length 530 mm
 flange 105x87 mm
 with bulb sheathing
 for Convection oven electric (ZANUSSI)
 Series AOS102E - Series AOS201E - Series AOS202E
 Series EJN102E - Series EJN201E - Series EJN202E
 Series FCZ102E - Series FCZ201E - Series FCZ202E

40C5834 GASKET FOR HEATING ELEMENT
 external dimensions 103x85 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0C5841

ZANUSSI 0C5834

40C5383 HEATING ELEMENT 24000W 400V SET
 immersed length 570 mm
 flange external 72 mm
 with bulb sheath
 complete with O-Ring
 for boiler
 for Convection oven electric (ZANUSSI) AOS102E
 AOS201E - AOS202E - EJN102E - EJN201E
 EJN202E - FCZ102E - FCZ201E - FCZ202E
 RDR201E

3186014 O-RING GASKET 06225 EPDM ϕ 67 mm



ZANUSSI 0C5383

ZANUSSI 007101

ZANUSSI 0E5037
 ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

3455285 HEATING ELEMENT 250W 220V
 length 240 mm - width 98 mm
 height 100 mm - connections M12



ZANUSSI 0KM985

3355055 HEATING ELEMENT 2500W 220V
 external ϕ 190 mm - overall height 93 mm
 flange 70x22 mm
 for Convection oven electric (ZANUSSI)

3186098 HEATING ELEMENT GASKET
 external dimensions 71x23 mm
 for Convection oven (ZANUSSI)



ZANUSSI 054317

ZANUSSI 054843

ZANUSSI 057534




Suitable for:

ZANUSSI



3355580 HEATING ELEMENT 2500W 230V
 inner part length 540 mm - width 350 mm
 flange 70x20 mm
 for Convection oven electric (ZANUSSI) ACF/E6
 ECF/E6 - FCF/E6 - JCF/E6 - NCF/E6 - RCF/061E
 ZCF/E6
 for Convection oven electric (ZANUSSI) FCF/E6-0



ZANUSSI 056945

Suitable for:

3186098 HEATING ELEMENT GASKET
 external dimensions 71x23 mm
 for Convection oven (ZANUSSI)



ZANUSSI 057534

3355889 HEATING ELEMENT 2500W 230V
 external \varnothing 190 mm - total height 70 mm
 flange 70x22 mm



ZANUSSI 004934

3186098 HEATING ELEMENT GASKET
 external dimensions 71x23 mm
 for Convection oven (ZANUSSI)



ZANUSSI 057534

3355722 HEATING ELEMENT 3000W 230V
 immersed length 330 mm - width 135 mm
 flange 85x30 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 0H6166

3186187 HEATING ELEMENT GASKET
 external dimensions 68x14 mm



ZANUSSI 0H6665

ZANUSSI 0K1831

3355723 HEATING ELEMENT 3000W 230V
 immersed length 565 mm - width 150 mm
 2 flanges 70x22 mm
 for Convection oven electric (ZANUSSI)




ZANUSSI 0H6188



Suitable for:

3755586 HEATING ELEMENT 3200W 400V
external \varnothing 385 mm - total height 70 mm
flange 80x45 mm
for Convection oven electric (ZANUSSI) AOS061E
EJN061E - FCZ061E - RDR061E



ZANUSSI 0C5362

ZANUSSI 006984

Suitable for:

3186508 HEATING ELEMENT GASKET
external dimensions 138x80 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3755518 HEATING ELEMENT 3750W 230V
length 535 mm - width 350 mm
overall length 635 mm - flange 76x50 mm
for Convection oven electric (ZANUSSI) FCV/E6-1
FCV/E6-3



ZANUSSI 056930

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm
for Convection oven (ZANUSSI)



ZANUSSI 055327

4002757 HEATING ELEMENT 4500W 230V
length 535 mm - width 350 mm
overall length 635 mm - flange 76x50 mm
for Convection oven electric (ZANUSSI)
Series ACV/E6 - Series FCF/E6 - Series FCV/E6
Series NCV/E6 - Series RCV/E6



ZANUSSI 002757

3186067 HEATING ELEMENT GASKET
external dimensions 75x50 mm
for Convection oven (ZANUSSI)



ZANUSSI 055327

3355718 HEATING ELEMENT 5600W 230V
for boiler
immersed length 270 mm - width 60 mm
flange 80x28 mm
for Convection oven electric (ZANUSSI)



ZANUSSI 0H6146





Suitable for:

Suitable for:

3755239 HEATING ELEMENT 5600W 230V
 external \varnothing 495 mm - overall height 65 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
 ECF/E10 - ECV/E10 - ECV/E201 - ECV/E202
 FCF/E10 - FCF/E20 - FCS101E - FCS102E
 FCS201E - FCS202E - FCV/E10 - FCV/E20
 FCV/E201 - FCV/E202 - JCF/E10 - NCF/E10
 ZCF/E10 - ZCF/E20 - ZCV/E10 - ZCV/E201
 ZCV/E202

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 002688

ZANUSSI 002689

3786478 HEATING ELEMENT GASKET
 external dimensions 80x45 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 003726

3355719 HEATING ELEMENT 5600W 380V
 immersed length 270 mm - width 60 mm
 flange 80x28 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 0H6164

3355586 HEATING ELEMENT 5666W 230V
 external \varnothing 490 mm - overall height 70 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCV/E10 - FCV/E10-P - FCV/E10-2 - FCV/E10-3
 FCV/E10-4 - FCV/E20-2V

3186067 HEATING ELEMENT GASKET
 external dimensions 75x50 mm
 for Convection oven (ZANUSSI)



ZANUSSI 053839

ZANUSSI 054620

ZANUSSI 058196

ZANUSSI 055327

ZANUSSI 058197

Suitable for:

3755565 HEATING ELEMENT 5670W 400V
 external \varnothing 490 mm - total height 75 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) AOS101E
 AOS201E - EJNI201E - FCZ101E - FCZ201E
 RDR201E




ZANUSSI 0C5364

ZANUSSI 007064

Suitable for:

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3355106 HEATING ELEMENT 6000W 230/400V
 for boiler and wash tank
 immersed length 350 mm
 ext. \varnothing flange 72 mm - with bulb-sheathing
 with O-ring gasket \varnothing 67 mm (3186014)
 nut (3528232) and washer (3528238) on request



ZANUSSI 049898

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ZANUSSI 0E5037
 ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

3355589 HEATING ELEMENT 7900W 230V
 for boiler
 immersed length 280 mm
 flange external \varnothing 63 mm
 complete with O-RING
 for Convection oven electric (ZANUSSI) FCF/E6-1
 FCF/E6-3 - FCVM/E6-2 - XFV/E700



ZANUSSI 058666

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm




ZANUSSI 0L2765
 ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3455300 HEATING ELEMENT 800/1750W 230V
 870/1900W 240V
 length 340 mm - width 350 mm
 flange 120x25 mm
 per FORNO FCF/E4
 for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 005205



Suitable for:

ZANUSSI



3355582 HEATING ELEMENT 8000W 230V
 length 645 mm - overall height 245 mm
 flange 75x50 mm
 upon demand nut and washer
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCV/E20



ZANUSSI 054050

ZANUSSI 054051

ZANUSSI 056929


Suitable for:

3186099 HEATING ELEMENT GASKET
 external dimensions 76x50 mm
 for Convection oven (ZANUSSI)



ZANUSSI 053840

3355584 HEATING ELEMENT 8000W 380V
 length 645 mm - overall height 240 mm
 flange 75x50 mm
 upon demand nut and washer
 for Convection oven electric (ZANUSSI) FCV/E20
 FCV/E20-P - FCV/E20-4 - FCVE20-2UK
 FCVE20-4UK



ZANUSSI 055481


ZANUSSI 056970

3186099 HEATING ELEMENT GASKET
 external dimensions 76x50 mm
 for Convection oven (ZANUSSI)



ZANUSSI 053840

3755238 HEATING ELEMENT 8000W 400V
 external \varnothing 580 mm - overall height 70 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E20 - ACV/E10 - ACV/E201 - ACV/E202
 ECF/E10 - ECV/E10 - ECV/E201 - ECV/E202
 FCF/E10 - FCF/E20 - FCS101E - FCS102E
 FCS201E - FCS202E - FCV/E10 - FCV/E20
 FCV/E201 - FCV/E202 - JCF/E10 - NCF/E10
 ZCF/E10 - ZCF/E20 - ZCV/E10 - ZCV/E201
 ZCV/E202



ZANUSSI 0A5330

ZANUSSI 0C5242

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 002689

3786478 HEATING ELEMENT GASKET
 external dimensions 80x45 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 003726




Suitable for:

Suitable for:

3755574 HEATING ELEMENT 8000W 400V
 external \varnothing 575 mm - overall height 70 mm
 flange 80x45 mm
 for Convection oven electric (ZANUSSI) AOS102E
 AOS202E - EJN102E - EJN202E - FCZ102E
 FCZ202E

3186508 HEATING ELEMENT GASKET
 external dimensions 138x80 mm
 for Convection oven electric (ZANUSSI)



ZANUSSI 0C1173

ZANUSSI 0C5365

ZANUSSI 002689

3755240 HEATING ELEMENT 9000W 230V
 immersed depth 290 mm
 flange external \varnothing 63 mm
 with bulb sheath
 complete with O-RING
 for Convection oven electric (ZANUSSI) ECV/E6
 FCS061E - FCV/E6 - RCV/E6 - ZCV/E6

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



ZANUSSI

ZANUSSI 002835

ZANUSSI 0L2765
 ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755597 HEATING ELEMENT 9000W 400V
 immersed length 450 mm
 flange external \varnothing 72 mm
 with bulb sheath
 for Convection oven electric (ZANUSSI) AOS061E
 EJN061E - FCZ061E - RDR061E

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ZANUSSI 0C5381

ZANUSSI 007030


ZANUSSI 0E5037
 ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

40C5839 HEATING ELEMENT 9000W 400V
 immersed length 230 mm
 flange 105x87 mm
 with bulb sheathing
 for Convection oven electric (ZANUSSI)
 Series AOS061E - Series EJN061E - Series FCZ061E
 Series RDR061E

40C5834 GASKET FOR HEATING ELEMENT
 external dimensions 103x85 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0C5839

ZANUSSI 0C5834



Suitable for:

ZANUSSI



Suitable for:

Hinges, catches and accessories

3053016 DOOR CATCH FOR HINGE
distance between holes 79 mm - total length 89 mm
h 23 mm
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 058934

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ZANUSSI 053096

ZANUSSI 059227

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ZANUSSI 037595

ZANUSSI 037596

40KB730 DOOR LOCK
for Convection oven electric (ZANUSSI) CC030G
ECO312CF - OTS100



ZANUSSI 0KB730

3053236 HINGE LOWER OVEN DOOR
for Convection oven (ZANUSSI) - Series FCF
Series FCV



ZANUSSI 055316

3053576 HINGE LOWER OVEN DOOR
dimensions 125x50 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series ZCV



ZANUSSI 002652

3053233 HINGE POSITIONER
for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ZANUSSI 002653



Suitable for:

Suitable for:

4003687 HINGE LOWER OVEN DOOR
 for Convection oven electric (ZANUSSI)
 Series ACF/E6 - Series ECF/E6 - Series FCF/E6
 Series JCF/E6 - Series NCF/E6 - Series ZCF/E6
 for Convection oven gas (ZANUSSI) - Series ACF/G6
 Series ECF/G6 - Series FCF/G6 - Series JCF/G6
 Series NCF/G6 - Series ZCF/G6

4003991 HINGE LOWER OVEN DOOR
 for Convection oven electric (ZANUSSI)
 Series ACF/E20 - Series FCF/E20 - Series ZCF/E20
 for Convection oven gas (ZANUSSI) - Series ACF/G20
 Series ECF/G20 - Series FCF/G20 - Series ZCF/G20



ZANUSSI 003687

ZANUSSI 003991

3053233 HINGE POSITIONER
 for Convection oven (ZANUSSI) - Series FCF
 Series NCF - Series ZCF



ZANUSSI 002653

3053577 HINGE UPPER OVEN DOOR
 for OVEN 6-10 GRILLS
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series ZCV

3053233 HINGE POSITIONER
 for Convection oven (ZANUSSI) - Series FCF
 Series NCF - Series ZCF



ZANUSSI 002651

ZANUSSI 002653

4003686 HINGE UPPER OVEN DOOR
 for Convection oven electric (ZANUSSI)
 Series ACF/E6 - Series ECF/E6 - Series FCF/E6
 Series JCF/E6 - Series NCF/E6 - Series ZCF/E6
 for Convection oven gas (ZANUSSI) - Series ACF/G6
 Series ECF/G6 - Series FCF/G6 - Series JCF/G6
 Series NCF/G6 - Series ZCF/G6

4003687 HINGE LOWER OVEN DOOR
 for Convection oven electric (ZANUSSI)
 Series ACF/E6 - Series ECF/E6 - Series FCF/E6
 Series JCF/E6 - Series NCF/E6 - Series ZCF/E6
 for Convection oven gas (ZANUSSI) - Series ACF/G6
 Series ECF/G6 - Series FCF/G6 - Series JCF/G6
 Series NCF/G6 - Series ZCF/G6



ZANUSSI 003686

ZANUSSI 003687



Suitable for:

3053233 HINGE POSITIONER

for Convection oven (ZANUSSI) - Series FCF
Series NCF - Series ZCF



ZANUSSI 002653

ZANUSSI



Suitable for:

4005041 HINGE UPPER OVEN DOOR

for Convection oven electric (ZANUSSI)
Series ACV - Series ECV - FCS/201EP - FCS/201EX
FCS/201E4 - FCS/202EP - FCS/202EX - FCS/202E4
Series FCV - Series ZCV
for Convection oven gas (ZANUSSI) - Series ACV
Series ECV - FCS/201GP - FCS/201GX - FCS/201G4
FCS/202GP - FCS/202GX - FCS/202G4 - Series FCV
Series ZCV



ZANUSSI 005041

3053344 LEFT HINGE FOR OVEN

mounting distance 120 mm - overall length 155 mm
height 150 mm
for Convection oven (ZANUSSI)



ZANUSSI 006087

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm



ZANUSSI 037595

ZANUSSI 037596

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



ZANUSSI 0A2004

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



ZANUSSI 053096

ZANUSSI 059227



Suitable for:


Suitable for:

3053353 OVEN DOOR BOTTOM HINGE
 for OVEN series 10 SHELVES
 for Convection oven (ZANUSSI) - Series ACF
 Series ECF - Series FCF - Series JCF - Series NCF
 Series ZCF



ZANUSSI 003721

3053237 OVEN DOOR GLASS BOTTOM HINGE
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCV - Series ZCV




ZANUSSI 002875

4002645 GASKET FOR HINGE 70 mm
 profile 15x7 mm
 for Convection oven (ZANUSSI)



ZANUSSI 002645

3053238 OVEN DOOR GLASS TOP HINGE
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCV - Series ZCV



ZANUSSI 002876

4002645 GASKET FOR HINGE 70 mm
 profile 15x7 mm
 for Convection oven (ZANUSSI)



ZANUSSI 002645

3053352 OVEN DOOR TOP HINGE
 for OVEN series 10-20 SHELVES
 for Convection oven (ZANUSSI) - Series ACF
 Series ECF - Series FCF - Series JCF - Series NCF
 Series ZCF



ZANUSSI 003720

4003991 HINGE LOWER OVEN DOOR
 for Convection oven electric (ZANUSSI)
 Series ACF/E20 - Series FCF/E20 - Series ZCF/E20
 for Convection oven gas (ZANUSSI) - Series ACF/G20
 Series ECF/G20 - Series FCF/G20 - Series ZCF/G20



ZANUSSI 003991

3053233 HINGE POSITIONER
 for Convection oven (ZANUSSI) - Series FCF
 Series NCF - Series ZCF



ZANUSSI 002853

3053353 OVEN DOOR BOTTOM HINGE
 for OVEN series 10 SHELVES
 for Convection oven (ZANUSSI) - Series ACF
 Series ECF - Series FCF - Series JCF - Series NCF
 Series ZCF



ZANUSSI 003721



Suitable for:

ZANUSSI



Suitable for:

4053765 PIN LOWER HINGE \varnothing 8x37 mm
thread MA8
for Convection oven (ZANUSSI)



ZANUSSI 053765

3053345 RIGHT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 149 mm
for Convection oven (ZANUSSI)



ZANUSSI 006090

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ZANUSSI 037595

ZANUSSI 037596

3053015 RIGHT/LEFT HINGE FOR OVEN
distance between holes 155 mm - total length 200mm
height 170 mm
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 056339

3053516 RIGHT/LEFT HINGE FOR OVEN
overall length 210 mm - width 21 mm
holes mounting distance 120 mm
for Convection oven electric (ZANUSSI) ACF/E4
ECF/E4 - FCF/E4 - NCF/E4 - ZCF/E4



ZANUSSI 005186

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



ZANUSSI 0A2005

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ZANUSSI 053096

ZANUSSI 059227



Hose reels

- 40C2218 KIT WASH UNIT**
 with automatic retractor
 tube made of silicone \varnothing 13 mm
 complete with shower ECO/F
 for Convection oven electric (ZANUSSI)
 Series AOS101E - Series AOS61E
 for Convection oven gas (ZANUSSI) - Series AOS061G
 Series AOS101G



ZANUSSI 0C2218

- 40L0454 SHOWER-HOUSING BLACK \varnothing 3/8" F**
 for Convection oven (ZANUSSI)



ZANUSSI 0L0454

- 40C1156 WASH-UNIT**
 with automatic retractor
 hose rubber EPDM \varnothing 12 mm
 complete with shower ECO/F
 for Convection oven electric (ZANUSSI)
 Series AOS061E - Series AOS101E
 for Convection oven gas (ZANUSSI) - Series AOS061G
 Series AOS101G



ZANUSSI 0C1156

- 40L0454 SHOWER-HOUSING BLACK \varnothing 3/8" F**
 for Convection oven (ZANUSSI)



ZANUSSI 0L0454

- 40C4248 WASH-UNIT**
 with automatic retractor
 hose silicone \varnothing 13 mm
 complete with shower ECO/F
 for Convection oven electric (ZANUSSI)
 Series EJM - Series FCZ - Series RDR
 for Convection oven electronic (ZANUSSI)
 Series AOS
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series RDR



ZANUSSI 0C4248

- 40L0454 SHOWER-HOUSING BLACK \varnothing 3/8" F**
 for Convection oven (ZANUSSI)



ZANUSSI 0L0454



Suitable for:

ZANUSSI



3359553 WASHING UNIT MINIREEL
 stainless steel case aisi 304
 with automatic retractor
 EPDM hose \varnothing 13 mm
 pull-out hose length 160 cm
 complete with shower ECO/F
 for fixing to any equipment



ZANUSSI 0T1747

ZANUSSI 006696

Suitable for:

3359610 BLACK SHOWER CASE ECO \varnothing 1/2" M
 with coupling 3/8" M x 1/2" M



ZANUSSI 003175

Hose-end fittings

3315106 3-WAY HOSE END RUBBER FITTING \varnothing 10 mm



ZANUSSI 047431

Hydraulic piping

40C5006 PIPE EPDM STEAM \varnothing 29x39 mm 860 mm
 for Convection oven electric (ZANUSSI)
 Series ACV/E201 - Series ACV/E202
 Series ECV/E201 - Series ECV/E202
 Series FCS/101E - Series FCS/102E
 Series FCS/201EP - FCS/201E4 - Series FCS/202EP
 Series FCS/202E4 - Series FCV/E201
 Series ZCV/E201 - Series ZCV/E202
 for Convection oven gas (ZANUSSI)
 Series FCS/101G - Series FCS/102G
 Series FCV/E202 - FDV/20G - FDV/40G



ZANUSSI 0C5006

ZANUSSI 006252

4003856 PIPE WATER \varnothing 12/10 mm 370 mm
 for Convection oven electric (ZANUSSI)
 Series ACV/E10 - ECV/E10 - Series FCF - FCS101E2
 Series FCV/E10 - Series NCV/E10 - RCV101E2
 for Convection oven gas (ZANUSSI) - Series ACV/G10
 FCS101G2 - Series FCV/G10 - Series NCV/G10
 RCV101G2



ZANUSSI 003856

Suitable for:

Suitable for:

3450621 RUBBER PIPE 110°C. \varnothing 10x16 mm - 5 m
 temperature $-30^{\circ}+110^{\circ}\text{C}$
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external \varnothing 16 mm
 internal \varnothing 10 mm
 for 40 m rolls see 3450651



ZANUSSI 0C3165

ZANUSSI 0C4158

ZANUSSI 002707

ZANUSSI 086085

Incandescent lamps and neon lamps

2102048 HALOGEN LAMP R7s 160W 230V
 length 118 mm



ZANUSSI 093041

3221068 NEON LAMP FOR OVEN E14 2W 380V
 dimensions \varnothing 13x30 mm
 for OVEN



ZANUSSI 0H7037

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
 max. temperature 300°C



ZANUSSI 0H7038

3221639 NEUTRAL HALOGEN LAMP G4 10W 12V
 max temperature 300°C
 for Convection oven (ZANUSSI)



ZANUSSI 0C4396

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
 max. temperature 300°C



ZANUSSI 0C2803

ZANUSSI 002956

ZANUSSI 007056

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ZANUSSI 0H7035



Suitable for:

ZANUSSI



3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 054319

ZANUSSI 054840

Suitable for:

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



ZANUSSI 081696

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 004169

ZANUSSI 058544

3221164 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



ZANUSSI 054150+054151

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



ZANUSSI 054151

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



ZANUSSI 004896

3221085 INDICATOR LAMP GREEN 230V
 \varnothing head 18 mm - \varnothing hole 12 mm - 120°C



ZANUSSI 003531

3221014 INDICATOR LAMP ORANGE 230V
mounting hole 30x22 mm - 125°C
universal application



ZANUSSI 0KM981

Suitable for:

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



ZANUSSI 054151

Suitable for:

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



ZANUSSI 004895
ZANUSSI 048832

ZANUSSI 046241

ZANUSSI 048488

3221112 ORANGE INDICATOR LAMP 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



ZANUSSI 053811+053812

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2225

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2408

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 005215

ZANUSSI 058522

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155



Suitable for:

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



ZANUSSI 0K1364

ZANUSSI 004928

Suitable for:

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2408

3221004 RED INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 053153

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

3221358 WHITE LAMP RECEPTACLE
head \varnothing 16 mm - hole \varnothing 13 mm



ZANUSSI 046289

Injectors

3500083 GAS JET M10x1 \varnothing 1.70 mm



ZANUSSI 054083

3500082 GAS JET M10x1 \varnothing 1.90 mm



ZANUSSI 054033



Suitable for:

Suitable for:

3500081 GAS JET M10x1 ø 2.10 mm

3500084 GAS JET M10x1 ø 3.30 mm



ZANUSSI 056147

ZANUSSI 055388

3500085 GAS JET M10x1 ø 3.40 mm

40A2141 NOZZLE GAS M10x1 ø 1.65 mm



ZANUSSI 054128

ZANUSSI 0A2141

4055459 NOZZLE GAS M10x1 ø 2.15 mm

4056471 NOZZLE GAS M10x1 ø 2.25 mm



ZANUSSI 055459

ZANUSSI 056471

4054034 NOZZLE GAS M10x1 ø 3.00 mm



ZANUSSI 054034

Inlet hoses

3449034 FLEX HOSE ø 3/4" Fp x CFp 1500 mm
EPDM hose covered in stainless steel
hose external ø 17 mm - internal ø 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved

3449035 FLEX HOSE ø 3/4" Fp x CFp 2000 mm
EPDM hose covered in stainless steel
hose external ø 17 mm - hose internal ø 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ZANUSSI 0S0151

ZANUSSI 069571

ZANUSSI 049540



Suitable for:

Suitable for:

3449001 INLET ELBOW HOSE \varnothing 3/4" FF 1500 mm
 thermoplastic hose \varnothing 10x16 mm
 nylon fittings \varnothing 3/4" with gaskets
 max temperature 90°C
 max pressure 10 bar

3449007 INLET ELBOW HOSE \varnothing 3/4" FF 1500 mm
 rubber hose with textile reinforcement \varnothing 13x20 mm
 with elbow in thermoplastic material
 metal ring nuts 3/4"F
 max temperature 90°C
 max pressure 15 bar



ZANUSSI 0C8316

ZANUSSI 0S0150

ZANUSSI 053789

ZANUSSI 0S0153

ZANUSSI 047605

ZANUSSI 066463

3449056 INLET ELBOW HOSE \varnothing 3/4" FF 2000 mm
 thermoplastic hose \varnothing 13x19 mm
 brass fittings \varnothing 3/4"F with gaskets
 max temperature 90°C
 max pressure 10 bar
 with WRAS approval

3449003 STRAIGHT ELBOW HOSE \varnothing 3/4" FF 1500 mm
 rubber hose with textile reinforcement \varnothing 13x20 mm
 with metal ring nuts 3/4"F
 max temperature 90°C
 max pressure 15 bar



ZANUSSI 0L1887

ZANUSSI 048816

ZANUSSI 0S0152

ZANUSSI 060933

Insulators

3786479 INSULATOR FOR HEAT EXCHANGER
 dimensions 291x164 mm
 for Convection oven electric (ZANUSSI)

3786643 INSULATOR FOR HEAT EXCHANGER
 dimensions 275x155 mm
 for Convection oven gas (ZANUSSI)



ZANUSSI 003874

ZANUSSI 003883

Interference suppression filters

3160233 INTERFERENCE SUP.FILTER PROCOND411135901
 for Convection oven (ZANUSSI)

3160099 INTERFERENCE SUPPRES. FILTER F3CF71112
 0.47 μ F



ZANUSSI 049303

ZANUSSI 046217



Ironmongery (screws,nuts,washers)

3528010 FLAT WASHER M6
 ø internal/external 6,4/12 mm - thickness 1,6 mm
 st./steel - UNI 6592 - DIN 125 A - ISO 7089



ZANUSSI 0U2043

1528030 MID HEXAGONAL NUT M6
 stainless steel - UNI 5588 - DIN 934 - ISO 4032



ZANUSSI 0K4516

3528066 NUT INOX M26x1.5 mm
 for Convection oven electric (ZANUSSI) FCV/E10-2
 FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056409

1389001 S/STEEL PIN ø 2x20 mm
 UNI 1336 - DIN 94 - ISO 1234



ZANUSSI 0K8898

4053759 SCREW HEXAGON HEAD M5x6
 overall length 15 mm



ZANUSSI 053759

3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6
 stainless steel - cone end
 UNI 5927 - DIN 914 - ISO 4027



ZANUSSI 046258

ZANUSSI 047846

1186504 WASHER FLAT M10
 internal/external ø 10.5/20 mm - thickness 2 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ZANUSSI 0D0622


3528067 WASHER 22x12x2 mm
 for Convection oven electric (ZANUSSI) FCV/E10-2
 FCV/E10-2UK - FCV/E10-4 - FCV/E10-4UK



ZANUSSI 056416

Knobs

3241867 BLACK KNOB ø 55 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E6
 for Convection oven gas (ZANUSSI) FCF/G10
 FCF/G20 - FCF/G6 - FCF/G6



ZANUSSI 0A5323



Suitable for:


ZANUSSI



Suitable for:


Knobs

3241675 BLACK KNOB \varnothing 60 mm
D-shaped hole 6x4.6 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 007044

3241674 KNOB BUSHING
for Convection oven (ZANUSSI)



ZANUSSI 002662

3241673 KNOB WASHER
for Convection oven (ZANUSSI)



ZANUSSI 002727

3241676 LOCK NUT FOR KNOB 1/2"



ZANUSSI 051263

3241055 FIXING CLIP
for knob with \varnothing 8 mm hole



ZANUSSI 025245

3241328 GREY KNOB \varnothing 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCF/E20 - FCF/E6
for Convection oven gas (ZANUSSI) FCF/G10
FCF/G20 - FCF/G6




ZANUSSI 056198

3241055 FIXING CLIP
for knob with \varnothing 8 mm hole



ZANUSSI 025245

3186342 GASKET FOR OVEN
soft - external \varnothing 13,5 mm




ZANUSSI 053816

Suitable for:

Suitable for:

3241672 GREY KNOB ø 55 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 FCV/E20 - FCV/E6
 for Convection oven gas (ZANUSSI) FCV/G10
 FCV/G20 - FCV/G6



ZANUSSI 002672


3241329 GREY KNOB ø 55 mm WITH SILKSCREEN PRINT
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCF/E20 - FCF/E40
 for Convection oven gas (ZANUSSI) FCF/G10
 FCF/G20 - FCF/G40



ZANUSSI 055026


ZANUSSI 056222

3186342 GASKET FOR OVEN
 soft - external ø 13,5 mm



ZANUSSI 053816

3241069 GREY KNOB ø 55 mm 0-120°C
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI)
 Series 6-10-20-40 GRIGLIE




ZANUSSI 0C3022

ZANUSSI 003844

ZANUSSI 075543

3186342 GASKET FOR OVEN
 soft - external ø 13,5 mm



ZANUSSI 053816

3241330 GREY KNOB ø 55 mm 0-120°C
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCF/E2 - FCF/E20 - FCF/E40 - FCF/E6 - FCV/E10
 FCV/E20
 for Convection oven gas (ZANUSSI) FCF/G10
 FCF/G20 - FCF/G40 - FCF/G6 - FCV/G10 - FCV/G20




ZANUSSI 053814

ZANUSSI 055364

ZANUSSI 056128

3186342 GASKET FOR OVEN
 soft - external ø 13,5 mm



ZANUSSI 053816



Suitable for:

ZANUSSI



3241327 GREY KNOB ø 55 mm 50-250°C
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCF/E20 - FCF/E40 - FCV/E10 - FCV/E20 - FCV/E6
 for Convection oven gas (ZANUSSI) FCF/G10
 FCF/G20 - FCF/G40 - FCV/G10 - FCV/G20 - FCV/G6




ZANUSSI 053813

ZANUSSI 056197


Suitable for:

3186342 GASKET FOR OVEN
 soft - external ø 13,5 mm



ZANUSSI 053816

3241338 KNOB BLACK ø 42 mm
 D-shaped hole 6x4.6 mm



ZANUSSI 0E3019

4003743 KNOB BLACK ø 55 mm
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)




ZANUSSI 003743

3241366 KNOB BLACK ø 72 mm 0-120'
 D-shaped hole 6x4.6 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0H6732

3241365 KNOB BLACK ø 72 mm 50-250°C
 D-shaped hole 6x4.6 mm
 for Convection oven (ZANUSSI)




ZANUSSI 0H6731

40E3687 KNOB BLACK SILK SCREEN PRINTED ø 46 mm
 lonf pin
 D-shaped hole 6x4.6 mm
 for Convection oven electric (ZANUSSI) CCO30
 CCO30G - ECO312CF - OTS100



ZANUSSI 0E3687

3241674 KNOB BUSHING
 for Convection oven (ZANUSSI)



ZANUSSI 002662



Suitable for:


3241142 KNOB GASKET \varnothing 44 mm



ZANUSSI 059326

Suitable for:

40A5324 KNOB GRAY \varnothing 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI)
Series ACF - Series ECF - Series FCF - Series NCF
Series ZCF
for Convection oven gas (ZANUSSI) - Series ACF
Series ACV - Series ECF - Series FCV - Series NCF
Series NCV - Series ZCF



ZANUSSI 0A5324

40C1769 KNOB GRAY \varnothing 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 0C1769

4003762 KNOB GRAY \varnothing 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 003762

4056127 KNOB GRAY \varnothing 55 mm SILK SCREEN PRINT
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI)
Series FCV/E
for Convection oven gas (ZANUSSI) - Series FCV/G



ZANUSSI 055363

ZANUSSI 056127

40C0966 KNOB SILVER \varnothing 54 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (ZANUSSI)
Series FCS
for Convection oven gas (ZANUSSI) - Series FCS



ZANUSSI 0C0966

3241673 KNOB WASHER
for Convection oven (ZANUSSI)



ZANUSSI 002727

3241676 LOCK NUT FOR KNOB 1/2"



ZANUSSI 051263



Suitable for:

ZANUSSI



Suitable for:

Labels for control panels

3399043 BLUE ELECTRONIC PLATE
 dimensions 460x160 mm
 for Convection oven electric (ZANUSSI) AOS101E
 AOS102E - AOS201E - AOS202E - AOS61E
 for Convection oven gas (ZANUSSI) AOS101G
 AOS102G - AOS201G - AOS202G - AOS61G



ZANUSSI 007057

3399051 CONTROL PLATE ELECTR. BLUE
 dimensions 460x160 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 FCZ061E - FCZ101E - FCZ102E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS201G - AOS202G



ZANUSSI 007058

4002719 PLATE ELECTRONIC BLACK
 dimensions 680x110 mm
 for Convection oven electric (ZANUSSI)
 Series ACV/E10 - Series ACV/E201 - Series ACV/E202
 Series ECV/E10 - Series ECV/E201 - Series ECV/E202
 Series FCV/E10 - Series FCV/E201 - Series FCV/E202
 Series ZCV/E201 - Series ZCV/E202
 for Convection oven gas (ZANUSSI) - Series ACV/G10
 Series ACV/G201 - Series ACV/G202 - Series ECV/G10
 Series ECV/G201 - Series ECV/G202 - Series FCV/G10
 Series G201 - Series G202 - Series ZCV/G10
 Series ZCV/G201 - Series ZCV/G202



ZANUSSI 002719

Lamp receptacles and spare parts

3221255 FRAME FOR OVEN LAMP RECEPTACLE
 external dimensions 140x72 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0H2410

3221053 GASKET FOR OVEN LAMP RECEPTACLE
 dimensions \varnothing 48x38x5 mm
 for OVEN



ZANUSSI

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm
 thread \varnothing 63 mm - overall height 45 mm
 for Proving oven electric (ZANUSSI) FLP55 - FLP80
 ZMBD4L - ZMBD6L - ZMMD4L - ZMMD6L



ZANUSSI 003451

ZANUSSI 004163

3221256 GLASS FOR OVEN LAMP RECEPTACLE
 external dimensions 112x65 mm
 max temperature 500°C
 for Convection oven (ZANUSSI)



ZANUSSI 0H6989

ZANUSSI 0K7522

Suitable for:


Suitable for:

3520021 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 44 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002627

3221404 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 370 mm
mounting hole \varnothing 42 mm
for Convection oven electric (ZANUSSI) FCV/E101
FCV/E102 - FCV/E201 - FCV/E202
for Convection oven gas (ZANUSSI) FCS061G
FCV/G101 - FCV/G20 - FCV/G201



ZANUSSI 0C1555

ZANUSSI 006106

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
max. temperature 300°C



ZANUSSI 0H7038

40C4459 LAMP CAP OVEN \varnothing 40 mm
internal \varnothing 13 mm
for Convection oven (ZANUSSI)



ZANUSSI 0C4459

3221300 LAMP RECEPTACLE E14 25W 230V
max temperature 300°C
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 054320

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002626

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



ZANUSSI 0C2803

ZANUSSI 002956

ZANUSSI 007056

2101372 LAMP RECEPTACLE E14 25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C



ZANUSSI 0C5508

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 0H7035



Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 054319

ZANUSSI 054840

ZANUSSI



Suitable for:

4054318 OVEN LAMP RECEPTACLE GLASS ø 46 mm
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 054318

3221399 LAMP RECEPTACLE E14 25W 230V
max temperature 300°C
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002625

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF




ZANUSSI 002626

3520021 GLASS FOR OVEN LAMP RECEPTACLE ø 44 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002627

3520022 OVEN GLASS FRAME ø 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002628

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 0H7035

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 054319

ZANUSSI 054840

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



ZANUSSI 0H6617

ZANUSSI 054991

3221649 LAMP RECEPTACLE WITH GLASS E14
WITHOUT BULB
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C



ZANUSSI 004160

Suitable for:

3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V
 lamp glass ø 54 mm
 mounting hole ø 45 mm
 max temperature 300°C



ZANUSSI 056708

Suitable for:

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ZANUSSI 0H7035

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ZANUSSI 054319

ZANUSSI 054840

3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V
 lamp glass ø 57 mm
 mounting hole ø 42 mm
 max temperature 300°C
 for OVEN



ZANUSSI

2101372 LAMP RECEPTACLE E14 25W 230V
 mounting hole ø 38 mm
 max temperature 300°C



ZANUSSI 0C5508

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ZANUSSI 0H7035

3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V
 ceramic foot ø 30 mm
 external dimensions 75x60 mm
 max. temperature 300°C



ZANUSSI 0K3363

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ZANUSSI 0H7035



Suitable for:

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 054319

ZANUSSI 054840

ZANUSSI



Suitable for:

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
lamp glass \varnothing 72 mm
mounting hole \varnothing 68 mm
max temperature 300°C



ZANUSSI 004160

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 0H7035


3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 054319


ZANUSSI 054840

5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V
external dimensions 96x80 mm
max temperature 300°C
for Convection oven electric (ZANUSSI) FCF/E3



ZANUSSI 003956

3520022 OVEN GLASS FRAME \varnothing 76 mm
for Convection oven (ZANUSSI) - Series ACF
Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002628

4054318 OVEN LAMP RECEPTACLE GLASS \varnothing 46 mm
for Convection oven electric (ZANUSSI) FCF/E4



ZANUSSI 054318

Suitable for:

4007055 RECEPTACLE F/HALOGEN LAMP G4 20W 12V
 wire connection length 2400 mm
 mounting hole \varnothing 42 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ



ZANUSSI 007055

3221250 NEUTRAL HALOGEN LAMP G4 10W 12V
 max. temperature 300°C



ZANUSSI 0H7038

40E3681 RECEPTACLE WITH LAMP E14 15W 230V
 glass for lamp \varnothing 42 mm
 mounting hole \varnothing 38 mm
 maximum temperature 300°C
 for Convection oven electric (ZANUSSI) CC030
 CC030G - EC0312CF - OTS100



ZANUSSI 0E3681

3221041 OVEN LAMP E14 15W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ZANUSSI 0H7035

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
 external dimensions 140x75 mm
 for Convection oven (ZANUSSI)



ZANUSSI 055022

Suitable for:

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS
 for Convection oven (ZANUSSI) - Series ACF
 Series ECF - Series FCF - Series NCF - Series ZCF



ZANUSSI 002626

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
 max. temperature 300°C



ZANUSSI 0C2803

ZANUSSI 002956

ZANUSSI 007056

2101372 LAMP RECEPTACLE E14 25W 230V
 mounting hole \varnothing 38 mm
 max temperature 300°C



ZANUSSI 0C5508

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



ZANUSSI 054319

ZANUSSI 054840



Suitable for:

ZANUSSI



Suitable for:

Leak detektors for gas

3394009 GAS LEAK FINDER SE151NM
 for natural gas and lpg leaks finding.
 standard 4 batteries 1.5V power supply
 battery life 7 hours of continuous working
 with imitation leather case
 calibration is reached through sensitivity adjustm
 in no polluting gas air so that
 the buzzer gives one pulse every second.
 As soon as the sensor is in a polluted
 environment the pulses frequency
 increases.



ZANUSSI 0S2023

Level regulators

3341000 LEVEL ADJUSTER RL30/3ES/F/G
 230V 50/60Hz
 for Convection oven (ZANUSSI) ACV - ECV
 Series FCS - Series FCV - FDV - ZCV



ZANUSSI 055458

3341003 LEVEL PROBE \varnothing 1/4"M-110 mm
 for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 056449

3341002 LEVEL PROBE \varnothing 1/4"M-114.5 mm
 for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1086

ZANUSSI 055346

3341001 LEVEL PROBE \varnothing 1/4"M-155 mm
 for Convection oven (ZANUSSI) - Series FCV
 Series FCVA - Series FV
 for Convection oven electric (ZANUSSI) AR6ES



ZANUSSI 0C1055

ZANUSSI 0C1105

ZANUSSI 053909

3391037 LEVEL PROBE SPACER
 for Steam oven (ZANUSSI)



ZANUSSI 055347

3391038 LEVEL PROBE SPACER
 for Convection oven (ZANUSSI) - Series ECV
 Series FCV - Series ZCV



ZANUSSI 055435



Suitable for:

3341026 LEVEL ADJUSTER RL30/3ES/F/G
230V 50/60Hz



ZANUSSI 088196

Suitable for:

3341038 LEVEL ADJUSTER RL30/3ES/11
24V 50/60Hz
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FV/E4 - FV/G4



ZANUSSI 053913

Level sensors

4007033 LEVEL PROBE \varnothing 1/4"M-104 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series FCZ
for Convection oven gas (ZANUSSI) - Series AOS
Series FCZ



ZANUSSI 007033

3341003 LEVEL PROBE \varnothing 1/4"M-110 mm
for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 056449

3341002 LEVEL PROBE \varnothing 1/4"M-114.5 mm
for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 0C1086

ZANUSSI 055346

3341019 LEVEL PROBE \varnothing 1/4"M-122 mm
for Convection oven (ZANUSSI) - Series FCV
Series FCVA



ZANUSSI 0A2838

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ZANUSSI 055347

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 055435



Suitable for:

ZANUSSI



3341033 LEVEL PROBE \varnothing 1/4"M-139 mm
 for Convection oven (ZANUSSI)
 Series ECV - Series FCV - Series ZCV
 for Convection oven electric (ZANUSSI) AOS201EBA1



ZANUSSI 003878

3391038 LEVEL PROBE SPACER
 for Convection oven (ZANUSSI) - Series ECV
 Series FCV - Series ZCV



ZANUSSI 055435

3341001 LEVEL PROBE \varnothing 1/4"M-155 mm
 for Convection oven (ZANUSSI) - Series FCV
 Series FCVA - Series FV
 for Convection oven electric (ZANUSSI) AR6ES



ZANUSSI 0C1055

ZANUSSI 0C1105

ZANUSSI 053909

3341072 LEVEL PROBE \varnothing 1/4"M-240 mm
 for Convection oven (ZANUSSI) - Series ACV
 Series AOS - Series ECV - Series EJV - Series FCS
 Series FCV - Series FCZ - Series ZCV



ZANUSSI 005879

4005766 LEVEL PROBE \varnothing 1/4"M-61 mm
 for Convection oven gas (ZANUSSI) - Series ACV/G6
 Series ECV/G6 - FCS/061GP - FCS/061GX - FCS/061G4
 Series FCV/G6 - Series ZCV/G6



ZANUSSI 005766

3341034 LEVEL PROBE 77 mm
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series FDV
 Series ZCV
 for Convection oven gas (ZANUSSI) RCV101G4



ZANUSSI 002632

3341032 SPACER FOR PROBE 16 mm
 for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 002633

4005765 PROBE LEVEL \varnothing 1/4"M-51 mm
 for Convection oven gas (ZANUSSI) ACV/G6 - ECV/G6
 FCS/061GP - FCS/061GX - FCS/061G4 - FCV/G6
 ZCV/G6



ZANUSSI 005765

3341032 SPACER FOR PROBE 16 mm
 for Convection oven (ZANUSSI) - Series FCV



ZANUSSI 002633

Suitable for:

3397173 WATER LEVEL PROBE 125 mm
for Convection oven (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FCV - Series RCV
Series ZCV



ZANUSSI 002694

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV



ZANUSSI 055435

Suitable for:

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ZANUSSI 055347

Magnet groups

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ZANUSSI 056587

3182005 MAGNETIC UNIT SIT
ø head 19 mm - ø end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ZANUSSI 056588

3182008 MAGNETIC UNIT SIT
ø head 35 mm - ø end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ZANUSSI 056589

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



ZANUSSI 002785

ZANUSSI 046063

3803071 MICROSWITCH DOOR 16A 250V
per HBR/G e ZBR/G SERIE 800




ZANUSSI 058926



Suitable for:

3240407 MICROSWITCH KIT 16A 250V
 3 locking positions
 the kit includes 5 levers:
 lever 75 mm - lever 27 mm - lever 15 mm
 lever 15 mm with wheel - lever 27 mm with wheel



ZANUSSI 069484

Suitable for:

3240148 MICROSWITCH MAGNET 63x19x11 mm
 for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 049627

3240469 MICROSWITCH MAGNETIC E710-1B
 50VA 250V - NO contact - head 50x19 mm
 for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 049621

3240148 MICROSWITCH MAGNET 63x19x11 mm
 for Convection oven (ZANUSSI) - Series AOS



ZANUSSI 049627

3240406 MICROSWITCH 10(4)A 250V



ZANUSSI 0H6597

3240410 MICROSWITCH 16(4)A 250V



ZANUSSI

3240123 MICROSWITCH 16A 250V



ZANUSSI 0K1505

3240820 MICROSWITCH 16A 250V



ZANUSSI 0E0209

ZANUSSI 0KB678

ZANUSSI 046286

ZANUSSI 047485

ZANUSSI 004904

ZANUSSI 053671

3240152 BUSHING FOR MICROSWITCH



ZANUSSI 047487



Suitable for:

3240473 GASKET FOR BUSHING




ZANUSSI 047490

3240153 ROD FOR MICROSWITCH



ZANUSSI 047488

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm
for Convection oven (ZANUSSI)



ZANUSSI 045404


ZANUSSI 45404

ZANUSSI



Suitable for:

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm
for Convection oven (ZANUSSI)



ZANUSSI 045404

ZANUSSI 45404

3240154 SPRING FOR MICROSWITCH ROD



ZANUSSI 047489


Motors

4006670 FLANGE FOR MOTOR SHAFT
external \varnothing 74 mm - internal \varnothing 22 mm - thickness 1
for Convection oven (ZANUSSI)



ZANUSSI 006670

4058730 FLANGE MOTOR
external \varnothing 230 mm - internal flange \varnothing 20 mm
height 2.5 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 058730

3340063 MOTOR FAN 24/28W 220/240V 50/60Hz



ZANUSSI 005202

3340064 MOTOR FAN \varnothing 145 mm



ZANUSSI 005221



Suitable for:


ZANUSSI



Suitable for:

3240907 MOTOR FLANGE

external \varnothing 270 mm - flange internal \varnothing 16 mm
height 3.5 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 058957

3240742 MOTOR LM/FB100L 4/6 0.75/0.22Kw 230V

50/60Hz - 2.4/1.0A - 955/1460rpm
capacitor 16 μ F
for Convection oven electric (ZANUSSI) AOS102E
AOS202E
for Convection oven gas (ZANUSSI) AOS102G
AOS202G




ZANUSSI 0C1171

ZANUSSI 0C6563

40C6464 FAN \varnothing 380 mm

thickness 170 mm
number of blades 12 - hole \varnothing 10 mm
for Convection oven electric (ZANUSSI)
Series AOS/062E - Series AOS/102E
Series AOS/202E - Series EJM/102E
Series EJM/202E - Series FCZ/102E
Series FCZ/202E - Series RDR/202E
for Convection oven gas (ZANUSSI)
Series AOS/062G - Series AOS/102G
Series AOS/202G - Series EJM/102G
Series EJM/202G - Series FCZ/102G
Series FCZ/202G - Series RDR/102G
Series RDR/202G



ZANUSSI 0C1172

ZANUSSI 0C6464

3240738 FAN \varnothing 350 mm

height 140 mm
total blades 6 - \varnothing hole 10 mm
for Convection oven electric (ZANUSSI) AOS101E
AOS201E - AOW101E - EJM101E - EJM201E
FCZ101E - FCZ201E - RDR201E
for Convection oven gas (ZANUSSI) AOS101G
AOS102G - AOS201G - EJM101G - EJM201G
FCZ101G - FCZ201G - RDR101G - RDR201G




ZANUSSI 0C1129

ZANUSSI 0C6463

4006670 FLANGE FOR MOTOR SHAFT

external \varnothing 74 mm - internal \varnothing 22 mm - thickness 1
for Convection oven (ZANUSSI)



ZANUSSI 006670



Suitable for:

3240290 MAIN SHAFT SEALING GASKET


external \varnothing 38mm - internal \varnothing 16mm - thickness 17mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699

4005748 MOTOR LM/FB80 4/6 0.06/0.19Kw 230V


50/60Hz - 0.7/1.5A - 930/1110/1380/1700rpm
capacitor 12.5 μ F
for Convection oven gas (ZANUSSI) - Series ACV/G6
Series ECV/G6 - Series FCV/G6 - Series ZCV/G6



ZANUSSI 005748

4006670 FLANGE FOR MOTOR SHAFT

external \varnothing 74 mm - internal \varnothing 22 mm - thickness 1
for Convection oven (ZANUSSI)



ZANUSSI 006670

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ZANUSSI 002873

ZANUSSI



Suitable for:


3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ZANUSSI 002873

3240289 FAN \varnothing 280 mm

thickness 100 mm
total blades 6 - \varnothing hole 10 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACF/E6
ACV/E10C4 - ACV/E10C6 - ACV/E102/1C4
ACV/E102/1C6 - ACV/E6 - FCF/E6 - FCS061E
FCV/E6 - NCV/E6 - ZCF/E6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACF/G6 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G6 - ACV/G61C3 - FCF/G6
FCS061G - FCV/G6 - JCF/G6 - NCV/G6 - ZCF/G6



ZANUSSI 006462

ZANUSSI 002754

ZANUSSI 003560

3240290 MAIN SHAFT SEALING GASKET

external \varnothing 38mm - internal \varnothing 16mm - thickness 17mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699




Suitable for:

ZANUSSI




Suitable for:

3240287 MOTOR LM/FB80 4/6 0.11/0.35Kw 230V
 50/60Hz - 1.3/2.7A - 900/1400rpm
 capacitor 16 μ F
 for Convection oven (ZANUSSI) - Series FCS
 Series FCV - Series JCF
 for Convection oven electric (ZANUSSI)
 ACV/E102/1C4
 for Convection oven (ZANUSSI) ACV/E102/1C4



ZANUSSI 002748


3240111 FAN ϕ 350 mm
 thickness 135 mm
 total blades 6 - ϕ hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
 for Convection oven gas (ZANUSSI) FCF/G10
 FCV/G10



ZANUSSI 053782

ZANUSSI 054890


3240291 FAN ϕ 350 mm
 thickness 135 mm
 total blades 6 - ϕ via hole 10 mm
 for Convection oven (ZANUSSI) - Series ACF
 Series ACV - Series ECV - Series FCF - Series FCV
 Series NCV - Series ZCF - Series ZCV
 for Convection oven electric (ZANUSSI) FCS101E
 FCS102E - FCS201E - FCS202E
 for Convection oven gas (ZANUSSI) FCS101G
 FCS102G - FCS201G - FCS202G



ZANUSSI 0C6461

ZANUSSI 002617

3240737 FAN ϕ 350 mm
 thickness 135 mm
 total blades 6 - ϕ hole 10 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 for Convection oven gas (ZANUSSI) FCV/G10



ZANUSSI 0C8309

ZANUSSI 002139

3240112 FAN ϕ 440 mm
 thickness 152 mm
 total blades 6 - ϕ hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCV/E20 - FCV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202




ZANUSSI 000274

ZANUSSI 054014

ZANUSSI 055378

3240739 FAN ϕ 440 mm
 height 155 mm
 total blades 6 - ϕ hole 10 mm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - Series ECF/E
 Series ECV/E - Series FCF/E - FCS101E - FCS102E
 FCS201E - FCS202E - Series FCV/E
 Series ZCF/E - Series ZCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 Series ECV/G - FCS101G - FCS102G - FCS201G
 FCS202G - Series FCV/G - Series ZCV/G



ZANUSSI 0C8306

ZANUSSI 002740



Suitable for:

4006670 FLANGE FOR MOTOR SHAFT
external \varnothing 74 mm - internal \varnothing 22 mm - thickness 1
for Convection oven (ZANUSSI)




ZANUSSI 006670

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ZANUSSI 002873

3240740 MOTOR LM/FB80 4/6 0.19/0.06Kw 230V
50/60Hz - 1.5/0.7A - 930/1380rpm
capacitor 12.5 μ F
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
FCS061E - FCS101E - FCS102E
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G61C3 - FCS101G - FCS102G
JCF/G6



ZANUSSI 002698

ZANUSSI 005028

ZANUSSI



Suitable for:

3240290 MAIN SHAFT SEALING GASKET
external \varnothing 38mm - internal \varnothing 16mm - thickness 17mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699

3240289 FAN \varnothing 280 mm
thickness 100 mm
total blades 6 - \varnothing hole 10 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACF/E6
ACV/E10C4 - ACV/E10C6 - ACV/E102/1C4
ACV/E102/1C6 - ACV/E6 - FCF/E6 - FCS061E
FCV/E6 - NCV/E6 - ZCF/E6
for Convection oven gas (ZANUSSI) ACF/G10
ACF/G102/1 - ACF/G6 - ACV/G10C4 - ACV/G10C6
ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
ACV/G202/1C4 - ACV/G6 - ACV/G61C3 - FCF/G6
FCS061G - FCV/G6 - JCF/G6 - NCV/G6 - ZCF/G6



ZANUSSI 006462

ZANUSSI 002754

ZANUSSI 003560



Suitable for:


3240291 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø via hole 10 mm
 for Convection oven (ZANUSSI) - Series ACF
 Series ACV - Series ECV - Series FCF - Series FCV
 Series NCV - Series ZCF - Series ZCV
 for Convection oven electric (ZANUSSI) FCS101E
 FCS102E - FCS201E - FCS202E
 for Convection oven gas (ZANUSSI) FCS101G
 FCS102G - FCS201G - FCS202G



ZANUSSI 0C6461

ZANUSSI 002617

3240739 FAN ø 440 mm
 height 155 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - Series ECF/E
 Series ECV/E - Series FCF/E - FCS101E - FCS102E
 FCS201E - FCS202E - Series FCV/E
 Series ZCF/E - Series ZCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 Series ECV/G - FCS101G - FCS102G - FCS201G
 FCS202G - Series FCV/G - Series ZCV/G



ZANUSSI 0C8306

ZANUSSI 002740

3240290 MAIN SHAFT SEALING GASKET
 external ø 38mm - internal ø 16mm - thickness 17mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
 ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G61C3 - JCF/G6




ZANUSSI 002899

ZANUSSI



Suitable for:

3240737 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 for Convection oven gas (ZANUSSI) FCV/G10



ZANUSSI 0C8309

ZANUSSI 002139

4006670 FLANGE FOR MOTOR SHAFT
 external ø 74 mm - internal ø 22 mm - thickness 1
 for Convection oven (ZANUSSI)



ZANUSSI 006670


3786008 O-RING 04112 BROWN VITON
 for coffee group upper piston



ZANUSSI 002873

Suitable for:

3240741 MOTOR LM/FB80 4/6 0.19/0.06Kw 230V
 50/60Hz - 1.6/0.75A - 890/1385rpm
 capacitor 12.5 μ F
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS201G



ZANUSSI 006998

3240738 FAN ϕ 350 mm
 height 140 mm
 total blades 6 - ϕ hole 10 mm
 for Convection oven electric (ZANUSSI) AOS101E
 AOS201E - AOW101E - EJM101E - EJM201E
 FCZ101E - FCZ201E - RDR201E
 for Convection oven gas (ZANUSSI) AOS101G
 AOS102G - AOS201G - EJM101G - EJM201G
 FCZ101G - FCZ201G - RDR101G - RDR201G



ZANUSSI 0C1129

ZANUSSI 0C6463

3240290 MAIN SHAFT SEALING GASKET
 external ϕ 38mm - internal ϕ 16mm - thickness 17mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
 ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699

Suitable for:


3240736 FAN ϕ 288 mm
 thickness 130 mm
 total blades 10 - ϕ hole 10 mm
 for Convection oven electric (ZANUSSI) AOS061E
 EJM061E - FCZ061E - RDR061E
 for Convection oven gas (ZANUSSI) AOS061G
 EJM061G - FCZ061G - RDR061G



ZANUSSI 0C7029

ZANUSSI 007000

4006670 FLANGE FOR MOTOR SHAFT
 external ϕ 74 mm - internal ϕ 22 mm - thickness 1
 for Convection oven (ZANUSSI)



ZANUSSI 006670

3786008 O-RING 04112 BROWN VITON
 for coffee group upper piston



ZANUSSI 002873




Suitable for:

ZANUSSI



Suitable for:

3240262 MOTOR LM80/4 0.19Kw 230V 50/60Hz
 1.3A - 1450/1750rpm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - C7E4 - C7E6 - C7PE4
 Series FCF/E - FCS101E - Series FCV/E - FCV/E201
 FCV/E202 - Series ZCF/E - ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI)
 Series ACF/G - ACF/G101 - Series ACV/G
 Series FCF/G - FCF/G101 - FCS061G - FCS101G
 Series FCV/G - FCV/G201 - FCV/G202 - Series ZCF/G
 ZCV/G201 - ZCV/G202
 for Convection oven (ZANUSSI) FCV/E20L3 240157




ZANUSSI 0F0007

ZANUSSI 002616

ZANUSSI 005750

3240289 FAN ø 280 mm
 thickness 100 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACF/E6
 ACV/E10C4 - ACV/E10C6 - ACV/E102/1C4
 ACV/E102/1C6 - ACV/E6 - FCF/E6 - FCS061E
 FCV/E6 - NCV/E6 - ZCF/E6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACF/G6 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G6 - ACV/G61C3 - FCF/G6
 FCS061G - FCV/G6 - JCF/G6 - NCV/G6 - ZCF/G6




ZANUSSI 0C6462

ZANUSSI 002754

ZANUSSI 003560

3240111 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
 for Convection oven gas (ZANUSSI) FCF/G10
 FCV/G10



ZANUSSI 053782

ZANUSSI 054890


3240291 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø via hole 10 mm
 for Convection oven (ZANUSSI) - Series ACF
 Series ACV - Series ECV - Series FCF - Series FCV
 Series NCV - Series ZCF - Series ZCV
 for Convection oven electric (ZANUSSI) FCS101E
 FCS102E - FCS201E - FCS202E
 for Convection oven gas (ZANUSSI) FCS101G
 FCS102G - FCS201G - FCS202G



ZANUSSI 0C6461

ZANUSSI 002617


3240737 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 for Convection oven gas (ZANUSSI) FCV/G10



ZANUSSI 0C8309

ZANUSSI 002139

3240112 FAN ø 440 mm
 thickness 152 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCV/E20 - FCV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202



ZANUSSI 000274


ZANUSSI 054014

ZANUSSI 055378



Suitable for:

3240739 FAN ø 440 mm
 height 155 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - Series ECF/E
 Series ECV/E - Series FCF/E - FCS101E - FCS102E
 FCS201E - FCS202E - Series FCV/E
 Series ZCF/E - Series ZCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 Series ECV/G - FCS101G - FCS102G - FCS201G
 FCS202G - Series FCV/G - Series ZCV/G



ZANUSSI 0C8306


ZANUSSI 002740

3240290 MAIN SHAFT SEALING GASKET
 external ø 38mm - internal ø 16mm - thickness 17mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
 ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699

3240261 MOTOR LM80/4 0.35Kw 230V 50/60Hz
 2.7A - 1400/1700rpm - capacitor 16 µf
 for 10 GRILLS versions
 for Convection oven (ZANUSSI) - Series FCF
 Series NCF - Series ZCF




ZANUSSI 002739

ZANUSSI



Suitable for:

4006670 FLANGE FOR MOTOR SHAFT
 external ø 74 mm - internal ø 22 mm - thickness 1
 for Convection oven (ZANUSSI)




ZANUSSI 006670

3786008 O-RING 04112 BROWN VITON
 for coffee group upper piston



ZANUSSI 002873

3240111 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E10
 FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
 for Convection oven gas (ZANUSSI) FCF/G10
 FCV/G10



ZANUSSI 053782

ZANUSSI 054890



Suitable for:

3240291 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø via hole 10 mm
 for Convection oven (ZANUSSI) - Series ACF
 Series ACV - Series ECV - Series FCF - Series FCV
 Series NCV - Series ZCF - Series ZCV
 for Convection oven electric (ZANUSSI) FCS101E
 FCS102E - FCS201E - FCS202E
 for Convection oven gas (ZANUSSI) FCS101G
 FCS102G - FCS201G - FCS202G



ZANUSSI 0C6461

ZANUSSI 002617

3240112 FAN ø 440 mm
 thickness 152 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCV/E20 - FCV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202




ZANUSSI 000274

ZANUSSI 054014

ZANUSSI 055378

4006670 FLANGE FOR MOTOR SHAFT
 external ø 74 mm - internal ø 22 mm - thickness 1
 for Convection oven (ZANUSSI)



ZANUSSI 006670

3786008 O-RING 04112 BROWN VITON
 for coffee group upper piston




ZANUSSI 002873

ZANUSSI



Suitable for:


3240737 FAN ø 350 mm
 thickness 135 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 for Convection oven gas (ZANUSSI) FCV/G10



ZANUSSI 0C8309

ZANUSSI 002139

3240739 FAN ø 440 mm
 height 155 mm
 total blades 6 - ø hole 10 mm
 for Convection oven electric (ZANUSSI)
 Series ACF/E - Series ACV/E - Series ECF/E
 Series ECV/E - Series FCF/E - FCS101E - FCS102E
 FCS201E - FCS202E - Series FCV/E
 Series ZCF/E - Series ZCV/E
 for Convection oven gas (ZANUSSI) - Series ACV/G
 Series ECV/G - FCS101G - FCS102G - FCS201G
 FCS202G - Series FCV/G - Series ZCV/G



ZANUSSI 0C8306

ZANUSSI 002740

3240290 MAIN SHAFT SEALING GASKET
 external ø 38mm - internal ø 16mm - thickness 17mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
 ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699



Suitable for:

3240115 MOTOR L7ZAW4D-099 0.245Kw
230/415V 50/60Hz



ZANUSSI 0H6929

Suitable for:

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm
for Convection oven (ZANUSSI)



ZANUSSI 054830


ZANUSSI 058731

3240263 MOTOR WITH FAN 38W 220V 50Hz
fan ø 153 mm
for Convection oven electric (ZANUSSI) AFCF/E2
FCF/E2 - ZCF/E2



ZANUSSI 054842

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



ZANUSSI 0A2010
ZANUSSI 054314

ZANUSSI 004933


ZANUSSI 031484

3240744 MOTOR WITH FAN 50W 220/230V 50Hz
fan ø 80 mm
for Convection oven electric (ZANUSSI) CC030
CC030G - OTS100




ZANUSSI 0KB666

3240015 MOTOR 1052.1400 0.1Kw 220V 50Hz
1A 1400rpm - capacitor 4 µf
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCV/G6-1 - ZOFCV/G6-3



ZANUSSI 054829

3240110 FAN ø 280 mm
thickness 100 mm
total blades 6 - ø hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E6
FCV/E6 - FCV/E6-1
for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
FCV/G6-1 - ZOFCV/G6-3




ZANUSSI 054585

ZANUSSI 055422



Suitable for:

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm
for Convection oven (ZANUSSI)



ZANUSSI 054830


ZANUSSI 058731

ZANUSSI



Suitable for:

3240016 MOTOR 1052.2500 0.19Kw 220/380V 50Hz
1.4/0.9A 1400rpm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10




ZANUSSI 054836

3391040 MOTOR BASE
for Convection oven (ZANUSSI)



ZANUSSI 058729


3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm
for Convection oven (ZANUSSI)



ZANUSSI 054830

ZANUSSI 058731

3240111 FAN \varnothing 350 mm
thickness 135 mm
total blades 6 - \varnothing hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10



ZANUSSI 053782

ZANUSSI 054890

3240907 MOTOR FLANGE
external \varnothing 270 mm - flange internal \varnothing 16 mm
height 3.5 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)




ZANUSSI 058957



Suitable for:

Suitable for:


3240019 MOTOR 1053.2500 0.35Kw 220/380V 50Hz
 1.8/1.04A 1400rpm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCV/E20 - FCV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202



ZANUSSI 054837

ZANUSSI 058607

3240112 FAN ø 440 mm
 thickness 152 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E20
 FCF/E40 - FCFE202 - FCV/E20 - FCV/E6-1
 ZOFCV/E202 - ZOFCV/E204
 for Convection oven gas (ZANUSSI) FCF/G20
 FCF/G40 - FCFC202 - FCFG202




ZANUSSI 000274

ZANUSSI 054014

ZANUSSI 055378

4058730 FLANGE MOTOR
 external ø 230 mm - internal flange ø 20 mm
 height 2.5 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



ZANUSSI 058730


3240295 MOTOR SPACER
 threads M6-M8
 overall height 47 mm
 for Convection oven (ZANUSSI)



ZANUSSI 054830


ZANUSSI 058731

3240715 MOTOR 1092.2330 0.1Kw 220V 50Hz
 0.9A 1350rpm - capacitor 4 µf
 for Convection oven electric (ZANUSSI) FCF/E6
 FCV/E6
 for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6



ZANUSSI 058587

3240110 FAN ø 280 mm
 thickness 100 mm
 total blades 6 - ø hole 9.5 mm
 for Convection oven electric (ZANUSSI) FCF/E6
 FCV/E6 - FCV/E6-1
 for Convection oven gas (ZANUSSI) FCF/G6 - FCV/G6
 FCF/G6-1 - ZOFCV/G6-3



ZANUSSI 054585

ZANUSSI 055422

3391040 MOTOR BASE
 for Convection oven (ZANUSSI)



ZANUSSI 058729

3240907 MOTOR FLANGE
 external ø 270 mm - flange internal ø 16 mm
 height 3.5 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)




ZANUSSI 058957



Suitable for:

3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm
for Convection oven (ZANUSSI)



ZANUSSI 054830


ZANUSSI 058731

ZANUSSI

Suitable for:



4058667 MOTOR 1092.5440 0.19Kw 220-240/380-415V
50Hz 1/0.58A 1350rpm
for Convection oven electric (ZANUSSI)
Series FCF/E10 - Series FCV/E10
for Convection oven gas (ZANUSSI) - Series FCV/G10




ZANUSSI 058667

3391040 MOTOR BASE
for Convection oven (ZANUSSI)



ZANUSSI 058729


3240295 MOTOR SPACER
threads M6-M8
overall height 47 mm
for Convection oven (ZANUSSI)



ZANUSSI 054830

ZANUSSI 058731

3240111 FAN ø 350 mm
thickness 135 mm
total blades 6 - ø hole 9.5 mm
for Convection oven electric (ZANUSSI) FCF/E10
FCV/E10 - FCV/E20 - ZOFCV/E102 - ZOFCV/E104
for Convection oven gas (ZANUSSI) FCF/G10
FCV/G10



ZANUSSI 053782

ZANUSSI 054890

3240907 MOTOR FLANGE
external ø 270 mm - flange internal ø 16 mm
height 3.5 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)




ZANUSSI 058957

Suitable for:

Suitable for:

40C5287 MOTOR 1096A2350 0.240/0.310Kw 230V
 50/60Hz - 1.1/1.4A - 1400/1700rpm
 capacitor 8 μ F - with thermic protection
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ - Series RDR
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series RDR



ZANUSSI 0C5287


3240736 FAN ϕ 288 mm
 thickness 130 mm
 total blades 10 - ϕ hole 10 mm
 for Convection oven electric (ZANUSSI) AOS061E
 EJM061E - FCZ061E - RDR061E
 for Convection oven gas (ZANUSSI) AOS061G
 EJM061G - FCZ061G - RDR061G



ZANUSSI 0C7029

ZANUSSI 007000

3240738 FAN ϕ 350 mm
 height 140 mm
 total blades 6 - ϕ hole 10 mm
 for Convection oven electric (ZANUSSI) AOS101E
 AOS201E - AOW101E - EJM101E - EJM201E
 FCZ101E - FCZ201E - RDR201E
 for Convection oven gas (ZANUSSI) AOS101G
 AOS102G - AOS201G - EJM101G - EJM201G
 FCZ101G - FCZ201G - RDR101G - RDR201G



ZANUSSI 0C1129

ZANUSSI 0C6463

40C6464 FAN ϕ 380 mm
 thickness 170 mm
 number of blades 12 - hole ϕ 10 mm
 for Convection oven electric (ZANUSSI)
 Series AOS/062E - Series AOS/102E
 Series AOS/202E - Series EJM/102E
 Series EJM/202E - Series FCZ/102E
 Series FCZ/202E - Series RDR/202E
 for Convection oven gas (ZANUSSI)
 Series AOS/062G - Series AOS/102G
 Series AOS/202G - Series EJM/102G
 Series EJM/202G - Series FCZ/102G
 Series FCZ/202G - Series RDR/102G
 Series RDR/202G



ZANUSSI 0C1172

ZANUSSI 0C6464

3240290 MAIN SHAFT SEALING GASKET
 external ϕ 38mm - internal ϕ 16mm - thickness 17mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
 ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G61C3 - JCF/G6



ZANUSSI 002699

3786008 O-RING 04112 BROWN VITON
 for coffee group upper piston



ZANUSSI 002873




Suitable for:

ZANUSSI



Suitable for:

3240017 MOTOR 110.4.370M 0.37Kw 230V 50/60Hz
2.7A 1400rpm - capacitor 10 µf
(old type)
for Convection oven (ZANUSSI)



ZANUSSI 057970

Non-return and expansion valves

4007008 KIT NON-RETURN VALVE ø 37 mm
complete with coupling
sphere-shaped - outlet ø 12 mm
plastic nut
for Convection oven electric (ZANUSSI)
Series AOS
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 007008

40C1117 NON-RETURN VALVE ø 10 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series EJM - Series FCS - Series FCZ
Series RDR
for Convection oven gas (ZANUSSI) - Series AOS
Series EJM - Series FCS - Series FCZ - Series RDR



ZANUSSI 0C1117

40C2312 NON-RETURN VALVE ø 20 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series EJM - Series FCS - Series FCZ
for Convection oven gas (ZANUSSI) - Series AOS
Series EJM - Series FCS - Series FCZ - Series RDR



ZANUSSI 0C2312

1526503 NON-RETURN VALVE ø 40 mm
ballcock - outlets ø 12 mm
stainless steel cap



ZANUSSI 0L1892

ZANUSSI 005762

ZANUSSI 049332

1186805 O-RING 0115 EPDM



ZANUSSI 067292



Nozzles for humidifier

- 4053800 NOZZLE INJECTION \varnothing 15/12.5x10 mm**
 for Convection oven electric (ZANUSSI)
 Series FCF/E10 - Series FCF/E20 - Series FCF/E6
 for Convection oven gas (ZANUSSI) - Series FCF/G10
 Series FCF/G20 - Series FCF/G6



ZANUSSI 053800

Outlet solenoid valves and accessories

- 3525014 BOILER MOTOR DRAIN VALVE**
 230V 50/60Hz 2.5W
 fittings \varnothing 1" FF DN25
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCV - Series ZCV



ZANUSSI 005026

- 3525021 VALVE BOILER DRAIN MOTORIZED**
 230V 50/60Hz 2.5W
 fittings \varnothing 3/4" FF DN20
 for Convection oven (ZANUSSI) - Series AOS
 Series AOW - Series CS - Series ECV - Series EJV
 Series FCS - Series FCV - Series FCZ - Series RDR
 Series ZCV



ZANUSSI 0C0882

ZANUSSI 002713

- 5068963 VALVE BOILER DRAIN MOTORIZED**
 230V 50/60Hz 3W
 fittings \varnothing 3/4" FF DN20
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJV - Series FCZ - Series RDR
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJV - Series FCZ - Series RDR



ZANUSSI 0C5518

OR and ORM gaskets

- 1186230 O-RING GASKET 0164 EPDM**



ZANUSSI 068799

- 3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm**



ZANUSSI 0L2765
 ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620



Suitable for:

Suitable for:

3186014 O-RING GASKET 06225 EPDM ø 67 mm

3160044 O-RING 03187 EPDM



ZANUSSI 0E5037
ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

ZANUSSI 053809

3786008 O-RING 04112 BROWN VITON
for coffee group upper piston



ZANUSSI 002873

Penetration probes

7106284 PENETRATION PROBE
13 wires - coupling and faston connection
probe length 107 mm
inner chamber cable length 1700 mm
external chamber cable length 450 mm
for Convection oven electric (ZANUSSI) AOW101EABU
AOW101E4



ZANUSSI 0C3964

ZANUSSI 0C6616

3397195 PENETRATION PROBE PT 1000
2 wires - faston connection
bulb ø 4x150 mm
cable length 1560 mm
for Convection oven (ZANUSSI) - Series ACF
Series ACV - Series ECF - Series ECV - Series FCF
Series FCS - Series FCV - Series NCF - Series NCV
Series ZCF - Series ZCV



ZANUSSI 006192

3397010 PENETRATION PROBE PT100
2 wires - connector fitting
probe length 185 mm
compartment internal cable length 900 mm
compartment external cable length 1550 mm
for Convection oven electric (ZANUSSI) FCV/E10
FCV/E20 - FCV/E20P - FCV/E6
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20 - FCV/G20P - FCV/G6 - FCVA/G10
FCVA/G201 - FCVA/G203 - FCVA/G6



ZANUSSI 055472

3397013 PENETRATION PROBE PT100
2 wires - faston connection
probe length 160 mm
chamber internal cable length 1200 mm
chamber external cable length 1850 mm
for Convection oven electric (ZANUSSI) ACF/E10
ACV/E10 - ACV/E201 - ACV/E202 - ECF/E10
ECV/E202 - ECV7E10 - ECV7E201 - FCF/E10
FCV/E10 - FCV/E201 - FCV/E202 - JCF/E10
NCF/E10 - RCF/E10 - RCVE101E4 - ZCF/E10
ZCV/E10 - ZCV/E201 - ZCV/E202
for Convection oven gas (ZANUSSI) ACF/G10
ACV/G10 - ECF/G10 - ECV/G10 - FCF/G10
FCS101G - FCS102G - FCV/G10 - JCF/G10
NCF/G10 - NCV/G10 - RCF102G - RCV101G4
ZCF/G10 - ZCV/G10




ZANUSSI 002821

Suitable for:

Suitable for:

3397015 PENETRATION PROBE PT100
 2 wires - faston fitting
 probe length 140 mm
 compartment internal cable length 1000 mm
 compartment external cable length 1550 mm
 for Convection oven electric (ZANUSSI) ACF/E20
 ACV/E201 - ACV/E202 - ECV/E201 - ECV/E202
 FCF/E20 - FCF/E201 - FCF/E202 - ZCF/E20
 ZCV/E201 - ZCV/E202
 for Convection oven gas (ZANUSSI) ACF/G20
 ACV/G201 - ACV/G202 - ECF/G20 - ECV/G201
 ECV/G202 - FCF/G20 - FCF/G201 - FCF/G202
 ZCF/G20 - ZCV/G201 - ZCV/G202

3397012 PENETRATION PROBE PT1000
 2 wires - faston fitting
 probe length 140 mm
 compartment internal cable length 530 mm
 compartment external cable length 1550 mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E6 - ACV/E10 - ACV/E6 - ECF/E10 - ECF/E6
 ECV/E10 - FCF/E10 - FCF/E6 - FCFE/10 - FCS061E
 FCF/E10 - FCF/E6 - JCF/E10 - JCF/E6 - NCF/E10
 NCF/E6 - NCV/E6 - RCF/E10 - RCV/E6 - RCVE101E4
 RCV061E2 - ZCF/E10 - ZCF/E6 - ZCV/E10 - ZCV/E6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G101 - ACF/G6 - ACV/G10 - ACV/G6 - BCF/G6
 ECF/G10 - ECF/G6 - ECV/G10 - ECV/G6 - FCF/G10
 FCF/G6 - FCS061G - FCF/G10 - FCF/G6 - JCF/G10
 JCF/G6 - NCF/G10 - NCF/G6 - RCF061G - RCF102G



ZANUSSI 003094

ZANUSSI 003853

ZANUSSI 002673

3397209 PENETRATION PROBE TCK
 13 wires - connector fitting
 probe length 95 mm
 chamber internal cable length 1500 mm
 chamber external cable length 950 mm
 for Convection oven electric (ZANUSSI) AOS061E
 for Convection oven gas (ZANUSSI) AOS061G

3397210 PENETRATION PROBE TCK
 13 wires - connector fitting
 probe length 95 mm
 chamber internal cable length 1500 mm
 chamber external cable length 950 mm
 from serial number 250
 for Convection oven electric (ZANUSSI) AOS061E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G



ZANUSSI 0C1164

ZANUSSI 006982

40C0972 PENETRATION PROBE TCK
 complete with 3 auxiliary connectors
 3 wires - connector fitting
 probe length 95 mm
 external chamber cable length 1555 mm
 external chamber cable length 1040 mm
 for Convection oven gas (ZANUSSI) AOS101GA
 AOS101GB

40C1213 PENETRATION PROBE TCK
 13 wires - connector fitting
 probe length 95 mm
 chamber internal cable length 1050 mm
 chamber external cable length 1800 mm
 for Convection oven electric (ZANUSSI)
 Series AOS102E
 for Convection oven gas (ZANUSSI) - Series AOS102G



ZANUSSI 0C0972

ZANUSSI 0C1213



Suitable for:

ZANUSSI



40C1404 PENETRATION PROBE TCK

13 wires - connector fitting
 probe length 98 mm
 chamber internal cable length 1850 mm
 chamber external cable length 1290 mm
 for Convection oven electric (ZANUSSI)
 Series AOS201E - Series AOS202E - Series EJM201E
 Series EJM202E - Series FCZ201E - Series FCZ202E
 Series RDR201E - Series RDR202E
 for Convection oven gas (ZANUSSI) - Series AOS201G
 Series AOS202G - Series EJM201G - Series EJM202G
 Series FCZ201G - Series FCZ202G - Series RDR201G
 Series RDR202G



ZANUSSI 0C1404

40C4240 PENETRATION PROBE TCK

13 wires - connector fitting
 probe length 98 mm
 internal chamber cable length 1550 mm
 external chamber cable length 600 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ



ZANUSSI 0C4240

40C4241 PENETRATION PROBE TCK

3 wires - connector fitting
 probe length 98 mm
 internal chamber cable length 1555 mm
 external chamber cable length 600 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ



ZANUSSI 0C4241

40C6573 PENETRATION PROBE TCK

3 wires - connector fitting
 probe length 95 mm
 chamber internal cable length 1750 mm
 chamber external cable length 800 mm
 for Convection oven electric (ZANUSSI)
 Series AOS201E - Series AOS202E - Series FCZ201E
 Series FCZ202E
 for Convection oven gas (ZANUSSI) - Series AOS201G
 Series AOS202G - Series FCZ201G - FCZ202G



ZANUSSI 0C6573

40C6574 PENETRATION PROBE TCK

13 wires - connector fitting
 probe length 95 mm
 chamber internal cable length 1700 mm
 chamber external cable length 800 mm
 for Convection oven electric (ZANUSSI)
 Series AOS201E - Series AOS202E - Series FCZ201E
 Series FCZ202E
 for Convection oven gas (ZANUSSI) - Series AOS201G
 Series AOS202G - Series FCZ201G - Series FCZ202G



ZANUSSI 0C6574

3397100 PROBE PENETRATION PT1000

2 wires - faston connection
 probe length 140 mm
 chamber internal cable 950 mm
 chamber external cable 1500 mm
 for Convection oven electric (ZANUSSI) FCS201E4
 FCS202E4
 for Convection oven gas (ZANUSSI) ACV/G201
 ACV/G202 - ECV/G201 - ECV/G202 - FCS201G4
 FCV/G20 - FCV/G201 - FCV/G202 - ZCV/G201
 ZCV/G202



ZANUSSI 006174



Pilot burners and accessories

3020144 BRASS NUT M15x1



ZANUSSI 020997

3020145 CASING INJECTOR BURNER
nozzle thread M15x1 mm



ZANUSSI 020988

ZANUSSI 051948

3020144 BRASS NUT M15x1



ZANUSSI 020997

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ZANUSSI 057960

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ZANUSSI 0C0121

ZANUSSI 003609

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



ZANUSSI

3020083 NUT & OLIVE \varnothing 4 mm



ZANUSSI 052833

3020084 NUT & OLIVE \varnothing 6 mm



ZANUSSI 052834

3020114 OLIVE FOR PIPE \varnothing 6 mm



ZANUSSI 003863

3020082 OLIVE FOR 12 mm \varnothing PIPE



ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979

3020111 OLIVE FOR 4 mm \varnothing PIPE



ZANUSSI 053665



Suitable for:

Suitable for:

3020081 OLIVE FOR 6 mm ϕ PIPE




ZANUSSI 053666

3020308 PILOT ASSEMBLY WITH NOZZLE ϕ 0.40 mm



ZANUSSI 006725

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle ϕ 0.35 mm
with 3 position bracket



ZANUSSI 050812

ZANUSSI 058329

3020054 PILOT JET ϕ 0.20 mm



ZANUSSI 056799

3020055 PILOT JET ϕ 0.35 mm




ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

3020077 PIPE FITTING ϕ 4 mm
thread M10x1



ZANUSSI 046755

3020078 PIPE FITTING ϕ 6 mm
thread M10x1



ZANUSSI 003859

3001003 ROUND SPARKING PLUG ϕ 7x44 mm
male faston M4x1 mm
total length 65 mm



ZANUSSI 0C0488

ZANUSSI 051565

ZANUSSI 051977

3020060 SPARKING PLUG ROUND ϕ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ZANUSSI 0A2473

ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

ZANUSSI 059380

ZANUSSI 059988



ZANUSSI




Suitable for:

Suitable for:

3020201 PILOT GAS JET \varnothing 0.14 mm

3020044 PILOT GAS JET \varnothing 0.20 mm



ZANUSSI 059216

ZANUSSI 054037

ZANUSSI 054286

3020202 PILOT GAS JET \varnothing 0.27 mm

3020043 PILOT GAS JET \varnothing 0.36 mm



ZANUSSI 059215

ZANUSSI 003626

3020045 PILOT GAS JET \varnothing 0.50 mm

3020054 PILOT JET \varnothing 0.20 mm



ZANUSSI 054038

ZANUSSI 056799

3020156 PILOT JET \varnothing 0.25 mm

3020157 PILOT JET \varnothing 0.25 mm



ZANUSSI 058330

ZANUSSI 054593

3020040 PILOT JET \varnothing 0.30 mm

3020055 PILOT JET \varnothing 0.35 mm



ZANUSSI 053667

ZANUSSI 057388

ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

3020041 PILOT JET \varnothing 0.41 mm

3020187 PILOT NOZZLE \varnothing 0.51 mm



ZANUSSI 053670

ZANUSSI 053668



Suitable for:

Suitable for:

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm

3020106 PILOT WITH 0.25 mm \varnothing JET



ZANUSSI 059161

ZANUSSI 052281

3020107 PILOT WITH 0.35 mm \varnothing JET


**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



ZANUSSI 052686

ZANUSSI 046755

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



ZANUSSI 003859

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ZANUSSI 059379

ZANUSSI 0C0488
ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting
for Convection oven gas (ZANUSSI)

3020085 FITTING FOR SPARKING PLUG FIXING M10x1m m



ZANUSSI 054032

ZANUSSI 057960



Suitable for:

3020111 OLIVE FOR 4 mm Ø PIPE




ZANUSSI 053665

3020045 PILOT GAS JET Ø 0.50 mm



ZANUSSI 054038

**3020078 PIPE FITTING Ø 6 mm
thread M10x1**



ZANUSSI 003859

3020060 SPARKING PLUG ROUND Ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ZANUSSI 0A2473

ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

ZANUSSI 059380

ZANUSSI 059988

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet Ø 0.20 mm
with 3 positions bracket



ZANUSSI 0C0494

ZANUSSI 050813

ZANUSSI 051624

ZANUSSI 051976

ZANUSSI 054335

ZANUSSI 057737

ZANUSSI 058329

ZANUSSI



Suitable for:


3020044 PILOT GAS JET Ø 0.20 mm



ZANUSSI 054037

ZANUSSI 054286

**3020077 PIPE FITTING Ø 4 mm
thread M10x1**



ZANUSSI 046755

3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm



ZANUSSI 0C0488

ZANUSSI 051565

ZANUSSI 051977

ZANUSSI 056754

3020054 PILOT JET Ø 0.20 mm



ZANUSSI 056799



Suitable for:

3020055 PILOT JET \varnothing 0.35 mm




ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



ZANUSSI 003859

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ZANUSSI 0A2473

ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

ZANUSSI 059380

ZANUSSI 059988

3020103 THREE-POSITION BRACKET



ZANUSSI 005618

ZANUSSI



Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



ZANUSSI 046755

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ZANUSSI 0C0488

ZANUSSI 051565

ZANUSSI 051977

ZANUSSI 056754



Potentiometers

3057322 SELECTOR SWITCH COMPLETE WITH CABLE

D-shaped pin 6x4.6 mm
 for Convection oven electric (ZANUSSI) FCS/E101EP
 FCS/E101EX - FCS/061EX - FCS/102EP - FCS/102EX
 FCS/201EP - FCS/201EX - FCS/202EP - FCS/202EX
 FCV/E61/1 - ZCV/E61/1
 for Convection oven gas (ZANUSSI) FCS/061GP
 FCS/061G4 - FCS101GP - FCS101GX - FCS102GP
 FCS102GX - FCS201GP - FCS201GX - FCS202GP
 FCS202GX



ZANUSSI 0C0974

Pre-rinse units

3359610 BLACK SHOWER CASE ECO \varnothing 1/2" M with coupling 3/8" M x 1/2" M



ZANUSSI 003175

40L0454 SHOWER-HOUSING BLACK \varnothing 3/8" F for Convection oven (ZANUSSI)



ZANUSSI 0L0454

3359605 WHITE SHOWER HEAD NEW \varnothing 1/2" F



ZANUSSI 003167

Pressure gauges

3245010 PRESSURE GAUGE \varnothing 52 mm fitting \varnothing 1/4" M scale 0-6 bar for Convection oven electric (ZANUSSI) ACV/E10 ACV/E6 - ECV/E10 - FCS101E - FCV/E10 - FCV/E6 NCV/E10 - NCV/E6 for Convection oven gas (ZANUSSI) ACV/G10 - ACV/G6 FCS061G - FCS101G - FCV/G10 - FCV/G6 - NCV/G10 NCV/G6



ZANUSSI 058941

40K8198 PRESSURE GAUGE \varnothing 62 mm coupling \varnothing 1/4" M scale 0-1.60 bar for Convection oven (ZANUSSI)



ZANUSSI 0K8198



Suitable for:

ZANUSSI

Suitable for:



Pressure regulators

3350028 PRESSURE REDUCER VALVE \varnothing 1/2"FF



ZANUSSI 002678

Pressure switches

3320051 ADJUSTABLE PRESSURE SWITCH \varnothing 1/4" M
operating pressure regulation 5-20 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C
for Convection oven gas (ZANUSSI) ACV/G10
ECV/G10 - ECV/G6 - FCS061G - FCS101G - FCS102G
FCV/G10 - FCV/G6 - NCV/G10 - ZCV/G10 - ZCV/G6



ZANUSSI 002635

3320056 PRESSURE SWITCH HONEYWELL C6065A12752
pressure 0.4-10 mbar
enabling ON switching
for Convection oven gas (ZANUSSI) ACV/G10
ACV/G20 - ECV/G10 - FCF/G20 - FCS101G
FCS102G - FCV/G10 - FCV/G20 - FDV20G - FDV40G
NCV/G10 - ZCV/G10 - ZCV/G20



ZANUSSI 002640

ZANUSSI 003772

40C1126 PRESSURE SWITCH WATER 0.2-6 BAR
NC 16A 250V - NO 9A 250V
fitting \varnothing 15 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series FCS - Series FCZ
for Convection oven gas (ZANUSSI) AOS - Series FCS
Series FCZ



ZANUSSI 0C1126

40C6217 PRESSURE SWITCH 0.2-3 BAR
contact capacity 10(2)A 250V
pressure 0.2-3 bar - fitting \varnothing 8 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series EJM - Series FCZ
for Convection oven gas (ZANUSSI) - Series AOS
Series EJM - Series FCZ



ZANUSSI 0C6217

4006536 PRESSURE SWITCH 0.80/0.60 BAR 1.5A 250V
for Convection oven gas (ZANUSSI)
Series ACV/G201 - Series ACV/G202
Series ECV/G201 - Series ECV/G202 - FCS/201G4
FCS/202G4 - FCS201GP - FCS201GX - FCS202GP
FCS202GX - Series FCV/G201 - Series FCV/G202
Series ZCV/G201



ZANUSSI 006536



Probes

4002701 BUSHING FOR TEMPERATURE PROBE
 external \varnothing 11 mm - internal \varnothing 4.3 mm
 length 22.4 mm
 for Convection oven (ZANUSSI)



ZANUSSI 002701

3397131 LAMBDA PROBE
 bulb \varnothing 12 mm - total length 85 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS201G - AOS202G



ZANUSSI 0C6465

ZANUSSI 006995

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



ZANUSSI 004116

3397085 PROBE TEMPERATURE PT100
 2 wires - for low temperature
 probe length 120 mm
 cable length 2000 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0H6491

3397028 PROBE TEMPERATURE TCK
 3 wires - eyelet-faston connection
 bulb \varnothing 4x70 mm
 cable length 920 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 EJN061E - EJN102E - EJN201E - EJN202E
 FCZ061E - FCZ102E - FCZ201E - RDR061E
 RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS201G - AOS202G - EJN201G
 FCZ201G - RDR201G



ZANUSSI 0C0325

3397207 PROBE TEMPERATURE TCK
 3 wires - eyelet-faston connection
 bulb \varnothing 4x70 mm
 cable length 570 mm
 for Convection oven electric (ZANUSSI)
 AOS061E - AOS101E - AOS102E - AOS201E - AOS202E
 EJN101E - EJN102E - EJN201E - EJN202E
 FCZ061E - FCZ102E - FCZ201E - RDR061E
 RDR101E - RDR201E
 for Convection oven gas (ZANUSSI)
 AOS061G - AOS101G - AOS102G - AOS201G - AOS202G
 EJN061G - EJN101G - EJN102G - EJN201G
 EJN202G - FCZ201G - RDR061G - RDR101G
 RDR201G
 for Convection oven electric (ZANUSSI) AOS201EBA1



ZANUSSI 0C0324

ZANUSSI 0C6538



Suitable for:

ZANUSSI



3397208 PROBE TEMPERATURE TCK
 3 wires - loop connection
 bulb \varnothing 4x70 mm
 cable length 1180 mm
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS102E - AOS201E - AOS202E
 EJNI061E - EJNI101E - EJNI102E - EJNI201E
 EJNI202E - FCZ061E - FCZ102E - FCZ201E
 RDR061E - RDR101E - RDR201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS102G - AOS201G - AOS202G
 EJNI061G - EJNI101G - EJNI102G - EJNI201G
 EJNI202G - FCZ201G - RDR061G - RDR101G
 RDR201G



ZANUSSI 0C6539

3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb \varnothing 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

3440147 SENSOR THERMOCOUPLE 100 mm FOR "UL"
 terminal block fitting



ZANUSSI 003439

3397027 TEMPERATURE PROBE PT100
 2 wires - connector fitting
 bulb \varnothing 4x60 mm
 cable length 1300 mm
 for Convection oven electric (ZANUSSI) FCV/E10
 FCV/E20 - FCV/E202V-P - FCV/E6
 for Convection oven gas (ZANUSSI) FCV/G10
 FCV/G20 - FCVA/G10 - FCVA/G20 - FCVA/G6



ZANUSSI 058669

3397080 TEMPERATURE PROBE PT1000
 2 wires - faston connection
 probe length 275 mm
 cable length 1800 mm
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series NCV
 Series RCV - Series ZCV
 for Convection oven electric (ZANUSSI) CS10GE4
 CS10GE6 - CS10LCE4 - CS10LCE6 - CS10ME4
 CS10ME6 - CS20GE4 - CS20GE6 - CS20LCE4
 CS20LCE6 - CS20ME4 - CS20ME6 - CS7GE4 - CS7GE6
 CS7LCE4 - CS7LCE6 - CS7ME4 - CS7ME6



ZANUSSI 0C5342

ZANUSSI 002615

4002701 BUSHING FOR TEMPERATURE PROBE
 external \varnothing 11 mm - internal \varnothing 4.3 mm
 length 22.4 mm
 for Convection oven (ZANUSSI)




ZANUSSI 002701



Relays

3351037 POWER RELAY FINDER 40.52.8.230.0000
230V 50/60Hz - 2 exchange contacts 8A



ZANUSSI 0E5849

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



ZANUSSI 0D0013
ZANUSSI 083215

ZANUSSI 058857

ZANUSSI 069882

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ZANUSSI 0PE302

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ZANUSSI 0A9596
ZANUSSI 088197

ZANUSSI 005033

ZANUSSI 005034

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



ZANUSSI 085647

1351021 POWER-RELAY OMRON G7L-2A-TUB
230V 50Hz
2 contacts NO 25A
for Convection oven electric (ZANUSSI) AOS061E



ZANUSSI 088267

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A




ZANUSSI 056446
ZANUSSI 085296

ZANUSSI 056466
ZANUSSI 086214

ZANUSSI 056510

1351009 RELAY TP3250 16A 230V 50Hz



ZANUSSI 0H6544



Suitable for:

ZANUSSI



Suitable for:

Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




ZANUSSI 0A2205
ZANUSSI 054376

ZANUSSI 0KT779

ZANUSSI 006712

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



ZANUSSI 026945


3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



ZANUSSI 0A2227


ZANUSSI 003142

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




ZANUSSI 054375

3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm



ZANUSSI 032677

3059057 SELECTOR SWITCH 0-1 POSITIONS
ON-OFF-START
16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ZANUSSI 048271

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm



ZANUSSI 046360

3057001 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm



ZANUSSI 029147

3057009 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (ZANUSSI)




ZANUSSI 057934



Suitable for:


3057039 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) ACF/E4
 FCF/E4



ZANUSSI 054324


Suitable for:

3057093 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Pastry oven electric (ZANUSSI) BE2-A-C.3
 BE2-A-M.3 - BE2-WS-C.3 - BE2-WS-M.3




ZANUSSI 0H6602

4048719 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




ZANUSSI 048719

3057010 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



ZANUSSI 057934


3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



ZANUSSI 0A2022


ZANUSSI 0K4922

3057136 SELECTOR SWITCH 0-6 POSITIONS
 5 cams - contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6
 for OVEN 6-10-20 SHELVES
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series NCV
 Series ZCV




ZANUSSI 002661

3057034 SELECTOR SWITCH 0-7 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI)
 since 1/01/91
 FCF/E10 - FCF/E20
 for Convection oven gas (ZANUSSI)
 since 1/01/91
 FCF/G10 - FCF/G20
 since 1/01/87
 FCF/G40



ZANUSSI 055017

3057111 SELECTOR SWITCH 4 POSITIONS
 5 cams - contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



ZANUSSI 0H6387




Suitable for:

ZANUSSI




3057116 SELECTOR SWITCH 4 POSITIONS
14 cams - contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ZANUSSI 0H6101

40E3697 SELECTOR SWITCH 6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (ZANUSSI) CC030
CC030G - EC0312CF - OTS100



ZANUSSI 0E3697

40C6245 SELECTOR SWITCH 8 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 0C6245

Solenoid valves

4058946 ADJUSTER FLOW RATE \varnothing 0.50 mm
for Convection oven (ZANUSSI)



ZANUSSI 058946

3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



ZANUSSI 0W2908

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



ZANUSSI 0L0166

40C6225 ASSEMBLY WATER OUTLET COMPLETE
complete with 2 solenoid valves 230V 50/60Hz
inlet \varnothing 3/4" M - outlets \varnothing 15/12 mm
side outlets \varnothing 8 mm
for Convection oven electric (ZANUSSI)
Series AOS - Series AOW - Series EJM - Series FCZ
Series HOR - Series RDR
for Convection oven gas (ZANUSSI) - Series AOS
Series EJM - Series FCZ - Series HOR - Series RDR



ZANUSSI 0C6225

ZANUSSI 0C6374



Suitable for:

Suitable for:

40C6406 ASSEMBLY WATER OUTLET COMPLETE
 complete with 1 solenoid valve 230V 50/60Hz
 inlet \varnothing 3/4" M - outlets \varnothing 15/12 mm
 side outlets \varnothing 8 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ



ZANUSSI 0C6406

ZANUSSI 0C8663

4002728 FLOW RATE ADJUSTER \varnothing 1.80 mm
 for Convection oven (ZANUSSI)



ZANUSSI 002728

3120292 FLOWRATE ADJUSTER \varnothing 0.60 mm
 for Convection oven (ZANUSSI)



ZANUSSI 002091

40A5325 FLOWRATE ADJUSTER \varnothing 2.00 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0A5325

40C6370 MANIFOLD ASSEMBLY WATER OUTLET
 inlet \varnothing 3/4" M - outlet \varnothing 15.5 mm
 side outlets \varnothing 8 mm
 for Convection oven electric (ZANUSSI)
 Series AOS - Series AOW - Series EJM - Series FCZ
 Series HOR - Series RDR
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series HOR - Series RDR



ZANUSSI 0C6370

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



ZANUSSI 0A2064

ZANUSSI 0KM766

ZANUSSI 002613

ZANUSSI 047531

ZANUSSI 055350

3120104 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 13.5 mm



ZANUSSI 048817

ZANUSSI 049626

ZANUSSI 088194

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



ZANUSSI 002753

ZANUSSI 047756

ZANUSSI 048894

ZANUSSI 055132

ZANUSSI 086014



Suitable for:

ZANUSSI



3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 058996

Suitable for:

3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 055444

ZANUSSI 056872

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 0K5389

ZANUSSI 045631

ZANUSSI 046427

ZANUSSI 047536

ZANUSSI 069463

3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 046796

ZANUSSI 048180

3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 047529

ZANUSSI 047532

ZANUSSI 048178

ZANUSSI 048898

ZANUSSI 069179


3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 0H2513


ZANUSSI 0L0175

3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 072282

3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm




ZANUSSI 0E5070

3120010 SOLEN. VALVE ELBI TYPE 352 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 049056

3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 069262


ZANUSSI 072364



Suitable for:

Suitable for:

3120514 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
 24V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 0KZ810

3120404 SOLEN. VALVE T&P 1 WAY 90°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm




ZANUSSI 0C0688

ZANUSSI 0C4984


ZANUSSI 056350

3120255 SOLEN. VALVE T&P 2 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 1 outlet with red adjuster 0.5 L/min
 for Convection oven (ZANUSSI)



ZANUSSI 047579

3120407 SOLEN. VALVE T&P 2 WAY 180°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm




ZANUSSI 0M2265

3120406 SOLEN. VALVE T&P 2 WAY 90°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 069295

4007017 SOLENOID VALVE CEME 230V 50Hz
 588 - connections with hose-end fitting
 with coil 5536 13.5VA 230VAC 50Hz
 for Convection oven electric (ZANUSSI) AOS061E
 AOS101E - AOS201E
 for Convection oven gas (ZANUSSI) AOS061G
 AOS101G - AOS201G



ZANUSSI 007017

3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - three outlets ø 10.5 mm



ZANUSSI 047539

ZANUSSI 047540

ZANUSSI 049077

ZANUSSI 069296

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - three outlets ø 10.5 mm



ZANUSSI 0E0330

ZANUSSI 047538

ZANUSSI 069464



Suitable for:

ZANUSSI



3120550 SOLENOID VALVE INVENSYS 1 WAY 180°
 240V 50/60Hz 6W - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 0C3254

Suitable for:

40C5515 SOLENOID VALVE INVENSYS 1 WAY 180°
 230V 50/60Hz 6W - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm
 outlet with white adjuster
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJN - Series FCZ - Series RDR
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJN - Series FCZ - Series RDR



ZANUSSI 0C5515

40C5516 SOLENOID VALVE INVENSYS 2-WAY 180°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 1 outlet with white adjuster
 1 outlet with brown adjuster
 for Convection oven electric (ZANUSSI)
 Series AOS - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJN - Series FCZ - Series HOR - Series RDR



ZANUSSI 0C5516

40C5517 SOLENOID VALVE INVENSYS 2-WAY 180°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 1 outlet with white adjuster
 1 outlet with black adjuster
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJN - Series FCZ - Series HOR
 Series RDR
 for Convection oven gas (ZANUSSI) - Series AOS
 Series EJN - Series FCZ - Series HOR - Series RDR



ZANUSSI 0C5517

40C1934 SOLENOID VALVE INVENSYS 3-WAY 180°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - three outlets ø 10.5 mm
 1 outlet with blue adjuster
 1 outlet with white adjuster
 for Convection oven electric (ZANUSSI)
 Series AOS - Series AOW - Series EJN - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series FCZ



ZANUSSI 0C1934

ZANUSSI 002859

3120261 SOLENOID VALVE MULLER 1-WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 0G2196



Suitable for:

Suitable for:

40C1148 SOLENOID VALVE ODE \varnothing 1/2" FF 230V
 for water - NC
 maximum temperature 90°C
 maximum differential pressure 16 bar
 coil ODE 8W 230/240V 50/60Hz
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCS - Series FCZ
 for Convection oven gas (ZANUSSI) - Series AOS
 Series FCS - Series FCZ



ZANUSSI 0C1148

4002712 SOLENOID VALVE T&P 3-WAY 90°
 230V 50/60Hz - max temperature 90°C
 inlet 3/4" - three outlets \varnothing 10.5 mm
 1 outlet with light blue adapter 1 L/min
 1 outlet with red adapter 0.25 L/min



ZANUSSI 002712

40F0001 SOLENOID VALVE 230V \varnothing 12 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - three outlets \varnothing 12 mm
 with 1 yellow flow rate adjuster
 with 1 red flow rate adjuster
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



ZANUSSI 0F0001

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
 220/240V 50/60Hz



ZANUSSI 0A2073
 ZANUSSI 051884

ZANUSSI 003376
 ZANUSSI 053647

ZANUSSI 004240

3181003 SPARK GENERATOR 4 OUTLETS
 220/240V 50/60Hz



ZANUSSI 0A2097
 ZANUSSI 003214

ZANUSSI 0K9979
 ZANUSSI 004248

ZANUSSI 0M0476
 ZANUSSI 054134

3181004 SPARK GENERATOR 6 OUTLETS
 220/240V - 50/60Hz



ZANUSSI 003552

ZANUSSI 004251

ZANUSSI 054141



Suitable for:

ZANUSSI

Suitable for:



Sparking and detection plugs

3020180 BOILER FLAME SPARKLING PLUG \varnothing 9.5x110 mm
overall length 130 mm
complete with silicone covered cable 1100 mm
for Convection oven gas (ZANUSSI) - Series AOS




ZANUSSI 0C1137

3020185 BURNER FLAME DETECTION PLUG
 \varnothing 9x54 mm - overall length 104 mm
complete with covered cable length 500 mm
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 0C1049

3020178 BURNER FLAME SPARKLING PLUG
 \varnothing 9.5x54 mm - overall length 95 mm
complete with silicone covered cable 500 mm
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 0C1134

ZANUSSI 0C1771

3020186 FLAME DETECTION PLUG \varnothing 9x95 mm
overall length 130 mm
complete with covered cable length 830 mm
for Convection oven gas (ZANUSSI) - Series AOS




ZANUSSI 0C1068

40C4462 KIT SPARKING AND DETECTION PLUG
 \varnothing 9x90 mm - overall length 120-130 mm
1 - 440 mm long cable - 2 - 380 mm long cables
for Convection oven gas (ZANUSSI) - Series AOS
Series EJN - Series FCZ - Series RDR



ZANUSSI 0C4462

7102151 ROUND DETECTION PLUG \varnothing 9x40 mm
overall length 75 mm
complete with silicone coated cables 670 mm
for OVEN FCV/G6-ECV/G6-ZCV/G6-ACV/G6-RCV061G2-
FCS061G



ZANUSSI 005910

3020203 ROUND DETECTION PLUG \varnothing 9x60 mm
overall length 137 mm
for Convection oven gas (ZANUSSI)
since 1/01/95



ZANUSSI 002343

3020206 ROUND DETECTOR ELECTRODE \varnothing 9.5x60 mm
overall length 109 mm
for Convection oven gas (ZANUSSI) FCV/G10
FCV/G20



ZANUSSI 002638

Suitable for:

3020205 ROUND IGNITION ELECTRODE \varnothing 9.5x60 mm
 overall length 90 mm
 for Convection oven gas (ZANUSSI) FCV/G10L
 FCV/G6L4



ZANUSSI 002637

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



ZANUSSI 0C0488
 ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

3020164 ROUND SPARKING PLUG \varnothing 9.5x60 mm
 overall length 104 mm
 for Convection oven gas (ZANUSSI) FCS101 - FCS201
 FCV/G101 - FCV/G20 - FCV/G201



ZANUSSI 0H6803

3020204 ROUND SPARKING PLUG \varnothing 9x60 mm
 overall length 96 mm
 for Convection oven gas (ZANUSSI) FCV/G6L4
 FCVMG62



ZANUSSI 002344

40C4461 SPARKING AND DETECTION PLUG KIT
 \varnothing 9.5x90 mm - overall length 130-140 mm
 1 cable 440 mm long - 2 cables 240 mm long
 for OVEN FCZ061G-FCZ101G-EJN061G-EJN101G-RDR061G-
 RDR101G-AOS061G-AOS101G-AOS062G



ZANUSSI 0C4461

4005920 SPARKING PLUG \varnothing 9x46 mm
 overall length 85 mm
 complete with covered cable - length 700 mm
 for Convection oven gas (ZANUSSI) - Series ACV/G6
 Series ECV/G6 - Series FCS061G - Series FCV/G6
 Series ZCV/G6



ZANUSSI 005920

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
 faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



ZANUSSI 0A2473
 ZANUSSI 057410

ZANUSSI 052610
 ZANUSSI 059380

ZANUSSI 056720
 ZANUSSI 059988

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
 connection \varnothing 2.4 mm
 overall length 58 mm



ZANUSSI 054336



Suitable for:

Suitable for:

40C5273 SPARKING PLUG ROUND \varnothing 9x90 mm
overall length 111 mm
for Convection oven gas (ZANUSSI) - Series AOS



ZANUSSI 0C5273

Supports

3391037 LEVEL PROBE SPACER
for Steam oven (ZANUSSI)



ZANUSSI 055347

3391038 LEVEL PROBE SPACER
for Convection oven (ZANUSSI) - Series ECV
Series FCV - Series ZCV




ZANUSSI 055435

3391040 MOTOR BASE
for Convection oven (ZANUSSI)




ZANUSSI 058729

4004390 PIN MA5
length 34 mm
for Convection oven (ZANUSSI)



ZANUSSI 004390

4003225 SPACER \varnothing 16 mm
internal \varnothing 6 mm - thickness 3 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 003225

4003225 SPACER \varnothing 16 mm
internal \varnothing 6 mm - thickness 3 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 003225



Suitable for:


4002958 SPACER MA6x43 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 002958

Suitable for:

4003225 SPACER ø 16 mm
internal ø 6 mm - thickness 3 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 003225

3391035 TRAY SUPPORT



ZANUSSI 031970

Switches

3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK
mounting hole ø 25 mm



ZANUSSI 053978

ZANUSSI 058274

3319151 SWITCH PROTECTION CAP
ø external 34 mm
for push-buttons with mounting hole ø 25 mm



ZANUSSI 053979

4058808 CHANGE-OVER SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and push-button cover
silk screen printing I - II
max. temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)
Series FCF/E10 - Series FCF/E20



ZANUSSI 058808

3319014 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V
with indicator lamp and switch cover
"fan" symbol screenprinted
max temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (ZANUSSI)



ZANUSSI 054552



Suitable for:

ZANUSSI



3319297 PUSH-BUTTON EXTENSION
 external \varnothing 7 mm
 for circuit boards
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)



ZANUSSI 002670

3319270 PUSH-BUTTON 1-POLE RED 3A 250V
 with protection cap
 mounting hole \varnothing 17 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (ZANUSSI)




ZANUSSI 002418

3319160 PUSH-BUTTON 2-POLE GREEN 16A 250V
 16(4)A 250V - with indicator lamp
 "ignition" silk-screen printing
 max temperature 120°C
 mounting hole 22x30 mm



ZANUSSI 056717

3319011 PUSH-BUTTON 2-POLE RED 16A 250V
 16(4)A 250V - max. temperature 120°C
 NC
 with indicator lamp and push-button cap
 mounting hole 22x30 mm
 for Steam oven gas (ZANUSSI)



ZANUSSI 054547


ZANUSSI 055014

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



ZANUSSI 053979

3319012 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp and push-button cap
 mounting hole 22x30 mm - silk screen print 0 - I



ZANUSSI 053810

3319928 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator light - mounting hole \varnothing 25 mm



ZANUSSI 054518

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



ZANUSSI 053979



Suitable for:


3319944 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp - silk screen printing 0 - I
 mounting hole 22x30 mm



ZANUSSI 056703

Suitable for:

3319013 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp and push-button cap
 mounting hole 22x30 mm - silk screen print I - II
 for Convection oven electric (ZANUSSI)



ZANUSSI 053837

Tangential and radial fans

3526150 FAN TANGENTIAL 180 mm LH
 25W 230V 50/60Hz - ø 60 mm
 operating temperature -30°+100°C



ZANUSSI 0A2272


ZANUSSI 0A3008

3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT
 230V 50/60Hz - ø 45 mm
 operating temperature -30°+135°C



ZANUSSI 081795

3526966 TANGENTIAL FAN 300 mm LH
 26W 230V 50/60Hz - ø 60 mm
 operating temperature -30°+100°C



ZANUSSI 083737

Telethermometers

3441024 TELETHERMOMETER BLACK ø 52 mm 50-350°C
 metal body
 covered capillary length 1500 mm
 bulb ø 6x30 mm



ZANUSSI 053808

ZANUSSI 056383

3441026 TELETHERMOMETER BLACK ø 60 mm 50-350°C
 metal body
 capillary length 1500 mm
 bulb ø 4x104 mm



ZANUSSI 057622

ZANUSSI 058081



Suitable for:

ZANUSSI



Suitable for:

3441025 TELETHERMOMETER WHITE ø 52 mm 50-350°C
metal body
capillary length 1500 mm
bulb ø 4x120 mm



ZANUSSI 052987


Terminal blocks

3247006 TERMINAL BLOCK 2-POLE CERAMIC
for cable max. 10 mmq
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ZANUSSI 053805

4058608 TERMINAL BLOCK 5 POLE DIN SLIDEWAY 110 m
with fuse
for Convection oven (ZANUSSI)



ZANUSSI 058608

4059794 TERMINAL BLOCK 5-POLE DIN SLIDEWAY 90 mm
with fuse
for Convection oven (ZANUSSI)



ZANUSSI 059794

3247015 12-POLE PLASTIC TERMINAL BLOCK
for cable max 4 mm2
operating temperature 150°C
nominal voltage 450V



ZANUSSI 0W3543

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
for cable max 4 mm2
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 0C9052

ZANUSSI 058873

3247036 3-POLE TERMINAL BLOCK
for CONV/ELECTRIC OVEN 4 SHELVES



ZANUSSI 054331



Suitable for:


3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



ZANUSSI 046357

Suitable for:

3247005 4-POLE CERAMIC TERMINAL BLOCK
 for cable max 2.5 mm²
 operating temperature 300°C
 nominal voltage 450V
 dimensions 40x18x16 mm



ZANUSSI 054042

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



ZANUSSI 005420
 ZANUSSI 088165

ZANUSSI 046347

ZANUSSI 058613

Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
 cut-off contact with cables 100 cm




ZANUSSI 002784

ZANUSSI 003528


ZANUSSI 056914

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
 interrupted contact with terminals



ZANUSSI 056574

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
 interrupted contact with fastons



ZANUSSI 058503

3440015 INTERRUPTION CONNECTOR M9x1




ZANUSSI 005687

3440064 NUT FOR THERMOCOUPLE M8x1



ZANUSSI 055033

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ZANUSSI 0M0893



Suitable for:

Suitable for:

3440045 THERMOCOUPLE ASA SIT 150 cm

3440042 THERMOCOUPLE ASA SIT 85 cm



ZANUSSI 056715

ZANUSSI 057343


**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1**



ZANUSSI 055032

3440047 THERMOCOUPLE M8X1 75 cm

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS



ZANUSSI 054102
ZANUSSI 058332

ZANUSSI 054103

ZANUSSI 054104

ZANUSSI 054102
ZANUSSI 058332

ZANUSSI 054103

ZANUSSI 054104

3440133 THERMOCOUPLE SIT M10x1 100 cm

3440135 THERMOCOUPLE SIT M10x1 150 cm



ZANUSSI 0A2161

ZANUSSI 0H6252

3440126 THERMOCOUPLE SIT M10x1 75 cm

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1**




ZANUSSI 0H6251

ZANUSSI 0H6253

ZANUSSI 0U2960

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 0U2960

ZANUSSI 0U2960




Suitable for:

Suitable for:

3440031 THERMOCOUPLE SIT M8x1 120 cm

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ZANUSSI 0K5730

ZANUSSI 0K5730


3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ZANUSSI 0K5730

3440032 THERMOCOUPLE SIT M8x1 150 cm

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS




ZANUSSI 0G2023

ZANUSSI 0G2023

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 0G2023

ZANUSSI 050235

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
GIUNTO M8x1**




ZANUSSI 050235

ZANUSSI 050235

3440028 THERMOCOUPLE SIT M8x1 60 cm

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ZANUSSI 050856

ZANUSSI 050856



Suitable for:

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ZANUSSI 050856

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1




ZANUSSI 0K5688

3440029 THERMOCOUPLE SIT M8x1 85 cm



ZANUSSI 0G2906

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ZANUSSI 0G2906

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1



ZANUSSI

Suitable for:

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 0K5688

ZANUSSI 055106

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 0K5688

ZANUSSI 055106

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ZANUSSI 0G2906

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 052163

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI LF-3440061

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI LF-3440061



Suitable for:

Suitable for:

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ZANUSSI 0K3464

ZANUSSI 020094

ZANUSSI 0K3464

ZANUSSI 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



ZANUSSI 0K3464

ZANUSSI 020094

ZANUSSI

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ZANUSSI 059064

ZANUSSI 059064

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 059064

ZANUSSI 020756

3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 020756

ZANUSSI 020756



Suitable for:

Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ZANUSSI 025204

ZANUSSI 027317

ZANUSSI 025204

ZANUSSI 027317

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 025204

ZANUSSI 027317

ZANUSSI 025677

ZANUSSI 026273

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 025677

ZANUSSI 026273

ZANUSSI 025677

ZANUSSI 026273

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ZANUSSI 025031

ZANUSSI 052814

ZANUSSI 058386

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 028982

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



ZANUSSI 028982

ZANUSSI 028982



Suitable for:

Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ZANUSSI 052814


ZANUSSI 058386

ZANUSSI 052814

ZANUSSI 058386

3440009 THERMOCOUPLE SIT M9X1 100 cm M8x1

3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS GIUNTO M8x1



ZANUSSI 052163

ZANUSSI 052163

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



ZANUSSI 051119

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ZANUSSI 0M0893

ZANUSSI 0M0893

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



ZANUSSI 004942

ZANUSSI 057781

3440277 THERMOCOUPLE UNIV. M9x1 120 cm M6x0.75 kit with 5 milled components

3440077 THERMOCOUPLE UNIV. M9x1 90 cm M6x0.75 kit with 5 milled components



ZANUSSI 0S0056

ZANUSSI 0S0055



Suitable for:


ZANUSSI



Suitable for:

Thermostats

3444253 BIPOLAR THERMOSTAT 340°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x195 mm
 for very old series
 for Convection oven (ZANUSSI)




ZANUSSI 058222

3444124 PROTECTION CAP
 for safety thermostat
 for THERMOSTAT EGO



ZANUSSI 0A2187

3444410 SINGLE-PHASE THERMOSTAT 0-255°C
 D-shaped pin 6x4.6 mm
 covered capillary length 1440 mm - 16A 230V
 bulb \varnothing 3x160 mm




ZANUSSI 0H6241

3444352 SINGLE-PHASE THERMOSTAT 130°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x129 mm




ZANUSSI 004912

3444415 SINGLE-PHASE THERMOSTAT 176°C
 with manual reset
 covered capillary length 1450 mm - 16A 380V
 bulb \varnothing 4x110 mm - with bulb coupling \varnothing 8.6x32 mm



ZANUSSI 0H6141

3444266 SINGLE-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 830 mm - 16A 250V
 button bulb \varnothing 14x10 mm



ZANUSSI 002730

3444312 SINGLE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length covered 1500 mm - 16A 250V
 bulb \varnothing 4x110 mm
 for Convection oven (ZANUSSI)




ZANUSSI 003594

ZANUSSI 053980

ZANUSSI 057442

3444413 SINGLE-PHASE THERMOSTAT 50-250°C
 D-shaped pin 6x4.6 mm
 covered capillary length 2400 mm - 16A 230V
 bulb \varnothing 3x160 mm



ZANUSSI 0K0646

ZANUSSI 0K0674



Suitable for:

Suitable for:

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven (ZANUSSI)

3444429 SINGLE-PHASE THERMOSTAT 50-280°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1270 mm - 16A 250V
 bulb \varnothing 3x200 mm
 for Convection oven electric (ZANUSSI) ACF/E4
 ECF/E4 - FCF/E4 - JCF/E4 - NCF/E4 - ZCF/E4



ZANUSSI 029918

ZANUSSI 057937

ZANUSSI 005207

3444457 SINGLE-PHASE THERMOSTAT 50-290°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 3x220 mm

3444432 SINGLE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1000 mm - 16A 250V
 bulb \varnothing 3x220 mm




ZANUSSI 054323

ZANUSSI 056384

3444305 SINGLE-PHASE THERMOSTAT 50-500°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x230 mm

3444753 SINGLE-PHASE THERMOSTAT 78°C
 with automatic reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 3x230 mm
 for Convection oven (ZANUSSI) - Series FCV
 Series FCVA - Series FDV



ZANUSSI 056701

ZANUSSI 055367

3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1

3744140 TERMOSTATO THREE-PHASE 360°C
 manual reset
 covered capillary length 1490 mm
 bulb \varnothing 3x190 mm



ZANUSSI 027061

ZANUSSI



Suitable for:

ZANUSSI



40KB677 THERMOSTAT SINGLE PHASE 50-200°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 880 mm - 16A 250V
 bulb \varnothing 3x158 mm
 for Convection oven electric (ZANUSSI) CC030
 EC0312CF - OTS100



ZANUSSI 0KB677

40K0662 THERMOSTAT SINGLE-PHASE 100-470°C
 complete with selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 1100 mm
 bulb \varnothing 4x225 mm




ZANUSSI 0K0662

40C2983 THERMOSTAT THREE-PHASE 140°C
 with manual reset
 capillary length covered 890 mm - 20A 380V
 bulb \varnothing 6x87 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0C2983

40M0722 THERMOSTAT THREE-PHASE 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1440 mm - 16A 400V
 bulb \varnothing 6x80 mm




ZANUSSI 0M0722

3444040 THREE-PHASE THERMOSTAT 100-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1150 mm - 10A 400V
 bulb \varnothing 6x80 mm




ZANUSSI 052916

3444589 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 1700 mm
 bulb \varnothing 6x75 mm
 for Convection oven (ZANUSSI) - Series AOS
 Series ECV - Series EJV - Series FCV - Series FCZ
 Series RDR - Series ZCV



ZANUSSI 0C1147

3444025 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x160 mm



ZANUSSI 051454

ZANUSSI 051643

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb \varnothing 3x190 mm




ZANUSSI 0H6134

ZANUSSI 004919



Suitable for:

3444251 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb \varnothing 3x220 mm




ZANUSSI 004917

ZANUSSI 059235

Suitable for:


3444052 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm



ZANUSSI 0A2206

ZANUSSI 0A2236

3444044 THREE-PHASE THERMOSTAT 60-260°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 10A 400V
 bulb \varnothing 4x130 mm
 for Convection oven (ZANUSSI)



ZANUSSI 051362

3444038 THREE-PHASE THERMOSTAT 60-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 10A 400V
 bulb \varnothing 4x130 mm



ZANUSSI 052099

3444430 3-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 1650 mm - 16A 230V
 bulb \varnothing 6x80 mm
 for Convection oven (ZANUSSI) - Series ACV
 Series ECV - Series FCS - Series FCV - Series FDV
 Series NCV - Series ZCV
 for Convection oven electric (ZANUSSI) ACF/E4
 FCF/E4



ZANUSSI 002711

3444446 3-PHASE THERMOSTAT 338°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x53 mm - nut coupling M10x1
 for Convection oven (ZANUSSI) - Series AOS
 Series EJM - Series FCZ - Series RDR



ZANUSSI 007042



Suitable for:

ZANUSSI




Suitable for:

Timers

7105527 KIT TIMER 14000F3 2 CAMS 230V

complete with bracket
50/60Hz
120 minute cycle - D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (ZANUSSI)
Series ACF/E - Series ACV/E - Series ECF/E
Series ECV/E - Series FCF/E - Series FCS
Series FCV/E - Series NCF/E - Series NCV/E
Series ZCF/E
for Convection oven gas (ZANUSSI) - Series ACF/G
Series ACV/G - Series ECF/G - Series ECV/G
Series FCF/G - Series FCS - Series FCV/G
Series NCF/G - Series NCV/G - Series ZCF/G
for Steam oven (ZANUSSI) - Series FDV




ZANUSSI 0C8755

ZANUSSI 003833

3446070 TIMER P205 2 CAMS 230V 50/60Hz

cycle 144 minutes - D-shaped pin \varnothing 6x4.6 mm
for Convection oven (ZANUSSI) - Series FCF
Series FCV - Series JCF
for Convection oven electric (ZANUSSI) FCF/E6
RCF061E
for Convection oven (ZANUSSI) FCF/E6-0



ZANUSSI 055366

3446010 TIMER P345 2 CAMS 230V 50/60Hz


cycle 30 minutes - D-shaped pin \varnothing 6x4.6 mm
for old series
for Convection oven (ZANUSSI)



ZANUSSI 045909

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (ZANUSSI) FCF/E4
FCF/E4D - FCFE202 - FCFE4PH - FCFE40 - FCFE40D
FCFE40F - FCFE40UK - 4238N



ZANUSSI 003432


ZANUSSI 029920

ZANUSSI 053817

ZANUSSI 057936

3446004 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (ZANUSSI)



ZANUSSI 003431

3446095 TIMER 120 MINUTES CR5 M230

manually set mechanical timer
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 120°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (ZANUSSI)



ZANUSSI 0H6118



Suitable for:


Suitable for:

40C6345 **TIMER 120 MINUTES TM1**
 mechanical timer with buzzer
 manual loading cycle 120 minutes
 contact capacity 16(4)A 250V
 max. temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (ZANUSSI) ACF/E4
 Series FCF/E4

3446016 **TIMER 1806726 24V**
 electromechanical multiscale timer
 programmable time range 6h-60"-6"-60 seconds-
 6 seconds
 white dial dimensions 72x72 mm
 power supply 24V 50/60Hz
 2 poles with contact capacity 6(4)A 250V
 max room temperature -10+55°C
 connection with 8-pin socket (included)
 for Convection oven (ZANUSSI) FV4N
 for Convection oven electric (ZANUSSI) FV4E
 for Convection oven gas (ZANUSSI) FVGC4 - FV4G



ZANUSSI 0C6345



ZANUSSI 053917

3446094 **TIMER 60 MINUTES CR5 M229**
 manually set mechanical timer
 manually set cycle 60 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 120°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0H6117

Transformers

4007045 **TRANSFORMER 230V/12-24V 60-40VA**
 primary voltage 230V 50/60Hz
 secondary voltage 12-24V 60-40VA
 ambient temperature 0÷60°C
 screw terminal block
 for Convection oven electric (ZANUSSI)
 Series AOS - Series FCS
 for Convection oven gas (ZANUSSI) - Series AOS
 Series FCS

3445110 **TRANSFORMER 230V/12V 3VA**
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ZANUSSI 007045



ZANUSSI 0A2269
 ZANUSSI 083833

ZANUSSI 004120

ZANUSSI 082378



Suitable for:

ZANUSSI



Suitable for:

Vibrating pumps

40C5371 KIT VIBRATORY PUMP 46-60W/38-54W

208/240V 50/60Hz
 complete with brackets and gaskets
 connections \varnothing 6.5 mm - \varnothing 7 mm
 PUMP CEME E51220EN19240C8
 for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCS - Series FCZ
 Series RDR
 for Convection oven gas (ZANUSSI)
 Series AOS - Series EJM - Series FCS - Series FCZ
 Series RDR
 for Convection oven electric (ZANUSSI)
 AOS101ECA1 269002



ZANUSSI 0CA120

ZANUSSI 0C2341

ZANUSSI 0C5371

ZANUSSI 0C9067

ZANUSSI 007018

Wash arms for ovens

40C5103 FITTING SLIDEWAY WASH-ARM

connection \varnothing 24 mm - outlet external \varnothing 10 mm
 internal outlet \varnothing 6 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0C5103

40C5293 KIT SLIDEWAY FITTING WASHARM

complete with bushing and 2 seeger rings
 connection \varnothing 24 mm - external outlet \varnothing 10 mm
 internal outlet \varnothing 6 mm
 for Convection oven (ZANUSSI)



ZANUSSI 0C4197

ZANUSSI 0C5293

4007012 PIPE HUMIDIFIER BENT \varnothing 10x205 mm

thread M14x1 mm
 for Convection oven electric (ZANUSSI)
 Series AOS061E - Series AOS101E - Series AOS102E
 EJM061E - EJM101E - EJM102E - FCF/E6
 Series FCZ061E - Series FCZ101E - Series FCZ102E
 HOR061E - HOR101E - RDR061E - RDR101E
 for Convection oven gas (ZANUSSI) - Series AOS061G
 Series AOS101G - EJM061G - FCF/G6 - Series FCZ061G
 Series FCZ101G - HOR061G - RDR061G



ZANUSSI 007012

40C8317 WASH-ARM OVEN 420 mm

for Convection oven electric (ZANUSSI)
 Series AOS - Series EJM - Series FCZ - Series RDR
 for Convection oven gas (ZANUSSI) - Series AOS
 Series FCZ



ZANUSSI 0C5503

ZANUSSI 0C8317

ZANUSSI 007010



Washing showers for ovens

3359416 COMPLETE OVEN WASH SHOWER SET
 flow rate 11 L/min at 4 bar
 with stainless steel hose \varnothing 1/2" FF 2000 mm
 with shower support



ZANUSSI 0S0323

3359614 STAINLESS STEEL HOSE \varnothing 1/2" FF 150 cm
 stainless steel 18/10 double braid
 with transparent PVC coating
 nickel-plated brass coupling \varnothing 1/2" F



ZANUSSI 0S0348

3359606 WHITE SPRAY CUP WITH FILTER



ZANUSSI 003164

Water purification filters

3010617 CARTRIDGE PURITY C 500
 for water treatment for TECHNICAL purposes



ZANUSSI 0S1056

3010601 PURITY CLEAN EXTRA 1200
 for water treatment for TECHNICAL purposes
 water softener ideal for DISHWASHERS
 specific for HOT WATER
 adjustable bypass
 capacity at 10°dH 5000 L
 flow rate 300 L/h
 max. pressure 6 bar
 min. pressure 2 bar
 operating temperature 4°C/60°C
 loss of pressure at 0.45 bar flow rate
 dimensions: height 550 mm - \varnothing 255 mm
 weight: empty 18 Kg - full 24 Kg
 fittings: inlet \varnothing 1" M - outlet \varnothing 3/4" M
 horizontal or vertical mounting



ZANUSSI 0S0803



Suitable for:

Suitable for:

3010600 PURITY CLEAN 1200
 for water treatment for TECHNICAL purposes
 water softener ideal for DISHWASHERS
 specific for HOT WATER
 capacity 10°KH 12000 L
 flow rate 300 L/h
 max. pressure 6 bar
 min. pressure 2 bar
 operating temperature 4°C/60°C
 loss of pressure at 0.45 bar flow rate
 dimensions: height 550 mm - ø 255 mm
 weight: empty 18 Kg - full 24 Kg
 fittings: inlet ø 1" M - outlet ø 3/4" M
 horizontal or vertical mounting

3010604 PURITY ST 1200
 water softener ideal for COFFEE MACHINES-DISPENSER
 OVENS - ICE MAKERS
 adjustable bypass
 capacity 10°KH 13187 L
 flow rate 200 L/h
 max. pressure 6.9 bar
 min. pressure 2 bar
 operating temperature 4°C/30°C
 loss of pressure at 1.05 bar flow rate
 dimensions: height 550 mm - ø 288 mm
 weight: empty 18 Kg - full 24 Kg
 fittings: inlet ø 3/8" M - outlet ø 3/8" M
 horizontal or vertical mounting



ZANUSSI 0S0801

ZANUSSI 0S0682

Water softeners and accessories

3010061 MANUAL WATER SOFTENER 12 L ø 3/4"
 for water treatment for TECHNICAL purposes
 STAINLESS STEEL cylinder capacity 12 L
 connections 3/4"
 dimensions: height 500 mm - ø 185 mm
 resin content 9 L
 regeneration salt(NaCl-table salt)1.5 Kg

3010102 MANUAL WATER SOFTENER 12 L ø 3/4"
 for water treatment for TECHNICAL purposes
 plasma welding
 STAINLESS STEEL cylinder capacity 12 L
 connection 3/4"
 dimensions: height 500 mm - ø 185 mm
 resin content 9 L
 regeneration salt(NaCl-table salt)1.5 Kg
 inlet water maximum temperature 60°C



ZANUSSI 0S0330

ZANUSSI 0S0330

3010063 MANUAL WATER SOFTENER 20 L ø 3/4"
 for water treatment for TECHNICAL purposes
 STAINLESS STEEL cylinder capacity 20 L
 connections 3/4"
 dimensions: height 900 mm - ø 185 mm
 resin content 15 L
 regeneration salt(NaCl-table salt)3 Kg

3010104 MANUAL WATER SOFTENER 20 L ø 3/4"
 for water treatment for TECHNICAL purposes
 plasma welding
 STAINLESS STEEL cylinder capacity 20 L
 connection 3/4"
 dimensions: height 900 mm - ø 185 mm
 resin content 15 L
 regeneration salt(NaCl-table salt)3 Kg
 inlet water maximum temperature 60°C



ZANUSSI 0S0329

ZANUSSI 860430



Suitable for:

Suitable for:

3010060 MANUAL WATER SOFTENER 8 L \varnothing 3/4"
 for water treatment for TECHNICAL purposes
 STAINLESS STEEL cylinder capacity 8 L
 connections 3/4"
 dimensions: height 400 mm - \varnothing 185 mm
 resin content 5.8 L
 regeneration salt(NaCl-table salt)1 Kg

3010101 MANUAL WATER SOFTENER 8 L \varnothing 3/4"
 for water treatment for TECHNICAL purposes
 plasma welding
 STAINLESS STEEL cylinder capacity 8 L
 connection 3/4"
 dimensions: height 400 mm - \varnothing 185 mm
 resin content 5.8 L
 regeneration salt(NaCl-table salt)1 Kg
 inlet water maximum temperature 60°C



ZANUSSI 0C1903

ZANUSSI 0C1903

3010094 WATER SOFTENER "MATIC 12" 12 L \varnothing 3/4"
 for water treatment for TECHNICAL purposes
 AUTOTROL chronometric head 255/460TC
 230V 50Hz
 time controller mod.460TC (weekly)
 operating temperature 2°÷35°C
 cylinder capacity 11.8 L - resin content 8 L
 salt container 30 Kg
 regeneration salt(NaCl-table salt)1.5 Kg
 inlet/outlet connections \varnothing 3/4"
 dimensions: width 260 mm - depth 480 mm
 height without head 435 - overall height 650 mm
 We always recommend to use a mechanical filter
 before the softener, in order to remove
 impurities from water

3010074 WATER SOFTENER "MATIC 8" 8 L \varnothing 3/4"
 for water treatment for TECHNICAL purposes
 AUTOTROL chronometric head 255/460TC
 230V 50Hz
 time controller mod.460TC (weekly)
 operating temperature 2°÷35°C
 cylinder capacity 8.5 L - resin content 5.4 L
 salt container 20 Kg
 regeneration salt(NaCl-table salt)1 Kg
 inlet/outlet connections \varnothing 3/4"
 dimensions: width 200 mm - depth 430 mm
 height without head 335 - overall height 550 mm
 We always recommend to use a mechanical filter
 before the softener, in order to remove
 impurities from water



ZANUSSI 0S0332

ZANUSSI 0S0716

Watertight seals and rings

3240290 MAIN SHAFT SEALING GASKET
 external \varnothing 38mm - internal \varnothing 16mm - thickness 17mm
 for Convection oven electric (ZANUSSI) ACF/E10
 ACF/E102/1 - ACF/E20 - ACF/E202/1 - ACV/E10C4
 ACV/E10C6 - ACV/E102/1C4 - ACV/E102/1C6
 for Convection oven gas (ZANUSSI) ACF/G10
 ACF/G102/1 - ACV/G10C4 - ACV/G10C6
 ACV/G102/1C4 - ACV/G102/1C6 - ACV/G20C4
 ACV/G202/1C4 - ACV/G61C3 - JCF/G6






















ZANUSSI 002699

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us