



Spare parts for:  
**Pizza ovens**



Suitable for:

**CB**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CB



Suitable for:

## Contactors

### 3351049 CONTACTOR SIEMENS 3RT1016-1AP01

9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



CB 07070001

## Door glasses for oven and accessories

### 3520031 OVEN DOOR GLASS 720x100x4 mm

for Pizza oven electric (CB) FP6E - FP6M



CB 02110003

## Electronic printed-circuit boards

### 3390056 ELECTRONIC CONTROL CIRCUIT BOARD

for Pizza oven electric (CB) FP6E



CB 09030005

## Electronic thermostats and controllers

### 3445291 THERMOSTAT EVK411 TCJ/TCK/PT100

power supply 230V 50Hz  
thermostat setting range 0+250°C  
with free parameters setting  
room temperature -5+65°C  
TCJ-TCK-PT100 type probe (not included)  
connections by screwed terminal block  
front dimension 74x32x67 mm  
mounting hole 71x29 mm  
for Pizza oven (ZANOLLI) - Series CITIZEN  
Series SYNTHESIS



CB 09010030

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



CB 09020004

## Handles

### 3242331 BLACK BALL KNOB W/PITCH 12M

for PIZZA OVEN



CB 10010023

## Heating elements

### 3755758 HEATING ELEMENT 1200W 230V

for CEILING-DECK  
overall length 665 mm  
inner length 595 mm  
width 230 mm - fittings  $\varnothing$  14 mm  
for Pizza oven electric (CB) FP6E - FP6M



CB 07030071

### 3755674 HEATING ELEMENT 2570/2800W 230/240V

external  $\varnothing$  190 mm - total height 70 mm  
flange 100x22 mm



CB 07030065

## Knobs

### 3241400 BLACK KNOB $\varnothing$ 70 mm UNIVERSAL

D shaft hole 10x8 mm



CB 10010607

### 3241450 SELF-STICK DISK WITH PILOT SYMBOL

external  $\varnothing$  63 mm  
for gas taps with pilot



CB 11050003



Suitable for:

**1241542 BLACK KNOB FOR CONVERTER**  
square hole 5x5 mm



CB 10010017

**CB**

Suitable for:

**3241450 SELF-STICK DISK WITH PILOT SYMBOL**  
external ø 63 mm  
for gas taps with pilot



CB 11050003



## Lamps

**3221349 GLASS F.OVEN RECEPTACLE LAMP ø 72 mm**  
for Pizza oven electric (MORETTI) PIZZY D105.65  
PIZZY D60.60 - PIZZY D65.105 - PIZZY M105.65  
PIZZY M60.60 - PIZZY M65.105 - P120EB - P120EC  
P60E - P80EB - P80EC - P80EK - RHB - RHC - RHK  
for Pizza oven electric (ZANUSSI) FPS/18 - FPS/30  
ZMMDE4 - ZMMDE6  
for Pizza oven gas (MORETTI) PC/GAS - P110GAS  
for Pizza oven gas (ZANUSSI) ZMBDG12 - ZMBDG8  
ZMMDG4 - ZMMDG6  
for Pizza oven (ZANUSSI) PDG433



CB

**3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V**  
lamp glass ø 72 mm  
mounting hole ø 68 mm  
max temperature 300°C  
for Pizza oven (ZANUSSI)



CB 07020018

CB 07020968

**3221095 ORANGE INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



CB 07051486

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for Pizza oven electric (CUPPONE) PA24



CB

**3221080 RED INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C



CB 07050994



Suitable for:

CB

Suitable for:



## Lavarock

- 3310011 REFRACTORY STONE 910x610x20 mm**  
for Pizza oven electric (CB) FP6E - FP6M  
for Pizza oven electric (GGF) E66R



CB 0505007

## Piezo ignitors

- 3001007 PIEZO IGNITER**  
a  $\varnothing$  22 mm hole is needed for the assembly  
2.4 mm  $\varnothing$  male faston connector



CB 08061351

## Probes

- 3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range  $-30+80^{\circ}\text{C}$   
bulb  $\varnothing$  6x40 mm



CB 09040008

- 3397093 THERMOCOUPLE PROBE TCJ**  
2 wires - temperature  $0-250^{\circ}\text{C}$   
probe length 100 mm -  $\varnothing$  probe 6 mm  
cable length 950 mm



CB 09040001

## Switches

- 3319463 BLACK DOUBLE-POLE SWITCH 16A 250V**  
16(4)A 250V  
with orange indicator lamp and protection cap  
silk-screet printing "light on"  
max temperature  $120^{\circ}\text{C}$   
mounting hole 22x30 mm



CB 07040518

- 3319464 GREEN TWO-POLE SWITCH 16A 250V**  
16(4)A 250V  
with indicator lamp and protection cap  
silk-screen printing 0 - I  
max temperature  $120^{\circ}\text{C}$   
mounting hole 22x30 mm



CB 07040015



Suitable for:

CB

Suitable for:



## Thermocouples and accessories

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



CB 08090604

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



CB 08090604

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



CB 08090604

## Thermostats

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Pizza oven (ZANOLLI)  
for Pizza oven (ZANUSSI)



CB 09010021

**3444586 SINGLE-PHASE THERMOSTAT 75-450°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x228 mm  
for Pizza oven (ITALFORNI) TK2A  
for Pizza oven electric (MORETTI) PD105.105  
PD105.65 - PD60.60 - PD65.105 - PIZZY D105.105  
PIZZY D105.65 - PIZZY D60.60 - PIZZY D65.105  
PIZZY M105.105 - PIZZY M105.65 - PIZZY M60.60  
PIZZY M65.105 - PM105.105 - PM105.65 - PM60.60  
PM65.105  
for Pizza oven electric (MBM) FPE44



CB 09010027

**3444708 2-POLE THERMOSTAT 108°C**

with manual reset  
capillary length 900 mm - 16A 400V  
for Pizza oven electric (CB) FP6E - FP6M



CB 09010025



Suitable for:

CB



Suitable for:

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



CB 07062363