



Spare parts for:

**Pizza ovens**

Suitable for:

**GGF**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

**GGF**



Suitable for:

## Cables for piezo igniters

- 3001018 SIT IGNITION LEAD 600 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



GGF

## Gas taps and accessories

- 3348011 GAS TAP 23/0**  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



GGF

## Heating elements

- 3755704 HEATING ELEMENT 1600W 230V**  
for CEILING-DECK  
overall length 975 mm  
inner length 880 mm  
width 200 mm - fittings  $\varnothing$  12 mm  
for Pizza oven electric (FIMAR) FMEW6 - W66 - W9  
W99



GGF

- 3755701 HEATING ELEMENT 2000W 230V**  
for CEILING-DECK  
length 560 mm - width 420 mm  
fittings  $\varnothing$  12 mm  
for Pizza oven electric (FIMAR) MINI



GGF

- 3755702 HEATING ELEMENT 2100W 230V**  
for CEILING-DECK  
length 666 mm - width 443 mm  
fittings  $\varnothing$  13 mm  
for Pizza oven electric (FIMAR) FME4 - FME44  
FYE4 - FYE44



GGF

- 3755703 HEATING ELEMENT 3600W 220V**  
for CEILING-DECK  
length 666 mm - width 600 mm  
fittings  $\varnothing$  13 mm  
for Pizza oven electric (FIMAR) FME6 - FME66  
FYE6 - FYE66



GGF



Suitable for:

GGF



Suitable for:

## Knobs

- 3444187 BLACK KNOB  $\varnothing$  50 mm 50-500°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
for EGO thermostat



GGF

- 3241400 BLACK KNOB  $\varnothing$  70 mm UNIVERSAL**  
D shaft hole 10x8 mm



GGF

- 3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL**  
external  $\varnothing$  63 mm  
for gas taps without pilot



GGF

- 3241401 BLACK KNOB  $\varnothing$  70 mm UNIVERSAL**  
D shaft hole 8x6.5 mm



GGF

- 3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL**  
external  $\varnothing$  63 mm  
for gas taps without pilot



GGF

- 3241450 SELF-STICK DISK WITH PILOT SYMBOL**  
external  $\varnothing$  63 mm  
for gas taps with pilot



GGF

- 3241450 SELF-STICK DISK WITH PILOT SYMBOL**  
external  $\varnothing$  63 mm  
for gas taps with pilot



GGF



Suitable for:

**GGF**



**3241450 SELF-STICK DISK WITH PILOT SYMBOL**

external ø 63 mm  
for gas taps with pilot



GGF

Suitable for:

**3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL**

external ø 63 mm  
for gas taps without pilot



GGF

## Lamps

**3221643 LAMP RECEPTACLE W/LAMP E14 25W 230V**

lamp glass ø 58 mm  
mounting hole ø 38 mm  
max. temperature 300°C  
for Pizza oven (FIMAR)



GGF

**3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**

lamp glass ø 42 mm  
mounting hole ø 38 mm  
max temperature 300°C  
for Pizza oven (CUPPONE)  
for Pizza oven (TORNATI FORNI)



GGF

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**

lamp glass ø 42 mm  
mounting hole ø 38 mm  
max temperature 300°C  
for OVEN  
for Pizza oven (GGF) E44R



GGF LAMPAPORT

**3221061 OVEN LAMP E14 25W 230V**

max temperature 300°C  
for Pizza oven electric (CUPPONE) PA24



GGF

## Piezo ignitors

**3001007 PIEZO IGNITER**

a ø 22 mm hole is needed for the assembly  
2.4 mm ø male faston connector



GGF



Suitable for:

**GGF**

Suitable for:



## Probes

- 3445109 PROBE TCJ EC-SND-2312 3000 mm**  
2 wires - temperature range  $-50+350^{\circ}\text{C}$   
error limits  $\pm 0.75\%$  below  $0^{\circ}\text{C}$   
30 seconds response time  
bulb  $\varnothing 6 \times 100$  mm  
vetrotex cable



GGF

## Switches

- 3319967 GREEN SINGLE-POLE SWITCH 16A 250V**  
max temperature  $120^{\circ}\text{C}$   
mounting hole  $11 \times 30$  mm



GGF

- 1319202 GREEN TWO-POLE SWITCH 16A 250V**  
with indicator lamp  
silk-screen printing 0 - I  
temperature max  $120^{\circ}\text{C}$   
mounting hole  $22 \times 30$  mm  
for Pizza oven electric (MORETTI) AHB - AHC - AHK  
AMALFI B - AMALFI C - AMALFI K - BAKY - MHB  
MHC - MHK - PIZZY DU0105.105 - PIZZY DU0105.65  
PIZZY DU065.105 - PIZZY D105.105  
PIZZY D105.65 - PIZZY D65.105  
PIZZY MON0105.105 - PIZZY MON0105.65  
PIZZY MON065.105 - PIZZY M105.105  
PIZZY M105.65 - PIZZY M65.105 - RHB - RHC  
RHK  
for Pizza oven gas (MORETTI) PC/GAS - P110GAS



GGF

## Telethermometers

- 3441058 WHITE TELETHERMOMETER  $\varnothing 60$  mm  $0-500^{\circ}\text{C}$**   
metal sheath  
capillary length 700 mm  
bulb  $\varnothing 9 \times 50$  mm  
for Pizza oven electric (CUPPONE) BASE520  
BASE620 - BASE720.4 - BASE720.6



GGF



Suitable for:

**GGF**



Suitable for:

## Thermocouples and accessories

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



GGF LF-3440036

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**



GGF

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



GGF LF-3440036

## Thermostats

**3444305 SINGLE-PHASE THERMOSTAT 50-500°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm  
for Pizza oven electric (FIMAR) FMEW6 - FMEW66  
FME4 - FME44 - FME6 - FME66 - FME9 - FME99  
FMLW6 - FMLW66 - FML4 - FML44 - FML6 - FML66  
FML9 - FML99 - FYE4 - FYE44 - FYE6 - FYE66  
FYL4 - FYL44 - FYL6 - FYL66 - MINI



GGF TERMO001

**3444452 THREE-PHASE THERMOSTAT 50-450°C**

D-shaped pin 6x4.6 mm  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  4x228 mm  
for Pizza oven electric (GAM) MD4 - MD44 - MD6  
MD66 - MS4 - MS44 - MS6 - MS66 - M4 - M6



GGF

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**

primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



GGF