



Spare parts for:
Pizza ovens



Suitable for:

HONEYWELL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11251520





Suitable for:

HONEYWELL



Suitable for:

Electrical gas valves and accessories

3526407 VALVE VK4105C HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm without thread
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 60^{\circ}\text{C}$
 power supply 220/240V 50Hz
 for Pizza oven gas (MORETTI) P110/GAS



HONEYWELL VK4105C1009B

HONEYWELL VK4105C1009U

3526017 VALVE VK4115V HONEYWELL \varnothing 18 mm
 inlet-outlet \varnothing 18 mm without thread
 maximum gas inlet pressure 60 mbar
 room temperature $-15 \div 70^{\circ}\text{C}$
 power supply 220/240V 50Hz
 for Pizza oven gas (OEM) - Series GHIBLI



HONEYWELL VK4115V1014B

HONEYWELL VK4115V1014U

HONEYWELL VK4115V10144

3526406 VALVE VR4605A HONEYWELL
 inlet - outlet \varnothing 18 mm not threaded
 thermocouple connection pitch ASA
 gas max. inlet pressure 60 mbar
 room temperature $0 \div 60^{\circ}\text{C}$
 power supply 220/240V 50Hz
 for MORETTI PIZZA OVEN PC/GAS-TEVERE HI/TECH
 TIVOLI GAS HI/TECH-TREVI GAS-R14G
 for ZANUSSI PIZZA OVEN ZMMDG4-ZMMDG6-ZMBDG8-
 ZMBDG12



HONEYWELL VR4605A1013B

HONEYWELL VR4605A1013U

3526401 VALVE VR4605A HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2"FF - outlet \varnothing 1/2"FF
 thermocouple fitting pitch ASA
 maximum gas inlet pressure 60 mbar
 room temperature $0 \div 70^{\circ}\text{C}$
 power supply 230V 50Hz
 for Pizza oven gas (ITALFORNI) ECOGAS A - ECOGAS B
 ECOGAS C
 for Pizza oven gas (TORNATI FORNI) FXG



HONEYWELL VR4605AA1037B

HONEYWELL VR4605AA1037U

3526144 VALVE V4600A HONEYWELL \varnothing 1/2"FF
 inlet \varnothing 1/2"FF - outlet \varnothing 1/2"FF
 thermocouple fitting pitch ASA
 maximum gas inlet pressure 60 mbar
 room temperature $0 \div 70^{\circ}\text{C}$
 power supply 230V 50Hz
 for Pizza oven gas (ZANUSSI) FZ/G18



HONEYWELL V4600A1031B

HONEYWELL V4600A1031U



Suitable for:

HONEYWELL



Suitable for:

Electronic boxes

3526402 CONTROL BOX S4560A1008
 model HONEYWELL - 220/240V 50Hz 10VA
 for Pizza oven (TORNATI FORNI) ROTOR 5/7
 ROTOR 7/10
 for Pizza oven gas (TORNATI FORNI) TF60 - TF90
 TF99



HONEYWELL S4560A1008B

3091036 CONTROL BOX S4570AS1012B
 model HONEYWELL - 220/240V 50Hz 10VA
 for Pizza oven (MORETTI) PCGASA - PCGASB - PCGASC
 TREVI HI-TECH



HONEYWELL S4570AS1012B

HONEYWELL S4570AS1012U

3390290 CONTROL BOX S4575B1033
 model HONEYWELL - 220/240V 50/60Hz 4VA
 for Pizza oven gas (MORETTI) P110/GAS



HONEYWELL S4575B1033

3091044 CONTROL BOX S4960A1008B
 model HONEYWELL - 220/240V 50Hz 10VA
 for Pizza oven (TORNATI FORNI)



HONEYWELL S4960A1008B

Electronic thermostats and controllers

7103034 THERMOSTAT DC1040 0-400°C 85-265V
 power 85/265V 8VA 50Hz
 thermostat operating range 0+400°C
 ambient temperature 0+50°C
 for Pizza oven



HONEYWELL

Sparking and detection plugs

3020442 SPARKING PLUG 82x15 mm
 with cable length 570 mm
 overall length with cable 660 mm
 for Pizza oven gas (MORETTI) PC/GAS
 for Pizza oven gas (ZANUSSI) ZMMDG12 - ZMMDG4
 ZMMDG6 - ZMMDG8



HONEYWELL Q3271N1005B