



Spare parts for:

Pizza ovens



Suitable for:

ZANOLLI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ZANOLLI



Suitable for:

Axial motors

3240501 **AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANOLLI VENT0012

3240502 **AXIAL FAN SUNON 80x80x25 mm**
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN
for Pizza oven (ZANOLLI)



ZANOLLI VENT0024

Cables for piezo igniters

3801001 **DETECTION CABLE 860 mm**
with faston
for Pizza oven (ZANOLLI)



ZANOLLI CAVI0056

3801002 **IGNITION LEAD 860 mm**
with faston
for Pizza oven (ZANOLLI)



ZANOLLI CAVI0057

3001021 **SWITCH-ON CABLE 1400 mm**
with faston and loop
for Pizza oven (ZANOLLI) - Series CITIZEN



ZANOLLI AGAS0022

Centrifugal fans

5069069 **MOTOR FAN 114W 230V 50Hz**
for Pizza oven (ZANOLLI)



ZANOLLI MOTO0068

Contactors

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw

coil 230V 50/60Hz

3 normally open contacts

1 normally open auxiliary contact




ZANOLLI ELET0002

Controllers and changeover switches

5070342 CONTROLLER P255 2 CAMS 230V 50Hz

5 minute cycle

for Pizza oven (ZANOLLI) PLANET 5 - PLANET 8



ZANOLLI ELET0436

Door glasses for oven and accessories

5019888 GLASS FOR OVEN DOOR 170x73x6 mm

for Pizza oven (ZANOLLI)



ZANOLLI CRIS0003

3520026 GLASS FOR OVEN DOOR 325x92x6 mm

for Pizza oven (ZANOLLI) - Series CITIZEN6

for Pizza oven electric (ZANOLLI) CITIZEN4L

CITIZEN6L - EP65 - POLIS



ZANOLLI CRIS0026

5021584 GLASS FOR OVEN DOOR 415x105x6 mm

for Pizza oven (ZANOLLI) SYNTHESIS 08/50

SYNTHESIS 10/75



ZANOLLI CRIS0034

5019858 GLASS OVEN DOOR 525x96x6 mm

for Pizza oven (ZANOLLI)



ZANOLLI CRIS0025



Suitable for:

5031672 GLASS OVEN DOOR 725x91x6 mm
for Pizza oven (ZANOLLI)



ZANOLLI CRIS0028


Suitable for:

3520028 OVEN CHAMBER LIGHT GLASS 100x100x6 mm
for Pizza oven electric (ZANOLLI) POLIS - TEU



ZANOLLI CRIS0027

3520027 OVEN CHAMBER LIGHT GLASS 180x90x5 mm
for Pizza oven electric (ZANOLLI) CITIZENN - EP65
PIZZITALY



ZANOLLI CRIS0006

Electrical gas valves and accessories

3030001 COUPLING ELECTRIC WITH CABLE
for valve sit 824 NOVA-826 NOVA-836 TANDEM
for Pizza oven (ZANOLLI)




ZANOLLI ELET0075

3526292 COUPLING ELECTRIC WITH CABLE
for valve sit 836 TANDEM
for Pizza oven (ZANOLLI)



ZANOLLI ELET0076

3526140 VALVE 836 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"FF - outlet $\varnothing$ 1/2"FF
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified



ZANOLLI GAS0007

Electronic boxes

- 3054031 IGNITION CONTROL BOX SM11PMIX**
model BRAHMA - 230V 50/60Hz 7VA
for Pizza oven (ZANOLLI) - Series CITIZEN
for Pizza oven gas (ZANOLLI) SYNTHESIS



ZANOLLI ELET0134

Electronic controllers

- 3445291 THERMOSTAT EVK411 TCJ/TCK/PT100**
power supply 230V 50Hz
thermostat setting range 0+250°C
with free parameters setting
room temperature -5+65°C
TCJ-TCK-PT100 type probe (not included)
connections by screwed terminal block
front dimension 74x32x67 mm
mounting hole 71x29 mm
for Pizza oven (ZANOLLI) - Series CITIZEN
Series SYNTHESIS



ZANOLLI TERM0012

ZANOLLI TERM0060

Electronic printed-circuit boards

- 3390421 CABLE FLAT 26-POLE 395 mm**
for Pizza oven (ZANOLLI)



ZANOLLI ELET0151

- 5054738 MOTHERBOARD 160x100 mm**
for Pizza oven (ZANOLLI)



ZANOLLI ELET0073

- 5037869 MOTHERBOARD 170x150 mm**
for Pizza oven electric (ZANOLLI) SYNTHESIS 05/40
SYNTHESIS 08/50 - SYNTHESIS 10/65V
SYNTHESIS 10/75



ZANOLLI ELET0212

- 5039745 MOTHERBOARD 170x150 mm**
for Pizza oven (ZANOLLI)



ZANOLLI ELET0154



ZANOLLI



Suitable for:


3390420 PC BOARD PUSH-BUTTON PANEL 104x28 mm
for Pizza oven gas (ZANOLLI) PLANET



ZANOLLI ELET0138


Suitable for:

3390046 9 PROGRAMS CIRCUIT BOARD 160x100 mm
for Pizza oven (ZANOLLI) - Series POLIS
Series TEOREMA



ZANOLLI ELET0148

3319241 9 PROGRAMS PUSH-BUTTON PANEL 305x85 mm
for Pizza oven (ZANOLLI) - Series POLIS



ZANOLLI ELET0149

Energy regulators

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing 6 \times 4.6$ mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




ZANOLLI TERM0014

ZANOLLI TERM0050

Fans for motors

7110783 FAN $\varnothing 250$ mm
thickness 78 mm
number of blades 20 - $\varnothing$ tapered hole 11.5-16 mm
for Pizza oven (ZANOLLI)



ZANOLLI VENT0001

Fuses


- 5050301 KIT THERMOFUSE 167°C**
complete with cable and faston
overall length 415 mm
for Pizza oven (ZANOLLI)



ZANOLLI ELET0550


Gaskets for oven door

- 5050573 GASKET FOR OVEN DOOR**
made of silocone elastomer
profile dimensions 16x16 mm
COLOUR: BLACK
sold per linear meter
for Pizza oven (ZANOLLI) PLANET 5 - PLANET 8



ZANOLLI GUAR0032

- 5025451 GASKET FOR OVEN GLASS 4600 mm**
made of silocone elastomer
profile dimensions 9x5 mm
COLOUR: WHITE
for Pizza oven (ZANOLLI) - Series POLIS



ZANOLLI GUAR0010

Handles

- 3242110 COMPLETE OVEN DOOR HANDLE**
for Pizza oven (ZANOLLI) PLANET 5 - PLANET 8



ZANOLLI MANI0064

- 3250284 SPRING FOR OVEN HANDLE ø 14x38 mm**
for Pizza oven (ZANOLLI)



ZANOLLI SPRI0030

Heating elements

- 3755756 HEATING ELEMENT BACK 1300W 220V**
overall length 1260 mm
internal part length 1220 mm
width 250 mm - fittings M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) T3 POLIS MC18
T3 POLIS MC28 - T6 POLIS MC18 - T6 POLIS MC28



ZANOLLI RESI0052

- 5033455 HEATING ELEMENT BACK 2000W 230V**
length 490 mm - width 540 mm
connections ø 1/4" - complete with cables
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0045



Suitable for:

ZANOLLI



3755752 HEATING ELEMENT BACK 800W 230V
overall length 1160 mm
inner length 1035 mm
width 105 mm - flange 140x25 mm
for Pizza oven electric (ZANOLLI) CITIZEN 6+6/MC
CITIZEN 9+9/MC



ZANOLLI RESI0078

3755753 HEATING ELEMENT 1000W 220V
for CEILING
overall length 845 mm
inner length 810 mm
width 110 mm - fittings M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) T2POLISMC18
T4POLISMC18



ZANOLLI RESI0068

3855048 HEATING ELEMENT 1000W 230V
length 280 mm - width 95 mm
connections MA14
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0016

3755751 HEATING ELEMENT 1200W 230V
for CEILING
overall length 1145 mm
internal part length 1040 mm
width 70 mm - flange 110x25 mm
for Pizza oven electric (ZANOLLI) - Series CITIZEN



ZANOLLI RESI0077

Suitable for:

3755755 HEATING ELEMENT FRONT 1300W 220V
overall length 1260 mm
internal part length 1220 mm
width 130 mm - fittings M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) T3 POLIS MC18
T3 POLIS MC28 - T6 POLIS MC18 - T6 POLIS MC28



ZANOLLI RESI0069

3755754 HEATING ELEMENT 1000W 220V
for DECK
overall length 845 mm
inner length 805 mm
width 190 mm - fittings M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) T2POLISMC18
T4POLISMC18



ZANOLLI RESI0051

5056526 HEATING ELEMENT 1000W 230V
length 505 mm - housing ø 20 mm
complete with cables
for Pizza oven (ZANOLLI)



ZANOLLI RESI0074

5029505 HEATING ELEMENT 1800W 230V
for DECK
external 'ø 50 mm - length 142 mm
width 160 mm - connections M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) SYNTHESIS 05/40



ZANOLLI RESI0058



Suitable for:

Suitable for:

5029565 HEATING ELEMENT 2200W 230V
for CEILING
external 'ø 60 mm - length 230 mm
width 260 mm - connections M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) SYNTHESIS 08/50



ZANOLLI RESI0060

3855053 HEATING ELEMENT 2800W 230V
immersed length 157 mm
flange outer ø 63 mm
with probe receptacle
complete with OR gasket
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0133

5030180 HEATING ELEMENT 3000W 220V
for CEILING -DECK
overall length 980 mm
inner length 905 mm
width 70 mm - connections M15x1 mm
complete with cables
for Pizza oven electric (ZANOLLI) SYNTHESIS 10/75



ZANOLLI RESI0041

ZANOLLI RESI0125

5029567 HEATING ELEMENT 3300W 230V
for DECK
external 'ø 60 mm - length 225 mm
width 265 mm - connections M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) SYNTHESIS 08/50



ZANOLLI RESI0061

5025320 HEATING ELEMENT 3600W 230V
for CEILING
external 'ø 60 mm - length 175 mm
width 350 mm - connections M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) SYNTHESIS 10/65V



ZANOLLI RESI0084

5029755 HEATING ELEMENT 4100W 230V
for DECK
external 'ø 60 mm - length 226 mm
width 265 mm - connections M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0082

5063807 HEATING ELEMENT 5000W 230V
length 1250 mm - width 1200 mm
connections ø 1/4" - complete with cables
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0048

5025321 HEATING ELEMENT 5400W 230V
for DECK
external 'ø 60 mm - length 175 mm
width 350 mm - connections M14x1.5 mm
complete with cables
for Pizza oven electric (ZANOLLI) SYNTHESIS 10/65V



ZANOLLI RESI0085



ZANOLLI



Suitable for:

3855049 HEATING ELEMENT 6000W 230V
external $\varnothing$ 315 mm - overall height 170 mm
flange 142x25 mm
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0053

Suitable for:

3855050 HEATING ELEMENT 700W 230V
overall length 768 mm
inner length 644 mm
width 70 mm - flange 110x25 mm
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0089

3855051 HEATING ELEMENT 700W 230V
overall length 815 mm
inner length 690 mm
width 70 mm - flange 110x25 mm
for Pizza oven electric (ZANOLLI)



ZANOLLI RESI0159

5061273 HEATING ELEMENT 8000W 230V
external $\varnothing$ 315 mm - overall height 175 mm
flange 142x25 mm
for Pizza oven electric (ZANOLLI) PLANET 5



ZANOLLI RESI0054

Hinges, catches and accessories

3053653 BRACKET LH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0391

3053655 BRACKET LH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0386

5024780 BRACKET LH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0010-SX

3053652 BRACKET RH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0392

3053654 BRACKET RH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0385



ZANOLLI



Suitable for:


5024502 BRACKET RH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0010-DX

Suitable for:

5024780 BRACKET LH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0010-SX

5063411 BRACKET RH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0393

5063413 BRACKET RH OVEN DOOR
for Pizza oven (ZANOLLI)



ZANOLLI SUPP0394

Incandescent lamps and neon lamps

3221650 HALOGEN LAMP WITH GLASS GU5.3 50W 12V
ø 51 mm
for ALL MODELS



ZANOLLI LAMP0020

3421002 LAMP HALOGEN NEUTRAL G9 33W 230V
temperatura massima 250°C
for Pizza oven (ZANOLLI)



ZANOLLI LAMP0055

3221246 NEUTRAL HALOGEN LAMP GU10 50W 230V
ø 51 mm - 3000h
for Pizza oven (ZANOLLI)



ZANOLLI ELET0226

ZANOLLI LAMP0037

3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V
temperatura massima 250°C
for Pizza oven (ZANOLLI)



ZANOLLI LAMP0045

3221059 OVEN LAMP E27 40W 230V
max temperature 300°C
for OVEN and PIZZA OVEN



ZANOLLI LAMP0003



Suitable for:

ZANOLLI



Suitable for:

Indicator lights

- 3221042 GREEN INDICATOR LAMP 230V**
head $\varnothing$ 20 mm - hole $\varnothing$ 10 mm - 120°C
PVC cables
wires connection length 200 mm



ZANOLLI LAMP0007

- 3221012 INDICATOR LAMP GREEN 230V**
mounting hole 30x22 mm - 125°C
universal application



ZANOLLI LAMP0006

- 3221014 INDICATOR LAMP ORANGE 230V**
mounting hole 30x22 mm - 125°C
universal application



ZANOLLI LAMP0002

Knobs

- 3444129 BLACK KNOB $\varnothing$ 50 mm**
D shaft hole 6x4.6 mm
with symbol
for thermostats and timers



ZANOLLI MANI0021

Labels for control panels

- 3399145 CONTROL PLATE GRAY-RED 340x150 mm**
for Pizza oven (ZANOLLI)



ZANOLLI PANN0327

- 3399147 PLATE MECHANIC ADHESIVE 227x112 mm**
for Pizza oven (ZANOLLI)



ZANOLLI PANN0438

- 3399146 PLATE MECHANICAL GRAY-RED 185x113 mm**
for Pizza oven (ZANOLLI)



ZANOLLI PANN0354

- 3399144 PLATE MECHANICAL GRAY-RED 315x135 mm**
for Pizza oven (ZANOLLI)



ZANOLLI PANN0235



ZANOLLI



Suitable for:

3399149 PLATE MECHANICAL GRAY-RED 315x135 mm
for Pizza oven (ZANOLLI)



ZANOLLI PANN0436

Suitable for:

5055397 PLATE PUSH-BUTTON PANEL DIGIT. 325x130 mm
for Pizza oven (ZANOLLI)



ZANOLLI PANN0275

Lamp receptacles and spare parts

3221212 HALOGEN LAMP RECEPTACLE G4 35W 12V
wire connection length 150 mm
for Pizza oven (ZANOLLI) PLANET 8



ZANOLLI LAMP0044

3621004 LIGHT-RECEPTACLE FOR HALOGEN G9 33W 230V
for Pizza oven electric (ZANOLLI)
CITIZEN EP65 MODULAR



ZANOLLI LAMP0054

3621003 LIGHT DIFFUSER COMPLET FOR NEON 6W 230V
completr with cables and fastening clamps
for Pizza oven (ZANOLLI) CITIZEN - PLANET



ZANOLLI LAMP0048

3621002 LIGHT-RECEPTACLE FOR HALOGEN GU10 50W 12
for Pizza oven (ZANOLLI) - Series CITIZEN
Series POLIS



ZANOLLI LAMP0021


3221650 HALOGEN LAMP WITH GLASS GU5.3 50W 12V
ø 51 mm
for ALL MODELS



ZANOLLI LAMP0020

Lavarock

5063089 REFRACTORY STONE 1046x349x11+3 mm
for Pizza oven (ZANOLLI)



ZANOLLI REFR0032

5030538 REFRACTORY STONE 655x410x11+3 mm
for Pizza oven (ZANOLLI)



ZANOLLI REFR0023



ZANOLLI



Suitable for:

5051179 REFRACTORY STONE 670x175x12 mm
for Pizza oven (ZANOLLI)



ZANOLLI REFR0015

Suitable for:

5051176 REFRACTORY STONE 670x415x11+3 mm
for Pizza oven (ZANOLLI)



ZANOLLI REFR0011

5051178 REFRACTORY STONE 670x450x11+3 mm
for Pizza oven (ZANOLLI)



5057944 REFRACTORY STONE 696x349x11+3 mm
for Pizza oven (ZANOLLI)




ZANOLLI REFR0013

ZANOLLI REFR0031

Level sensors

5058996 LEVEL PROBE $\varnothing$ 1/4" M-90 mm
for Pizza oven (ZANOLLI)



ZANOLLI ELET0552

Microswitches

5061269 MICROSWITCH MKV11D10 5A 250V
for Pizza oven (ZANOLLI) PLANET 5 - PLANET 8



ZANOLLI ELET0327


Motors

5056734 MOTOR 1020A2353 0.37Kw 230V 50Hz
2.2A 1400rpm - capacitor 10 μ F
for Pizza oven (ZANOLLI) PLANET 5 - PLANET 8
SYNTHESIS 05/40



ZANOLLI MOTO0034

7110783 FAN $\varnothing$ 250 mm
thickness 78 mm
number of blades 20 - $\varnothing$ tapered hole 11.5-16 mm
for Pizza oven (ZANOLLI)



ZANOLLI VENT0001

5029296 MOTOR 1021S2252 0.37Kw 220/240V 50Hz
2A 1400rpm - capacitor 12.5 μ F
for Pizza oven (ZANOLLI) SYNTHESIS 08/50
SYNTHESIS 10/75



ZANOLLI MOTO0030

Probes

5051398 PROBE TEMPERATURE PT1000
2 wires - bulb $\varnothing$ 6 mm
probe length 180 mm
cable length 1700 mm
for Pizza oven (ZANOLLI) CITIZEN 6+6/MC
CITIZEN 9+9/MC - PLANET 5 - PLANET 8
Series SYNTHESIS



ZANOLLI TERM0049

3397067 PROBE THERMOCOUPLE TCJ
2 wires
probe length 200 mm - $\varnothing$ probe 6 mm
cable length 800 mm
for Pizza oven (ZANOLLI) - Series CITIZEN
Series TEOREMA POLIS
for Pizza oven electric (ZANOLLI) SYNTHESIS08/50



ZANOLLI TERM0020

ZANOLLI TERM0084

5034812 THERMOCOUPLE PROBE TCJ
2 wires
probe length 200 mm - $\varnothing$ probe 6 mm
cable length 1500 mm
for Pizza oven (ZANOLLI) SYNTHESIS 10/75



ZANOLLI TERM0018

5050575 THERMOCOUPLE PROBE TCJ
2 wires
probe length 100 mm - $\varnothing$ probe 6 mm
cable length 1500 mm
for Pizza oven (ZANOLLI) PLANET 5 - PLANET 8



ZANOLLI TERM0023

Sparking and detection plugs

3806026 KIT SPARKING AND DETECTION PLUG
this kit includes 3 pieces
 $\varnothing$ 9.5x50 mm - overall length 98-100 mm
for Pizza oven gas (ZANOLLI) PLANET 5 GAS
PLANET 8 GAS



ZANOLLI ASSM0769

3020221 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
overall length 172 mm
for Pizza oven (ZANOLLI) - Series CITIZEN
for Pizza oven gas (ZANOLLI) PLANET - SYNTHESIS



ZANOLLI AGAS0014

ZANOLLI ELET0359



Suitable for:

ZANOLLI



Suitable for:

Springs

3250286 SPRING LH OVEN DOOR $\varnothing$ 20x89 mm
for Pizza oven (ZANOLLI)



ZANOLLI SPRI0034

5024501 SPRING LH OVEN DOOR $\varnothing$ 27x153 mm
for Pizza oven (ZANOLLI) CITIZEN 6+6/MC
CITIZEN 9+9/MC - Series POLIS



ZANOLLI SPRI0009

5024500 SPRING RH OVEN DOOR $\varnothing$ 27x153 mm
for Pizza oven (ZANOLLI) CITIZEN 6+6/MC
CITIZEN 9+9/MC - Series POLIS



ZANOLLI SPRI0010

3250283 SPRING RX OVEN DOOR $\varnothing$ 20x89 mm
for Pizza oven (ZANOLLI)



ZANOLLI SPRI0033

Switches

3319015 PUSH-BUTTON 2-POLE RED 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ZANOLLI INTE0012

1319202 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



ZANOLLI INTE0010

3319934 SWITCH 2-POLE ORANGE 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ZANOLLI INTE0009

3319016 SWITCH 2-POLE RED 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ZANOLLI INTE0004

Thermocouples and accessories

- 3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1**
for Pizza oven (ZANOLLI)



ZANOLLI TERM0064

Thermostats

- 3744051 SINGLE-PHASE THERMOSTAT 40-500°C**
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 4x220 mm



ZANOLLI TERM0003

- 3444174 SINGLE-PHASE THERMOSTAT 50-320°C**
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm
for Pizza oven (ZANOLLI)



ZANOLLI TERM0013


- 3444787 SINGLE-PHASE THERMOSTAT 84-422°C**
D-shaft $\varnothing$ 6x4.6 mm
covered capillary length 870 mm - 16A 250V
bulb $\varnothing$ 4x163 mm
for Pizza oven (ZANOLLI) - Series CITIZEN
for Pizza oven electric (ZANOLLI) EP65



ZANOLLI TERM0038

ZANOLLI TERM0072

- 3744165 THERMOSTAT SINGLE-PHASE 0-90°C**
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1500 mm
bulb $\varnothing$ 6x75 mm
for Pizza oven (ZANOLLI)



ZANOLLI TERM0002

- 2102134 THERMOSTAT THREE-PHASE 509°C**
with manual reset
covered capillary length 870 mm - 20A 380V
bulb $\varnothing$ 4x308 mm



ZANOLLI

- 3444788 3-PHASE THERMOSTAT 500°C**
with manual reset
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 4x310 mm
for Pizza oven (ZANOLLI) - Series CITIZEN6
for Pizza oven electric (ZANOLLI) PLANET5
PLANET8 - SYNTHESIS05-40 - SYNTHESIS08-50
SYNTHESIS10-65V - SYNTHESIS10-75 - T2POLISMC18
T2POLISMC28 - T3POLISMC18 - T3POLISMC28
T4POLISMC18 - T4POLISMC28 - T6POLISMC18
T6POLISMC28
for Pizza oven gas (ZANOLLI) CITIZEN9



ZANOLLI TERM0005



Suitable for:

ZANOLLI



Suitable for:


Transformers

3739033 TRANSFORMER 0-230-400V/115-0-115V 63VA

primary voltage 0-230-400V 50/60Hz
secondary voltage 115-0-115V 63VA
ambient temperature 0÷40°C
screw terminal box
for Pizza oven (ZANOLLI) SYNTHESIS 05/40
SYNTHESIS 08/50 - SYNTHESIS 10/75

5050576 TRANSFORMER 0-230-400V/12-0-12V 100VA

primary voltage 0-230-400V 50/60Hz
secondary voltage 12-0-12V 100VA
ambient temperature 0÷35°C
screw terminal box
for Pizza oven gas (ZANOLLI) PLANET5 GAS
PLANET8 GAS



ZANOLLI ELET0003

ZANOLLI ELET0442

3221248 TRANSFORMER 0-230-400V/12-0-12V 63VA


primary voltage 0-230-400V 50/60Hz
secondary voltage 12-0-12V 63VA
room temperature 0÷40°C
screw terminal box
for Pizza oven (ZANOLLI) - Series CITIZEN
Series POLIS - Series TEOREMA



ZANOLLI ELET0144

3739034 TRASFORMATORE 0-230V/0-12V 63VA

primary voltage 0-230V 50/60Hz
secondary voltage 0-12V 63VA
ambient temperature 0÷35°C
screw terminal box
for Pizza oven (ZANOLLI) CITIZEN



ZANOLLI ELET0433

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com |  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com | |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com |
|  CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz |  USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us |