



Spare parts for:

Superautomatic machines



Suitable for:

CIMBALI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CIMBALI



Suitable for:

Baffles

1252467 GROUND COFFEE LID


for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-069-020

Bearings

1063013 BEARING 6301 2RS



CIMBALI 3711-022-897

CIMBALI 580-105-310

Boiler safety valves

1523537 BOILER VALVE $\varnothing$ 1/4" M

stainless steel - old model
internal teflon coating - or viton



CIMBALI 418-911-002

CIMBALI 418-911-010

CIMBALI 418911010

1523538

BOILER VALVE $\varnothing$ 1/4" M

made of brass



CIMBALI 418-932-000

1515004 BOILER VALVE $\varnothing$ 1/4" M - 2.0 bar CE/TUV

setting pressure 2.0 bar
steam vent capacity 43.3 Kg/h
silicone seal
operating temperature -30/+160°C
CE/TUV certified valve
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53 - S39
for Superautomatic coffee machine (FAEMA) X1 - X2
X3 - X53 - X54



CIMBALI 532-392-500

1523048

BOILER VALVE $\varnothing$ 1/4" M 2 bar

for Superautomatic coffee machine (CIMBALI) M1
M2 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 438-926-030

CIMBALI 537-047-400

Suitable for:

Suitable for:

1523535 BOILER VALVE $\varnothing$ 3/8" M
calibration pressure 1,8 bar
steam release 6.3 Kg/h

1515007 BOILER VALVE $\varnothing$ 3/8" M - 2.0 bar CE/TUV
adjustment pressure 2.0 bar
steam drain flow rate 43.3 kg/h
silicone seal
operating temperature -30/+160°C
CE/TUV certified valve
for Superautomatic coffee machine (CIMBALI) M3
M51 - M52
for Superautomatic coffee machine (FAEMA) X3 - X4
X5



CIMBALI 438-914-012

CIMBALI 438-926-000

CIMBALI 438-926-010

CIMBALI 532-392-600

Booster pumps

1330018 ROTARY VANE PUMP CIMBALI/FAEMA $\varnothing$ 3/8"
flange connection
with balanced by-pass
fitting $\varnothing$ 3/8" gas
flowrate 180 L/h
for Superautomatic coffee machine (CIMBALI) M1
M2 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2

1330031 ROTARY VANE PUMP CIMBALI/FAEMA $\varnothing$ 3/8"
flange connection
flowrate 150L/h
with balanced bypass
fitting $\varnothing$ 3/8" gas



CIMBALI 2241-130-176
CIMBALI 462-991-000
CIMBALI 533-180-000
CIMBALI 533-408-000
CIMBALI 537-048-500

CIMBALI 462-707-000
CIMBALI 462-991-010
CIMBALI 533-180-010
CIMBALI 533408000

CIMBALI 462-707-010
CIMBALI 462-992-000
CIMBALI 533-199-110
CIMBALI 537-048-400

CIMBALI 2241-130-177

1330016 ROTARY VANE PUMP PROCON $\varnothing$ 3/8" NPT
clamp connection
flow rate 200 l/h
equipped with balanced bypass
with built-in filter
connection $\varnothing$ 3/8" conical NPT

1349100 PUMP CONNECTION $\varnothing$ 3/8" CONIC-3/8" STRAIGH
3/8" CONICAL (NPT)-3/8" STRAIGHT



CIMBALI 533-196-900

CIMBALI 532-500-600




Suitable for:

CIMBALI



Suitable for:

- 1330019 ROTARY VANE PUMP PROCON $\varnothing$ 3/8" NPT**
 clamp connection
 flowrate 100 L/h
 with balanced by-pass
 fitting $\varnothing$ 3/8" NPT conical
 for Superautomatic coffee machine (CIMBALI) M51
 M52CONCEPT
 for Superautomatic coffee machine (FAEMA) X5



CIMBALI 533-197-300

Capacitors

- 3068016 CAPACITOR μ F 10 450V 50/60Hz**
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



CIMBALI 2341-119-567
 CIMBALI 531-492-900

CIMBALI 531-401-600


CIMBALI 531-492-000

- 3068024 CAPACITOR μ F 16 450V 50/60Hz**
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and 92/31 regulations



CIMBALI 3341-131-517

- 3068008 CAPACITOR μ F 5 450V 50/60Hz**
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



CIMBALI 531-404-100

CIMBALI 531-492-800

- 3068010 CAPACITOR μ F 6.3 450V 50/60Hz**
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



CIMBALI 803-140-045

Cappuccino makers - Cappuccinatore

- 1079020 AIR ADJUSTING SCREW**
 for cappuccinatore



CIMBALI 433-101-000

- 1079019 GHIERA $\varnothing$ 16 mm M5**
 for cappuccinatore



CIMBALI 2851-135-194

CIMBALI 433-929-000

Caps

1439018 LEVEL CAP $\varnothing$ 1/4" M



CIMBALI 590-086-000

Circlips

1348029 STAINLESS STEEL CIRCLIP J-19 UNI 7437



CIMBALI 568-101-000

Clamps

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



CIMBALI 539-000-101

Coffee groups


1192064 GROUNDS EJECTION LEVER RELEASE SLIDEWAY
for coffee group
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-060-000

CIMBALI 931-301-000

1192063 HIGHER PISTON BUSHING
 $\varnothing$ via hole 19 mm - total height 30 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-031-030

CIMBALI 431-031-040



Suitable for:

CIMBALI



Suitable for:

Contact thermostats

- 1443065 CONTACT THERMOSTAT 160°C 10A 250V**
with manual reset
for CIMBALI M39GT
for CIMBALI SUPERAUTOMATIC M50



CIMBALI 531-104-300

CIMBALI 531-104-600

Containers for coffee

- 1080158 COFFEE CONTAINER CLOSING SHEET**
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 431-222-030

Couplings

- 1191003 COMPLETE METAL COUPLING**
metal part external $\varnothing$ 40 mm
 $\varnothing$ rubber part external $\varnothing$ 41.5 mm
metal part hole $\varnothing$ 11x10 mm
hole second rectangular metal part
for FLANGE pump



CIMBALI

- 1191004 COMPLETE METAL COUPLING**
metal part external $\varnothing$ 35 mm
rubber part external $\varnothing$ 35 mm
rectangular metal part hole 7.6x3.6 mm
for FAEMA pump



CIMBALI

- 1191005 RUBBER COUPLING $\varnothing$ 35 mm**
external $\varnothing$ 35 mm
for pump FAEMA



CIMBALI 4081-135-955

- 1191002 RUBBER COUPLING $\varnothing$ 41.5 mm**
 $\varnothing$ external 41.5 mm
for flange pump



CIMBALI 4081-021-923

Dosers for coffee

1090043 PERISTALTIC PIPE $\varnothing$ 5x8 mm



CIMBALI 533-198-400

CIMBALI 533-198-410

Feet

1313006 FOOT $\varnothing$ 19x10 mm
for Superautomatic coffee machine (CIMBALI) M3
for Superautomatic coffee machine (FAEMA) X3



CIMBALI 532-800-100

1313016 FOOT $\varnothing$ 60 mm M10 H=30÷40 mm
for Superautomatic coffee machine (CIMBALI) M3
M49 - M50 - M51
for Superautomatic coffee machine (FAEMA) X3 - X4
X5



CIMBALI 421-921-002

CIMBALI 421-921-012


Filters

1160068 WATER FILTER $\varnothing$ 18 mm



CIMBALI 490-055-000

1160011 WATER FILTER $\varnothing$ 9 mm



CIMBALI 4771-116-081


1160511 WATER FILTER $\varnothing$ 9x1.5 mm



CIMBALI 481-361-000


Fittings

1349110 FITTING $\varnothing$ 1/8" AUSSEN-3/8" AUSSEN



CIMBALI 590-533-000

1349224 FITTING $\varnothing$ 1/8" M HOSE-END $\varnothing$ 8 mm



CIMBALI 433-009-010




CIMBALI



Suitable for:


1349101 FITTING $\varnothing$ 1/8"M-1/8"M NICKEL-PLATED



CIMBALI 532-501-800

Suitable for:

1160700 FITTING WITH FILTER $\varnothing$ 3/8"Mx3/8"M
for pumping




CIMBALI 2771-117-583

CIMBALI 925-783-000

CIMBALI 925-783-010

1349222 HOSE-END $\varnothing$ 4 mm FITTING $\varnothing$ 1/8"M



CIMBALI 532-653-800

1349013 L-FITTING $\varnothing$ 1/8"M-1/8"M NICKEL-PLATED



CIMBALI 532-507-506

CIMBALI 555-000-070

CIMBALI 555-000-070R

1349100 PUMP CONNECTION $\varnothing$ 3/8"CONIC-3/8" STRAIGH
3/8"CONICAL(NPT)-3/8"STRAIGHT



CIMBALI 532-500-800

1349223 STRAIGHT FITTING $\varnothing$ 1/8"Mx6 mm



CIMBALI 532-650-800

1349269 STRAIGHT FITTING $\varnothing$ 3/8"M-3/8"F
for steam pipe
for CIMBALI M39GT
for CIMBALI SUPERAUTOMATIC S39



CIMBALI 485-256-000

CIMBALI 485-256-010

CIMBALI 485-256-018

1349221 WATER STEAM PASSAGE FITTING
for cappuccino delivery spout




CIMBALI 931-704-000

CIMBALI 931-763-000

Flowmeters

1455031 FLOWMETER GICAR
connection $\varnothing$ 1/8"FF



CIMBALI 534-391-020

1455058 VOLUMETRIC FLOWMETER DIGMESA
fittings $\varnothing$ 1/4"FF - nozzle $\varnothing$ 1 mm
model 933-0610FV04
for Superautomatic coffee machine (CIMBALI) M1
M53 - S39
for Superautomatic coffee machine (FAEMA) X1 - X53
X54



CIMBALI 534-391-800

CIMBALI 534-393-100

CIMBALI 534-392-300

CIMBALI 534-392-700

Gaskets and seals

1186365 "O" RING 02012 EPDM



CIMBALI 401-368-000

1186362 "O" RING 02021 EPDM



CIMBALI 400-364-000
CIMBALI 402-249-000

CIMBALI 401-367-000

CIMBALI 402-224-000

1186394 ASBESTOS FREE FLAT GASKET ø 22x17x2 mm



CIMBALI 400-215-000

CIMBALI 401-183-000

1786220 BLIND GASKET ø 9.2x4.6 mm VITON
for expansion valve
for Superautomatic coffee machine (CIMBALI) M1
S39 - S54




CIMBALI 402-203-000

1186363 BLIND GASKET ø 9x5 mm



CIMBALI 400-244-000

1186572 BOILER GASKET ø 180x140x3 mm
teflon - 6 holes
for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 401-331-010

1186344 CONICAL TEFLON SEAL ø 14.5x7x6 mm
for water/steam pipe



CIMBALI 485-078-000

CIMBALI 485-078-010

1186301 COPPER FLAT GASKET ø 14x10x1 mm



CIMBALI 401-234-000

1186619 COPPER FLAT GASKET ø 18x14x1.5 mm




CIMBALI 401-214-000

CIMBALI 401-250-000

CIMBALI 4701-024-554

1186607 FLAT CARBO GASKET ø 57.8x50x3 mm
universal carbo
for heating element



CIMBALI 401-194-000

CIMBALI 401-194-010



Suitable for:

1186958 FLAT EPDM GASKET $\varnothing$ 20.5x15x2 mm



CIMBALI 4701-134-698

Suitable for:

1186342 FLAT GASKET $\varnothing$ 11x3x4 mm EPDM



CIMBALI 400-274-010

1186300 FLAT GASKET $\varnothing$ 15x7.3x4 mm EPDM



CIMBALI 400-298-000

CIMBALI 402-227-000

1186972 FLAT GASKET $\varnothing$ 37x32x4 mm

for coffee group

for Superautomatic coffee machine (CIMBALI) M50
M53

for Superautomatic coffee machine (FAEMA) X5



CIMBALI 401-280-000

1186923 FLAT GASKET $\varnothing$ 51x45x3 mm

for coffee group

for Superautomatic coffee machine (CIMBALI) M50
M53

for Superautomatic coffee machine (FAEMA) X5



CIMBALI 401-295-000

1186973 FLAT GASKET $\varnothing$ 59x53x3 mm

for coffee group $\varnothing$ 50 mm


for Superautomatic coffee machine (CIMBALI) M50
M53

for Superautomatic coffee machine (FAEMA) X5



CIMBALI 401-296-000


1186945 FLAT GASKET TEFLON $\varnothing$ 14x10x1,5 mm



CIMBALI 401-195-000


CIMBALI 401-195-010

1186959 FLAT GASKET TEFLON $\varnothing$ 20x15x1 mm



CIMBALI 427-354-000

1186957 FLAT GASKET TEFLON $\varnothing$ 22x17x1,5 mm



CIMBALI 401-183-010

1186969 FLAT GASKET TEFLON $\varnothing$ 25x21x1,5 mm



CIMBALI 400-335-010



Suitable for:


1186927 FLAT GASKET VITON $\varnothing$ 12x4x4 mm



CIMBALI 400-274-020

Suitable for:


1186974 FLAT TEFLON GASKET $\varnothing$ 8.5x4.5x1.5 mm



CIMBALI 401-196-000

CIMBALI 401-196-010

1186625 GASKET OR 03281 EPDM
for BOILER FAMILY



CIMBALI 401-379-000

1186966 GASKET ORM 0057-19 VITON GREEN



CIMBALI 402-198-000

1186964 GASKET ORM 0078-19 VITON



CIMBALI 402-235-000

1186968 GASKET ORM 0089-27 VITON GREEN



CIMBALI 402-197-000

1186403 GREEN VITON O-RING 04137
for coffee group $\varnothing$ 44 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 402-238-000

3243009 O-RING GASKET 0106 EPDM



CIMBALI 401-349-000

CIMBALI 401-371-000

CIMBALI 402-210-000

3186253 O-RING GASKET 0130 EPDM



CIMBALI 401-364-000

3186001 O-RING GASKET 06150 EPDM




CIMBALI 401-348-000

3060608 O-RING 03050 EPDM



CIMBALI 401-190-000

1186944 O-RING 00134 SILICONE PLATINUM
for coffee group $\varnothing$ 35 mm
for Superautomatic coffee machine (CIMBALI) M3



CIMBALI 402-185-000

CIMBALI 402-185-010



Suitable for:

1186902 O-RING 0108 - RED SILICONE
for steam tap DELONGHI machines



CIMBALI

Suitable for:

1186422 O-RING 0108 EPDM



CIMBALI 400-301-000

CIMBALI 402-217-000

1186255 O-RING 0109 EPDM



CIMBALI 401-366-000

CIMBALI 402-220-000

1186304 O-RING 0112 EPDM



CIMBALI 401-278-000

1186626 O-RING 0114 EPDM



CIMBALI 401-360-000

1186591 O-RING 0128 VITON



CIMBALI 400-213-000

1186947 O-RING 0144 SILICONE PLATINUM
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 402-184-000

CIMBALI 402-187-000

CIMBALI 402-187-010

1186503 O-RING 0155 RED SILICONE
for exchanger



CIMBALI 401-178-002

CIMBALI 401-178-012

3243160 O-RING 0174 EPDM



CIMBALI 402-188-000

CIMBALI 402-244-000

CIMBALI 402-260-000

1186014 O-RING 02015 EPDM



CIMBALI 401-300-000

CIMBALI 401-370-000

CIMBALI 401-399-000

1186900 O-RING 02015 VITON



CIMBALI 402-250-000

3243139 O-RING 02025 EPDM



CIMBALI 530-501-200



CIMBALI



Suitable for:

Suitable for:

1186411 O-RING 02031 EPDM

1186803 O-RING 02037 EPDM



CIMBALI 401-343-000

CIMBALI 402-223-000

CIMBALI 401-292-000

CIMBALI 401-338-000

CIMBALI 402-195-000

1186346 O-RING 02043 EPDM

1186950 O-RING 02043 VITON GREEN



CIMBALI 400-393-000

CIMBALI 401-204-000

CIMBALI 401-362-000

CIMBALI 402-209-000

1186223 O-RING 02056 EPDM

3243382 O-RING 02087 EPDM



CIMBALI 401-250-000

CIMBALI 401-305-000

CIMBALI 400-335-000

3243191 O-RING 02125 EPDM

3243189 O-RING 02137 EPDM





CIMBALI 401-369-000

CIMBALI 401-309-000

1186929 O-RING 02137 VITON GREEN

1186960 O-RING 02162 GREEN VITON
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1




CIMBALI 402-241-000

CIMBALI 402-240-000



Suitable for:

1186956 O-RING 02200 EPDM
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 401-310-000

Suitable for:

1186967 O-RING 03014 VITON GREEN



CIMBALI 402-247-000

1186318 O-RING 03043 EPDM



CIMBALI 400-279-000

CIMBALI 401-374-000

1186236 O-RING 03043 VITON



CIMBALI 400-279-000

CIMBALI 402-219-000

1186833 O-RING 03100 EPDM



CIMBALI 401-337-000

3186244 O-RING 03125 EPDM



CIMBALI 401-279-010


3186245 O-RING 03200 EPDM



CIMBALI 401-392-000


CIMBALI 402-245-000

1186948 O-RING 03200 VITON GREEN
for coffee group ø 44 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 402-245-000

1186961 O-RING 03218 VITON GREEN
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 402-183-000

CIMBALI 402-246-000

1186238 O-RING 04081 EPDM



CIMBALI 401-354-000



CIMBALI




Suitable for:

Suitable for:

1186655 O-RING 04131 EPDM

1186963 O-RING 04137 SILICONE PLATINUM
for coffee group ø 44 mm
for Superautomatic coffee machine (CIMBALI) M3



CIMBALI 401-393-000

CIMBALI 402-186-000

CIMBALI 402-186-010

1186928 O-RING 04200 VITON GREEN
per cartuccia

3786685 O-RING 06287 EPDM



CIMBALI 402-226-000

CIMBALI 401-385-000

1186990 OR-GASKET 04137 RED SILICONE

1186925 PISTON RING NUTS KIT
one gasket OR04150
one flat gasket ø 49x45x5 mm
one seat for flat gasket
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5




CIMBALI 402-273-000

CIMBALI 537-017-500

CIMBALI 537-017-508

1186926 PISTON RING NUTS KIT
one gasket OR04118
one flat gasket ø 41x38x2 mm
one seat for flat gasket
for coffee group ø 42 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5

1186949 PISTON RING NUTS KIT
one gasket OR04150
one flat gasket ø 50x45x4 mm
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 537-018-000

CIMBALI 537-018-008

CIMBALI 537-017-400

CIMBALI 537-017-408



Suitable for:

CIMBALI



- 1186975 PISTON RING NUTS KIT**
one gasket OR02162
one flat gasket $\varnothing$ 50x45x4 mm
for coffee group $\varnothing$ 50 mm
for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 537-017-600

- 1186962 SCRAPER RING $\varnothing$ 33 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-260-000

- 1186965 SCRAPER RING NUTS KIT**
one gasket OR03100
one bushing $\varnothing$ internal 23,5 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 401-397-000

- 1186971 SHOULDER BUSHING**
 $\varnothing$ internal 30 mm - $\varnothing$ external 42 mm
thickness 6 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 427-086-000

Suitable for:

- 1186976 PISTON RING NUTS KIT**
one gasket OR04118
one bushing $\varnothing$ internal 37 mm
for coffee group $\varnothing$ 42 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 537-017-900

CIMBALI 537-017-908

- 1186946 SCRAPER RING NUTS KIT**
one gasket OR0130
one bushing $\varnothing$ internal 20 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 537-017-700

- 1186977 SCRAPER RING NUTS KIT**
one gasket OR02131
one bushing $\varnothing$ internal 37 mm
for coffee group $\varnothing$ 42 mm
for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 537-018-100

- 1786166 TEFLON FLAT GASKET $\varnothing$ 18x14x1.5 mm**




CIMBALI 401-250-010

Suitable for:

Suitable for:

1186609 **TEFLON FLAT GASKET $\varnothing$ 58x51x2 mm**
for heating element



CIMBALI 401-194-000

CIMBALI 401-194-010

Grinders

1251135 **GR.BURRS CIMBALI-FAEMA TITANIUM (PAIR) LH**
external $\varnothing$ 63.5 mm - internal $\varnothing$ 38 mm
thickness 9 mm - 3 mounting holes
for Superautomatic coffee machine (CIMBALI) M3
M49 - M50 - M51 - M53
for Superautomatic coffee machine (FAEMA) X3 - X5



1251170 **GRINDING BURRS CIMBALI-FAEMA (PAIR) RIGHT**
 $\varnothing$ external 63,5 mm - $\varnothing$ internal 38 mm
thickness 9 mm - 3 fixing holes
for Superautomatic coffee machine (CIMBALI) M1
S39
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 427-867-000

CIMBALI 463-727-000

CIMBALI 537-041-300

CIMBALI 916-116-000

Heat exchangers

1169004 **CARTRIDGE $\varnothing$ 42x150 mm**
for Superautomatic coffee machine (CIMBALI) M2
M49 - M51 - M52 - M53
for Superautomatic coffee machine (FAEMA) X4 - X5
X53



CIMBALI 457-177-002

CIMBALI 457-177-008

1169003 **CARTRIDGE $\varnothing$ 42x210 mm**
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 457-207-002

CIMBALI 457-207-008

CIMBALI 457-207-005

CIMBALI 457-207-006

1186279 **CARTRIDGE RING**



CIMBALI 457-165-000

CIMBALI 457-165-028

CIMBALI 457-165-010

CIMBALI 457-165-020



Suitable for:

CIMBALI



Suitable for:

Heating elements

1755200 CARTRIDGE RESISTANCE 90W 24V

cartridge $\varnothing$ 6x50 mm
cable length 450 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-716-020

CIMBALI 431-716-030

1755199 RESISTANCE 2700W 220V

length 160 mm - with bulb sheath
distance between centres 60 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2
X5




CIMBALI 428-553-020

CIMBALI 428-553-030

1186607 FLAT CARBO GASKET $\varnothing$ 57.8x50x3 mm

universal carbo
for heating element




CIMBALI 401-194-000

CIMBALI 401-194-010

1186609 TEFLON FLAT GASKET $\varnothing$ 58x51x2 mm

for heating element



CIMBALI 401-194-000

CIMBALI 401-194-010

Injectors

1501012 NOZZLE $\varnothing$ 14 HOLE $\varnothing$ 0.8 mm

for brew group outlet



CIMBALI 491-173-006

CIMBALI 903-143-000


Inlet hoses

- 1449706 FLEX HOSE $\varnothing$ 1/8" Fc x Fc Length 37 cm**
stainless steel coated
conical female fittings
external pipe $\varnothing$ 10 mm



CIMBALI 532-300-500

- 1449689 SILICONE HOSE $\varnothing$ 10x13 SHORE 60 - 10 m**
alimentary



CIMBALI 220-000-017

CIMBALI 429-065-000

- 1449680 SILICONE HOSE $\varnothing$ 3x5 SHORE 60 - 10 m**
alimentary



CIMBALI 220-000-013

CIMBALI 430-442-000

- 1449280 SILICONE HOSE $\varnothing$ 3x5 SHORE 60 - 100 m**
alimentary



CIMBALI 220-000-013


CIMBALI 430-442-000

- 1449683 SILICONE HOSE $\varnothing$ 5x10 SHORE 60 - 10 m**
alimentary



CIMBALI 220-000-015

- 1449283 SILICONE HOSE $\varnothing$ 5x10 SHORE 60 - 100 m**
alimentary



CIMBALI 220-000-015

- 1449682 SILICONE HOSE $\varnothing$ 5x8 SHORE 60 - 10 m**
alimentary



CIMBALI 429-050-000

CIMBALI 484-391-000

- 1449282 SILICONE HOSE $\varnothing$ 5x8 SHORE 60 - 100 m**
alimentary



CIMBALI 429-050-000

CIMBALI 484-391-000

- 1449285 SILICONE HOSE $\varnothing$ 6x10 SHORE 60 - 100 m**
alimentary



CIMBALI 220-000-016

- 1449685 SILICONE HOSE $\varnothing$ 6x10 SHORE 60 - 5 m**
alimentary




CIMBALI 220-000-016



Suitable for:

1449500 **TEFLON PIPE $\varnothing$ 2x4 mm - 10 m**
alimentary




CIMBALI 220-000-021

CIMBALI 220-000-021-10MT

Suitable for:

1449502 **TEFLON PIPE $\varnothing$ 4x6 mm - 10 m**
alimentary



CIMBALI 220-000-022

Ironmongery (screws,nuts,washers)

3528291 **CROSS HEAD FLUSH SCREW M4x8 UNI 7688**



CIMBALI 429-600-000

1528631 **CROSS HEAD SCREW M4x8 UNI 7687**



CIMBALI 502-704-086

1348813 **HEXAGONAL NORM.NUT M4 ST.STEEL UNI 5588**



CIMBALI 542-904-040

1455034 **S/S SCREW T.C.C.E.I M4x10 UNI 5931**



CIMBALI 4001-051-934

CIMBALI 511-804-120

1184006 **S/S SCREW T.C.C.E.I. M4x12 UNI 7984**



CIMBALI 4001-051-935

3528112 **S/S SCREW T.E. M6x16 UNI 5739 DIN 24017**



CIMBALI 593-793-001

3060069 **S/STEEL HEXAGONAL MEDIUM NUT M8 UNI 5588**




CIMBALI 542-908-080

1528001 **SCREW M4x10 UNI 6109**



CIMBALI 503-604-100

1252469 **SFERA COFFEE GRINDER NUT**
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-050-010

CIMBALI 431-050-020

1528030 **ST.STEEL HEXAGONAL NUT M6 UNI 5588**



CIMBALI 541-806-050



CIMBALI



Suitable for:

1186315 ST.STEEL WASHER M5 UNI6593 DIN9021



CIMBALI 590-733-000

Suitable for:

1528092 STAINLESS SCREW T.C. M3x10 mm
for shower fixing




CIMBALI 503-603-120

1184009 STAINLESS STEEL M8x25 mm STUD



CIMBALI 503-308-200

1186299 WASHER ø 21x16x1 mm



CIMBALI 590-715-000

Knobs

1241016 WATER/STEAM TAP KNOB
D-shaped pin hole ø 6x8 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 492-902-000

Lamps

1221003 RED INDICATOR LAMP 24V
head ø 10 mm - hole ø 9 mm
for Superautomatic coffee machine (CIMBALI) M50




CIMBALI 445-550-000

CIMBALI 530-150-400

CIMBALI 530-151-100

3221021 RED LAMP RECEPTACLE
head ø 14.5 mm - hole ø 12 mm



CIMBALI 530-106-200

CIMBALI 530-106-400

3221097 NEUTRAL INDICATOR LAMP 220V
head ø 8 mm - 120°C



CIMBALI 530-150-300



Suitable for:

CIMBALI



Suitable for:

Level balls

1252468 SPHERE $\varnothing$ 25 mm M8

for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 465-358-000

CIMBALI 916-294-000

CIMBALI 916-294-010

CIMBALI 916-294-020

Microswitches

3240780 MAGNETIC MICRO SWITCH A061-1V

250V 0,04A - bulb $\varnothing$ 6x30 mm
cable length 220 mm
for Superautomatic coffee machine (CIMBALI) M49
M51 - M53
for Superautomatic coffee machine (FAEMA) X4 - X5




CIMBALI 430-554-020

3803058 SUPPORT FOR MAGNETIC MICRO SWITCH



1240821 MICROSWITCH 10A 250V

for Superautomatic coffee machine (CIMBALI) M3
M51
for Superautomatic coffee machine (FAEMA) X3 - X5



CIMBALI 532-006-600

Motors

1240177 GERED MOTOR UNIT

for coffee group gearmotor
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 427-638-000

CIMBALI 427-638-010

Motors

1240702 MOTOR RPM WITH CLAMP CONNECTION 165W

model 11002728
power 165W 220V 50Hz
capacitor 10 μ f
for rotary vane pump



CIMBALI 530-290-800

CIMBALI 530-296-900

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



CIMBALI 539-000-101

1240181 RPM MOTOR WITH CLAMP 275W

model C0111
power 275W 208/240V 1.3A 50/60Hz
capacitor 4 μ f
for volumetric pump
for Superautomatic coffee machine (CIMBALI) M49
M51
for Superautomatic coffee machine (FAEMA) X4 - X5



CIMBALI 530-295-400

Non-return valves

1523016 EXPANSION VALVE

for Superautomatic coffee machine (CIMBALI) M49
M50



CIMBALI 537-017-800

1523019 EXPANSION VALVE

for Superautomatic coffee machine (CIMBALI) M50
M51 - M52
for Superautomatic coffee machine (FAEMA) X4 - X5



CIMBALI 415-928-000

CIMBALI 415-929-010

CIMBALI 415-929-020

CIMBALI 415-932-000

CIMBALI 415-932-010

CIMBALI 427-954-000

1523015 NON-RETURN VALVE

for Superautomatic coffee machine (CIMBALI) M49
M50 - M51 - M52 - M53
for Superautomatic coffee machine (FAEMA) X4 - X5



CIMBALI 418-917-012

CIMBALI 418-917-020

1523049 VALVE FOR NON-RETURN VALVE



CIMBALI 418-012-010

CIMBALI 418-012-020

CIMBALI 418-012-028



Suitable for:

CIMBALI



Suitable for:

Pins

1348317 PIN TAP




CIMBALI 485-751-000
CIMBALI 985-710-000

CIMBALI 485-751-010
CIMBALI 985-710-010

CIMBALI 485-910-002

1186299 WASHER $\varnothing$ 21x16x1 mm



CIMBALI 590-715-000

1184019 SCREW PIN FOR WATER/STEAM TAP



CIMBALI 590-791-010

1348111 TAP SPINDLE



CIMBALI 485-910-010

Pipes for coffee machines

1550001 SUCTION PIPE $\varnothing$ 1/8" M

total length 182 mm

for Superautomatic coffee machine (CIMBALI) M1

for Superautomatic coffee machine (FAEMA) X1



CIMBALI 916-543-010

Pressure gauges

1245557 PUMP PRESSURE GAUGE $\varnothing$ 42 mm 0÷16 bar

single scale 0÷16 bar - connections $\varnothing$ 1/8" M

rim $\varnothing$ 43 mm - body $\varnothing$ 42 mm

for Superautomatic coffee machine (CIMBALI) M53

for Superautomatic coffee machine (FAEMA) X1



CIMBALI 3781-133-399

1245545 PUMP PRESSURE GAUGE $\varnothing$ 57 mm 0÷15 bar

single scale 0÷15 bar - connections $\varnothing$ 1/8" M

rim $\varnothing$ 60 mm - body $\varnothing$ 57 mm

with spacing ring

for Superautomatic coffee machine (CIMBALI) M3

M50 - M51

for Superautomatic coffee machine (FAEMA) X3 - X4
X5



CIMBALI 496-246-000



Pressure switches

1320533 MEMBRANE KIT FOR PRESSURE SWITCH
model P302-6 ø 55 mm




CIMBALI 531-102-110

1320017 PRESSURE SENSOR
dimensions 25x25 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53
for Superautomatic coffee machine (FAEMA) X1 - X3
X53 - X54



CIMBALI 537-046-900

1320538 PRESSURE SWITCH - NEW MODEL
for Superautomatic coffee machine (CIMBALI) M3
M49 - M50 - M51
for Superautomatic coffee machine (FAEMA) X3 - X4
X5



CIMBALI 468-901-022

CIMBALI 537-030-700

1186078 PRESSURE SWITCH DIAPHRAGM ø 38 mm



CIMBALI 468-007-020

1320541 PRESSURE SWITCH PARKER
fitting ø 1/4"
scale 0.5÷1.4 bar
differential 0.18÷0.03 bar
pressure max 2.1 bar
temperature max 140°



CIMBALI

1320531 PRESSURE SWITCH P302/6 3-POLES 30A
CE-SEV-ASE-UL approved
ISO 228 G connection 1/4"M for pipe ø 4x6 mm
adjustable scale 0.5÷1.4 bar
fixed differential 0.15 (ý 0.06) bar
fluid temperature max :140°C
max contact load : 220V 7KW (30A)
400V 12KW (30A)



CIMBALI 531-190-310

Probes

1397023 GROUP TEMPERATURE PROBE
bulb ø 8x20 mm - cable length 400 mm
for CIMBALI SUPER-AUTOMATIC M1-M2
for FAEMA SUPER-AUTOMATIC X1-X2



CIMBALI 431-715-010

1397042 TEMPERATURE PROBE
for CASADIO VENTI
for CIMBALI SUPERAUTOMATICA S39-Q10
for CIMBALI M39-M39GT
for FAEMA SUPERAUTOMATICA BARCODE



CIMBALI 531-194-800

CIMBALI 531-194-810



Suitable for:

CIMBALI



Suitable for:

Pull-through brushes

1384001 BRUSH FOR COFFEE SHOWER



CIMBALI 457-062-000

Regulators and level sensors

1341031 LEVEL PROBE connection $\varnothing$ 1/8" - overall length 70 mm for Superautomatic coffee machine (CIMBALI) M1



CIMBALI 916-927-000

1341003 LEVEL PROBE $\varnothing$ 1/8" M-108 mm for Superautomatic coffee machine (CIMBALI) M2 M49 - M50 - M51 for Superautomatic coffee machine (FAEMA) X2 - X4 X5



CIMBALI 495-517-000

CIMBALI 495-694-000

CIMBALI 495-823-000

1341040 LEVEL PROBE $\varnothing$ 1/8" M-89 mm for Superautomatic coffee machine (CIMBALI) S39




CIMBALI 913-786-000

CIMBALI 913-786-010

Relays

5038177 RELAY 65.31 30A 250V 1 switching contact coil 24VAC 50/60Hz for CIMBALI M22-M29-M31-M32-M39 for CIMBALI SUPERAUTOMATICA M53 for FAEMA E61-E98COMPACT-EMBLEMA for FAEMA SUPERAUTOMATICA X5-X53




CIMBALI 531-505-200

Rotary switches

1057031 SELECTOR SWITCH 0-1 POSITIONS 25A 600V

square pin 5x5 mm countersunk
for Superautomatic coffee machine (CIMBALI) S39



CIMBALI 532-021-110

CIMBALI 532-021-118

Shower screens for brew group

1081054 SHOWER SCREEN ø 41 mm

for Superautomatic coffee machine (CIMBALI) M49
M50 - M53
for Superautomatic coffee machine (FAEMA) X5
for Superautomatic coffee machine (WEGA) GEMINI




CIMBALI 427-509-000

CIMBALI 427-559-000

CIMBALI 427-645-000

1081018 SPOUT ø 40 mm


for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2
for Superautomatic coffee machine (NUOVA
SIMONELLI) CAFFETTERIA ITALIANA - MASTER



CIMBALI 431-067-000

1081047 SPOUT ø 40 mm

for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M50 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2
X5



CIMBALI 427-343-000

1081049 SPOUT ø 44 mm


for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-417-000

1081048 SPOUT ø 45,5 mm


for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-416-000

1081045 SPOUT ø 47,5 mm

for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 427-344-000



Suitable for:

CIMBALI



Suitable for:

1081050 SPOUT ø 49 mm

for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5




CIMBALI 427-508-000

CIMBALI 427-646-000

Showerholder diffusers

1086023 HIGHER SHOWER HOLDING PISTON ø 40 mm


for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-087-020

1086024 HIGHER SHOWER HOLDING PISTON ø 45 mm

for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-398-020

Solenoid valves

5019235 VALVE PARKER 2 WAYS 24V 50/60Hz

7121ZBG1LV00 - connections ø 1/8"FF - max 10 bar
VITON seal - hole ø 2.5 mm
with coil 483510P0 9W 24V 50/60Hz
temperature of fluids -40°C+140°C



CIMBALI 533-798-400

CIMBALI 533-798-410

CIMBALI 533-798-410R

1120106 2-WAY PARKER SOLENOID VALVE ø 1/8" 24VDC

7121ZBGS - fittings ø 1/8"FF - max 7 bar
VITON seal - orifice ø 3 mm
with coil 491514C2 16W 24VDC
fluid temperature -40°C+140°C



CIMBALI 533-896-600

CIMBALI 533-896-600R

1120321 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz

VE141BV - drain ø 1/8" conical - fittings ø 1/8"FF
VITON seal - orifice ø 2 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -40°C+140°C



CIMBALI

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz

width 34 mm - height 33 mm
depth 43 mm



CIMBALI

Suitable for:

1120751 3-WAY SOLENOID VALVE PARKER 24VAC 9W
 3019F1GRG7 - drain $\varnothing$ 1/8" F - max 14 bar
 RUBY seal - orifice $\varnothing$ 1.5 mm
 with coil 483510P0 XS03MF 9W 24VAC 50/60Hz
 STAINLESS STEEL - NSF solenoid valve body
 fluids temperature $-40^{\circ}\text{C} + 140^{\circ}\text{C}$
 for Superautomatic coffee machine (CIMBALI) M53
 S54



CIMBALI 533-900-400

1786221 GASKET KIT FOR SOLENOID VALVE
 for liquipure solenoid valves



CIMBALI 539-901-000

Suitable for:

1120580 COIL PARKER XS 24VAC 50/60Hz 9W
 width 32 mm - height 37.3 mm
 depth 43.4 mm



5034989 STAINLESS STEEL SCREW TCCE 5931 M4x8
 head $\varnothing$ 7 mm - overall length 12 mm



Spouts for coffee

1022042 CAPPUCINATORE SPOUT
 for Superautomatic coffee machine (CIMBALI) M1
 for Superautomatic coffee machine (FAEMA) X1



CIMBALI 931-151-010

CIMBALI 931-275-000

1022043 CAPPUCINO SPOUT COVER
 for Superautomatic coffee machine (CIMBALI) M1
 M2 - M3 - M53
 for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-321-000

CIMBALI 431-321-010

CIMBALI 431-321-020

1022049 COMPLETE DELIVERY FITTING
 for Superautomatic coffee machine (CIMBALI) M1
 M2
 for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 537-038-400

1022046 DOSING SCREW
 for delivery spout
 for Superautomatic coffee machine (CIMBALI) M1
 M2 - M3
 for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 484-084-000



Suitable for:

CIMBALI



1022044 SPOUT
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 484-083-010

Suitable for:

1022051 SPOUT
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 430-415-034

1022052 SPOUT
for Superautomatic coffee machine (CIMBALI) M1
M53
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 431-320-020

CIMBALI 431-320-030

1022050 SPOUT CAP
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 931-184-000

1022041 SPOUT COVER
for Superautomatic coffee machine (CIMBALI) M1



CIMBALI 916-965-000

CIMBALI 931-200-000

1022045 SPOUT COVER
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 484-081-000

CIMBALI 484-081-010

1022047 SPOUT COVER
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 484-377-010


1022048 SPOUT COVER
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-412-010

Springs

1250231 BALL SPRING $\varnothing$ 3.9x14 mm



CIMBALI 460-233-000

CIMBALI 482-067-000

1250271 GROUND COFFEE LID SPRING
for CIMBALI SUPERAUTOMATICA M1-M2
for FAEMA SUPERAUTOMATICA X1-X2



CIMBALI 431-161-000

CIMBALI 431-161-010



Suitable for:


1250269 OBSTRUCTOR SPRING $\varnothing$ 6x13 mm



CIMBALI 427-129-010

Suitable for:

1250262 PISTON RELEASE SPRING $\varnothing$ 21x88 mm
for lower coffee group
for CIMBALI SUPERAUTOMATICA M1-M2
for FAEMA SUPERAUTOMATICA X1-X2



CIMBALI 431-055-020

1250268 PISTON RELEASE SPRING $\varnothing$ 33x37 mm
for higher coffee group
for CIMBALI SUPERAUTOMATICA M1-M2-M3
for FAEMA SUPERAUTOMATICA X1-X2



CIMBALI 461-079-000

1250228 SPRING $\varnothing$ 11,5x24 mm



CIMBALI 418-014-000

1250270 SPRING $\varnothing$ 17,5x88 mm PER SGANCIO PISTONE
for lower coffee group
for CIMBALI SUPERAUTOMATICA M1-M2
for FAEMA SUPERAUTOMATICA X1-X2



CIMBALI 431-153-020

1250016 SPRING $\varnothing$ 8x21 mm



CIMBALI 415-004-000

1250226 TAP PIPE SPRING $\varnothing$ 11x24 mm



CIMBALI 485-061-010

Steam taps and spares for coffee mach.

1348316 WATER/STEAM TAP ASSY
connections $\varnothing$ 1/4"M - 3/8"M



CIMBALI 485-514-000

CIMBALI 485-514-010

CIMBALI 485-514-020

CIMBALI 485-923-012



Suitable for:

CIMBALI



Suitable for:

Steam-water pipes coffee machines

- 1549011 BURN PREVENT.RUBBERPIECE f/PIPE ø 10 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M51 - M53 - S39



CIMBALI 927-132-010

- 1186924 BURN PREVENTING PIPE HANDGRIP ø 10 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2 - M51 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2
X3 - X4 - X5



CIMBALI 430-119-000

- 1449042 COMPLETE WATER PIPE**
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53
for Superautomatic coffee machine (FAEMA) X3



CIMBALI 2221-134-619
CIMBALI 800-135-266
CIMBALI 936-960-010

CIMBALI 2221-134-620
CIMBALI 922-792-000

CIMBALI 2221-135-266
CIMBALI 922-792-010

- 1449166 ST/STEEL STEAM DIFFUSER ø 1/8"F**
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 485-118-000

CIMBALI 537-023-100

- 1449148 STAINLESS STEEL COMPLETE WATER PIPE**



CIMBALI

- 1349473 WATER PIPE NOZZLE**



CIMBALI 2151-134-616

- 1449317 WATER PIPE NOZZLE**



CIMBALI 533-590-400

CIMBALI 533-590-410

- 1449196 WATER SPRINKLER**
for CIMBALI M24
for CASADIO DODICIA-DODICIS



CIMBALI 985-717-000

CIMBALI 985-717-010

- 5029747 WATER SPRINKLER**
for Superautomatic coffee machine (CIMBALI) M2
M3 - M53
for Superautomatic coffee machine (FAEMA) X3



CIMBALI 4771-134-699

CIMBALI 532-305-000

- 1549013 WATER TAP BODY**
for Superautomatic coffee machine (CIMBALI) M3
for Superautomatic coffee machine (FAEMA) X3



CIMBALI 407-014-000

CIMBALI 407-014-005

CIMBALI 407-014-008

Switches

- 1319902 BLACK BIPOLAR SWITCH 16A 250V**
with indicator led lamp
mounting hole 22x30 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



CIMBALI 532-022-008

CIMBALI 803-140-010

- 1319367 LEFT 3 SWITCH BUTTON PANEL**
for Superautomatic coffee machine (CIMBALI) M3



CIMBALI 484-868-000

CIMBALI 484-868-010

- 1319365 LEFT 4 SWITCH BUTTON PANEL**
for Superautomatic coffee machine (CIMBALI) M53



CIMBALI 910-122-000

- 1319294 PUSH-BUTTONS PANEL 4 BUTTONS LH**
for Superautomatic coffee machine (CIMBALI) M1



CIMBALI 916-532-000

- 1319366 RIGHT 3 SWITCH BUTTON PANEL**
for Superautomatic coffee machine (CIMBALI) M3



CIMBALI 484-869-000

CIMBALI 484-869-010

- 1319370 RIGHT 4 SWITCH BUTTON PANEL**
for Superautomatic coffee machine (CIMBALI) M53



CIMBALI 910-121-000

- 1319375 RIGHT 4 SWITCH BUTTON PANEL**
for Superautomatic coffee machine (CIMBALI) M1



CIMBALI 916-533-000

- 1319373 SINGLE BUTTON**
for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 430-040-000

- 1319374 SINGLE BUTTON**
for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5



CIMBALI 471-011-000

- 1319371 2 SWITCH BUTTON PANEL**
for Superautomatic coffee machine (CIMBALI) M1



CIMBALI 916-110-000



Suitable for:

CIMBALI




1319372 2 SWITCH BUTTON PANEL
for Superautomatic coffee machine (CIMBALI) M1



CIMBALI 916-112-000

Suitable for:

1319368 9 SWITCH BUTTON PANEL
for Superautomatic coffee machine (CIMBALI) M2
for Superautomatic coffee machine (FAEMA) X1 - X2



CIMBALI 431-340-000

1319369 9 SWITCH BUTTON PANEL
for Superautomatic coffee machine (CIMBALI) M2



CIMBALI 431-128-020

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



CIMBALI 532-128-200

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



CIMBALI 532-161-500

Terminals

3120034 CONNECTOR FEMALE LARGE
for coils



CIMBALI


1455033 CONNECTOR FEMALE SMALL
for volumetric flowmeter



CIMBALI

Thermostats

- 1444509 THREE-PHASE THERMOSTAT 169°C**
 with manual reset
 covered capillary 900 mm
 bulb $\varnothing$ 4x128 mm
 for Superautomatic coffee machine (CIMBALI) M1
 M2 - M3 - M49 - M50 - M51 - M52 - M53



CIMBALI 531-193-100

Transformers

- 1739002 TOROIDAL TRANSFORMER 240V 50/60Hz**
 for Superautomatic coffee machine (CIMBALI) M2
 M3 - M49 - M50 - M51 - M53
 for Superautomatic coffee machine (FAEMA) X3 - X4
 X5



CIMBALI 496-558-000

CIMBALI 496-654-000

CIMBALI 530-901-910

CIMBALI 530-951-100

CIMBALI 530-990-100


Vibrating pumps

- 1331023 SQUARE DAMPER EX-EP-EK-EA**



CIMBALI 532-803-900

- 1122735 VIBRATORY PUMP EX5 48W 230V 50Hz**
 fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
 pressure max 15 bar
 water temperature max 20°C
 integrated diode (1N 4007P)
 lead connector 6.3x0.8 mm



CIMBALI 537-018-200

Water filling taps

- 1348047 MIXER PIPE**



CIMBALI 407-502-000

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA

via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com

FRANCE



EPGC Sas

13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH

Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro

Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tlf. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.

A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk

RUSSIA



OOO LF

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru

CHINA



LF China

Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com