



Spare parts for:

Superautomatic machines

Suitable for:

FAEMA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

FAEMA



Suitable for:

Baffles

1252467 GROUND COFFEE LID


for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431069020

Bearings

1063013 BEARING 6301 2RS



FAEMA 3711022897

FAEMA 580105310

Boiler safety valves

1523534 BOILER VALVE $\varnothing$ 1/4" M

stainless steel - new model
internal teflon coating - or viton



FAEMA 2161118968

1523537 BOILER VALVE $\varnothing$ 1/4" M

stainless steel - old model
internal teflon coating - or viton




FAEMA 2161118968

FAEMA 418911002

FAEMA 418911010

1523538 BOILER VALVE $\varnothing$ 1/4" M

made of brass



FAEMA 3161134654

1515004 BOILER VALVE $\varnothing$ 1/4" M - 2.0 bar CE/TUV

setting pressure 2.0 bar
steam vent capacity 43.3 Kg/h
silicone seal
operating temperature -30/+160°C
CE/TUV certified valve
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53 - S39
for Superautomatic coffee machine (FAEMA) X1 - X2
X3 - X53 - X54



FAEMA 532392500

Suitable for:

1523048 BOILER VALVE ø 1/4" M 2 bar
for Superautomatic coffee machine (CIMBALI) M1
M2 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 2211091884

FAEMA 2211131903

FAEMA 438926030

FAEMA 537047400

Suitable for:

1523535 BOILER VALVE ø 3/8" M
calibration pressure 1,8 bar
steam release 6.3 Kg/h



FAEMA 2211133231

FAEMA 438914012

FAEMA 438926000

1515007 BOILER VALVE ø 3/8" M - 2.0 bar CE/TUV
adjustment pressure 2.0 bar
steam drain flow rate 43.3 kg/h
silicone seal
operating temperature -30/+160°C
CE/TUV certified valve
for Superautomatic coffee machine (CIMBALI) M3
M51 - M52
for Superautomatic coffee machine (FAEMA) X3 - X4
X5



FAEMA 532392600

Booster pumps

1330018 ROTARY VANE PUMP CIMBALI/FAEMA ø 3/8"
flange connection
with balanced by-pass
fitting ø 3/8" gas
flowrate 180 L/h
for Superautomatic coffee machine (CIMBALI) M1
M2 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 2241130176

FAEMA 462707000

FAEMA 462707010

FAEMA 462991000

FAEMA 462991010

FAEMA 462992000

1330031 ROTARY VANE PUMP CIMBALI/FAEMA ø 3/8"
flange connection
flowrate 150L/h
with balanced bypass
fitting ø 3/8" gas



FAEMA 1441132497

FAEMA 2241130177



Suitable for:

FAEMA



1330016 ROTARY VANE PUMP PROCON Ø 3/8" NPT

clamp connection
flow rate 200 l/h
equipped with balanced bypass
with built-in filter
connection Ø 3/8" conical NPT



FAEMA 533196900

Suitable for:


1349100 PUMP CONNECTION Ø 3/8" CONIC-3/8" STRAIGH 3/8" CONICAL (NPT)-3/8" STRAIGHT



FAEMA 532500600

1330019 ROTARY VANE PUMP PROCON Ø 3/8" NPT

clamp connection
flowrate 100 L/h
with balanced by-pass
fitting Ø 3/8" NPT conical
for Superautomatic coffee machine (CIMBALI) M51
M52CONCEPT
for Superautomatic coffee machine (FAEMA) X5



FAEMA 533197300

Capacitors

3068016 CAPACITOR µF 10 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



FAEMA 2341119567

FAEMA 531492900

FAEMA 2341132750

FAEMA 2341134750

3068024 CAPACITOR µF 16 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



FAEMA 3341131517

3068008 CAPACITOR µF 5 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



FAEMA 531492800

Cappuccino makers - Cappuccinatore

1079020 AIR ADJUSTING SCREW
for cappuccinatore



FAEMA 433101000

1079019 GHIERA ø 16 mm M5
for cappuccinatore



FAEMA 2851135194

Caps

1439018 LEVEL CAP ø 1/4" M



FAEMA 590086000

Circlips

1348029 STAINLESS STEEL CIRCLIP J-19 UNI 7437



FAEMA 568101000

Clamps

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



FAEMA 539000101

Coffee groups


1192064 GROUNDS EJECTION LEVER RELEASE SLIDEWAY
for coffee group
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431060000

FAEMA 931301000

1192063 HIGHER PISTON BUSHING
ø via hole 19 mm - total height 30 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431031030

FAEMA 431031040



Suitable for:

FAEMA



Suitable for:

Contact thermostats

1443065 CONTACT THERMOSTAT 160°C 10A 250V

with manual reset
for CIMBALI M39GT
for CIMBALI SUPERAUTOMATIC M50



FAEMA 531104300

FAEMA 531104600

Containers for coffee

1080158 COFFEE CONTAINER CLOSING SHEET

for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



FAEMA 431222030

Couplings

1191003 COMPLETE METAL COUPLING

metal part external $\varnothing$ 40 mm
 $\varnothing$ rubber part external $\varnothing$ 41.5 mm
metal part hole $\varnothing$ 11x10 mm
hole second rectangular metal part
for FLANGE pump



FAEMA

1191004 COMPLETE METAL COUPLING

metal part external $\varnothing$ 35 mm
rubber part external $\varnothing$ 35 mm
rectangular metal part hole 7.6x3.6 mm
for FAEMA pump



FAEMA

1191005 RUBBER COUPLING $\varnothing$ 35 mm

external $\varnothing$ 35 mm
for pump FAEMA



FAEMA 4081135955

1191002 RUBBER COUPLING $\varnothing$ 41.5 mm

$\varnothing$ external 41.5 mm
for flange pump



FAEMA 4081021923

Dosers for coffee

1090043 PERISTALTIC PIPE $\varnothing$ 5x8 mm



FAEMA 533198400

FAEMA 533198410

Feet

1313006 FOOT $\varnothing$ 19x10 mm for Superautomatic coffee machine (CIMBALI) M3 for Superautomatic coffee machine (FAEMA) X3



FAEMA 532800100

1313016 FOOT $\varnothing$ 60 mm M10 H=30÷40 mm for Superautomatic coffee machine (CIMBALI) M3 M49 - M50 - M51 for Superautomatic coffee machine (FAEMA) X3 - X4 X5



FAEMA 421921002

FAEMA 421921012


Filters

1160068 WATER FILTER $\varnothing$ 18 mm



FAEMA 490055000

1160011 WATER FILTER $\varnothing$ 9 mm



FAEMA 4771116081


1160511 WATER FILTER $\varnothing$ 9x1.5 mm



FAEMA 481361000

Fittings

1349224 FITTING $\varnothing$ 1/8" M HOSE-END $\varnothing$ 8 mm



FAEMA 433009010

1349101 FITTING $\varnothing$ 1/8" M-1/8" M NICKEL-PLATED



FAEMA 532501800



FAEMA





Suitable for:

Suitable for:

1160700 FITTING WITH FILTER $\varnothing$ 3/8"Mx3/8"M
for pumping

1349222 HOSE-END $\varnothing$ 4 mm FITTING $\varnothing$ 1/8"M



FAEMA 2771117583

FAEMA 925783000

FAEMA 925783010

FAEMA 532653500

1349013 L-FITTING $\varnothing$ 1/8"M-1/8"M NICKEL-PLATED

1349100 PUMP CONNECTION $\varnothing$ 3/8"CONIC-3/8" STRAIGH
3/8"CONICAL(NPT)-3/8"STRAIGHT



FAEMA 532507506

FAEMA 555000070

FAEMA 555000070R

FAEMA 532500600

1349223 STRAIGHT FITTING $\varnothing$ 1/8"Mx6 mm

1349221 WATER STEAM PASSAGE FITTING
for cappuccino delivery spout




FAEMA 532650800

FAEMA 931763000

Flowmeters

1455031 FLOWMETER GICAR
connection $\varnothing$ 1/8"FF

1455058 VOLUMETRIC FLOWMETER DIGMESA
fittings $\varnothing$ 1/4"FF - nozzle $\varnothing$ 1 mm
model 933-0610FV04
for Superautomatic coffee machine (CIMBALI) M1
M53 - S39
for Superautomatic coffee machine (FAEMA) X1 - X53
X54



FAEMA 534391020

FAEMA 534391800

FAEMA 534392300

FAEMA 534392700

Gaskets and seals

1186365 "O" RING 02012 EPDM

1186362 "O" RING 02021 EPDM



FAEMA 401368000

FAEMA 4701030139

FAEMA 401367000

FAEMA 402224000

FAEMA 402249000

Suitable for:

Suitable for:

1186394 ASBESTOS FREE FLAT GASKET $\varnothing$ 22x17x2 mm

1186363 BLIND GASKET $\varnothing$ 9x5 mm



FAEMA 401183000

FAEMA 4701024558

FAEMA 400244000

1186344 CONICAL TEFLON SEAL $\varnothing$ 14.5x7x6 mm
for water/steam pipe

1186301 COPPER FLAT GASKET $\varnothing$ 14x10x1 mm




FAEMA 485078000

FAEMA 485078010

FAEMA 401234000

1186619 COPPER FLAT GASKET $\varnothing$ 18x14x1.5 mm

1186607 FLAT CARBO GASKET $\varnothing$ 57.8x50x3 mm
universal carbo
for heating element



FAEMA 401214000

FAEMA 4701024554

FAEMA 401194010

1186958 FLAT EPDM GASKET $\varnothing$ 20.5x15x2 mm

1186342 FLAT GASKET $\varnothing$ 11x3x4 mm EPDM



FAEMA 4701134698

FAEMA

1186972 FLAT GASKET $\varnothing$ 37x32x4 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5

1186923 FLAT GASKET $\varnothing$ 51x45x3 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 401280000

FAEMA 401295000



Suitable for:

FAEMA




1186973 FLAT GASKET $\varnothing$ 59x53x3 mm
for coffee group $\varnothing$ 50 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 401296000


Suitable for:

1186945 FLAT GASKET TEFLON $\varnothing$ 14x10x1,5 mm




FAEMA 401195010

1186959 FLAT GASKET TEFLON $\varnothing$ 20x15x1 mm



FAEMA 427354000

1186957 FLAT GASKET TEFLON $\varnothing$ 22x17x1,5 mm



FAEMA 401183010

1186969 FLAT GASKET TEFLON $\varnothing$ 25x21x1,5 mm




FAEMA 400335010

1186927 FLAT GASKET VITON $\varnothing$ 12x4x4 mm



FAEMA 400274020


1186974 FLAT TEFLON GASKET $\varnothing$ 8.5x4.5x1.5 mm



FAEMA 401196000

FAEMA 401196010

1186625 GASKET OR 03281 EPDM
for BOILER FAMILY



FAEMA

1186966 GASKET ORM 0057-19 VITON GREEN



FAEMA 402198000

1186964 GASKET ORM 0078-19 VITON



FAEMA 402235000



FAEMA



Suitable for:

1186968 GASKET ORM 0089-27 VITON GREEN



FAEMA 402197000

Suitable for:

1186403 GREEN VITON O-RING 04137
for coffee group ø 44 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



FAEMA 402238000

3243009 O-RING GASKET 0106 EPDM



FAEMA 401371000

FAEMA 402210000

FAEMA 4701030138

3186253 O-RING GASKET 0130 EPDM



FAEMA 401364000

1186422 O-RING 0108 EPDM



FAEMA 400301000

FAEMA 402217000

1186255 O-RING 0109 EPDM



FAEMA 402220000

FAEMA 4701116687

1186805 O-RING 0115 EPDM



FAEMA

3243086 O-RING 0117 EPDM



FAEMA

1186591 O-RING 0128 VITON



FAEMA 400213000

1186947 O-RING 0144 SILICONE PLATINUM
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 402187010



FAEMA



Suitable for:

Suitable for:

3243160 O-RING 0174 EPDM



FAEMA 402244000 FAEMA 402260000

1186014 O-RING 02015 EPDM



FAEMA 401300000 FAEMA 401370000

1186514 O-RING 02015 SILICON



FAEMA

1186900 O-RING 02015 VITON



FAEMA 402250000 FAEMA 4701030140

3243139 O-RING 02025 EPDM



FAEMA 4701134861 FAEMA 530501200

1186411 O-RING 02031 EPDM



FAEMA 401343000 FAEMA 402223000

1186803 O-RING 02037 EPDM



FAEMA 401338000 FAEMA 402195000

1186346 O-RING 02043 EPDM



FAEMA 401204000 FAEMA 401362000 FAEMA 4701134887

1186950 O-RING 02043 VITON GREEN




FAEMA 402209000

1186352 O-RING 02050 EPDM




FAEMA

3243191 O-RING 02125 EPDM



FAEMA 401369000


1186929 O-RING 02137 VITON GREEN



FAEMA 402241000 FAEMA 4701030136

Suitable for:

1186960 O-RING 02162 GREEN VITON
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



FAEMA 402240000

Suitable for:

1186956 O-RING 02200 EPDM
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 401310000

1186967 O-RING 03014 VITON GREEN



FAEMA 402247000

1186318 O-RING 03043 EPDM



FAEMA 400279000

1186236 O-RING 03043 VITON



FAEMA 400279000

FAEMA 402219000

FAEMA 4701114266

1186833 O-RING 03100 EPDM




FAEMA 401337000

3186245 O-RING 03200 EPDM




FAEMA 402245000

1186948 O-RING 03200 VITON GREEN
for coffee group ø 44 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 401392000

1186961 O-RING 03218 VITON GREEN
for coffee group ø 50 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 402183000

FAEMA 402246000

1186238 O-RING 04081 EPDM



FAEMA 401354000



Suitable for:

FAEMA



1186928 O-RING 04200 VITON GREEN
per cartuccia



FAEMA 40226000

Suitable for:

3786685 O-RING 06287 EPDM



FAEMA 401385000

1186925 PISTON RING NUTS KIT
one gasket OR04150
one flat gasket $\varnothing$ 49x45x5 mm
one seat for flat gasket
for coffee group $\varnothing$ 50 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 537017500

FAEMA 537017508

1186926 PISTON RING NUTS KIT
one gasket OR04118
one flat gasket $\varnothing$ 41x38x2 mm
one seat for flat gasket
for coffee group $\varnothing$ 42 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 537018000

FAEMA 537018008

1186949 PISTON RING NUTS KIT
one gasket OR04150
one flat gasket $\varnothing$ 50x45x4 mm
for coffee group $\varnothing$ 50 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 537017400

FAEMA 537017408

1186975 PISTON RING NUTS KIT
one gasket OR02162
one flat gasket $\varnothing$ 50x45x4 mm
for coffee group $\varnothing$ 50 mm
for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5



FAEMA 537017600


1186976 PISTON RING NUTS KIT
one gasket OR04118
one bushing $\varnothing$ internal 37 mm
for coffee group $\varnothing$ 42 mm
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 537017900

FAEMA 537017908

1186962 SCRAPER RING $\varnothing$ 33 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431260000



Suitable for:

FAEMA



- 1186946 SCRAPER RING NUTS KIT**
one gasket OR0130
one bushing $\varnothing$ internal 20 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 537017700

Suitable for:

- 1186965 SCRAPER RING NUTS KIT**
one gasket OR03100
one bushing $\varnothing$ internal 23,5 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 401397000

- 1186977 SCRAPER RING NUTS KIT**
one gasket OR02131
one bushing $\varnothing$ internal 37 mm
for coffee group $\varnothing$ 42 mm
for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5




FAEMA 537018100

- 1186971 SHOULDER BUSHING**
 $\varnothing$ internal 30 mm - $\varnothing$ external 42 mm
thickness 6 mm
for coffee group
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 427086000

- 1786166 TEFLON FLAT GASKET $\varnothing$ 18x14x1.5 mm**



FAEMA 401250000

FAEMA 401250010

Grinders

- 1251135 GR.BURRS CIMBALI-FAEMA TITANIUM (PAIR) LH**
external $\varnothing$ 63.5 mm - internal $\varnothing$ 38 mm
thickness 9 mm - 3 mounting holes
for Superautomatic coffee machine (CIMBALI) M3
M49 - M50 - M51 - M53
for Superautomatic coffee machine (FAEMA) X3 - X5



FAEMA 427867000

FAEMA 463727000

- 1251170 GRINDING BURRS CIMBALI-FAEMA (PAIR) RIGHT**
 $\varnothing$ external 63,5 mm - $\varnothing$ internal 38 mm
thickness 9 mm - 3 fixing holes
for Superautomatic coffee machine (CIMBALI) M1
S39
for Superautomatic coffee machine (FAEMA) X1



FAEMA 537041300



Suitable for:

FAEMA



Suitable for:

Heat exchangers

1169004 CARTRIDGE ø 42x150 mm
for Superautomatic coffee machine (CIMBALI) M2
M49 - M51 - M52 - M53
for Superautomatic coffee machine (FAEMA) X4 - X5
X53



FAEMA 457177002

FAEMA 457177008

1169003 CARTRIDGE ø 42x210 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



FAEMA 457207002

FAEMA 457207008

FAEMA 457207005

FAEMA 457207006

1186279 CARTRIDGE RING



FAEMA 457165020

FAEMA 457165028

Heating elements

1755200 CARTRIDGE RESISTANCE 90W 24V
cartridge ø 6x50 mm
cable length 450 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431716020

FAEMA 431716030


1755199 RESISTANCE 2700W 220V
length 160 mm - with bulb sheath
distance between centres 60 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2
X5



FAEMA 428553020

FAEMA 428553030

1186607 FLAT CARBO GASKET ø 57.8x50x3 mm
universal carbo
for heating element




FAEMA 401194010



Suitable for:

1186609 **TEFLON FLAT GASKET $\varnothing$ 58x51x2 mm**
for heating element



FAEMA

Suitable for:



Injectors

1501012 **NOZZLE $\varnothing$ 14 HOLE $\varnothing$ 0.8 mm**
for brew group outlet



FAEMA 903143000


Inlet hoses

1449706 **FLEX HOSE $\varnothing$ 1/8" Fc x Fc Length 37 cm**
stainless steel coated
conical female fittings
external pipe $\varnothing$ 10 mm



FAEMA 532300500

1449689 **SILICONE HOSE $\varnothing$ 10x13 SHORE 60 - 10 m**
alimentary



FAEMA 220000017

1449680 **SILICONE HOSE $\varnothing$ 3x5 SHORE 60 - 10 m**
alimentary



FAEMA 220000013

1449280 **SILICONE HOSE $\varnothing$ 3x5 SHORE 60 - 100 m**
alimentary




FAEMA 220000013

1449683 **SILICONE HOSE $\varnothing$ 5x10 SHORE 60 - 10 m**
alimentary



FAEMA 220000015

1449283 **SILICONE HOSE $\varnothing$ 5x10 SHORE 60 - 100 m**
alimentary



FAEMA 220000015



FAEMA



Suitable for:

1449682 SILICONE HOSE $\varnothing$ 5x8 SHORE 60 - 10 m
alimentary



FAEMA 484391000

FAEMA 4951119837

Suitable for:

1449282 SILICONE HOSE $\varnothing$ 5x8 SHORE 60 - 100 m
alimentary



FAEMA 484391000

FAEMA 4951119837

1449285 SILICONE HOSE $\varnothing$ 6x10 SHORE 60 - 100 m
alimentary




FAEMA 220000016

1449685 SILICONE HOSE $\varnothing$ 6x10 SHORE 60 - 5 m
alimentary



FAEMA 220000016

1449500 TEFLON PIPE $\varnothing$ 2x4 mm - 10 m
alimentary



FAEMA 220000021

Ironmongery (screws,nuts,washers)

3528291 CROSS HEAD FLUSH SCREW M4x8 UNI 7688



FAEMA 429600000

1528631 CROSS HEAD SCREW M4x8 UNI 7687



FAEMA 500004080

1348813 HEXAGONAL NORM.NUT M4 ST.STEEL UNI 5588



FAEMA 542904040

1348041 HEXAGONAL SELF-LOCKING NUT M8 UNI 7473



FAEMA 4034052287

1348036 NUT $\varnothing$ 3/8" WRENCH 21x6mm



FAEMA 4031045316

1455034 S/S SCREW T.C.C.E.I M4x10 UNI 5931



FAEMA 4001051934

FAEMA 511804120

Suitable for:

1184006 S/S SCREW T.C.C.E.I. M4x12 UNI 7984



FAEMA 4001051935

Suitable for:

3528112 S/S SCREW T.E. M6x16 UNI 5739 DIN 24017



FAEMA 593793001

3060069 S/STEEL HEXAGONAL MEDIUM NUT M8 UNI 5588




FAEMA 542908080

1528001 SCREW M4x10 UNI 6109



FAEMA 503604100

1252469 SFERA COFFEE GRINDER NUT
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431050010

FAEMA 431050020

1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588



FAEMA 541806050

1528092 STAINLESS SCREW T.C. M3x10 mm
for shower fixing



FAEMA 503603120

1184009 STAINLESS STEEL M8x25 mm STUD



FAEMA 503308200

1186299 WASHER ø 21x16x1 mm



FAEMA 590715000



Suitable for:

FAEMA



Suitable for:

Knobs

1241016 WATER/STEAM TAP KNOB

D-shaped pin hole $\varnothing$ 6x8 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1



FAEMA 492902000

Level balls

1252468 SPHERE $\varnothing$ 25 mm M8

for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 465358000

FAEMA 916294000

FAEMA 916294010

Microswitches

3240780 MAGNETIC MICRO SWITCH A061-1V

250V 0,04A - bulb $\varnothing$ 6x30 mm
cable length 220 mm
for Superautomatic coffee machine (CIMBALI) M49
M51 - M53
for Superautomatic coffee machine (FAEMA) X4 - X5




FAEMA 430554020

3803058 SUPPORT FOR MAGNETIC MICRO SWITCH



1240821 MICROSWITCH 10A 250V

for Superautomatic coffee machine (CIMBALI) M3
M51
for Superautomatic coffee machine (FAEMA) X3 - X5




FAEMA 532006600

Motors

1240701 FLANGE MOTOR RPM 150W

model 11039002
power 150W 220V 50Hz
capacitor 10 μ f
for rotary vane pump



FAEMA 1000091851

1240177 GERED MOTOR UNIT

for coffee group gearmotor
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 42763800

FAEMA 427638010

1240702 MOTOR RPM WITH CLAMP CONNECTION 165W

model 11002728
power 165W 220V 50Hz
capacitor 10 μ f
for rotary vane pump



FAEMA 530296900

1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP



FAEMA 539000101

1240181 RPM MOTOR WITH CLAMP 275W

model C0111
power 275W 208/240V 1.3A 50/60Hz
capacitor 4 μ f
for volumetric pump
for Superautomatic coffee machine (CIMBALI) M49
M51
for Superautomatic coffee machine (FAEMA) X4 - X5



FAEMA 530295400

Non-return valves

1523016 EXPANSION VALVE

for Superautomatic coffee machine (CIMBALI) M49
M50



FAEMA 537017800

1523019 EXPANSION VALVE

for Superautomatic coffee machine (CIMBALI) M50
M51 - M52
for Superautomatic coffee machine (FAEMA) X4 - X5



FAEMA 415929010

FAEMA 427954000

FAEMA 415929020

FAEMA 415932000



Suitable for:

FAEMA



1523561 EXPANSION VALVE $\varnothing$ 1/4" M



FAEMA 2211134651

Suitable for:

1523015 NON-RETURN VALVE

for Superautomatic coffee machine (CIMBALI) M49
M50 - M51 - M52 - M53
for Superautomatic coffee machine (FAEMA) X4 - X5



FAEMA 418917012

FAEMA 418917020

Pins

1348317 PIN TAP




FAEMA 485751000

FAEMA 485751010

FAEMA 485910002

FAEMA 985710000

1186299 WASHER $\varnothing$ 21x16x1 mm



FAEMA 590715000

1184019 SCREW PIN FOR WATER/STEAM TAP



FAEMA 590791010

1348111 TAP SPINDLE



FAEMA 485910010

Pipes for coffee machines

1550001 SUCTION PIPE $\varnothing$ 1/8" M

total length 182 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



FAEMA 916528010

FAEMA 916543000

FAEMA 916543010



Pressure gauges

- 1245557 PUMP PRESSURE GAUGE $\varnothing$ 42 mm 0÷16 bar**
 single scale 0÷16 bar - connections $\varnothing$ 1/8" M
 rim $\varnothing$ 43 mm - body $\varnothing$ 42 mm
 for Superautomatic coffee machine (CIMBALI) M53
 for Superautomatic coffee machine (FAEMA) X1



FAEMA 3781118740

FAEMA 3781133399

FAEMA 3781133401

- 1245545 PUMP PRESSURE GAUGE $\varnothing$ 57 mm 0÷15 bar**
 single scale 0÷15 bar - connections $\varnothing$ 1/8" M
 rim $\varnothing$ 60 mm - body $\varnothing$ 57 mm
 with spacing ring
 for Superautomatic coffee machine (CIMBALI) M3
 M50 - M51
 for Superautomatic coffee machine (FAEMA) X3 - X4
 X5



FAEMA 496246000

Pressure switches

- 1320533 MEMBRANE KIT FOR PRESSURE SWITCH**
 model P302-6 $\varnothing$ 55 mm




FAEMA

- 1320017 PRESSURE SENSOR**
 dimensions 25x25 mm
 for Superautomatic coffee machine (CIMBALI) M1
 M2 - M3 - M53
 for Superautomatic coffee machine (FAEMA) X1 - X3
 X53 - X54



FAEMA 537046900

- 1320538 PRESSURE SWITCH - NEW MODEL**
 for Superautomatic coffee machine (CIMBALI) M3
 M49 - M50 - M51
 for Superautomatic coffee machine (FAEMA) X3 - X4
 X5



FAEMA 468901022

FAEMA 537030700

- 1186078 PRESSURE SWITCH DIAPHRAGM $\varnothing$ 38 mm**





Suitable for:

FAEMA



1320541 PRESSURE SWITCH PARKER
fitting $\varnothing$ 1/4"
scale $0.5 \div 1.4$ bar
differential $0.18 \div 0.03$ bar
pressure max 2.1 bar
temperature max 140°



FAEMA

Suitable for:

1320531 PRESSURE SWITCH P302/6 3-POLES 30A
CE-SEV-ASE-UL approved
ISO 228 G connection 1/4"M for pipe $\varnothing$ 4x6 mm
adjustable scale $0.5 \div 1.4$ bar
fixed differential 0.15 ($\pm$ 0.06) bar
fluid temperature max :140°C
max contact load : 220V 7KW (30A)
400V 12KW (30A)



FAEMA 2231116597

FAEMA 2231131900

Probes

1397023 GROUP TEMPERATURE PROBE
bulb $\varnothing$ 8x20 mm - cable length 400 mm
for CIMBALI SUPER-AUTOMATIC M1-M2
for FAEMA SUPER-AUTOMATIC X1-X2



FAEMA 431715010

1397042 TEMPERATURE PROBE
for CASADIO VENTI
for CIMBALI SUPERAUTOMATICA S39-Q10
for CIMBALI M39-M39GT
for FAEMA SUPERAUTOMATICA BARCODE



FAEMA 531194810

Pull-through brushes

1384001 BRUSH FOR COFFEE SHOWER



FAEMA 457062000

1384002 BRUSH FOR MAINTENANCE



FAEMA

Regulators and level sensors

1341031 LEVEL PROBE
connection $\varnothing$ 1/8" - overall length 70 mm
for Superautomatic coffee machine (CIMBALI) M1



FAEMA 916927000

1341003 LEVEL PROBE $\varnothing$ 1/8"M-108 mm
for Superautomatic coffee machine (CIMBALI) M2
M49 - M50 - M51
for Superautomatic coffee machine (FAEMA) X2 - X4
X5



FAEMA 495517000

FAEMA 495694000

Suitable for:

Suitable for:

1341040 LEVEL PROBE $\varnothing$ 1/8" M-89 mm
for Superautomatic coffee machine (CIMBALI) S39



FAEMA 913786010

Relays


5038177 RELAY 65.31 30A 250V
1 switching contact
coil 24VAC 50/60Hz
for CIMBALI M22-M29-M31-M32-M39
for CIMBALI SUPERAUTOMATICA M53
for FAEMA E61-E98COMPACT-EMBLEMA
for FAEMA SUPERAUTOMATICA X5-X53



FAEMA 531505200

Rotary switches

1057031 SELECTOR SWITCH 0-1 POSITIONS 25A 600V
square pin 5x5 mm countersunk
for Superautomatic coffee machine (CIMBALI) S39



FAEMA 532021118

Shower screens for brew group

1081054 SHOWER SCREEN $\varnothing$ 41 mm
for Superautomatic coffee machine (CIMBALI) M49
M50 - M53
for Superautomatic coffee machine (FAEMA) X5
for Superautomatic coffee machine (WEGA) GEMINI



FAEMA 427509000

FAEMA 427645000

1081018 SPOUT $\varnothing$ 40 mm
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2
for Superautomatic coffee machine (NUOVA
SIMONELLI) CAFFETTERIA ITALIANA - MASTER



FAEMA 431067000




Suitable for:

FAEMA



- 1081047 SPOUT ø 40 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M50 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2
X5



FAEMA 427343000

- 1081049 SPOUT ø 44 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2




FAEMA 431417000

- 1081048 SPOUT ø 45,5 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431416000

- 1081045 SPOUT ø 47,5 mm**
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 427344000

- 1081050 SPOUT ø 49 mm**
for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5




FAEMA 427508000

FAEMA 427646000


Showerholder diffusers

- 1086023 HIGHER SHOWER HOLDING PISTON ø 40 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431087020

- 1086024 HIGHER SHOWER HOLDING PISTON ø 45 mm**
for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431398020

Solenoid valves

5019235 VALVE PARKER 2 WAYS 24V 50/60Hz
 7121ZBG1LV00 - connections $\varnothing$ 1/8"FF - max 10 bar
 VITON seal - hole $\varnothing$ 2.5 mm
 with coil 483510P0 9W 24V 50/60Hz
 temperature of fluids -40°C+140°C



FAEMA 533798400

FAEMA 533798410

FAEMA 533798410R

1120106 2-WAY PARKER SOLENOID VALVE $\varnothing$ 1/8" 24VDC
 7121ZBGS - fittings $\varnothing$ 1/8"FF - max 7 bar
 VITON seal - orifice $\varnothing$ 3 mm
 with coil 491514C2 16W 24VDC
 fluid temperature -40°C+140°C



FAEMA 533896600

FAEMA 533896600R

1120354 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz
 VE146NV - fittings $\varnothing$ 1/4"FF - max 10 bar
 VITON sealing - orifice $\varnothing$ 2.5 mm
 with coil ZB09 9W 220/230V 50/60Hz
 fluid temperature -10°C +140°C



FAEMA

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
 width 34 mm - height 33 mm
 depth 43 mm



FAEMA 3301091760

1120321 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
 VE141BV - drain $\varnothing$ 1/8" conical - fittings $\varnothing$ 1/8" F
 VITON seal - orifice $\varnothing$ 2 mm
 with coil ZB09 9W 220/230V 50/60Hz
 fluid temperature -40°C+140°C



FAEMA 2441132018

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
 width 34 mm - height 33 mm
 depth 43 mm



FAEMA 3301091760

Spouts for coffee

1022042 CAPPUCCINATORE SPOUT
 for Superautomatic coffee machine (CIMBALI) M1
 for Superautomatic coffee machine (FAEMA) X1



FAEMA 931151010

1022043 CAPPUCCINO SPOUT COVER
 for Superautomatic coffee machine (CIMBALI) M1
 M2 - M3 - M53
 for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431321010

FAEMA 431321020



Suitable for:

FAEMA



1022049 COMPLETE DELIVERY FITTING

for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 537038400

Suitable for:

1022046 DOSING SCREW

for delivery spout
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 484084000

1022044 SPOUT

for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 484083010

1022051 SPOUT

for Superautomatic coffee machine (CIMBALI) M50
M53
for Superautomatic coffee machine (FAEMA) X5



FAEMA 430415034

1022052 SPOUT

for Superautomatic coffee machine (CIMBALI) M1
M53
for Superautomatic coffee machine (FAEMA) X1



FAEMA 431320020

FAEMA 431320030

1022050 SPOUT CAP

for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



FAEMA 931184000

1022045 SPOUT COVER

for Superautomatic coffee machine (CIMBALI) M1
M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 484081010

1022047 SPOUT COVER

for Superautomatic coffee machine (CIMBALI) M1
M2 - M3
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 484377010

1022048 SPOUT COVER

for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431412010

Springs

- 1250271 GROUND COFFEE LID SPRING**
for CIMBALI SUPERAUTOMATICA M1-M2
for FAEMA SUPERAUTOMATICA X1-X2



FAEMA 431161000


FAEMA 431161010

- 1250269 OBSTRUCTOR SPRING $\varnothing$ 6x13 mm**



FAEMA 427129010

- 1250262 PISTON RELEASE SPRING $\varnothing$ 21x88 mm**
for lower coffee group
for CIMBALI SUPERAUTOMATICA M1-M2
for FAEMA SUPERAUTOMATICA X1-X2



FAEMA 431055020

- 1250268 PISTON RELEASE SPRING $\varnothing$ 33x37 mm**
for higher coffee group
for CIMBALI SUPERAUTOMATICA M1-M2-M3
for FAEMA SUPERAUTOMATICA X1-X2



FAEMA 461079000

- 1250228 SPRING $\varnothing$ 11,5x24 mm**



FAEMA 418014000

- 1250151 SPRING $\varnothing$ 12x15 mm FOR STEAM PIPE**



FAEMA

- 1250270 SPRING $\varnothing$ 17,5x88 mm PER SGANCIO PISTONE**
for lower coffee group
for CIMBALI SUPERAUTOMATICA M1-M2
for FAEMA SUPERATOMATICA X1-X2



FAEMA 431153020

- 1250016 SPRING $\varnothing$ 8x21 mm**



FAEMA 415004000

- 1250226 TAP PIPE SPRING $\varnothing$ 11x24 mm**



FAEMA 485061010



Suitable for:

FAEMA



Suitable for:

Steam taps and spares for coffee mach.

1186670 STEAM PIPE BUSHING $\varnothing$ 12x5 mm



FAEMA

1348316 WATER/STEAM TAP ASSY
connections $\varnothing$ 1/4"M - 3/8"M



FAEMA 485923012

Steam-water pipes coffee machines

1549011 BURN PREVENT.RUBBERPIECE f/PIPE $\varnothing$ 10 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M51 - M53 - S39



FAEMA 927132010

1186924 BURN PREVENTING PIPE HANDGRIP $\varnothing$ 10 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M51 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2
X3 - X4 - X5



FAEMA 430119000

1449042 COMPLETE WATER PIPE
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53
for Superautomatic coffee machine (FAEMA) X3



FAEMA 2221134619
FAEMA 922792000

FAEMA 2221135266
FAEMA 922792010

FAEMA 800135266
FAEMA 936960010

1449166 ST/STEEL STEAM DIFFUSER $\varnothing$ 1/8"F
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M53
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 537023100

1449148 STAINLESS STEEL COMPLETE WATER PIPE



FAEMA 2221134620

FAEMA 985718000

FAEMA 985718010

1349473 WATER PIPE NOZZLE



FAEMA 2151134616

1449317 WATER PIPE NOZZLE



FAEMA 533590400

FAEMA 533590410

1449196 WATER SPRINKLER
for CIMBALI M24
for CASADIO DODICIA-DODICIS



FAEMA 985717000

FAEMA 985717010



Suitable for:

FAEMA



5029747 WATER SPRINKLER

for Superautomatic coffee machine (CIMBALI) M2
M3 - M53
for Superautomatic coffee machine (FAEMA) X3



FAEMA 4771134699

FAEMA 532305000

Suitable for:

1549013 WATER TAP BODY

for Superautomatic coffee machine (CIMBALI) M3
for Superautomatic coffee machine (FAEMA) X3



FAEMA 407014000

FAEMA 407014008

Switches

1319902 BLACK BIPOLAR SWITCH 16A 250V

with indicator led lamp
mounting hole 22x30 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



FAEMA 532022008

1319373

SINGLE BUTTON

for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5



FAEMA 430040000

1319374 SINGLE BUTTON

for Superautomatic coffee machine (CIMBALI) M50
for Superautomatic coffee machine (FAEMA) X5




FAEMA 471011000

1319368

9 SWITCH BUTTON PANEL

for Superautomatic coffee machine (CIMBALI) M2
for Superautomatic coffee machine (FAEMA) X1 - X2



FAEMA 431340000

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V




FAEMA 532128200

3247037

4-POLE TERMINAL BLOCK FV173 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



FAEMA 532161500



Suitable for:

FAEMA



Suitable for:

Terminals

3120034 CONNECTOR FEMALE LARGE
for coils



FAEMA

1455033 CONNECTOR FEMALE SMALL
for volumetric flowmeter



FAEMA

3120044 CONNECTOR FEMALE SMALL
for coils



FAEMA

Thermostats

1444509 THREE-PHASE THERMOSTAT 169°C
with manual reset
covered capillary 900 mm
bulb $\varnothing$ 4x128 mm
for Superautomatic coffee machine (CIMBALI) M1
M2 - M3 - M49 - M50 - M51 - M52 - M53



FAEMA 3231135058

FAEMA 531193100

Transformers

1739002 TOROIDAL TRANSFORMER 240V 50/60Hz
for Superautomatic coffee machine (CIMBALI) M2
M3 - M49 - M50 - M51 - M53
for Superautomatic coffee machine (FAEMA) X3 - X4
X5



FAEMA 530901910

Vibrating pumps


1331023 SQUARE DAMPER EX-EP-EK-EA



FAEMA 532803900

1122737 VIBRATORY PUMP EP5 48W 230V 50Hz


fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



FAEMA

1122735 VIBRATORY PUMP EX5 48W 230V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



FAEMA F533195900

Water filling taps

1348047 MIXER PIPE



FAEMA 407502000

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA

via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com

FRANCE



EPGC Sas

13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH

Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro

Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tlf. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.

A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk

RUSSIA



OOO LF

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru

CHINA



LF China

Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com