



Spare parts for:
Vending machines



Suitable for:

ANIMO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.


*Suitable **universal spare parts** may not be included*





SOLUBLES DISPENSER OPTIFRESH1 PAGE 1

OPTIFRESH 1



AMVN01



ANIMO




Position	LF code no.	Description
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2794	1095037	WATER COUPLING



SOLUBLES DISPENSER OPTIFRESH1 PAGE 2

OPTIFRESH 1



AMVN02



ANIMO




Position	LF code no.	Description
2906	1240118	GEARMOTOR 263D 24V 130rpm
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP



SOLUBLES DISPENSER OPTIFRESH1 PAGE 3

OPTIFRESH 1



AMVN03



ANIMO




Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2801	3120505	SOLENOID VALVE 329 24V ø 10 mm
2906	1240118	GEARMOTOR 263D 24V 130rpm
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP
3259	1095169	"L" RH FUNNEL
3260	1095064	"L" FUNNEL
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP
6336	1444011	BULB HOLDING CLIP
35021	1449688	SILICONE HOSE ø 8x14 SHORE 60 - 10 m
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER OPTIFRESH2 PAGE 1

OPTIFRESH 2



AMVN04



ANIMO




Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2794	1095037	WATER COUPLING
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP



SOLUBLES DISPENSER OPTIFRESH2 PAGE 2

OPTIFRESH 2



AMVN05



ANIMO




Position	LF code no.	Description
2906	1240118	GEARMOTOR 263D 24V 130rpm
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3259	1095169	"L" RH FUNNEL
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP



SOLUBLES DISPENSER OPTIFRESH2 PAGE 3

OPTIFRESH 2



AMVN06



ANIMO




Position	LF code no.	Description
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3251	1120109	SILICONE OPEN GASKET
6336	1444011	BULB HOLDING CLIP
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER OPTIFRESH3 PAGE 1

OPTIFRESH 3



ANMV07




ANIMO



Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2794	1095037	WATER COUPLING
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP

SOLUBLES DISPENSER OPTIFRESH3 PAGE 2

OPTIFRESH 3



AMVN08

Positions without LF code no.: upon request



ANIMO




Position	LF code no.	Description
2906	1240118	GEARMOTOR 263D 24V 130rpm
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3259	1095169	"L" RH FUNNEL
3260	1095064	"L" FUNNEL
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP



SOLUBLES DISPENSER OPTIFRESH3 PAGE 3

OPTIFRESH 3



AMVN09



ANIMO



Position	LF code no.	Description
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3251	1120109	SILICONE OPEN GASKET
6336	1444011	BULB HOLDING CLIP
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE





ANIMO




Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2794	1095037	WATER COUPLING
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP



SOLUBLES DISPENSER OPTIFRESH4 PAGE 2

OPTIFRESH 4



AMVN11



ANIMO




Position	LF code no.	Description
2906	1240118	GEARMOTOR 263D 24V 130rpm
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3259	1095169	"L" RH FUNNEL
3260	1095064	"L" FUNNEL
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP



SOLUBLES DISPENSER OPTIFRESH4 PAGE 3

OPTIFRESH 4



AMVN12



ANIMO




Position	LF code no.	Description
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3251	1120109	SILICONE OPEN GASKET
6336	1444011	BULB HOLDING CLIP
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER OPTIVEND1

OPTIVEND 1



AMVN21



ANIMO




Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2801	3120505	SOLENOID VALVE 329 24V ø 10 mm
2906	1240118	GEARMOTOR 263D 24V 130rpm
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP
3261	1095056	"L" FUNNEL
3273	1095057	OUTLET FITTING
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP
6336	1444011	BULB HOLDING CLIP
35021	1449688	SILICONE HOSE ø 8x14 SHORE 60 - 10 m
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER OPTIVEND2

OPTIVEND 2



AMVN22



ANIMO




Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2801	3120505	SOLENOID VALVE 329 24V ø 10 mm
2906	1240118	GEARMOTOR 263D 24V 130rpm
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP
3261	1095056	"L" FUNNEL
3273	1095057	OUTLET FITTING
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP
6336	1444011	BULB HOLDING CLIP
35021	1449688	SILICONE HOSE ø 8x14 SHORE 60 - 10 m
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER OPTIVEND3

OPTIVEND 3



AMVN23



ANIMO




Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2801	3120505	SOLENOID VALVE 329 24V ø 10 mm
2906	1240118	GEARMOTOR 263D 24V 130rpm
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP
3259	1095169	"L" RH FUNNEL
3260	1095064	"L" FUNNEL
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP
6336	1444011	BULB HOLDING CLIP
35021	1449688	SILICONE HOSE ø 8x14 SHORE 60 - 10 m
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER OPTIVEND4

OPTIVEND 4



AMVN24



ANIMO




Position	LF code no.	Description
2247	1095059	WATER COUPLING
2340	1319325	GREEN BIPOLAR LEVER SWITCH 230V
2801	3120505	SOLENOID VALVE 329 24V ø 10 mm
2906	1240118	GEARMOTOR 263D 24V 130rpm
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3139	1455050	HEATING ELEMENT 3200 W 230
3250	1120108	SOLENOID VALVE COMPO 90° 24V
3251	1120109	SILICONE OPEN GASKET
3252	1240192	MOTOR MIXER 209D6131F 24V 0.2A
3253	1095058	FLANGE FOR MIXER
3254	1095061	CONVEYOR MIXER FAN
3255	1095055	POWDER FUNNEL
3257	1095060	FUNNEL CAP
3259	1095169	"L" RH FUNNEL
3260	1095064	"L" FUNNEL
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5317	1349195	PLASTIC CLAMP
6336	1444011	BULB HOLDING CLIP
35021	1449688	SILICONE HOSE ø 8x14 SHORE 60 - 10 m
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER PBD1 PAGE 1

PBD 1



AMVN31



ANIMO




Position	LF code no.	Description
2803	1120047	SOLENOID VALVE 90° 24V
3139	1455050	HEATING ELEMENT 3200 W 230
5317	1349195	PLASTIC CLAMP
6336	1444011	BULB HOLDING CLIP
8047	1186978	FLAT GASKET ø 22x17x1.5 mm
12619	1022022	BLACK DRIP TRAY
35021	1449688	SILICONE HOSE ø 8x14 SHORE 60 - 10 m
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER PBD1 PAGE 2

PBD 1



AMVN32




ANIMO



Position	LF code no.	Description
2294	3319012	GREEN BIPOLAR SWITCH 16A 250V
2787	1240119	MOTOR MIXER 209D 24V 0.2A
2788	1095053	LOCKING NUT FOR MOTOR MIXER
2790	1240121	MIXER FLANGE
2791	1095023	CONVEYOR MIXER FAN
2792	1095043	POWDER FUNNEL
2793	1095038	MIXER FUNNEL
2794	1095037	WATER COUPLING
2795	1095063	POWDER INLET FUNNEL
2796	1095065	POWDER FUNNEL GASKET
2799	1351013	SAFETY RELAY 25A 230V INPUT 24V
2801	3120505	SOLENOID VALVE 329 24V ø 10 mm
2805	1095062	"L" MIDDLE FUNNEL
2906	1240118	GEARMOTOR 263D 24V 130rpm
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5240	3528215	HEXAGONAL STUB NUT M4 UNI 5589

SOLUBLES DISPENSER PBD2 PAGE 1

PBD 2



AMVN33

Positions without LF code no.: upon request



ANIMO




Position	LF code no.	Description
2803	1120047	SOLENOID VALVE 90° 24V
3139	1455050	HEATING ELEMENT 3200 W 230
5317	1349195	PLASTIC CLAMP
6336	1444011	BULB HOLDING CLIP
8047	1186978	FLAT GASKET ø 22x17x1.5 mm
12619	1022022	BLACK DRIP TRAY
35021	1449688	SILICONE HOSE ø 8x14 SHORE 60 - 10 m
80063	1397009	NTC TEMPERATURE PROBE
94114	1341022	LEVEL PROBE



SOLUBLES DISPENSER PBD2 PAGE 2

PBD 2



AMVN34



ANIMO



Position	LF code no.	Description
2294	3319012	GREEN BIPOLAR SWITCH 16A 250V
2787	1240119	MOTOR MIXER 209D 24V 0.2A
2788	1095053	LOCKING NUT FOR MOTOR MIXER
2790	1240121	MIXER FLANGE
2791	1095023	CONVEYOR MIXER FAN
2792	1095043	POWDER FUNNEL
2793	1095038	MIXER FUNNEL
2794	1095037	WATER COUPLING
2795	1095063	POWDER INLET FUNNEL
2796	1095065	POWDER FUNNEL GASKET
2799	1351013	SAFETY RELAY 25A 230V INPUT 24V
2801	3120505	SOLENOID VALVE 329 24V ø 10 mm
2805	1095062	"L" MIDDLE FUNNEL
2906	1240118	GEARMOTOR 263D 24V 130rpm
3093	3444782	SINGLE-PHASE THERMOSTAT 132°C
3330	1240193	PIN FOR SOLUBLE GEARMOTOR
5240	3528215	HEXAGONAL STUB NUT M4 UNI 5589



Suitable for:

ANIMO




Suitable for:

Baffles

1095056 "L" FUNNEL


long side 90 mm - short side 37 mm
for Vending machine (ANIMO) OPTIVENDCHOCO
OPTIVEND1 - OPTIVEND2



ANIMO 03261

1095064 "L" FUNNEL


long side 68 mm - short side 37 mm
for Vending machine (ANIMO) OPTIFRESH3
OPTIFRESH4 - OPTIVEND3 - OPTIVEND4
for Vending machine (GPE VENDORS) DBX300ESPRESSO
DBX300ESPRESSONEW - DBX400ESPRESSONEW
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII



ANIMO 03260

1095062 "L" MIDDLE FUNNEL


long side 53 mm - short side 37 mm
for Vending machine (ANIMO) 1PBD - 2PBD
for Vending machine (BRAS) RECORD102 - RECORD103
RECORD51 - RECORD52
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII
for Vending machine (SPM) BREAKFAST
for Vending machine (UGOLINI) M20 - M27



ANIMO 02805

1095169 "L" RH FUNNEL

long side 68 mm - short side 37 mm
for Vending machine (ANIMO) OPTIFRESH2
OPTIFRESH3 - OPTIFRESH4 - OPTIVEND1
OPTIVEND3 - OPTIVEND4
for Vending machine (GPE VENDORS) DBX300ESPRESSO
DBX300ESPRESSONEW - DBX400ESPRESSONEW
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII



ANIMO 03259

1095023 CONVEYOR MIXER FAN

external ø 29 mm
for Vending machine (ANIMO) 1PBD - 2PBD



ANIMO 02791

1095061 CONVEYOR MIXER FAN

external ø 32 mm - via hole ø 6 mm
for Vending machine (ANIMO) OPTIFRESH2
OPTIFRESH3 - OPTIFRESH4 - OPTIVENDHS
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4



ANIMO 03254

1095058 FLANGE FOR MIXER

for Vending machine (ANIMO) OPTIFRESH2
OPTIFRESH3 - OPTIFRESH4 - OPTIVENDHS
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4



ANIMO 03253

1095060 FUNNEL CAP

external ø 65 mm - internal ø 42 mm
for Vending machine (ANIMO) OPTIFRESH2
OPTIFRESH3 - OPTIFRESH4 - OPTIVENDHS
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4
for Vending machine (BRAS) RECORD102 - RECORD103
RECORD51 - RECORD52
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII
for Vending machine (UGOLINI) M20 - M27



ANIMO 03257

1095053 LOCKING NUT FOR MOTOR MIXER


for Vending machine (ANIMO) 1PBD - 2PBD
for Vending machine (BRAS) RECORD102 - RECORD103
RECORD51 - RECORD52
for Vending machine (GPE VENDORS) DBX300ESPRESSO
DBX300ESPRESSONEW - DBX400ESPRESSONEW
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII
for Vending machine (UGOLINI) M20 - M27



ANIMO 02788

1240121 MIXER FLANGE

for Vending machine (ANIMO) 1PBD - 2PBD



ANIMO 02790

1095038 MIXER FUNNEL

external ø 62 mm - overall height 57 mm
for Vending machine (ANIMO) 1PBD - 2PBD
for Vending machine (BRAS) RECORD102 - RECORD103
RECORD51 - RECORD52
for Vending machine (GPE VENDORS) DBX300ESPRESSO
DBX300ESPRESSONEW - DBX400ESPRESSONEW
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII
for Vending machine (SPM) BREAKFAST
for Vending machine (UGOLINI) M20 - M27



ANIMO 02793

1095057 OUTLET FITTING

for Vending machine (ANIMO) OPTIVEND1 - OPTIVEND2



ANIMO 03273



Suitable for:

ANIMO



1095043 POWDER FUNNEL

for Vending machine (ANIMO) 1PBD - 2PBD
for Vending machine (BRAS) RECORD102 - RECORD103
RECORD51 - RECORD52
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII
for Vending machine (SPM) BREAKFAST



ANIMO 02792

1095055

POWDER FUNNEL

for Vending machine (ANIMO) OPTIFRESH2
OPTIFRESH3 - OPTIFRESH4 - OPTIVENDHS
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4



ANIMO 03255

1095065 POWDER FUNNEL GASKET

max. overall size 58x27 mm
for Vending machine (ANIMO) 1PBD - 2PBD
for Vending machine (BRAS) RECORD102 - RECORD103
RECORD51 - RECORD52
for Vending machine (UGOLINI) M20 - M27



ANIMO 02796

1095063

POWDER INLET FUNNEL

external $\varnothing$ 65 mm - hole $\varnothing$ 43 mm
overall height 39 mm
for Vending machine (ANIMO) 1PBD - 2PBD



ANIMO 02795

1095037 WATER COUPLING

overall height 31 mm - $\varnothing$ hose-end fitting 12 mm
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4 - 1PBD
2PBD



ANIMO 02794

1095059

WATER COUPLING

overall height 31 mm - $\varnothing$ hose-end fitting 12 mm
for Vending machine (ANIMO) OPTIFRESH2
OPTIFRESH3 - OPTIFRESH4 - OPTIVENDHS
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4



ANIMO 02247

Clamps

1349195 PLASTIC CLAMP

for silicone pipe



ANIMO 05317



Coffee measuring spoons

1069003 PLASTIC MEASURING SPOON 40 g



ANIMO

Drip trays for coffee and bar

1022022 BLACK DRIP TRAY
for Vending machine (ANIMO) 1PBD - 2PBD



ANIMO 12619

Electrical cables

5054917 FEEDING CABLE 2000 mm



ANIMO 03072

Gaskets and seals

1186978 FLAT GASKET ø 22x17x1.5 mm



ANIMO 08047


1186472 O-RING 04075 EPDM



ANIMO 04070

Heating elements

1755137 HEATING ELEMENT 3000W 230V
length 185 mm - connections ø 14 mm
for Vending machine (ANIMO) 1PBD - 2PBD



ANIMO 03198

1455050 HEATING ELEMENT 3200 W 230
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4
1PBD - 2PBD



ANIMO 03139



Suitable for:

ANIMO



Suitable for:

Inlet hoses

1449688 SILICONE HOSE $\varnothing$ 8x14 SHORE 60 - 10 m
alimentary



ANIMO 35021

1449288 SILICONE HOSE $\varnothing$ 8x14 SHORE 60 - 100 m
alimentary



ANIMO 35021

1449502 TEFLON PIPE $\varnothing$ 4x6 mm - 10 m
alimentary



ANIMO 06242

Motors

1240194 GEARMOTOR 261A4083FZ 24V 83rpm
for soluble container scroll
for Vending machine (ANIMO) 4PBD




ANIMO 02774

1240118 GEARMOTOR 263D 24V 130rpm
for soluble container
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4
1PBD - 2PBD



ANIMO 02906

1240119 MOTOR MIXER 209D 24V 0.2A
for mixer
for Vending machine (ANIMO) 1PBD - 2PBD
for Vending machine (BRAS) RECORD102 - RECORD103
RECORD51 - RECORD52
for Vending machine (UGOLINI) M20 - M27



ANIMO 02787

1240192 MOTOR MIXER 209D6131F 24V 0.2A
for mixer
for Vending machine (ANIMO) OPTIFRESH2
OPTIFRESH3 - OPTIFRESH4 - OPTIVENDHS
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4



ANIMO 03252

1240193 PIN FOR SOLUBLE GEARMOTOR

overall length 47 mm
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVENDHS - OPTIVEND1 - OPTIVEND2 - OPTIVEND3
OPTIVEND4 - 1PBD - 2PBD



ANIMO 03330

Probes

1397009 NTC TEMPERATURE PROBE

for ANIMO OPTIFRESH1-OPTIFRESH1HOT&COLD-OPTIFRESH2
OPTIFRESH2HOT&COLD-OPTIFRESH3-OPTIFRESH3HOT&COLD
OPTIFRESH4-OPTIFRESH4HOT&COLD-OPTIVEND1
OPTIVEND1TL-OPTIVEND1TS-OPTIVEND2-OPTIVEND3
OPTIVEND3H&C-OPTIVEND3TS-OPTIVEND3TSH&C-OPTIVEND4
OPTIVEND4H&C-OPTIVEND4TS-OPTIVEND4TSH&C
OPTIVENDCHOCO-OPTIVENDHS-OPTIVENDHSUO-1PBD-2PBD
for ANIMO WKT3NHA-WKT3NVA
for ANIMO
M100W-M200W-M202W-MT100W-MT200W-MT200WP
MT202W



ANIMO 80063

Regulators and level sensors

1341022 LEVEL PROBE

for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4
1PBD - 2PBD



ANIMO 94114

Relays

1351013 SAFETY RELAY 25A 230V INPUT 24V

for Vending machine (ANIMO) OPTIVEND - PBD - 1PBD
2PBD



ANIMO 02799



Suitable for:

ANIMO



Suitable for:

Solenoid valves

1120109 SILICONE OPEN GASKET

coupling gasket for solenoid valve
external $\varnothing$ 24 mm - via hole $\varnothing$ 11 mm
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVENDHS - OPTIVEND1 - OPTIVEND2 - OPTIVEND3
OPTIVEND4
for Vending machine (SPM) BREAKFAST



ANIMO 03251

1120108 SOLENOID VALVE COMPO 90° 24V

24V - max 98°C
inlet $\varnothing$ 12 mm - outlet $\varnothing$ 12 mm
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4



ANIMO 03250

3120161 SOLENOID VALVE MULLER 220/240V $\varnothing$ 14 mm

solenoid valve 180°-220/240V 50/60Hz - max 90°C
inlet $\varnothing$ 3/4" - outlet $\varnothing$ 14 mm



ANIMO 02585

3120271 MULLER COIL 220/240V 50/60Hz

temperature 90°C



3120162 SOLENOID VALVE MULLER 220/240V $\varnothing$ 14 mm

solenoid valve 180°-220/240V 50/60Hz - max 90°C
inlet $\varnothing$ 3/4" - dual outlet $\varnothing$ 14 mm



ANIMO 02158

3120271 MULLER COIL 220/240V 50/60Hz

temperature 90°C



3120263 SOLENOID VALVE MULLER 230V $\varnothing$ 14 mm

solenoid valve 180°-230V 50/60Hz - max 90°C
inlet $\varnothing$ 3/4" - 3 outlets $\varnothing$ 14 mm



ANIMO 02297

3120005 SOLENOID VALVE 329 220/240V $\varnothing$ 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet $\varnothing$ 10 mm



ANIMO 02026

3120021 INLET PRESSURE REDUCER 12 L/min BLACK



3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for ELBI solenoid valve
face value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for ELBI solenoid valve
face value +/- 25%




3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for ELBI solenoid valve
face value +/- 25%



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET PRESSURE REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for ELBI solenoid valve
face value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for ELBI solenoid valve
face value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for ELBI solenoid valve
face value +/- 25%





Suitable for:

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for ELBI solenoid valve
face value +/- 25%



ANIMO

Suitable for:



3120505 SOLENOID VALVE 329 24V ø 10 mm

solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet ø 10 mm
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4
1PBD - 2PBD




ANIMO 02801

3120021 INLET PRESSURE REDUCER 12 L/min BLACK



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET PRESSURE REDUCER 16 L/min BLACK



3120019 INLET PRESSURE REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN for ELBI solenoid valve face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW for ELBI solenoid valve face value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED for ELBI solenoid valve face value +/- 25%





Suitable for:

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for ELBI solenoid valve
face value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for ELBI solenoid valve
face value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for ELBI solenoid valve
face value +/- 25%



ANIMO



Suitable for:

3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for ELBI solenoid valve
face value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for ELBI solenoid valve
face value +/- 25%



1120047 SOLENOID VALVE 90° 24V
for Vending machine (ANIMO) OPTIVENDHS
OPTIVENDHSDUO - 1PBD - 2PBD



ANIMO 02803

3120349 SOLENOID-VALVE MULLER 230V ø 3/8"
solenoid valve 180° - 230V 50Hz - max 90°C
inlet 3/4" - outlet 3/8"



ANIMO PF02163

ANIMO 02163

Switches

3319252 BLACK BIPOLAR SWITCH 16A 250V
mounting hole 30x22 mm



ANIMO 02524

3319296 BLACK BIPOLAR SWITCH 16A 250V
with red led indicator light
max temperature 120°C
mounting hole 22x30 mm



ANIMO 02522



Suitable for:

ANIMO




1319325 GREEN BIPOLAR LEVER SWITCH 230V
with indicator lamp and push-button cap
mounting hole 11x30 mm
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVEND1 - OPTIVEND2 - OPTIVEND3 - OPTIVEND4



ANIMO 02340

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm




ANIMO 02294

3319306 GREEN DOUBLE SWITCH 16A 250V
with indicator lamp
temperature max 100°C
mounting hole 22x30 mm



ANIMO 02569

3319308 ORANGE BIPOLAR SWITCH 16A 250V
with indicator lamp
max temperature 100°C
mounting hole 22x30 mm



ANIMO 02567


Thermostats

1444011 BULB HOLDING CLIP
for heating element thermostat



ANIMO 06336

3444782 SINGLE-PHASE THERMOSTAT 132°C
with manual reset
capillary length 850 mm - 16A 230V
bulb ø 3.1x250 mm - with adapter nipple bland M9x1
for Vending machine (ANIMO) OPTIFRESH1
OPTIFRESH2 - OPTIFRESH3 - OPTIFRESH4
OPTIVEND1 - OPTIVEND2 - OPTIVEND4 - 1PBD
2PBD



ANIMO 03093

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA

via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com

FRANCE



EPGC Sas

13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH

Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro

Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tlf. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.

A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk

RUSSIA



OOO LF

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru

CHINA



LF China

Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com