



Spare parts for:
Vending machines



Suitable for:

BRITA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2013-09161640





Suitable for:

BRITA



Suitable for:

Water purification filters

3600063 CARTRIDGE AQUAQUELL 06 BC



BRITA 295300

3600064 CARTRIDGE AQUAQUELL 06 EC



BRITA 295400

3600065 CARTRIDGE AQUAQUELL 1.5



BRITA 297100

BRITA 297200

3010619 CARTRIDGE PURITY C 25



BRITA 100208

3010618 CARTRIDGE PURITY C 50



BRITA 102831

3600066 FILTER HEAD BRITA G 3/8" AQUAQUELL 1.5



BRITA 296200

3010622 FILTER HEAD BRITA G3/8"
adjustable by pass 0-70%



BRITA 1002955

3010623 FILTER HEAD BRITA G3/8"
bypass 30%



BRITA 1002952

BRITA 297175

3600067 FILTER HEAD BRITA JG8
bypass 30%



BRITA 297174



Suitable for:

Suitable for:

3010605 PURITY C 150

decarbonator suitable for COFFEE MACHINES-OVENS
DISPENSERS - OVENS
adjustable by-pass
capacity at 10°KH 2408 L (distributors)
capacity at 10°KH 1656 L (ovens)
flow rate 60 L/h
max pressure 8.6 bar
operating temperature 4°C/30°C
pressure loss at flow rate 0.20 bar
size: height 421 mm - ø 117 mm
weight: empty 1.7 kg - full 2.5 kg
fittings: inlet ø 3/8"M -outlet ø 3/8"M
horizontal or vertical mounting

3010615 PURITY CARTRIDGE C 150



BRITA 102829+1002955

BRITA 297166+102829

BRITA 102829

3010609 PURITY C 25



BRITA 1002008+1002955

3010606 PURITY C 300

decarbonator suitable for COFFEE MACHINES-OVENS
DISPENSERS - OVENS
adjustable by-pass
capacity at 10°KH 4000 L (distributors)
capacity at 10°KH 2750 L (ovens)
flow rate 60 L/h
max pressure 8.6 bar
operating temperature +4°C/30°C
pressure loss at flow rate 0.20 bar
size: height 476 mm - ø 124 mm
weight: empty 2.7 kg - full 3.9 kg
fittings: inlet ø 3/8"M -outlet ø 3/8"M
horizontal or vertical mounting

3010616 PURITY CARTRIDGE C 300



BRITA 102827+1002955

BRITA 297166+102827

BRITA 102827



Suitable for:

BRITA



Suitable for:

3010608 PURITY C 50

decarbonator for COFFEE MACHINES-OVENS
 DISTRIBUTORS-OVENS
 adjustable bypass
 flow rate at 10°KH 960 l (distributors)
 flow rate at 10°KH 660 l (ovens)
 flow rate 60 L/h
 max pressure 8.9 bar
 operating temperature 4°C/30°C
 lack of pressure at flow rate 0.25 bar
 dimensions: h 267 mm - ø 117 mm
 weight: empty 1.0 kg - full 1.4 kg
 fittings: inlet ø 3/8" M - outlet ø 3/8" M
 horizontal or vertical mounting



BRITA 102831+1002955

3010607 PURITY C 500

decarbonator suitable for COFFEE MACHINES-OVENS
 DISPENSERS - OVENS
 adjustable by-pass
 capacity at 10°KH 6800 L (distributors)
 capacity at 10°KH 4675 L (ovens)
 flow rate 120 L/h
 max pressure 8.6 bar
 operating temperature +4°C/30°C
 pressure loss at flow rate 0.50 bar
 size: height 554 mm - ø 149 mm
 weight: empty 4.6 kg - full 7.1 kg
 fittings: inlet ø 3/8" M - outlet ø 3/8" M
 horizontal or vertical mounting



BRITA 1002955+1002045

BRITA 297166+1002045

3010617 PURITY CARTRIDGE C 500



BRITA 1002045

3010615 PURITY CARTRIDGE C 150



BRITA 102829

3010616 PURITY CARTRIDGE C 300



BRITA 102827

3010617 PURITY CARTRIDGE C 500



BRITA 1002045



Water softeners and accessories

3010621 CARBON HARDNESS TEST KIT



BRITA 710800

3010274 CARTRIDGE DESCALING FILTER
model AQUA AROMA CREMA
duration 150 L - 3 months



BRITA 1001368

BRITA 101831

BRITA 101831CI

3010611 CARTRIDGE PURITY CLEAN EXTRA 1200



BRITA 1008197

BRITA 315650

3010610 CARTRIDGE PURITY CLEAN 1200



BRITA 315645

BRITA 315849

3010258 COMPLETE CARTRIDGE PURITY STEAM 1200



BRITA 1000231

3010257 COMPLETE CARTRIDGE PURITY STEAM 600



BRITA 1000252

3010070 CONSUMPTION CONTROL FLOWMETER 100-700 L
temperature 4°C-60°C
max pressure 8 bar
to meter the amount of residual liters the
cartridge can process



BRITA 298905

3010620 HARDNESS TEST KIT



BRITA 710403

3010220 HOSE CLAMP SET
with non-return valve and fittings



BRITA 274000

3010614 PURITY CARTRIDGE ST 1200



BRITA 273400



Suitable for:

BRITA



3010612 PURITY CARTRIDGE ST 450



BRITA 273000

Suitable for:

3010613 PURITY CARTRIDGE ST 600



BRITA 2732

BRITA 273200

3010601 PURITY CLEAN EXTRA 1200

water softener suitable for DISHWASHERS
 specific for WARM WATER
 adjustable by-pass
 capacity at 10°KH 3100 L
 flow rate 300 L/h
 max pressure 6 bar
 min pressure 2 bar
 operating temperature 4°C/60°C
 pressure loss at flow rate 0.45 bar
 size: height 550 mm - ø 255 mm
 weight: empty 18 Kg - full 24 kg
 fittings: inlet ø 1" M - outlet ø 3/4" M
 horizontal or vertical mounting



BRITA 1008200

BRITA 292084

3010611 CARTRIDGE PURITY CLEAN EXTRA 1200



BRITA 1008197

BRITA 315650

3010600 PURITY CLEAN 1200

water softener suitable for DISHWASHERS
 specific for WARM WATER
 adjustable by-pass
 capacity at 10°KH 12000 L
 flow rate 300 L/h
 max pressure 6 bar
 min pressure 2 bar
 operating temperature 4°C/60°C
 pressure loss at flow rate 0.45 bar
 size: height 550 mm - ø 255 mm
 weight: empty 18 Kg - full 24 kg
 fittings: inlet ø 1" M - outlet ø 3/4" M
 horizontal or vertical mounting



BRITA 292083

3010610 CARTRIDGE PURITY CLEAN 1200



BRITA 315645

BRITA 315849



Suitable for:

Suitable for:

3010604 PURITY ST 1200

water softener suitable COFFEE MACHINES-DISPENSERS
OVENS - ICE MAKERS
specific for ODOR REMOVAL
adjustable by-pass
capacity at 10°KH 13187 L
flow rate 200 L/h
max pressure 6.9 bar
min pressure 2 bar
operating temperature 4°C/30°C
pressure loss at flow rate 1.05 bar
dimensions: height 550 mm - ø 288 mm
weight: empty 18 Kg - full 24 kg
fittings: inlet ø 3/8"M - outlet ø 3/8"M
horizontal or vertical mounting



BRITA 1009231

BRITA 2726+2724

3010614 PURITY CARTRIDGE ST 1200



BRITA 273400

3010602 PURITY ST 450

water softener suitable COFFEE MACHINES-DISPENSERS
OVENS - ICE MAKERS
specific for ODOR REMOVAL
adjustable by-pass
capacity at 10°KH 4217 L
flow rate 100 L/h
max pressure 6.9 bar
min pressure 2 bar
operating temperature 4°C/30°C
pressure loss at flow rate 0.35 bar
dimensions: height 408 mm - ø 249 mm
weight: empty 12 Kg - full 15 kg
fittings: inlet ø 3/8"M - outlet ø 3/8"M
horizontal or vertical mounting



BRITA 1009227

BRITA 2720+2727

3010612 PURITY CARTRIDGE ST 450



BRITA 273000



Suitable for:

BRITA



3010603 PURITY ST 600

water softener suitable COFFEE MACHINES-DISPENSERS
OVENS - ICE MAKERS
specific for ODOR REMOVAL
adjustable by-pass
capacity at 10°KH 7207 L
flow rate 100 L/h
max pressure 6.9 bar
min pressure 2 bar
operating temperature 4°C/30°C
pressure loss at flow rate 0.35 bar
dimensions: height 520 mm - ø 249 mm
weight: empty 12 Kg - full 15 kg
fittings: inlet ø 3/8"M - outlet ø 3/8"M
horizontal or vertical mounting



BRITA 1009229

BRITA 2720+2728

3010613 PURITY CARTRIDGE ST 600

Suitable for:



BRITA 2732

BRITA 273200

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA
via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspaceparts.com

FRANCE



EPGC Sas
13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspaceparts.co.uk

RUSSIA



OOO LF
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspaceparts.ru

CHINA



LF China
Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspaceparts.com