



Spare parts for:
Vending machines



Suitable for:

ULKA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ULKA



Suitable for:

Solenoid valves

1120236 SOLENOID VALVE CEME 2-WAY $\varnothing$ 1/8"F 230V

5220 - max 13bar
VITON seal - orifice $\varnothing$ 2.0 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 5220VN2,0SAIF

1199316 COIL CEME B4 230V 50 Hz



ULKA 1W7/R

1120230 2-WAY SOLENOID VALVE CEME $\varnothing$ 1/4"F 230V

6712 - max 14bar
VITON seal - orifice $\varnothing$ 2.5 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6712VV2,5SBIF

3120569 COIL CEME B6 230V 50 Hz



ULKA BDF/R

1120231 2-WAY SOLENOID VALVE CEME $\varnothing$ 1/4"F 230V

6712 - max 10bar
VITON seal - orifice $\varnothing$ 2.8 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6712VV2,8SBIF


3120569 COIL CEME B6 230V 50 Hz



ULKA BDF/R

1120232 2-WAY SOLENOID VALVE CEME $\varnothing$ 1/4"F 230V

6612 - max 9bar
VITON seal - orifice $\varnothing$ 3.0 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6612VV3,0SBIF

3120569 COIL CEME B6 230V 50 Hz



ULKA BDF/R

1120238 2-WAY SOLENOID VALVE CEME ø 1/8"F 120V
 NICKEL PLATED CASE
 5220 - max 13bar
 VITON seal - orifice ø 2.0 mm
 with coil B4 14VA 100/120V 60Hz
 fluid temperature -10°C+140°C



ULKA 5220VN2,0NROY

1120237 2-WAY SOLENOID VALVE CEME ø 1/8"F 230V
 NICKEL PLATED CASE
 5220 - max 13bar
 VITON seal - orifice ø 2.0 mm
 with coil B4 13.5VA 230V 50Hz
 fluid temperature -10°C+140°C



ULKA 5220VN2,0NAIF

1120235 3-WAY SOLENOID VALVE CEME ø 1/8"F 120V
 NICKEL PLATED CASE
 5320 - outlet ø 7 mm - max 14bar
 VITON seal - orifice ø 1.2 mm
 with coil B4 14VA 100/120V 60Hz
 fluid temperature -10°C+140°C



ULKA 5320VN1,2VNNROY

1120229 3-WAY SOLENOID VALVE CEME ø 1/8"F 230V
 6211 - outlet ø 1/8"M - max 15bar
 VITON seal - orifice ø 1.5 mm
 with coil B6 17VA 230V 50Hz
 fluid temperature -10°C+140°C



ULKA 6211VN1,5SBIF

1199316 COIL CEME B4 230V 50 Hz



ULKA 1W7/R

1120174 3-WAY SOLENOID VALVE CEME ø 1/8"F 230V
 5315 - drain ø 6 mm - fittings ø 1/8"FF
 VITON seal - max 15 bar
 with coil B4 15.5VA 230VAC 50Hz
 fluid temperature -10°C+140°C
 per SGL ROTARYCAPSBASE-ROTARYLUXCAPS
 per LAVAZZA ESPRESSOPOINT-MATINEE-PININFARINA
 for Vending machine (LAVAZZA) ESPRESSOPOINT
 MATINEE - PININFARINA



ULKA 5315VN2,0S00AIX

3120569 COIL CEME B6 230V 50 Hz



ULKA BDF/R



Suitable for:

ULKA



1120233 3-WAY SOLENOID VALVE CEME ø 1/8"F 230V
STAINLESS STEEL SLEEVE
5320 - outlet ø 7 mm - max 14bar
VITON seal - orifice ø 1.2 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 5320VN1,2VNSAIX

Suitable for:

1199316 COIL CEME B4 230V 50 Hz



ULKA 1W7/R

1120234 3-WAY SOLENOID VALVE CEME ø 1/8"F 230V
NICKEL PLATED CASE
5320 - outlet ø 7 mm - max 14bar
VITON seal - orifice ø 1.2 mm
with coil B4 13.5VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 5320VN1,2VNNAIX

1199316 COIL CEME B4 230V 50 Hz



ULKA 1W7/R

1120228 3-WAY SOLENOID VALVE CEME 230V
6270 - outlet ø 1/8"M - max 15bar
VITON seal - orifice ø 1.5 mm
with coil B6 17VA 230V 50Hz
fluid temperature -10°C+140°C



ULKA 6270VN1,5SBIF

3120569 COIL CEME B6 230V 50 Hz



ULKA BDF/R

Vibrating pumps

1349651 PIPETTE FITTING 90°
SANTOPRENE
internal pump connection ø 6 mm
hose-end fitting ø 7.5 mm



ULKA 8.01.033

1331023 SQUARE DAMPER EX-EP-EK-EA



ULKA 8.01.022

Suitable for:

1331022 SQUARE DAMPER HF



ULKA 8.01.045

Suitable for:

1410001 THERMAL PROTECTION 120°C
for vibratory pump
for Vending machine (SAECO) QUARZO500 - QUARZO700
SG200E



ULKA

1410502 THERMO FUSE 100°C
for ULKA pumps
adaptable for SAECO



ULKA

1410503 THERMO FUSE 77°C
for ULKA pumps



ULKA

1331019 VALVE S2
back pressure self-priming



ULKA

1331014 VALVE S3
back-pressure automatic start
boiler pressure reset
with safety valve



ULKA 1.06.215.05

ULKA 1.06.210.05

ULKA 1.06.210.05/L

1331020 VALVE S3BP
back pressure self-priming
boiler and bypass atmospheric pressure reset
and by-pass



ULKA 1.06.215.05/BP



Suitable for:

ULKA



1122748 VIBRATORY PUMP EK 230V 50Hz 54W

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm




ULKA EK

ULKA 1.01.337.09/PA

1331018 VIBRATORY PUMP EP4 48W 230V 50Hz


fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 20 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (LAVAZZA) EP950
for Vending machine (SATEMAC) ENTHEOS - ENTHEOSII
ENTHEOSIIDBL24V - ENTHEOSXL - ENTHEOSXS
MATRIXIII



ULKA 1.01.339.10

1122737 VIBRATORY PUMP EP5 48W 230V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm




ULKA 1.01.302.05/PA

ULKA 1.01.302.05/PAEP5

1122738 VIBRATORY PUMP EP5 48W 24V 50/60Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (ALICE CLUB) INCONTRONEW
NOIDUE




ULKA 1.01.308.05/PA

ULKA 1.01.308.05/PAEP5

1122002 VIBRATORY PUMP EP5GW 48W 230V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
max water temperature 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



ULKA 1.01.302.GW/PA

1331026 VIBRATORY PUMP EP5GW 48W 230V 50Hz


countersunk fitting $\varnothing$ 1/8" - $\varnothing$ 6 mm
max. pressure 15 bar
max water temperature 20°C
integrated diode (1N 4007P)
lead connection 6.3x0.8 mm



ULKA 1.01.302.GW/PS

1331037 VIBRATORY PUMP EP8 26W 230/240V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
max. pressure 15 bar
max. water temperature 35°C
with built-in diode (1N 4007P)
connection terminal 6.3x0.8 mm



ULKA 1.01.374.11

1331028 VIBRATORY PUMP EP8GW 26W 230V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
max pressure 15 bar
max water temperature 35°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (NECTA VENDING) PICCOLOMATTINO




ULKA EP8GW-26W230V

ULKA 1.01.374.GW

1122746 VIBRATORY PUMP EX4 48W 230V 50Hz


fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 18 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for SPM



ULKA 1.01.355.12

1122747 VIBRATORY PUMP EX4 48W 24V 50/60Hz


fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 18 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



ULKA 1.01.361.12

1331029 VIBRATORY PUMP EX4GW 48W 230V 50/60Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
max pressure 15 bar
max water temperature 35°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (LAVAZZA) EL3200 - EVOLUZIONE
LB1000BLUEFAMILY - MATINEE - PININFARINA



ULKA EX4GW

ULKA 1.01.355.GW

1122601 VIBRATORY PUMP EX5 41W 120V 60Hz


fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (SAECO) 3P - 5P



ULKA 1.01.323.07/PA

1122735 VIBRATORY PUMP EX5 48W 230V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm




ULKA 1.01.320.07/PA

ULKA 1.01.320.07/PAEX5

1122739 VIBRATORY PUMP EX5 48W 230V 50Hz


fittings $\varnothing$ 1/8" countersunk - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



ULKA 1.01.320.07/PS

1122736 VIBRATORY PUMP EX5 48W 24V 50/60Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm




ULKA 1.01.326.07/PA

ULKA 1.01.326.07/PAEX5

1122740 VIBRATORY PUMP EX5 48W 24V 50/60Hz

fittings $\varnothing$ 1/8" countersunk - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



ULKA 1.01.326.07/PS




Suitable for:

ULKA



1331006 VIBRATORY PUMP EX5GW 48W 230V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
max pressure 15 bar
max water temperature 35°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (LAVAZZA) BLUEKIKKO - BRIO3
LB3000ASTRO - LB3200COLIBRI - LB3400ZENITH
for Vending machine (NECTA VENDING) ASTRO - ASTROP
BRIO - BRIO250 - BRIO3 - CANTO - COLIBRI
COLIBRIC5 - GRANMATTINO - KIKKO - KIKKOCI
KIKKOMAX - KIKKORY - KOBALTO - KONVIVIO
KORINTO - KORO - OBLO - SPAZIO - SPAZIOP
VENEZIA - VENEZIALX - ZENITH
for Vending machine (SAECO) AMBRA - COMBISNACK
CRISTALLO600 - FS400 - QUARZO500 - QUARZO700




ULKA 1.01.320.GW/PA

Suitable for:

1331009 VIBRATORY PUMP EX5GW 48W 230V 50Hz KIT


connections $\varnothing$ 1/8" - $\varnothing$ 7 mm
max pressure 15 bar
water temperature max 35°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (SAECO) ATLANTE - COMBISNACK
CRISTALLO400 - CRISTALLO600 - FS400



ULKA

1120025 VIBRATORY PUMP EX7 48W 230V 50Hz


fittings $\varnothing$ 1/8" countersunk - $\varnothing$ 6 mm
pressure max 7 bar
temperatura dell'acqua max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



ULKA 1.01.329.08/PA

1331036 VIBRATORY PUMP EX7 48W 24V 50/60Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
max. pressure 15 bar
max. water temperature 20°C
with built-in diode (1N 4007P)
connection terminal 6.3x0.8 mm
for Vending machine (GPE VENDORS) DBX300ESPRESSO
DBX300ESPRESSONEW - DBX400ESPRESSONEW



ULKA 1.01.335.08/PA

ULKA 1.01.335.08/PAI

1331016 VIBRATORY PUMP EX7GW 48W 230V 50Hz


fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
temperatura dell'acqua max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm
for Vending machine (RHEA VENDORS) XSE - XSH



ULKA 1.01.329.GW/PA

1331021 VIBRATORY PUMP HF 22W 230V 50Hz

hose-end fitting $\varnothing$ 6.6 mm - $\varnothing$ 6.6 mm
max pressure 2.6 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 4.7x0.8 mm



ULKA 1.01.001.HF




Suitable for:

ULKA



1331025 VIBRATORY PUMP NME 1 16W 230/240V 50Hz


hose-end fitting $\varnothing$ 6.6 mm - $\varnothing$ 5 mm
max pressure 2.5 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 4.7x0.8 mm



ULKA 1.02.500.01

3331005 VIBRATORY PUMP NME 2 16W 230/240V 50Hz

hose-end fittings $\varnothing$ 6.6 mm - $\varnothing$ 5 mm
max. pressure 2.5 bar
max. water temperature 20°C
with built-in diode (1N 4007P)
connection terminal 4.7x0.8 mm




ULKA NMETPE2-16W-240V

ULKA 1.02.515.02

1331017 VIBRATORY PUMP NME 3S 16W 230V 50Hz


hose-end fittings $\varnothing$ 6 mm - $\varnothing$ 5 mm
pressure max 2.5 bar
water temperature max 20°C
integrated diode (1N 4007P)
connector lead 4.7x0.8 mm



ULKA 1.02.530.03

1331024 VIBRATORY PUMP NME 4 16W 230/240V 50Hz

hose-end fitting $\varnothing$ 6.6 mm - $\varnothing$ 5 mm
pressure max 2.5 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 4.7x0.8 mm



ULKA 1.02.535.04

1349652 90° FITTING $\varnothing$ 1/8 F



ULKA 17.01.024

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA

via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com

FRANCE



EPGC Sas

13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH

Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro

Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tlf. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.

A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk

RUSSIA



OOO LF

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru

CHINA



LF China

Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com