



Spare parts for:

Warewashing equipment



Suitable for:

EVERPURE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

EVERPURE



Suitable for:

Water purification filters

5062224 CARTRIDGE EVERPURE i2000/2
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 490 mm
 34000 L range
 operating pressure 0.7-8.5 bar
 flow rate 6.3 L/min



EVERPURE EV961227

EVERPURE 4324-01

EVERPURE 9324-01

3600106 FILTER CARTRIDGE EVERPURE MC2
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 525 mm
 operating range 34000 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961255

EVERPURE 9612-05

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



Suitable for:

3600103 FILTER CARTRIDGE EVERPURE MH 2
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 530 mm
 operating range 34000 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961326

EVERPURE 9613-06

EVERPURE 9613-26

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600111 FILTER CARTRIDGE EVERPURE 2K PLUS
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine, scale,
 reduction of water tastes and odours
 it retains impurities up to 5 microns
 suitable for cold water: 2-38°C
 diameter 79mm - height 260mm
 operating range 5678L
 max pressure 0.7-8.5bar
 flow rate 1.9l min



EVERPURE EV961266

EVERPURE 9612-66

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



Suitable for:

EVERPURE



3600001 FILTER CARTRIDGE EVERPURE 4C
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 11300 litres
 operating pressure 0.7-8.5 bar
 flow rate 1.9 l/min



EVERPURE EV960100

EVERPURE 9601-00

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600107 FILTER CARTRIDGE EVERPURE 4CB5
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 22710 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961716

EVERPURE 9617-16

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



EVERPURE



Suitable for:

3600108 FILTER CARTRIDGE EVERPURE 4CB5-S
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine, scale,
 reduction of water tastes and odours
 it retains impurities up to 5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 22710 litres
 operating pressure 0.7-8.5 bar
 flow rate 6.3 l/min



EVERPURE EV961726

EVERPURE 9617-26

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600034 FILTER CARTRIDGE EVERPURE 4DC
 for water treatment for TECHNICAL purposes
 it provides effective reduction of bacteria
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 5677 litres
 operating pressure 0.7-8.6 bar
 flow rate 1.9 l/min



EVERPURE EV960146

EVERPURE 9601-46

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



Suitable for:

EVERPURE



3600102 FILTER CARTRIDGE EVERPURE 4H
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 5600 litres
 operating pressure 0.7-8.5 bar
 flow rate 1.9 l/min



EVERPURE EV961100

EVERPURE 9611-00

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

3600112 FILTER CARTRIDGE EVERPURE 4K PLUS
 for water treatment for TECHNICAL purposes
 it provides effective reduction of chlorine, scale,
 reduction of water tastes and odours
 it retains impurities up to 0.5 microns
 suitable for cold water: 2-38°C
 diameter 79 mm - overall height 375 mm
 operating range 11300 litres
 operating pressure 0.7-8.5 bar
 flow rate 1.9 l/min



EVERPURE EV961276

EVERPURE 9612-76

3600002 QUICK CONNECTION HEAD QL3
 with mounting bracket



EVERPURE 4312-12

Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13

3600104 QUICK CONNECTION HEAD QL2-HO
 with mounting bracket
 without closing tap



EVERPURE 4252-18

3600035 QUICK CONNECTION HEAD QL3B
 with mounting bracket



EVERPURE 4312-13



EVERPURE



Suitable for:

3600104 QUICK CONNECTION HEAD QL2-HO
with mounting bracket
without closing tap



EVERPURE 4252-18

Suitable for:

3600002 QUICK CONNECTION HEAD QL3
with mounting bracket



EVERPURE 4312-12

3600035 QUICK CONNECTION HEAD QL3B
with mounting bracket




















EVERPURE 4312-13

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us