



Spare parts for:

Warewashing equipment



Suitable for:

GIGA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GIGA



Suitable for:

Air traps

3060041 AIR CHAMBER

ext. dimens. 46x130 mm - hose end fitting $\varnothing$ 6 mm
fastening area 46x32.5 mm



GIGA SD907254

3060086 AIR CHAMBER COMPLETE 53x38x130 mm

hose end fitting $\varnothing$ 6 mm
complete with flat gasket and fastening nut



GIGA SDTR0268

3060087 BRASS NUT $\varnothing$ 3/8"



GIGA SD902100

3186438 FLAT EPDM GASKET $\varnothing$ 25x16.5x2 mm for air chamber



GIGA SD903260

3060601 AIR CHAMBER COMPLETE 85x20x80 mm with two O-ring gaskets, bajo bolt and hose end fitting $\varnothing$ 5 mm




GIGA D984001

Bearings

1063005 BEARING 6201 DDU NSK

external $\varnothing$ 32mm - internal $\varnothing$ 12mm - thickness 10mm



GIGA SDTR0050

1063906 BEARING 6203 ZZ NSK


external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm



GIGA D314003

Boilers

3024020 BOILER $\varnothing$ 130x400 mm



GIGA SD900353

Bulb sheathes

3187006 THERMOSTAT SHEATHING $\varnothing$ 1/2"
bulb length 130 mm



GIGA SDTR0298

Capacitors, electrical

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



GIGA SD901740

Clamps

3449462 HOSE CLAMP 12-20
for pipes $\varnothing$ 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



GIGA SD902440

3449453 HOSE CLAMP 25-40
for pipes $\varnothing$ 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



GIGA SD902460



Suitable for:

GIGA

Suitable for:



Contact thermostats

3445403 CONTACT THERMOSTAT 55°C
with automatic reset



GIGA SD907120


Contactors

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



GIGA Y10100

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



GIGA D229019

3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



GIGA Y11100

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



GIGA X55300

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



GIGA Y10000

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



GIGA SD907043


GIGA SD907095



Controllers and changeover switches

3322602 CONTROLLER D94 4 CAMS

1st cycle 60 seconds
2nd cycle 120 seconds
3rd cycle 180 seconds
220/240V 50/60Hz



GIGA D238002

3322609 CONTROLLER PWE5 3 CAMS

150 seconds cycle
230V 50/60Hz
without pin
former model 600/636/5200



GIGA D238036

GIGA D238053

3322114 CONTROLLER P255 4 CAMS

1st cycle 180 seconds
2nd cycle 6 seconds
230V 50/60Hz



GIGA SD907182

3322116 CONTROLLER P255 5 CAMS


1st cycle 180 seconds
2nd cycle 6 seconds
230V 50/60Hz



GIGA SD907183

3322112 CONTROLLER P265 3 CAMS

120 seconds cycle
230V 50/60Hz
without pin



GIGA SD907172


Door catches

3398016 DOOR CATCH



GIGA SD906121

3398601 DOOR CATCH



GIGA D994001

3398605 DOOR CATCH



GIGA D994011

3398606 STAINLESS STEEL DOOR RETAINER



GIGA D325030



Suitable for:

GIGA



Suitable for:

3398077 PAWL SPRING



GIGA D449036

Drain assembly

3316603 PLASTIC DRAIN ASSEMBLY 3/4"
inner hole $\varnothing$ 22 mm



GIGA D429048

3316604 DRAIN ELBOW
outlet external $\varnothing$ 25 mm



GIGA D463009

3186616 GASKET FLAT ASBESTOS FREE $\varnothing$ 35x27x1.5 mm



GIGA D437025


1186655 O-RING 04131 EPDM



GIGA X05300


Drain hoses

3450026 DRAIN PIPE $\varnothing$ 28x1500 mm
elbow sleeve internal $\varnothing$ 28 mm external $\varnothing$ 33 mm
straight sleeve internal $\varnothing$ 24 mm external $\varnothing$ 28 mm
max temperature 90°C



GIGA SD907440

3450028 DRAIN PIPE $\varnothing$ 29x1500 mm
muffs internal $\varnothing$ 24 and 28 mm
max temperature 90°C




GIGA D143120

3450120 DRAIN PIPE $\varnothing$ 38x1500 mm
elbow sleeve internal $\varnothing$ 42 mm
straight sleeve internal $\varnothing$ 31 mm



GIGA SD907451

3450604 DRAIN PIPE $\varnothing$ 50x1900 mm
elbow sleeve internal $\varnothing$ 50 mm
pipe internal $\varnothing$ 35 mm
max temperature 90°C



GIGA D143136



Drain plugs

3160602 OVERFLOW PIPE $\varnothing$ 25x215 mm - GREY



GIGA D142008

3448171 OVERFLOW PIPE $\varnothing$ 27x92 mm
made of plastic



GIGA SD907280

3448261 OVERFLOW PIPE $\varnothing$ 31x116 mm
plastic made



GIGA SD907301

3160198 ING NUT FOR INLET BOSS $\varnothing$ 1"1/4



GIGA SD902080

3448612 OVERFLOW PIPE $\varnothing$ 39x240 mm
made of plastic



GIGA D142022

1186655 O-RING 04131 EPDM



GIGA X05300

1186630 GASKET OR 04087 EPDM



GIGA SD904404

1186655 O-RING 04131 EPDM



GIGA X05300



Suitable for:


GIGA



Suitable for:

Drain pumps

- 3122743 DRAIN ELECTRO-PUMP 100W 230V 50Hz**
inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 24 mm



GIGA SD902337

Electronic controllers


- 3441065 DIGITAL THERMOMETER TM103T N4 -40+100°C**
power supply 24V
mounting hole 60x25 mm



GIGA SDTR0402

Electronic printed-circuit boards

- 3390317 BASE BOARD 6 KEYS**



GIGA SD909012

Feet

- 3313001 STAINLESS STEEL FOOT $\varnothing$ 2" HEIGHT 125 mm**



GIGA Y40400

Filters

- 3160604 EXTERNAL FILTER $\varnothing$ 135x90 mm - GREY**



GIGA D121014

- 3349595 INLET COUPLING**



GIGA SDTR0977



Suitable for:

3160605 INTERNAL FILTER $\varnothing$ 136x75 mm - GREY



GIGA D121016

GIGA



Suitable for:

3160614 RETAINING ASSEMBLY FOR DRAIN



GIGA D429038

Fittings

3743052 ELBOW-SHAPED FITTING 1/4"



GIGA SD908120

3743053 FITTING FOR RINSE HOSE
 $\varnothing$ 1/4"x10 mm



GIGA SD908121

Gaskets and seals

3186581 GASKET FLAT ASBESTOS FREE $\varnothing$ 21x13x1 mm



GIGA SD903351

Gears

3243847 REDUCER FOR CONVEYOR SUPPORT



GIGA SDTR0241

Heating elements

3355459 HEATING ELEMENT BOILER 4500W 230V
immersed depth 365 mm
flange external $\varnothing$ 55 mm
complete with gasket OR $\varnothing$ 48 mm (3186001)



GIGA SD905560

3355458 HEATING ELEMENT BOILER 6000W 230V
immersed depth 365 mm
flange external $\varnothing$ 55 mm
complete with gasket OR $\varnothing$ 48 mm (3186001)



GIGA SD905570



Suitable for:

GIGA



Suitable for:

3755067 HEATING ELEMENT FOR BOILER 1600W 230V

immersed length 265 mm
width 35 mm - connections $\varnothing$ 10 mm



GIGA SD905771

3355601 HEATING ELEMENT FOR BOILER 2400W 220V

immersed length 200 mm
external $\varnothing$ flange 63 mm - with probe receptacle
complete with O-Ring gasket $\varnothing$ 58 mm (3186013)



GIGA D230012

GIGA D230023

GIGA D230090

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



GIGA D456002

GIGA E11700

3755061 HEATING ELEMENT FOR BOILER 2600W 230V

immersed length 295 mm
external $\varnothing$ flange 55 mm - with probe receptacle
complete with gasket $\varnothing$ 48 mm (3186001)



GIGA SD905492

3355620 HEATING ELEMENT FOR BOILER 2935W 230V

immersed length 340 mm
width 55 mm - flange 70x25 mm



3455417 HEATING ELEMENT FOR BOILER 3000W 230V

immersed length 300 mm
external $\varnothing$ flange 55 mm - with probe receptacle
with O-ring gasket $\varnothing$ 48 mm (3186001)



GIGA SD905521

3355604 HEATING ELEMENT FOR TANK 2000W 220V

immersed length 275 mm
width 120 mm - connection $\varnothing$ 10 mm



GIGA D230017

3755065 HEATING ELEMENT TANK 3000W 230V

immersed depth 360 mm
width 35 mm - fittings $\varnothing$ 10 mm



GIGA SD905748

3755941 HEATING ELEMENT 14000W 230/400V
immersed length 510 mm
external $\varnothing$ flange 72 mm - with probe receptacle
complete with gasket OR $\varnothing$ 67 mm (3186014)
nut (3528232) and washer (3528238) on request



GIGA SDTR0331

GIGA SDTR0347

- 3755063 HEATING ELEMENT 8000W 230V**
 immersed depth 545 mm
 flange external $\varnothing$ 55 mm
 complete with gasket OR $\varnothing$ 48 mm (3186001)



GIGA SDTR0335

Hydraulic piping

- 3450622 PRESSURE SWITCH PIPE $\varnothing$ 5x11 mm - 5 m**
 temperature $-30^{\circ}+110^{\circ}\text{C}$
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external $\varnothing$ 11 mm
 internal $\varnothing$ 5 mm
 5-m bundles
 for 50-m bundles see 3450652



GIGA D143005

- 3450652 PRESSURE SWITCH PIPE $\varnothing$ 5x11 mm - 50 m**
 temperature $-30^{\circ}+110^{\circ}\text{C}$
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external $\varnothing$ 11 mm
 internal $\varnothing$ 5 mm
 50-m bundles
 for 5-m bundles see 3450622



GIGA D143005

Indicator lights

- 3221499 GREEN INDICATOR LAMP 250V**
 head $\varnothing$ 14 mm - hole $\varnothing$ 13 mm



GIGA

Inlet hoses

- 3449034 FLEX HOSE $\varnothing$ 3/4" Fp x CFp 1500 mm**
 EPDM hose covered in stainless steel
 hose external $\varnothing$ 17 mm - internal $\varnothing$ 12 mm
 max temperature 90°C
 max pressure 20 bar
 WRAS approved



GIGA D143016



Suitable for:

GIGA



Suitable for:

Interference suppression filters

3160473 INTERFERENCE SUPP.FILTER D.E.M.FCP045000



GIGA SD902107

Ironmongery (screws,nuts,washers)

1252093 ST.STEEL SCREW FOR DOSING ADJUST. M8x70



GIGA SD907840

Manifolds for dishwashers

3743686 WASH OUTLET PIPE 720 mm



GIGA SD908701

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



GIGA D218011

3240189 MICRO SWITCH M1DX20 10A 250V



GIGA R31600

**9014015 MICROSWITCH MAGNETIC $\varnothing$ 10x33 mm
0.04A 250V - contact NO
with cable length 750 mm**



GIGA SDTR0309

3240148 MICROSWITCH MAGNET 63x19x11 mm



GIGA SD903651

GIGA SD908706



Suitable for:

GIGA



3240256 MICROSWITCH MAGNETIC E5501B
1 contact NO 250V 1A 50W
cable length 1200 mm



GIGA SDTR0666

Suitable for:

3240148 MICROSWITCH MAGNET 63x19x11 mm



GIGA SD903651

GIGA SD908706

3240601 MICROSWITCH N16 250V
contact capacity 16A 250V



GIGA D218002

OR and ORM gaskets

1186365 "O" RING 02012 EPDM



GIGA 456014

3186015 O-RING GASKET OR 0178 EPDM
for SANMARCO LEVER BREW GROUP



GIGA D456008

3186197 O-RING 04150 EPDM



GIGA X05400

Pins

3324019 PIN FOR TOP WASH ARM ASSEMBLY



GIGA SD904799



Suitable for:

GIGA



Suitable for:


Pressure switches

3320019 PRESSURE SWITCH 1 LEVEL
calibration 55/35 mm
250V 16A
max operating temperature 85°C



GIGA D224003

3320020 PRESSURE SWITCH 1 LEVEL
calibration 110/60 mm
250V 16A
max operating temperature 85°C



GIGA D224002

3320029 PRESSURE SWITCH 1 LEVEL
calibration 40/20 mm
250V 16A
max operating temperature 85°C



GIGA SD905270

3320111 PRESSURE SWITCH 1 LEVEL
calibration 35/17 mm
250V 16(4)A



GIGA D224004


Pump motors

3122696 ELECTRIC PUMP AP CL170SX 1.20HP
inlet external $\varnothing$ 60 mm - outlet external $\varnothing$ 50 mm
1.20HP 230V 50Hz - motor revolutions 2800
capacitor 16 μ f



GIGA

3122033 ELECTRIC PUMP FIR 1225SX 1.50HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
1.50HP 220/400V 50Hz 4.8/2.8A - motor revol. 2800
flow rate 625 L/min.



GIGA D130025

3122026 GASKET FOR PUMP HOUSING



GIGA D456023



Suitable for:

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



GIGA D141002

GIGA



Suitable for:

3122392 ELECTRIC PUMP LGB ZF130DX 0.28HP
inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 28 mm
0.28HP 230V 50Hz - motor revolutions 2800
capacitor 6.3 μ f



GIGA D130097

3122752 ELECTRIC PUMP LGB ZF270VDX 0.80HP
inlet external $\varnothing$ 44 mm - outlet external $\varnothing$ 39 mm
0.80HP 230V 50Hz - motor revolutions 2800
capacitor 12.5 μ f



GIGA SD902304

3122393 ELECTRIC PUMP LGB ZF320VSX 0.75HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1HP 230V 50Hz - motor revolutions 2800
capacitor 12.5 μ f



GIGA SD902293

3122631 ELECTRIC PUMP LGB ZF400SX 0.80HP
inlet external $\varnothing$ 50 mm - outlet external $\varnothing$ 50 mm
0.80HP 230V 50Hz 3.8A - motor revolutions 2800
capacitor 16 μ f



GIGA D130098

GIGA D130109

3122153 ELECTRIC PUMP TM61E 0.45HP
inlet $\varnothing$ 1"F - outlet $\varnothing$ 1"F
0.45HP 230V 50Hz 2.3A - motor revolutions 2900
capacitor 10 μ f - flow rate 38 l/min.
max pressure 6 ATM max temperature 90°C
for pressure increase



GIGA D130013



Suitable for:

GIGA



3122623 ELECTROPUMP LGB ZA400LH 1.20HP
inlet external $\varnothing$ 60 mm - outlet external $\varnothing$ 50 mm
1.2 HP 230V 50Hz 4.7A - Rpm 2800
capacitor 20 μ f



GIGA D130068

GIGA D130079

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



GIGA D141002

Relays

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



GIGA SD905475

GIGA SD905476

3351603 RELAY A2L-FA 16A 230V
bipolar switch
2 NO contacts



GIGA D229030

Rinse aid pumps and accessories

3090086 DOSING PUMP HYDRAULIC FOR RINSE AID
with EPDM diaphragm
minimum pressure 0,5 bar
inlet side hose fitting 4 mm
pressure side hose fitting 8 mm



GIGA SD902199

3090228 RINSE AID DISPENSER 2001P
max flowrate 6.6 cc



GIGA SD902018

3090038 RINSE AID INJECTOR DB2
power supply 220/240V 50Hz
screw for flow rate regulation



GIGA D987020




Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



GIGA X44600

3059055 CYCLE SELECTOR SWITCH
D spindle $\varnothing$ 6x4.6 mm



GIGA

3059054 ON/OFF SELECTOR SWITCH
contact capacity 16A 250V
D spindle $\varnothing$ 6x4.6 mm



GIGA

3059078 SELECTOR SWITCH 2-POLE 16A 380V
square spindle 5x5 mm



GIGA D213002

Scale removers for dishwashers

3094007 NEW 4-COLUMN SCALE REMOVER
dimensions 410x210x35 mm
fittings $\varnothing$ 12 mm



GIGA D117004

Solenoid valves

3120005 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet $\varnothing$ 10.5 mm



GIGA D240011

GIGA SD902390

3120505 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet $\varnothing$ 10.5 mm



GIGA LF-3120530

3120007 SOLEN. VALVE ELBITYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets $\varnothing$ 10.5 mm



GIGA D240003

3120512 SOLEN. VALVE ELBITYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet $\varnothing$ 13.5 mm



GIGA



Suitable for:

GIGA




- 3120555 SOLENOID VALVE ELBI TYPE 369 2-WAY 180°**
230V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm
1 outlet with red adjuster 0.5 L/min



GIGA D240002

Suitable for:

- 3120399 SOLENOID VALVE INVENSYS 1 WAY 180°**
12V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar



GIGA

- 3120541 SOLENOID VALVE L140B5 ø 1/2" FF 24V**
for water
normally closed
max. temperature 100°C
max. differential pressure 10 bar
coil 24V 50/60Hz



GIGA SDTR0091

- 3120558 SOLENOID VALVE L182B17 3/4" FF 24V**
EX L180
for water
NC
max. temperature 100°C
max. differential pressure 16 bar
coil 24V 50/60Hz



GIGA SDTR0090

Springs


- 3250066 HOOD LIFTING SPRING ø 39x390 mm**
for DISHWASHER 1000-1300-1300S



GIGA SD904137

Supports for wash and rinse arms

- 3743142 ARM TOP BOSS**



GIGA SD904290

- 3349598 WASH/RINSE ARM TOP SUPORT**



GIGA SD908700

Switches

- 3319607 PUSH-BUTTON 2-POLE RED 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole $\varnothing$ 25 mm




GIGA D999070

- 3319151 SWITCH PROTECTION CAP**
 $\varnothing$ external 34 mm
for push-buttons with mounting hole $\varnothing$ 25 mm



GIGA D410005

- 3319012 SWITCH 2-POLE GREEN 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



GIGA X50800

Telethermometers

- 3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C**
plastic case
capillary length 1500 mm
bulb $\varnothing$ 6x15 mm



GIGA SD907090

- 3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C**
plastic case
capillary length 1500 mm
bulb $\varnothing$ 6x15 mm



GIGA SD907090

Terminal blocks

- 3247017 12-POLE PLASTIC TERMINAL BLOCK**
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450V



GIGA X41400

- 3247050 3-POLES TERMINAL BLOCK FV110 40A 450V**
for cable $\varnothing$ 6 mm max.
operating temperature 150°C



GIGA X59200



Suitable for:

GIGA



3247037 4-POLE TERMINAL BLOCK FV173 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GIGA X52500


GIGA X59100

3351071 5 POLE-TERMINAL BLOCK
for cable max 16 mm²
nominal voltage 600V



GIGA 0000X53900

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GIGA X52300

GIGA X59000

Thermostats

3444165 BOILER SAFETY THERMOSTAT 90-110° C
capillary 1000 mm
bulb ø 6.5x90 mm
15A 250V



GIGA SD907125


3444604 SET TEMPERATURE THERMOSTAT F/TANK 53°C
preset temperature
covered capillary 600 mm
button bulb ø 14x31 mm
16A 250V



GIGA D236023


GIGA D236042

3444197 SINGLE PHASE THERMOSTAT 0-90°C
15A 250V
covered capillary 1000 mm
bulb ø 6.5x98 mm
D-shaped pin ø 6x4.6 mm



GIGA SD907110

3444612 SINGLE-PHASE THERMOSTAT FOR BOILER 85°C
15A 250V
covered capillary 600 mm
bulb ø 6x120 mm




GIGA D236022

GIGA D236043

Suitable for:

3444018 SINGLE-PHASE THERMOSTAT 30-90°C
complete with auxiliary selector switch
D-shaped pin $\varnothing 6 \times 4.6$ mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing 6 \times 175$ mm



GIGA X5780011


Suitable for:

3444133 SINGLE-PHASE THERMOSTAT 30-90°C
covered capillary 2200 mm
bulb $\varnothing 6.5 \times 95$ mm
15A 250V
D shaft $\varnothing 6 \times 4.6$ mm



GIGA SD907100

3444164 TANK THERMOSTAT 50°C
covered capillary 600 mm
button-shaped bulb $\varnothing 10 \times 48$ mm
15A 250V




GIGA SD907124

3060087 BRASS NUT $\varnothing 3/8"$



GIGA SD902100

3444005 THERMOSTAT SINGLE-PHASE TR2 0-120°C
D-shaped pin $\varnothing 6 \times 4.6$ mm
capillary length 1500 mm - 15A 250V
bulb $\varnothing 6.5 \times 95$ mm



GIGA X43100

Tubing and hoses

3248606 INLET HOSE
internal $\varnothing 45$ mm
length 60 mm



GIGA D127013

3248182 OUTLET HOSE
internal $\varnothing 37$ mm
length 40 mm



GIGA SD903756

3248605 PUMP OUTLET HOSE
internal $\varnothing 33$ mm



GIGA D127012



Suitable for:

GIGA



Suitable for:

Wash and rinse arms for warewashers

3243834 CAP FOR RINSE ARM ASSEMBLY



GIGA SD906450

3243651 COMPLETE RINSE ARM



GIGA D993031

3243579 COMPLETE RINSE ARM ASSEMBLY 490 mm



GIGA SD903017

3243600 COMPLETE WASH AND RINSE ARM



GIGA D990046

3243637 COMPLETE WASH ARM ASSEMBLY



GIGA D990008

3243622 RINSE ARM 470 mm



GIGA D993037

3122414 STAINLESS STEEL WASH ARM ASSEMBLY



GIGA SD902908

3243648 STAINLESS STEEL WASH ARM ASSEMBLY 490 mm
complete with slide bushing



GIGA D990055

3743689 WASH ARM ASSEMBLY WITH HUB AND RING NUT
length 534 mm



GIGA SD902961

3743049 WASH ARM ASSY
length 535 mm



GIGA SD902960

3743050 WASH IMPELLER BUSH



GIGA SD902890



Suitable for:

Suitable for:

3743636 WASH/RINSE ARM
length 350 mm



GIGA SD908743

Wash jets and accessories

3743875 COMPLETE WASH JET



GIGA D110001

GIGA D119003

GIGA D140010

3501622 GREY WASH JET



GIGA D140014

3501620 WASH JET PROPELLER



GIGA D119004

3501611 RINSE JET CLAMP



GIGA D110002

3501610 TOP RINSE JET



GIGA D138001

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com |  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com | |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com |
|  CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz |  USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us |