



Spare parts for:

Warewashing equipment



Suitable for:

OLIS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

OLIS



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



OLIS BN3102350

OLIS 3102350

5017087 FAN MOTOR A2D250-AA02-75 ø 250 mm
230/400V 50/60 Hz 115/150W 0.2/0.24A



OLIS 3000310/A

Castors, rollers and accessories

3391069 BASKET WHEEL
for Dishwasher (OLIS) HT12



OLIS

Contactors


3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



OLIS BN6A047037

OLIS 6A047037

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



OLIS A0447037

3351211 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact




OLIS BN6A047034

OLIS 6A047034

Controllers and changeover switches

- 3322265 CONTROLLER 4904F3 4 CAMS**
1st cycle 60 seconds
2nd cycle 120 seconds
3rd cycle 180 seconds
230V 50/60Hz
anticlockwise rotation
for Dishwasher (OLIS) OLHT12E



OLIS 10300121

Curtains

- 3456020 ROD FOR CURTAIN**



OLIS 3009109

Drain assembly

- 3316008 DRAIN ASSEMBLY \varnothing 3/4"**
threaded part 48 mm
complete with ring nut and gasket



OLIS BN0119411020

OLIS 3600077

Drain plugs

- 3743629 OVERFLOW PIPE \varnothing 26x210 mm**



OLIS 3004089

- 3448206 OVERFLOW PIPE \varnothing 40x200 mm**
in plastic



OLIS



Suitable for:

3448296 OVERFLOW PIPE \varnothing 45x155 mm
s/steel



OLIS 75250

OLIS



Suitable for:

3316045 COMPLETE DRAIN ASSEMBLY \varnothing 2"x1"1/4
fitting \varnothing 2"
outlet \varnothing 1"1/4
complete with nut and gasket



OLIS

3448305 OVERFLOW PIPE \varnothing 45x170 mm
basis \varnothing external 42 mm
for Pan/utensilwashing machines (OLIS) OLLP1
OLLP1/800



OLIS 22251

3448141 OVERFLOW PIPE \varnothing 45x200 mm
in stainless steel



OLIS

3316045 COMPLETE DRAIN ASSEMBLY \varnothing 2"x1"1/4
fitting \varnothing 2"
outlet \varnothing 1"1/4
complete with nut and gasket



OLIS

3448295 OVERFLOW PIPE \varnothing 45x463 mm
for wash tank



OLIS 3004101

3448297 OVERFLOW CAP



OLIS 88105

3448294 OVERFLOW PIPE \varnothing 45x483 mm
for pre-wash tank



OLIS

3448297 OVERFLOW CAP



OLIS 88105

Suitable for:

Suitable for:


3448293 OVERFLOW PIPE \varnothing 45x580 mm
for Pan/utensilwashing machines (OLIS) OLLP4



OLIS 89000

Electronic printed-circuit boards

3322333 ELECTRONIC TIMER BOARD
for Dishwasher hood type (OLIS) OLHT12




OLIS 50559

3390311 MOTHERBOARD WITHOUT CHIP
for Dishwasher hood type (OLIS) OLHT12



OLIS

3390313 TIMER BOARD 50"-120"-180"
for Dishwasher hood type (OLIS) OLHT11D



OLIS 50553/A

Filters

3160236 INLET FILTER
plastic made - external \varnothing 155 mm - height 70 mm
for Dishwasher (OLIS) OLG585
for Dishwasher hood type (OLIS) OLG12EL - OLHT12



OLIS

3160155 PUMP SUCTION FILTER \varnothing 50x85 mm



OLIS

Fuses

3049018 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 3.15A



OLIS BN6A001420



Suitable for:

OLIS



Suitable for:

Gaskets and seals


3786704 GASKET FOR WASH HOSE
ø 51x34x15 mm



OLIS 76081

Heating elements

3455308 FLANGE FOR HEATING ELEMENT
internal ø 57 mm



OLIS 30001024

3455310 HEATING ELEMENT BOILER 14000/15240W 230/
immersed depth 480 mm
flange external ø 72 mm - with bulbholder sheathin
complete with gasket OR ø 67 mm (3186014)
nut on request (3528233) and washer (3528238)



OLIS BN011DWM30001011B

3455323 HEATING ELEMENT BOILER 2800/3050W 230/24
immersed depth 375 mm
flange external ø 63 mm - with bulbholder sheathin
complete with gasket OR ø 58 mm (3186013)
for Dishwasher (OLIS) OLG550



OLIS 15089D

3455305 HEATING ELEMENT BOILER 3000W 230V
immersed depth 195 mm
flange ext. ø 63 mm with distance between holes 72
complete with gasket OR ø 58 mm (3186013)



OLIS 10300011

3455306 HEATING ELEMENT FINNED 2000/2180W 230/24
length 390 mm - length of finned part 360 mm
width 100 mm - fittings ø 3/8"



OLIS 2000359

3355479 HEATING ELEMENT FOR BOILER 6000W 220/380
immersed length 460 mm
flange external ø 72 mm
with probe receptacle ø 7 mm
complete with gasket OR ø 67 mm (3186014)
nut (3528232) and washer (3528238) on request
for Dishwasher hood type (OLIS) OLG11S - OLHT11D



OLIS BN011DWM30001010

Suitable for:

3355480 HEATING ELEMENT FOR BOILER 9000W 220/380
 immersed length 460 mm
 flange external \varnothing 72 mm
 with probe receptacle \varnothing 7 mm
 complete with gasket OR \varnothing 67 mm (3186014)
 nut (3528232) and washer (3528238) on request
 for Dishwasher hood type (OLIS) OLHT11D
 for Dishwasher hood type (OLIS) OLHT12



OLIS BN011DWM30001011

Suitable for:

3755037 HEATING ELEMENT TANK 1100W 230V
 immersed depth 200 mm
 width 38 mm - height 30 mm
 flange 51x28 mm



OLIS

3755952 HEATING ELEMENT 12000W 220V
 immersed depth 460 mm
 flange external \varnothing 72 mm - with bulbholder sheathin
 complete with gasket OR \varnothing 67 mm (3186014)



OLIS BN011DWM30001011A

Hinges, catches and accessories

3053472 DOOR TIE ROD



OLIS 150221/a

3053123 HINGE FOR DOOR RH



OLIS

3053121 RIGHTHAND HINGE ROD BUSH



OLIS

3053474 HINGE LH
 for mod. GS 35-37



OLIS 135221/a



Suitable for:

3053471 HINGE RH



OLIS 550908

3053529 HINGE LH



OLIS 550909

3053473 HINGE RH



OLIS 135221

3053124 LEFTHAND DOOR HINGE



OLIS

3743631 RH/LH DOOR ROD
for Dishwasher (OLIS) OLG540 - OLG550 - OLG585
OLG35 - OLG37



OLIS 150221

OLIS



Suitable for:

3053532 HINGE DOOR RETAINER K50
for Dishwasher (OLIS) OLDS50 - OLG550 - OLG585



OLIS 135222

3053122 LEFTHAND HINGE ROD BUSH



OLIS

Indicator lights

3221167 RED LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



OLIS

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



OLIS 6A038501



Microswitches

3240410 MICROSWITCH 16(4)A 250V



OLIS BN6A039800

OLIS 6A039800

Pegs

3389006 PEG stainless steel RH
for Dishwasher pull-through (OLIS)



OLIS

3389008 PTFE RING FOR PEG



OLIS

3389007 LEFT-HAND STAINLESS STEEL PEG
for Dishwasher pull-through (OLIS)



OLIS

3389009 SPACER BUSHING FOR PEG



OLIS

Pins

3743680 RINSE EXTENSION \varnothing 10x162 mm



OLIS 22026

Pressure regulators

1350701 PRESSURE REDUCER \varnothing 1/2"FF



OLIS BN3103634

OLIS 3103634

3120515 FITTING WATER PRESSURE ADJUSTER
thread \varnothing 3/4"F-1/2"M



OLIS BN3103633



Suitable for:


OLIS



Suitable for:

Pressure switches

- 3320207 PRESSURE SWITCH 1 LEVEL**
 calibration 85/59 mm
 for Dishwasher hood type (OLIS) OLG11S - OLHT11D



OLIS 75950

Probes

- 3390309 PROBE THERMOSTAT FOR CIR. BOARD EC02**
 capillary 2000 mm
 for Dishwasher hood type (OLIS)
 OLHT12



OLIS 50562

Pump motors

- 3122737 ELECTROPUMP FIR B299RH 0.20HP**
 inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
 0.20HP 230V 50Hz 1.5A - Rpm 2800
 capacitor 6.3 μ f
 for pressure increase



OLIS 15100D

Relays


- 3351007 POWER RELAY FINDER 55.32.8.230.0040**
 230V 50/60Hz
 2 exchange contacts 10A
 with to test push-button + mechanic gauge



OLIS BN6A047070

OLIS 6A047070

- 3351028 RELAY SOCKET 94.82 10A 300V**



OLIS BN6A047074

OLIS 6A047074




Rinse aid pumps and accessories

3090190 PERISTALTIC PUMP FOR DETERGENT
 mod. RPS20RMIP - Ext.size. 160 x 80 x 85 mm
 220/240 V - 50 Hz
 flow rate 0.28 L/h - 2.80 L/h



OLIS

3090085 RINSE AID DOSING PUMP N6 E 05 W4G4Z
 with EPDM diaphragm
 minimum pressure 0.5 bar
 inlet side elbow fitting
 pped with: hose with filter and pressure hose
 with screws



OLIS

Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
 distance between hooking brackets 27 mm
 f/connection between selector switch and thermostat.



OLIS 6A045900

Solenoid valves


3120005 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet \varnothing 10.5 mm



OLIS BN3103620

OLIS 3103620

3120007 SOLEN. VALVE ELBITYPE 349 2 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets \varnothing 10.5 mm



OLIS BN3103610

OLIS 3103610

Springs

3250212 DOOR SHORT SPRING 230 mm
 for GS100-K100



OLIS 550206/A

3250213 HOOD LIFTING SPRING \varnothing 38x630 mm
 for GASTRO 12S



OLIS 70302



Suitable for:

OLIS



Suitable for:


3250219 HOOD LIFTING SPRING \varnothing 38x810 mm
for GASTRO 11S



OLIS 75303

Supports for wash and rinse arms

3743679 ST/STEEL COLUMN UPPER



OLIS 75067

3325001 MANIFOLD PIN 88 mm



OLIS 75322


Switches

3319094 BLUE MONOPOLAR SWITCH ROLD E2009
monopolar switch NO 16A 250V
max temperature 125°C



OLIS

3319093 CHANGEOVER SWITCH 1 POLE GREEN 16A 250V
16(4)A 250V - with switch cover
with indicator lamp
max. temperature 120°C
mounting hole 22x30 mm



OLIS

3319091 CHANGEOVER SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm




OLIS

3319097 GREEN BIPOLAR SWITCH ROLD E0503
bipolar change over switch 16A 250V
max temperature 125°C



OLIS

3319104 GREEN DOUBLE SWITCH BLOCK 250V 16A
1 monopolar switch
1 bipolar switch
with indicator lamp



OLIS

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



OLIS

3221590 GREEN LAMP CAP Q

OLIS

Suitable for:

3319672 OVAL KEY SUPPORT

OLIS

3319665 PUSH-BUTTON "ON-OFF" 23x13 mm

OLIS 01134735130

3319669 PUSH-BUTTON "START" HORIZONT. 23x13 mm

OLIS

3319560 PUSH-BUTTON "DRAIN PUMP" 23x13 mm

OLIS

3319563 PUSH-BUTTON "TWO PACES" 23x13 mm

OLIS 89342

3319657 PUSH-BUTTON FISSO SQUARE GRAY 23x23 mm

OLIS

3319573 PUSH-BUTTON PANEL 16A 250V
1 cold rinse button + 1 pilot light

OLIS

3221097 NEUTRAL INDICATOR LAMP 220V
head ø 8 mm - 120°C

OLIS



Suitable for:

3319574 PUSH-BUTTON PANEL 16A 250V
1 drain pump button + 1 pilot light



OLIS

3319081 PUSH-BUTTON ROUND GREEN ø 23 mm "CYCLE"



OLIS

3319647 PUSH-BUTTON SQUARE GREEN 23x23mm "ON/OFF"



OLIS

3319092 PUSH-BUTTON 2-POLE GREEN 250V 16A
16(4)A 250V - max. temperature 120°C
with indicator lamp - mounting hole 22x30 mm



OLIS

3319673 START KEY SUPPORT



OLIS

3319558 SUPPORT FOR SWITCH



OLIS

OLIS



Suitable for:

3221097 NEUTRAL INDICATOR LAMP 220V
head ø 8 mm - 120°C



OLIS

3319655 PUSH-BUTTON SQUARE GREEN 23x23 mm "DRAIN"



OLIS

3319715 PUSH-BUTTON SQUARE YELLOW 23x23 mm



OLIS 15819

3319674 PUSH-BUTTON "START" VERTICAL 23x13 mm



OLIS

3786505 GASKET ORM 0370-15 NBR



OLIS

3319106 SWITCH BLOCK W/ 1 GREEN MONOPOLAR SWITCH

1 monopolar switch
2 green indicator lamps 250V 16A



OLIS

Suitable for:

3221097 NEUTRAL INDICATOR LAMP 220V

head ø 8 mm - 120°C



OLIS

3319102 SWITCH BLOCK WITH 2 BLANKS - GREY

green indicator lamp 250V



OLIS

3221097 NEUTRAL INDICATOR LAMP 220V


head ø 8 mm - 120°C



OLIS

3319101 SWITCH WITH 2 BUTTONS AND 1 LAMP - GREEN

1 monopolar switch
1 bipolar switch
with indicator lamp 16A 250V



OLIS

3221097 NEUTRAL INDICATOR LAMP 220V

head ø 8 mm - 120°C



OLIS

3319103 SWITCH WITH 2 BUTTONS AND 1 LAMP - GREEN

1 monopolar switch
1 bipolar change over switch
with indicator lamp 16A 250V



OLIS

3221097 NEUTRAL INDICATOR LAMP 220V

head ø 8 mm - 120°C



OLIS

3319090 SWTCH 2-POLE GREEN 16A 250V

16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm



OLIS

3319095 YELLOW MONOPOLAR SWITCH ROLD E2009

monopolar switch NO 16A 250V
max temperature 125°C



OLIS



Suitable for:

OLIS



Suitable for:

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



OLIS 10500005

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



OLIS 10500005

Terminal blocks

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



OLIS BN6A036204

OLIS 6A036204

Thermostats


3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1



OLIS BN6A038801

Washing baskets and accessories

3055672 GLASS BASKET 500x500x130 mm



OLIS

3055230 GLASS RACK 350x350x115 mm
in plastic covered wire





















OLIS

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us