



Spare parts for:

## Warewashing equipment



Suitable for:

# SEKO



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# SEKO



Suitable for:

## Hose reels

**3359498 WASHING AND DISINFECTION CONTROL BOX**  
for 1 product  
with pipe 20 m and gun



SEKO CEP1200APA000000

**3025742 SET OF 1 PRODUCT STATION TAP**



SEKO LB00297001

SEKO LB970101

**3090209 HOSE END FITTING WITH NON-RETURN VALVE**



SEKO LB00.0111

SEKO SF000111

**3025743 TAP 2 OUTLETS**



SEKO LB970102

**3359516 WASHING AND DISINFECTION CONTROL BOX**  
for 2 products  
with pipe 20 m and gun



SEKO CEP2200APA000000

**3025742 SET OF 1 PRODUCT STATION TAP**



SEKO LB00297001

SEKO LB970101

**3090209 HOSE END FITTING WITH NON-RETURN VALVE**



SEKO LB00.0111

SEKO SF000111

**3025743 TAP 2 OUTLETS**



SEKO LB970102

## Hydraulic piping

**3449301 POLYETHYLENE HOSE  $\varnothing$  2x4 mm**  
sold per meter



SEKO 90068

**3449299 POLYETHYLENE HOSE  $\varnothing$  4x6 mm**  
sold per meter



SEKO 90089



## Rinse aid pumps and accessories

**3090353 BULKHEAD FITTING (3 PIECES)**  
for tank inlet  
for detergent injection



SEKO 9900107047

**3090355 BULKHEAD FITTING (5 PIECES)**  
for tank flat inlet



SEKO 9900107084

**3090359 CONDUCTIVITY PROBE**  
for PA, SDN-3



SEKO 9900101009

SEKO 9900101060

SEKO 9900106816

**3090105 DOSATORE ELETTROMAGNETICO DETERGENT**  
santoprene tube  
flowrate 5 L/h - pressure 2 bar  
230V 50Hz - IP 65 protection  
flow rate adjustment 0-100%  
it can withstand backpressures over 3 bar  
up to 7 bar max  
with one inlet for level probe  
complete with with assembly kit



SEKO KCL631NPED00

**3090146 DETERGENT KCL LEVEL PROBE**  
non return valve EPDM  
size 450x22 mm



SEKO 9900100080

SEKO 9900100081

**3090129 DOSATORE ELETTROMAGNETICO RINSE AID**  
sekobril tube  
flowrate 2 L/h - pressure 7 bar  
230V 50Hz - IP 65 protection  
flow rate adjustment 0-100%  
it can withstand backpressures over 3 bar  
up to 7 bar max  
with one inlet for level probe  
complete with with assembly kit



SEKO KCL632NPF00

**3090147 RINSE AID KCL LEVEL PROBE**  
non return valve FPM  
size 450x22 mm



SEKO 9900100098



Suitable for:

# SEKO



Suitable for:

**3090352 FOOT FILTER OF PP**  
 for PIPE 4x6 mm  
 for DISPENSER SEKO



SEKO 9900069021

SEKO 9900106162

**3090308 HYDRAULIC DISPENSER DIB-E**  
 attacco posteriore aperto per collegamento con la  
 auxiliary pump  
 hydraulic system for rinse aid dosing  
 in dishwashers, it does not need  
 power connection  
 adjustable flow rate: 0÷3 cm<sup>3</sup>  
 connection between solenoid valve and boiler (DIB-



SEKO DIB0805E4000

**3090245 DISPENSER MEMBRANE DIB 5**



SEKO 0000050030

**7100112 HYDRAULIC RINSE AID DISPENSER DIB-P**  
 hose-end fitting ø 5 mm  
 outlet with pipe fitting ø 5x7 mm  
 for DISHWASHER SILANOS 645PS



SEKO DIB0303P2001

**3090101 HYDRAULIC RINSE AID INJECTOR**  
 this version is suitable for connection with  
 SOLENOID VALVE TUBING  
 adjustable flow rate from 0 to 5 cc  
 polypropylene + FV body  
 pressure min 0.3 bar - max 3 bar  
 spring-loaded ram in stainless steel  
 The system operates by water pressure  
 differential.  
 During each cycle, the positive pressure on the  
 outside causes rinse aid detergent to be  
 sucked.  
 at the end of every washing or rinsing cycle,  
 a spring injects the desired quantity of liquid in  
 the rinsing tubing.



SEKO DIB0603E4000

**3090103 DIAPHRAGM FOR DOSER DIB 3**



SEKO 0000050032

Suitable for:

Suitable for:

**3090102 HYDRAULIC RINSE AID INJECTOR**  
 this version is suitable for WASH PUMP connection  
 adjustable flow rate from 0 to 5 cc  
 polypropylene + FV body  
 pressure min 0.3 bar - max 3 bar  
 spring-loaded ram in stainless steel  
 The system operates by water pressure differential.  
 During each cycle, the positive pressure on the outside causes rinse aid detergent to be sucked.  
 at the end of every washing or rinsing cycle, a spring injects the desired quantity of liquid in the rinsing tubing.



SEKO DIB0603P4000

**3090103 DIAPHRAGM FOR DOSER DIB 3**



SEKO 0000050032

**3090309 HYDRAULIC RINSE AID INJECTOR MODEL DIB-P**  
 hydraulic system for rinse aid dosing  
 in DISHWASHING MACHINES, does not require  
 power supply connections  
 adjustable flow rate: 0÷3 cm<sup>3</sup>  
 connection to wash pump (DIB-P)



SEKO DIB0805P4000

**3090245 DISPENSER MEMBRANE DIB 5**



SEKO 0000050030

**3090140 LEVEL ALARM SYSTEM**  
 inlet for two level probes  
 light indication and alarm repetition outlet  
 suitable for all SEKO dispenser



SEKO PAL0000A0000

SEKO PAL0000A0000\_A


**3090357 MOUNTING BRACKET**



SEKO 0000120060

SEKO 000012013801

**3090358 MOUNTING BRACKET**  
 for two peristaltic pumps  
 in AISI 316 stainless steel



SEKO 0000120002

**3090356 NON-RETURN VALVE AISI 316 STAINL.STEEL**  
 stainless steel aisi 316  
 for rinse aid injection 1/8" G.M.  
 (FPM valve)



SEKO 9900071033

SEKO 9900071054





Suitable for:

# SEKO



**3090213 PERISTALTIC PUMP FOR DETERGENT**  
8W 220V 50/60Hz



SEKO NBR0003A1019

Suitable for:

**3090232 PERISTALTIC PUMP FOR DETERGENT**  
24V fixed flow rate 1,25 L/h 3,0 bar



SEKO PPP0001D2000

SEKO PPP0001D2002

**3090306 PERISTALTIC PUMP FOR DETERGENT PA-6**  
flow rate: 6 L/h  
pressure: 0.1 bar  
santoprene hose  
230V 50Hz  
complete with mounting kit  
and conductivity probe



SEKO PPA0006A1000

SEKO PPA0006A1000\_A

**3090126 MOUNTING KIT FOR PERISTALTIC PUMP**  
including:  
4-meter PVC tube ø 4x1  
1 inlet connector for tank  
1 foot valve with filter  
1 conductivity probe



SEKO


**3090351 SANTOPRENE DIAPHRAGM-TUBE**  
with connections



SEKO 9900090057

SEKO 9900090057

**3090310 PERISTALTIC PUMP FOR DETERGENT PBR3**  
230V 50Hz



SEKO PBR0003A1017

**3090351 SANTOPRENE DIAPHRAGM-TUBE**  
with connections



SEKO 9900090057

SEKO 9900090057

**3090168 PERISTALTIC PUMP FOR DETERGENT PE -1.5**  
230V 0,1 BAR - 1,5 L/h



SEKO PPE001HA1000

SEKO PPE001HA1000\_A

**3090351 SANTOPRENE DIAPHRAGM-TUBE**  
with connections



SEKO 9900090057

SEKO 9900090057

Suitable for:

Suitable for:

### 3090302 PERISTALTIC PUMP FOR DETERGENT PG

fixed flow rate: 1.5 L/h  
 pressure: 0.1 bar  
 santoprene hose  
 230V 50Hz  
 complete with mounting kit



SEKO NPG001HA1000

SEKO PPG001HA1000

### 3090300 PERISTALTIC PUMP FOR DETERGENT PG-3

fixed flow rate: 3 L/h  
 santoprene tube  
 3W 230V 50Hz  
 complete with assembly kit



SEKO NPG0003A1000

SEKO NPG0003A1027

SEKO PPG0003A1000

SEKO PPG0003A1021

SEKO RR00049312

### 3090351 SANTOPRENE DIAPHRAGM-TUBE

with connections



SEKO 9900090057

SEKO 990009057

### 3090303 PERISTALTIC PUMP FOR DETERGENT PR-4

adjustable flow rate: 0.6÷4 L/h  
 pressure: 0.1 bar  
 santoprene hose  
 230V 50Hz  
 complete with mounting kit



SEKO PPR0004A1000

SEKO PPR0004A1036

SEKO PPR0004A1036\_A

### 3090351 SANTOPRENE DIAPHRAGM-TUBE

with connections



SEKO 9900090057

SEKO 990009057

### 3090112 PERISTALTIC PUMP FOR DETERGENT PR-7

adjustable flow rate 1.5 - 7 L/h  
 santoprene tube  
 pressure 0.1 bar  
 230V 50Hz  
 with assembly kit



SEKO PPR0007A1000

SEKO PPR0007A1000\_A

### 3090125 MOUNTING KIT FOR PERISTALTIC PUMP

including:  
 4-meter PVC tube ø 4x1  
 inlet connector for tank  
 foot valve with filter



SEKO 9900106539



Suitable for:

# SEKO



**3090201 PERISTALTIC PUMP FOR DETERGENT PR-7**  
 adjustable flow rate 1.5 - 7 L/h  
 santoprene tube with clamp connections 8x12 mm  
 pressure 0.1 bar  
 230V 50Hz  
 with assembly kit



SEKO PPR0007A1042\_A  
SEKO PR00071A1000

SEKO PPR0071A1013

SEKO PPR0007A1042

**3090202 SANTOPRENE PIPE 6x10 mm**  
 connection coupling 8x12 mm  
 smart for detergent



SEKO 9900090008

**3090305 PERISTALTIC PUMP FOR DETERGENT PRT2**  
 flow rate: 6 L/h  
 pressure: 0.1 bar  
 santoprene hose  
 230V 50Hz  
 complete with mounting kit



SEKO PPS0003A1000

SEKO PRT0006A1100

SEKO PRT0006A1100\_A

**3090351 SANTOPRENE DIAPHRAGM-TUBE**  
 with connections



SEKO 9900090057

SEKO 9900090057

**3090240 PERISTALTIC PUMP FOR DETERGENT PR4 24V**  
 time/pause setting 4 L/h  
 24V 3W



SEKO PPR0004B1000

SEKO PPR0004B1000\_A

**3090157 PERISTALTIC PUMP FOR DETERGENT 24V**  
 fixed setting 7 L/h



SEKO PPP0007D1001

**3090260 TUBE MEMBRANE SANTOPRENE ø 6 mm**



SEKO 9900090100

**3090149 PERISTALTIC PUMP KIT DETERGENT BR3**  
 230V 50Hz  
 santoprene tube 3 L/h



SEKO NBR0003A1006

SEKO PBR0003A1006

**2101009 SANTOPRENE TUBE**  
 overall length 185 mm - hose end fitting ø 6 mm  
 for PP and PR dispensers



SEKO 9900090065

SEKO 9900090135



Suitable for:

Suitable for:

### 3090138 PERISTALTIC PUMP KIT DETERGENT PBR3

230V - 50Hz  
flow rate 3 L/h 0.1 bar  
time-break adjustment  
protection IP 56  
santoprene hose  
feeder 1.5 m  
complete with assembly kit



SEKO NBR0003A1000

SEKO NPBR0003A1000

### 3090351 SANTOPRENE DIAPHRAGM-TUBE

with connections



SEKO 9900090057

SEKO 9900090057

### 3090049 PERISTALTIC PUMP KIT RINSE AID

230V - 50Hz  
sekobrill tube 0.4 L/h  
time-break adjustment  
This KIT for DISHWASHER includes:  
bracket, hose, connection cables, foot filter with  
stainless steel counterweight



SEKO NBM030HA2003

SEKO NBM030HA2005

SEKO NMB030HA2003

SEKO PBM030HA2000

SEKO PBM030HA2005

### 3090350 HOSE MADE OF SEKOBRILL



SEKO 9900090098

### 3090155 PERISTALTIC PUMP KIT RINSE AID PG0.4

230V 50/60Hz - 0.4 L/h



SEKO PPG0H0HA2001

### 3090261 TUBE MEMBRANE SEKOBRILL



SEKO 9900090121

### 3090307 PERISTALTIC PUMP TWINDOSE 10

size 190x155 mm  
compact injection system. It allows  
pump speed setting  
max. detergent flow rate 7 L/h  
max rinse aid flow rate 1 L/h 3 bar  
230V 50Hz  
complete with mounting kit



SEKO GTR04R01A2000

SEKO GTR04R01Y2000

### 3090350 HOSE MADE OF SEKOBRILL



SEKO 9900090098



Suitable for:

**3090351 SANTOPRENE DIAPHRAGM-TUBE**  
with connections



SEKO 9900090057

SEKO 9900090057

**SEKO**

Suitable for:



**3090188 PERISTALTIC PUMP TWINDOSE 20**  
detergent flow rate 4 L/h  
rinse aid flow rate 1 L/h



SEKO GTD06R01Y2000

**3090350 HOSE MADE OF SEKOBRILL**



SEKO 9900090098

**3090351 SANTOPRENE DIAPHRAGM-TUBE**  
with connections



SEKO 9900090057

SEKO 9900090057

**3090215 PERISTALTIC RINSE AID PUMP BM0.7**



SEKO PBM030HA2006

**3090242 PERISTALTIC RINSE AID PUMP NBR**  
230V 50Hz  
flow rate 0.4 L/h - pressure 3 bar  
time setting - 0-6 sec pause  
complete with assembly kit  
sekob Brill hose



SEKO NBR030HA2000

**3090350 HOSE MADE OF SEKOBRILL**



SEKO 9900090098

Suitable for:

Suitable for:

**3090301 PERISTALTIC RINSE AID PUMP PG**

fixed flow rate: 0.4 L/h  
 pressure: 3 bar  
 sekobrill hose  
 230V 50Hz  
 complete with mounting kit



SEKO NPG030HA2000

SEKO PPG030HA2000

**3090350 HOSE MADE OF SEKOBRILL**



SEKO 9900090098

**3090304 PERISTALTIC RINSE AID PUMP PR-1**

adjustable flow rate: 0.3÷1 L/h  
 pressure: 3 bar  
 sekobrill hose  
 230V 50Hz  
 complete with mounting kit



SEKO PPR0301A2000

SEKO PPR0301A2000\_A

**3090350 HOSE MADE OF SEKOBRILL**



SEKO 9900090098

**3090241 PERISTALTIC RINSE AID PUMP PR4**

time/pause setting 1 L/h  
 24V 3W



SEKO PPR0301B2000

SEKO PPR0301B2000\_A

**3090204 PERISTALTIC RINSE AID PUMP 230V**



SEKO NBM030HA2000

SEKO NPB030HA2000

**5048095 PERISTALTIC RINSE AID PUMP 24VDC**

flowrate 1,25 L/h - 0,5 bar -hose fitting ø 6 mm



SEKO PPP0001D2001

**5050303 RINSE AID PERISTALTIC DISPENSER**

flow rate 0-3 L/h  
 220V-240V 50/60Hz 8W  
 time/stand-by adjustment  
 for DISHWASHER DIHR GS50  
 for DISHWASHER KROMO DW009M



SEKO NBR0003A1011

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfrcambi724.it](http://www.lfrcambi724.it) - [www.lfrcambi724.mobi](http://www.lfrcambi724.mobi)  
[info@lfrcambi.it](mailto:info@lfrcambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
  -  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)