



Spare parts for:

Warewashing equipment



Suitable for:

ZANUSSI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ZANUSSI




Suitable for:

Air traps

3060001 AIR CHAMBER ø 150x65 mm

for Dishwasher (ZANUSSI) ALS540 - LS50 - LS500
LS501 - LS52 - LS540 - LS541 - LS96
for Dishwasher hood type (ZANUSSI) LS1080 - LS75
LS860
for Pan/utensilwashing machines (ZANUSSI) LO480
PLO480



ZANUSSI 045459

3060011 AIR CHAMBER ø 44x113 mm

hose end fitting ø 7 mm
for Dishwasher (ZANUSSI) CF314 - LS360 - LS365
LS365F - LS505 - LS510 - ZLS510 - ZLS520
ZLS521
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - LS10 - LS12
for Dishwasher pull-through (ZANUSSI) CT142
CT190 - CT191



ZANUSSI 0H2542

ZANUSSI 046631

3060056 LOWER SEAL

for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 067930

1186255 O-RING 0109 EPDM



ZANUSSI 068573

3060012 AIR CHAMBER ø 47x59 mm

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 048308

3060088 AIR CHAMBER NUT M14

for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 049268



Suitable for:

ZANUSSI



3186860 OR GASKET 03056 EPDM
EX OR 0118
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 0KK400

ZANUSSI 068642

3060601 AIR CHAMBER COMPLETE 85x20x80 mm
with two O-ring gaskets, bajo bolt and
hose end fitting ø 5 mm
for Glasswasher/Cupwasher (ZANUSSI)
CRYSTAL11 - CRYSTAL22 - LTB11 - LTB12 - LTB22




ZANUSSI 069515

1186318 O-RING 03043 EPDM



ZANUSSI 069644

3060035 AIR CHAMBER 260x200 mm
closed window
for Dishwasher (ZANUSSI) ECOTEMP5 - LS6E



ZANUSSI 049459

3061023 CAP GASKET
for Dishwasher (ZANUSSI)



ZANUSSI 048230

Suitable for:

3060602 FITTING HOSE-END FOR AIR CHAMBER
hose end fitting ø 6 mm



ZANUSSI 069670

3060037 AIR CHAMBER RING NUT
for Dishwasher (ZANUSSI)



ZANUSSI 049480

3060038 O-RING GASKET 03212 EPDM
for Dishwasher (ZANUSSI)



ZANUSSI 049460



Suitable for:

40L2435 AIR TRAP
size 200x260 mm
open window
for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - EUCAI
EUCAICL - EUCAIDP - EUCAIG - EUCA1DP - LS6EA
LS6EAH - LV6EA - LV6EADP - NUCAIG - ZUCAI
ZUCAIDP - ZUCAIG - ZUCA1 - ZUCA3
for Dishwasher hood type (ZANUSSI) EHTA - EHTAI
EHTAID - EHTAIG - EHT8I - EHT8IG
for Pan/utensilwashing machines (ZANUSSI) LV200M
PW2MG - PW2M60 - PW200M - WT850M



ZANUSSI 0L2435

ZANUSSI 049481

3786686 GASKET FLAT EPDM $\varnothing$ 58x50x1.5 mm



ZANUSSI 049828

3060038 O-RING GASKET 03212 EPDM
for Dishwasher (ZANUSSI)



ZANUSSI 049460

3060034 BOILER AIR CHAMBER 230 mm
for Dishwasher (ZANUSSI) LS6AH - WT30H



ZANUSSI 0L0098

ZANUSSI 049628

Suitable for:

3060037 AIR CHAMBER RING NUT
for Dishwasher (ZANUSSI)



ZANUSSI 049480

3449452 HOSE CLAMP 16-25
for pipes $\varnothing$ 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 048126



Suitable for:

Suitable for:

4048853 BREATHER STRIKE

for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - AUCI
EUCAI - EUCAIDP - EUCAIG - EUCI - EUCIM - EUC1
EUC1DP - EUC3 - EUC3DP - NUC1 - NUC1DP - NUC3
NUC3DP - ZUCA1 - ZUCA3
for Dishwasher hood type (ZANUSSI) EHT - EHTA
EHTAI - EHTAID - EHTAIG - KHT - NHT
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB1WS
LB2 - LB2WS - WT1 - WT1TOP - WT1WS - WT2
WT2TOP - WT2WS



ZANUSSI 048853

3060088

AIR CHAMBER NUT M14

for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 049268

3186860 OR GASKET 03056 EPDM

EX OR 0118
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 0KK400

ZANUSSI 068642

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm

ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANUSSI 0C1478
ZANUSSI 0E2261
ZANUSSI 058855

ZANUSSI 0C4106
ZANUSSI 002656

ZANUSSI 0C4423
ZANUSSI 002690

3340104

MOTOR FAN S2E200-CE31-10

58W 230V 50/60Hz 2750 rpm
for Dishwasher conveyor type (ZANUSSI) FT36 - FT50
FT72 - LN34 - LN46 - LN72 - WT730 - WT760
for Dishwasher pull-through (ZANUSSI) D530ESD
D580ESD - D680EDS - RT100 - RT140 - RT142
RT1800 - RT190 - RT2500 - RT270 - RT3400
RT4800 - WT100 - WT150 - WT190 - WT200 - WT270
WT790 - WT95



ZANUSSI 0K7494



Suitable for:

ZANUSSI



Suitable for:

Ball valves and accessories

3356169 WATER BALL VALVE $\varnothing$ 3/8"FF

ball valve
PN 40 full flow heavy series
DIN - DVGW approved
aluminum lever



ZANUSSI 056843

3525017 CAP FOR BALLCOCK VALVE



ZANUSSI 0A2563

3525019 EXTENSION FOR BALLCOCK VALVE



ZANUSSI 0A2135

3526691 WATER VALVE $\varnothing$ 1/2"MF

ball valve
heavy series with PN 25 total passage
aluminium lever



ZANUSSI 004486

3526693 WATER VALVE $\varnothing$ 1"MF

ball valve
heavy series with PN 25 total passage
aluminium lever



ZANUSSI 056617

3526184 WATER VALVE 3/8"MF

ballcock valve
heavy series with complete pass-through PN 40
aluminum lever



ZANUSSI 0A5258

Bearings

3063118 BEARING 6002 DDU NSK


external $\varnothing$ 32mm - internal $\varnothing$ 15mm - thickness 9mm



ZANUSSI 0U0582

9063012 BEARING 6004 DDU NSK

external $\varnothing$ 42mm - internal $\varnothing$ 20mm - thickness 12mm



ZANUSSI 0K4559

ZANUSSI 089921

Suitable for:

9063007 BEARING 6005 DDU NSK
external $\varnothing$ 47mm - internal $\varnothing$ 25mm - thickness 12mm
for OEM KNEADER F201/1-VE201/2
for FIMAR KNEADER IM25-IM38
for FIMAR PLANETARY IP10-IP20
for SIRMAN BONE BAND SAW S03100



ZANUSSI 0KQ350


Suitable for:

5009467 BEARING 6007 DDUCM NSK
external $\varnothing$ 62 mm - internal $\varnothing$ 35 mm - thickness 14



ZANUSSI 0HD046

3063018 BEARING 6200 DDU NSK
external $\varnothing$ 30mm - internal $\varnothing$ 10mm - thickness 9mm



ZANUSSI 072018

1063005 BEARING 6201 DDU NSK
external $\varnothing$ 32mm - internal $\varnothing$ 12mm - thickness 10mm



ZANUSSI 0D5346

ZANUSSI 072019

3063123 BEARING 6201 2RSH SKF
external $\varnothing$ 32mm - internal $\varnothing$ 12mm - thickness 10mm



ZANUSSI 0D7339

3063005 BEARING 6202 DDU NSK
external $\varnothing$ 35mm - internal $\varnothing$ 15mm - thickness 11mm
for Dishwasher (ZANUSSI) LS4 - LS50 - LS500



ZANUSSI 0D0035

ZANUSSI 072751

3063120 BEARING 6202 2RSH SKF
external $\varnothing$ 35mm - internal $\varnothing$ 15mm - thickness 11mm
for Dishwasher (ZANUSSI) LS4 - LS50 - LS500



ZANUSSI 0D0035

ZANUSSI 072751

3063121 BEARING 6203 2RSH SKF
external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm



ZANUSSI 0D0821

ZANUSSI 0KJ007

ZANUSSI 089918

3063122 BEARING 6204 2RSH SKF
external $\varnothing$ 47mm - internal $\varnothing$ 20mm - thickness 14mm



ZANUSSI 0H2694
ZANUSSI 065048

ZANUSSI 0KQ395

ZANUSSI 045726

9063001 BEARING 6206 DDU NSK
external $\varnothing$ 62mm - internal $\varnothing$ 30mm - thickness 16mm



ZANUSSI 0D0006

ZANUSSI 0KK225



Suitable for:

ZANUSSI



Suitable for:

Belts

- 3062011 TOOTHED BELT T10-610 0702**
for transmission pulley
for models RT100-RT140-RT190-RT270
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5050

ZANUSSI 0E5188

Boilers

- 3024085 BOILER ø 145x405 mm**
for Dishwasher (ZANUSSI) FL5 - FL5DP - LS5 - LV5
LV5DP - WT4D - WT46



ZANUSSI 049958

- 3024024 BOILER ø 145x430 mm**
for Dishwasher (ZANUSSI) LS32 - LS33



ZANUSSI 049336

- 3024018 BOILER ø 200x365 mm**
3 holes for heating element
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - WT60



ZANUSSI 049632

- 3024008 BOILER ø 200x410 mm**
for Dishwasher (ZANUSSI) ECOTEMP5 - FL610 - FL700
HYDRA700 - LS10F - LS61 - LS7 - LS7F - LS8D
LS8F - LV70
for Dishwasher hood type (ZANUSSI) HT1000 - HT800
HYDRA1000 - HYDRA800 - LS10 - LS8 - Z80



ZANUSSI 048548

- 4048447 BOILER INSULATION 670x330x13 mm**
for DISHWASHER LS7-LV70-FL700-HYDRA700-Z70



ZANUSSI 048447



ZANUSSI



Suitable for:

3024021 COMPLETE BOILER $\varnothing$ 200x410 mm
2 holes for heating element
for Dishwasher (ZANUSSI) FL620 - FL630 - LS12D
LS62 - LS62D - LS63 - LS63D - LS7 - Z62 - Z63
Z64
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - Z120



ZANUSSI 0L1639

ZANUSSI 048484

Suitable for:

4048447 BOILER INSULATION 670x330x13 mm
for DISHWASHER LS7-LV70-FL700-HYDRA700-Z70



ZANUSSI 048447

Bumpers

3186136 LOWER BUMPER 36x14 mm
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 048710

Capacitors, electrical

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

3068002 CAPACITOR μ F 2.5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0E0174

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0H1044

ZANUSSI 047744



ZANUSSI



Suitable for:

Suitable for:

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 049260

Caps

5023357 CAP CHROME-PLATED BRASS M1/8"



ZANUSSI 0E2887

40E5524 GASKET FLAT FIBRE $\varnothing$ 16x10x1.5 mm
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT
for Pan/utensilwashing machines (ZANUSSI) L0250E
L0480E - L0480V



ZANUSSI 0E5524

ZANUSSI 075646

Castors, rollers and accessories

3346024 COVER LIFTING ROLLER
external $\varnothing$ 49 mm
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - WT60



ZANUSSI 048260

3346025 ROLLER PIN
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - WT60



ZANUSSI 048259

3346019 COVER SLIDE ROLLER $\varnothing$ 34 mm
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS10 - LS12 - LS14 - LS8 - WT50
WT60 - WT65 - Z80



ZANUSSI 048657

3324005 HOOD ROLLER PIN
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 048635



Suitable for:

ZANUSSI




- 3346020 ROLLER PIN**
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 048656

- 3346036 HANDLE SLIDE**
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 049597

- 3346017 ROLLER $\varnothing$ 32x33 mm**
for conveyor area
for Dishwasher pull-through (ZANUSSI) CT140
CT141 - CT142 - CT190 - CT191 - CT192 - CT240
CT241 - CT92



ZANUSSI 046841

- 3346007 SLIDING ROLLER**
external $\varnothing$ 39 mm
internal $\varnothing$ 15 mm



ZANUSSI 0E5046

ZANUSSI 0K7281

ZANUSSI 0L2443

- 3346021 SPACER ROLLER $\varnothing$ 15x13 mm**
for lifting cover lever



ZANUSSI 048654

Suitable for:

- 3346037 HANDLE SLIDE BUSHING**
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 049598

- 3346206 ROLLER SET $\varnothing$ 50x71 mm**



ZANUSSI 0K8640

- 3346022 SPACER ROLLER BUSHING**



ZANUSSI 048653



Suitable for:

ZANUSSI



Suitable for:

3346023 SPACER ROLLER PIN



ZANUSSI 048652

3346004 TRANSMISSION SHAFT BUSHING ø 20x40 mm for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5043

ZANUSSI 0K8236

Clamps

3449405 DOUBLE-WIRE CLAMP 9.8-10.4 - 100 PCS for hoses ø 9.8÷10.4 mm



ZANUSSI 0E5993

ZANUSSI 0L0815

3449451 HOSE CLAMP 10-16 for pipes ø 10÷16 mm made of stainless steel AISI 304 height 9 mm and screw E7 suitable for food industry for Dishwasher (ZANUSSI) NUC1DPWS



ZANUSSI 0L0266

3449462 HOSE CLAMP 12-20 for pipes ø 12÷20 mm made of stainless steel AISI 304 height 9 mm and screw E7 suitable for food industry



ZANUSSI 049888

3449466 HOSE CLAMP 16-27 for pipes ø 16÷27 mm made of stainless steel AISI 304 height 12 mm and screw E7 suitable for food industry



ZANUSSI 0E5120

ZANUSSI 0E900

- 3449464 HOSE CLAMP 20-32**
for pipes $\varnothing$ 20÷32 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0E1166

Suitable for:

- 3449453 HOSE CLAMP 25-40**
for pipes $\varnothing$ 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 047578

- 3449456 HOSE CLAMP 50-70**
for pipes $\varnothing$ 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0E1358

ZANUSSI 0K8983

ZANUSSI 046855

- 3449457 HOSE CLAMP 60-80**
for pipes $\varnothing$ 60÷80 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 046853

- 3449461 HOSE CLAMP 8-12**
for pipes $\varnothing$ 8÷12 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 046946

ZANUSSI 048224

Column faucets

- 3359682 COLUMN FAUCET 84319**
oil reserve valve assembly
nozzle $\varnothing$ 20x240 mm
mounting hole $\varnothing$ 27 mm
connection $\varnothing$ 1/2"M
overall height 555 mm
rod length 435 mm



ZANUSSI 206158

ZANUSSI 216036

- 3359140 COLUMN TAP**
swivel column
swivel spout 200 mm
fitting $\varnothing$ 3/4"M
height 425 mm
overall height 700 mm
25l/min at 4 bar



ZANUSSI 927130



Suitable for:

ZANUSSI



Suitable for:

Contact thermostats

3443058 BRACKET FOR CONTACT THERMOSTAT
for Dishwasher (ZANUSSI) - Series LS
for Glasswasher/Cupwasher (ZANUSSI) - Series LB



ZANUSSI 048987

3444607 CONTACT THERMOSTAT 110°C
with manual reset
for Dishwasher (ZANUSSI)
LS3 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI)
LS12 - LS8
for Pan/utensilwashing machines (ZANUSSI)
LO10



ZANUSSI 048287

ZANUSSI 048887

3443015 GASKET THERMOSTAT ø 49 mm
internal hole ø 18 mm - height 14 mm



ZANUSSI 066717

3443030 SAFETY CONTACT THERMOSTAT 62°C
contact capacity 16(4)A 250V
for Dishwasher (ZANUSSI) LS521



ZANUSSI 048166

ZANUSSI 048631

3443028 SAFETY THERMOSTAT 120°C
for BOILER



ZANUSSI 0C6155

3444393 THERMOSTAT CONTACT FOR TANK 60°C
16A 250V 3 contacts
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 048804

3443016 YELLOW/BROWN CONTACT THERMOSTAT
NO contact operating temperature 35÷46°C
NC contact operating temperature 52-60°C
16A 250V
for Dishwasher (ZANUSSI) LS521 - LS7
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8



ZANUSSI 045495

ZANUSSI 047508

ZANUSSI 048487

Contactors

3454048 CONTACTOR ABB A9-30-10

9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0KJ022

ZANUSSI 0KQ380

ZANUSSI 033108

3454070 CONTACTOR ABB A9-30-10

9A 400V 4Kw - coil 24V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0D2044

3446223 CONTACTOR AEG LS02K400

6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



ZANUSSI 004159

40C7622 CONTACTOR BENEDIKT/JAGER K3-10NA00-40

10A 400V 4Kw - coil 230V 50/60Hz
4 normally open contacts



ZANUSSI 0C7622

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10

10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01

10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



ZANUSSI 0E3757

ZANUSSI 0L0285

ZANUSSI 047048

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10

10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

ZANUSSI 048825

ZANUSSI 072319



ZANUSSI



Suitable for:

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Dishwasher (ZANUSSI)



ZANUSSI 082986

ZANUSSI 088477

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10
14A 400V 5.5Kw - coil 24V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0E0020

ZANUSSI 0E1291

ZANUSSI 0K3968

ZANUSSI 0L0360

ZANUSSI 046994

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10
18A 400V 7.5Kw - coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 003598

ZANUSSI 006879

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 003027

ZANUSSI 004206

3446552 CONTACTOR LOVATO BG0610A
coil 6A 230V 50/60Hz 2.2Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 086215

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ZANUSSI 086169

Suitable for:

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 054544

ZANUSSI 075796

5009239 CONTACTOR SCHNEIDER LC1K0910P7
9A 4Kw coil 220V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0KQ438

3351098 THERMAL RELAY ABB TA25DU
2.2÷3.1A
1 normally open contact
1 normally closed contact



ZANUSSI 0D1626

Controllers and changeover switches

3322194 CONTROLLER D94 3 CAMS
240 seconds cycle
rinse 18 seconds
220/240V 50/60Hz
D-shaped pin $\varnothing$ 6x4.6 mm
for rinse



ZANUSSI 0R0015

3322069 CONTROLLER D94 4 CAMS
180 seconds cycle
220/240V 50/60Hz
D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher (ZANUSSI)
LS4 - LS510 - LS520 - LS521
for Dishwasher (ZANUSSI) LS36/54P 501034



ZANUSSI 047497

ZANUSSI 048881

3322609 CONTROLLER PWE5 3 CAMS
150 seconds cycle
230V 50/60Hz
without pin
former model 600/636/5200
for Glasswasher/Cupwasher (ZANUSSI)
CRYSTAL11 - CRYSTAL22 - LTB11 - LTB12 - LTB22



ZANUSSI 069419

ZANUSSI 069669

ZANUSSI 069926

3322171 CONTROLLER P255 5 CAMS
1st cycle 180 seconds
2nd cycle 6 seconds
230V 50/60Hz
for Dishwasher (ZANUSSI) LS7 - WT40



ZANUSSI 048303



Suitable for:

ZANUSSI



3322173 CONTROLLER P255 5 CAMS

1st cycle 120 seconds
2nd cycle 6 seconds
230V 50/60Hz
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048647

3322174 CONTROLLER P255 6 CAMS

1st cycle 120 seconds
2nd cycle 6 seconds
230V 50/60Hz
for Dishwasher hood type (ZANUSSI) LS10 - LS12




ZANUSSI 048264

ZANUSSI 048591

3322238 CONTROLLER P255 7 CAMS

1st cycle 6 seconds
2nd cycle 360 seconds
230V 50/60Hz
2 motors
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2



ZANUSSI 049054

3322353 CONTROLLER P255 7 CAMS

1st cycle 6 seconds
2nd cycle 360 seconds
230V 50/60Hz
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049256

3322034 CONTROLLER 9444 3 CAMS

120 seconds cycle
rinse 14 seconds
220/240V 50/60Hz
clockwise rotation
D-shaped pin $\varnothing$ 6x4.6 mm



ZANUSSI 070310

3322605 CONTROLLER 9449 1 CAM

40 seconds cycle
220/240V 50/60Hz
without pin
for Glasswasher/Cupwasher (ZANUSSI)
CRYSTAL11 - CRYSTAL22 - LTB11 - LTB12 - LTB22



ZANUSSI 069420

Curtains

3443332 CENTRAL CURTAIN 530x305 mm

for versions before 1986
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT192 - CT92 - CT95



ZANUSSI 046883

3324030 CURTAIN PIN $\varnothing$ 6x545 mm

for Dishwasher pull-through (ZANUSSI) WT100
WT150



ZANUSSI 0E5487



Suitable for:

3443331 CURTAIN 545x445 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT192 - CT95 - RT100 - RT140 - RT190
RT270 - WT100 - WT150 - WT90



ZANUSSI 0E5029

ZANUSSI 0E5277

Suitable for:

3443059 CURTAIN 550x355 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT192 - CT95 - Series RT - WT100
WT150 - WT90



ZANUSSI 0E5038

3443021 CURTAIN 550x460 mm
for Dishwasher pull-through (ZANUSSI) WT100
WT150



ZANUSSI 0E2728

3443027 CURTAIN 550x300 mm
for Dishwasher pull-through (ZANUSSI) WT100
WT150




ZANUSSI 0E2729

40E5826 ROD CURTAIN ø 6x580 mm
for Dishwasher pull-through (ZANUSSI) WT44 - WT66



ZANUSSI 0E5826

3456025 CURTAIN 580x480 mm
for Dishwasher pull-through (ZANUSSI) RT100
RT142 - RT190 - RT270 - RT340 - RT480



ZANUSSI 0E6006

40E5826 ROD CURTAIN ø 6x580 mm
for Dishwasher pull-through (ZANUSSI) WT44 - WT66



ZANUSSI 0E5826

3443300 LATERAL CURTAIN 575x420 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT90



ZANUSSI 046882

3443301 CENTRAL CURTAIN 640x430 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT90



ZANUSSI 048042



Suitable for:

ZANUSSI



Suitable for:

Detergents

3092269 DETERGENT "SATINOX" SPRAY 400 ml
shining and cleaning for stainless steel,
brass, copper and silver
not suitable for food without rinsing
please see the attached documentation for use



ZANUSSI 0S0314

ZANUSSI 0S0995

40S0659 DETERGENT LIQUID TRUMP 5 L
for dishwashers
please see the attached documentation for use



ZANUSSI 0S0659

40S1196 SCALE REMOVER EXTRA LIMEAWAJ 5 L
for machine/hand washing of dishes
please see the attached documentation for use




ZANUSSI 0S0840

ZANUSSI 0S1196

Door catches

3398001 DOOR CATCH
for Dishwasher (ZANUSSI) CRISTAL50 - CRISTAL51
CRISTAL52 - CRISTAL52B - LS36 - LS4 - LS5DS
LS505 - LS510 - LS520 - LS521 - 5CF50B - 5CF51
5CF51B



ZANUSSI 0A6111

ZANUSSI 047491

3398002 SPRING FOR DOOR CATCH
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - CRYSTAL52B - LS36 - LS4 - LS5DS
LS505 - LS510 - LS520 - LS521 - 5CF50B - 5CF51
5CF51B - 5CF52B




ZANUSSI 047492

3398072 DOOR CATCH
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5157

3398601 DOOR CATCH



ZANUSSI 069435

3398017 DOOR CATCH 70 mm
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049271


3398015 STEEL STRIKE 35x12 mm
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049536

Door gaskets for dishwashers


3786550 "U" SHAPED GASKET 700 mm
 profile dimensions 10x5 mm
 for mod. LS6-7-61-62-63-64
 for Dishwasher (ZANUSSI) LS6 - LS61 - LS62 - LS63
 LS64 - LS7



ZANUSSI 0E5559

ZANUSSI 047513

3186470 ADHESIVE SPONGE GASKET 4750 mm
 profile dimensions 10x2 mm
 for Dishwasher (ZANUSSI) LS4
 for Glasswasher/Cupwasher (ZANUSSI) C50



ZANUSSI 046583

3186108 DOOR GASKET 435 mm
 profile 30x4 mm
 for Dishwasher hood type (ZANUSSI) LS8 - Z80
 for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2




ZANUSSI 049017

40L0021 DOOR GASKET 590 mm
 profile 24x6mm



ZANUSSI 0L0021

3186300 DOOR GASKET 600 mm
 black color
 for Dishwasher (ZANUSSI) LS360 - LS365 - LS365F
 LS367




ZANUSSI 046394

4049016 GASKET 1000 mm
 profile dimensions 9x4 mm
 for Glasswasher/Cupwasher (ZANUSSI) - Series GWT1
 Series GWT2 - Series LB1 - Series LB2 - Series WT1
 Series WT2



ZANUSSI 049016

3186301 GASKET 310x565x310 mm
 grey colour
 for Dishwasher (ZANUSSI) ECOTEMP5 - LS6 - LS61
 LS62 - LS63 - LS64 - LS7



ZANUSSI 0L2561

ZANUSSI 048306

ZANUSSI 049248

ZANUSSI 049892



Suitable for:

ZANUSSI



Suitable for:

Door labyrinths

3222002 PLASTIC FRAME FOR DOOR

for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS4 - LS5DS - LS510 - LS520
LS521 - 5CF50B - 5CF51B - 5CF52



ZANUSSI 047483

3186302 LEFT-HAND GASKET 310x260 mm

for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS4 - LS5DS - LS510 - LS520
LS521 - ZLS510 - ZLS520 - ZLS521



ZANUSSI 047454

3186303 RIGHT-HAND GASKET 310x260 mm


for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS4 - LS510 - LS521



ZANUSSI 047455

3222001 RETAINING GASKET F/PLASTIC FRAME 69x69mm

for Dishwasher (ZANUSSI) LS500 - LS501 - LS540
LS541 - 5CF07B - 5CF08B - 5CF09B



ZANUSSI 045836

Drain assembly

3316143 DRAIN ASSEMBLY $\varnothing$ 1"1/2

for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 075624

3448108 GASKET DRAIN ASSY

for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066088

3448107 RING FOR DRAIN ASSEMBLY

for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066079

3316017 WASTE FUNNEL

upper external $\varnothing$ 282 mm
upper internal $\varnothing$ 195 mm
lower external $\varnothing$ 230 mm
lower internal $\varnothing$ 180 mm
height 93 mm



ZANUSSI 069318

Drain hoses

3450130 DRAIN PIPE $\varnothing$ 23x2000 mm

elbow sleeve internal $\varnothing$ 28 mm
straight sleeve internal $\varnothing$ 18 mm
overflow pipe 680 mm internal $\varnothing$ 6 mm
for Dishwasher (ZANUSSI) LS61 - LS62 - LS63
WT302 - WT303
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 048845

3450119 DRAIN PIPE $\varnothing$ 24x2000 mm

elbow sleeve internal $\varnothing$ 22 mm
straight sleeve internal $\varnothing$ 18 mm
for Dishwasher (ZANUSSI) LS521



ZANUSSI 047558

3450131 DRAIN PIPE $\varnothing$ 27x2000 mm

elbow sleeve internal $\varnothing$ 28 mm
straight sleeve internal $\varnothing$ 20 mm
overflow pipe 800 mm internal $\varnothing$ 8 mm



ZANUSSI 049878

4049831 DRAIN PIPE $\varnothing$ 27x2100 mm

elbow sleeve internal $\varnothing$ 29 mm
straight sleeve internal $\varnothing$ 21 mm
overflow pipe 600 mm internal $\varnothing$ 8 mm
for Dishwasher hood type (ZANUSSI) EHT - EHTG
EHTM - EHTM60 - EHT60 - NHT - NHTD - NHTG
NHT60



ZANUSSI 049831

3450034 DRAIN PIPE $\varnothing$ 40x1100 mm

sleeves internal $\varnothing$ 35 and 40 mm
max temperature 90°C
for Dishwasher (ZANUSSI) LS4 - LS5




ZANUSSI 0S0149

ZANUSSI 047465

3450022 DRAIN PIPE $\varnothing$ 47x1000 mm

muff internal $\varnothing$ 58 mm
temperature max 90°C
for Dishwasher (ZANUSSI) LS500 - LS540 - 5CF09B
5CF10B
for Dishwasher hood type (ZANUSSI) LSE720 - LSE721



ZANUSSI 0S0148

ZANUSSI 047894



Suitable for:

ZANUSSI



Suitable for:

Drain plugs

3448316 OVERFLOW PIPE $\varnothing$ 24x160 mm
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049195

1186356 O-RING 03075 EPDM



ZANUSSI 049036

3448158 OVERFLOW PIPE $\varnothing$ 24x187 mm
made of plastic
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049194

1186356 O-RING 03075 EPDM



ZANUSSI 049036

3160602 OVERFLOW PIPE $\varnothing$ 25x215 mm - GREY



ZANUSSI 069526

1186327 O-RING 03081 EPDM



ZANUSSI 069527

3448193 OVERFLOW PIPE $\varnothing$ 25x90 mm
for Glasswasher/Cupwasher (ZANUSSI) LB035R
LB040Q
for Glasswasher/Cupwasher (ZANUSSI) LB035Q



ZANUSSI 070313

3448103 OVERFLOW PIPE $\varnothing$ 26x277 mm
in plastic
for Dishwasher (ZANUSSI) LS63 - LS64 - LS7/DP
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048842

1186833 O-RING 03100 EPDM
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS61 - LS63 - LS64 - LS7 - WT32 - WT40 - Z62
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046799

ZANUSSI 086280

Suitable for:

3448102 OVERFLOW PIPE ø 26x280 mm
in plastic
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS60 - LS61 - LS62 - LS7 - WT32 - WT40 - Z62



ZANUSSI 048323

Suitable for:

1186833 O-RING 03100 EPDM
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS61 - LS63 - LS64 - LS7 - WT32 - WT40 - Z62
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046799

ZANUSSI 086280

3448100 OVERFLOW PIPE ø 30x210 mm
in plastic
for Dishwasher (ZANUSSI) LS510 - LS520 - LS521



ZANUSSI 047460

1186833 O-RING 03100 EPDM
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS61 - LS63 - LS64 - LS7 - WT32 - WT40 - Z62
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046799

ZANUSSI 086280

3448105 OVERFLOW PIPE ø 40x270 mm
in chrome plated brass
for Dishwasher pull-through (ZANUSSI) CT140
CT141 - CT142 - CT190 - CT191 - CT241 - CT92



ZANUSSI 047116

3448106 DRAIN ASSEMBLY
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 046875

3448108 GASKET DRAIN ASSY
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066088

3448107 RING FOR DRAIN ASSEMBLY
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066079

3448109 OVERFLOW PIPE ø 40x400 mm
in plastic
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - LS9P
WT55P - WT60 - WT65



ZANUSSI 048250

3448258 OVERFLOW PIPE ø 40x418 mm
made of plastic
for Dishwasher hood type (ZANUSSI) LS14
for Pan/utensilwashing machines (ZANUSSI) LO10
SH55



ZANUSSI 049140



ZANUSSI



Suitable for:


Suitable for:

3448232 OVERFLOW PIPE $\varnothing$ 40x435 mm



ZANUSSI 049675

3448257 OVERFLOW PIPE $\varnothing$ 40x80 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5149

3186247 O-RING 03112 EPDM



ZANUSSI 0E5062

ZANUSSI 0K7516

3316120 COMPLETE DRAIN ASSEMBLY 1"1/2
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E0141

ZANUSSI 0E9141

ZANUSSI 0L1863

3186339 O-RING 06175 EPDM



ZANUSSI 0E0010

Drain pumps

3122262 DRAIN ELECTRO-PUMP 30W 230V 50Hz
inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 35 mm
for Dishwasher (ZANUSSI) LB1WSDP - LS5 - LS63
LS64
for Dishwasher (ZANUSSI) LS5 - LV1/WSDP



ZANUSSI 0L0692

ZANUSSI 048844

3122260 DRAIN ELECTRO-PUMP 90W 240V 50Hz
inlet external $\varnothing$ 25 mm - outlet external $\varnothing$ 23 mm
for Dishwasher (ZANUSSI)
CRYSTAL51 - CRYSTAL52 - CRYSTAL54 - LS36 - LS510
LS520
for Dishwasher (ZANUSSI) LS36/54P 501034



ZANUSSI 046647

ZANUSSI 047562

Electronic controllers

3394354 ELECTRONIC THERMOMETER LAE LTS12PTI-2
complete with 2-wire probe length 3000 mm
multiprobe: PT100(-100+600°C) - PTC(-50+150°C)
power supply 24 Vac 3W
mounting hole distance 70x28 mm
for Dishwasher (ZANUSSI) - Series WT



ZANUSSI 0E5030

ZANUSSI 049943


3394355 ELECTRONIC THERMOMETER LAE LTS12PTI-2
complete with 2-wire probe length 5000 mm
multiprobe: PT100(-100+600°C) - PTC(-50+150°C)
power supply 24 Vac 3W
mounting hole distance 70x28 mm
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 049944

Electronic printed-circuit boards

3390014 CIRCUIT BOARD 260x130 mm
for Dishwasher (ZANUSSI) LS5 - LS6
for Dishwasher hood type (ZANUSSI) ECOTEMP12
HT1000 - HT1200 - LS10 - LS14 - LS9 - WT60
WT65




ZANUSSI 0L0045
ZANUSSI 0L0705
ZANUSSI 0L2583

ZANUSSI 0L0261
ZANUSSI 0L1412
ZANUSSI 049910

ZANUSSI 0L0541
ZANUSSI 0L1811

3390376 ELECTRONIC CIRCUIT BOARD
for Dishwasher (ZANUSSI) LS5



ZANUSSI 0L0046
ZANUSSI 0L1236
ZANUSSI 0L2582

ZANUSSI 0L0547
ZANUSSI 0L1410

ZANUSSI 0L0706
ZANUSSI 0L1810

1186422 O-RING 0108 EPDM



ZANUSSI 0L0555
ZANUSSI 058904

ZANUSSI 0L2341

ZANUSSI 0Q0002

1186803 O-RING 02037 EPDM
for Dishwasher (ZANUSSI)
LS32 - LS360 - LS365



ZANUSSI 046376

40L0280 STUFFING GLAND M16



ZANUSSI 0L0280

3390374 USER INTERFACE CARD
for Dishwasher (ZANUSSI) - Series ECOTEMP
Series HT - LS5 - LS6 - Series WT
for Dishwasher hood type (ZANUSSI) LS10 - LS9



ZANUSSI 0L0726
ZANUSSI 0L1567

ZANUSSI 0L1241
ZANUSSI 0L1626

ZANUSSI 0L1565

3397004 TEMPERATURE PROBE ø 10 mm -10+100°C
for Dishwasher (ZANUSSI) LS5 - LS6 - WT30 - WT4
for Dishwasher hood type (ZANUSSI) LS14 - LS9
WT55



ZANUSSI 049643

ZANUSSI 049666

3390375 USER INTERFACE CARD
for Dishwasher (ZANUSSI) - Series HT - LS5 - LS6
for Dishwasher hood type (ZANUSSI) LS10 - LS9



ZANUSSI 0L0548
ZANUSSI 0L1237
ZANUSSI 0L1973
ZANUSSI 049754

ZANUSSI 0L0708
ZANUSSI 0L1240
ZANUSSI 0L2482
ZANUSSI 049998

ZANUSSI 0L0709
ZANUSSI 0L1627
ZANUSSI 049623




ZANUSSI



Suitable for:

3390019 ELECTRONIC CIRCUIT BOARD 185x90 mm
for Dishwasher (ZANUSSI) LS3 - WT303



ZANUSSI 049412

Suitable for:

3390209 USER INTERFACE CARD
sizes 340x44 mm
for Dishwasher (ZANUSSI) LS6



ZANUSSI 0L0279

ZANUSSI 0L1242


ZANUSSI 0L0538

ZANUSSI 0L1579

ZANUSSI 0L0707

ZANUSSI 049887

3390373 USER INTERFACE CARD
dimensions 195x80 mm
for Dishwasher hood type (ZANUSSI) LS9



ZANUSSI 0L0061

ZANUSSI 0L1235

ZANUSSI 0L0550

ZANUSSI 0L0710

Faucets and mixers

3359474 HORIZONTAL TAP
spout $\varnothing$ 18x300 mm
flow rate 25L/min by 4 bar
connection $\varnothing$ 1/2" M



ZANUSSI 0C3108

3359195 MAXI SINGLE-LEVER MIXER
mounting hole $\varnothing$ 50 mm
flowrate 80L/min



ZANUSSI 0S0130

ZANUSSI 008000

3359356 SINGLE-HOLE LEVER MIXER
with extractable shower
mounting hole $\varnothing$ 52 mm
hoses $\varnothing$ 12 mm
hose length 1475 mm



ZANUSSI KL1S.2930.80.81

3359163 SINK HOLE TAP STYL-K3
spout $\varnothing$ 20x300h150 mm
mixer connection 3/4" h 50 mm
power source nickel plate copper $\varnothing$ 1/2"



ZANUSSI 0S0862



Suitable for:

ZANUSSI



3759244 SINK HOLE TAP STYL-K3e
spout $\varnothing$ 20x350h150 mm
mixer connection 3/4" h 50 mm
power source nickel plate copper $\varnothing$ 1/2"



ZANUSSI LF-2111309

Suitable for:

3359186 TWO-HOLE STRAIGHT COUNTER STYL-K3
valves $\varnothing$ 3/4"
spout $\varnothing$ 20 x 250 h 120 mm
distance between holes 155 mm
connections $\varnothing$ 3/4" h 50 mm



ZANUSSI 033125

ZANUSSI 069964

3359165 WALL MOUNTED HORIZONTAL TAP
spout: $\varnothing$ 20 x 300 mm
connection $\varnothing$ 1/2"M



ZANUSSI 0S0103

Feet

3313058 ADJUSTABLE S/STEEL FOOT $\varnothing$ 2" x h 140 mm
with set screw
adjustable height 155÷240 mm



ZANUSSI 0C0204

3313003 STAINLESS STEEL FOOT $\varnothing$ 2" x h 125 mm
with rectangular flange 100x90 mm



ZANUSSI 057536

3313001 STAINLESS STEEL FOOT $\varnothing$ 2" HEIGHT 125 mm



ZANUSSI 053792

Filters

3160604 EXTERNAL FILTER $\varnothing$ 135x90 mm - GREY



ZANUSSI 069528

3160395 FILTER BASKET
for Dishwasher hood type (ZANUSSI) LS10 - LS10D
LS12



ZANUSSI 048252



ZANUSSI



Suitable for:


3160215 FITTING INLET $\varnothing$ 1"1/4



ZANUSSI 070328

Suitable for:

3160605 INTERNAL FILTER $\varnothing$ 136x75 mm - GREY



ZANUSSI 069529

3160518 PUMP FILTER
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS14 - LS9



ZANUSSI 049810

3160187 PUMP FILTER $\varnothing$ 124 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2 - LB
LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 0L2757

ZANUSSI 049032

3186466 GASKET O-RING 04475 EPDM
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049033

3160189 DRAIN MANIFOLD
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049035

3160188 RING NUT FOR FILTER
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049034

3160331 STAINLESS STEEL FILTER $\varnothing$ 102 mm
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5186

3160400 TANK BOTTOM FILTER
for Dishwasher hood type (ZANUSSI) LS14EA



ZANUSSI 048251

ZANUSSI 049846

Suitable for:

3160190 WASH TANK FILTER ø 495x485 mm
for Dishwasher (ZANUSSI) HYDRA700 - LS3 - LS61
LS62 - LS63 - LS7
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048331
ZANUSSI 049537

ZANUSSI 048332

ZANUSSI 048584

Suitable for:

3160112 WASH TANK FILTER 460x460 mm
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS510 - LS520 - LS521 - ZLS510 - ZLS520
ZLS521



ZANUSSI 0A6158

ZANUSSI 047544

3160002 WATER FILTER
for Dishwasher (ZANUSSI) LS500 - LS501 - LS540
LS541
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS860 - LS861



ZANUSSI 045476

ZANUSSI 068713

3160462 WATER FILTER ø 1/2"FF



ZANUSSI 054450

ZANUSSI 067392

3160007 WATER FILTER ø 3/4"FF



ZANUSSI 0C4113
ZANUSSI 068121

ZANUSSI 0KL216

ZANUSSI 0W2538

3160111 WATER FILTER ø 89 mm
for Dishwasher (ZANUSSI) HYDRA700 - LS3 - LS6
LS61 - LS62 - LS63 - LS64 - LS7 - Z62 - Z63
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS8



ZANUSSI 048324

3160109 WATER INLET FILTER
fittings ø 3/4"MF
for Dishwasher hood type (ZANUSSI) HT1200 - LC120
LS10 - LS12



ZANUSSI 048746



Suitable for:

ZANUSSI



Suitable for:

Fittings

1349104 FITTING $\varnothing$ 1/2"M-1/2"M



ZANUSSI 0K9022

1349115 FITTING $\varnothing$ 1/2"M-3/4"M



ZANUSSI 0E5431

3349590 FITTING WITH RING NUT



ZANUSSI 049652

40E3080 HOSE-END FITTING T-SHAPED BRASS
thread 1/8"F - hose-end fitting $\varnothing$ 14 mm
for Dishwasher conveyor type (ZANUSSI) FT36ED
FT36ES - FT36VD - FT36VS - FT50ED - FT50ES
FT72ED - FT72ES
for Dishwasher pull-through (ZANUSSI) RTCS180ELB
RTCS180ERB - RT10EL - RT10ER - WT100SLM
WT100SRM - WT150SLM - WT150SRM



ZANUSSI 0E3080

3349346 NICHEL-PL.HOSE-END FITTING $\varnothing$ 1/4"M $\varnothing$ 12



ZANUSSI 0C1626

3349319 NICHEL-PLATED FITTING $\varnothing$ 1/4"M-1/4"M



ZANUSSI 006350

3090616 T-FITTING FOR BOILER



ZANUSSI 069459

Fuses

3049003 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 100mA



ZANUSSI 086338

3049012 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 800mA



ZANUSSI 0C2301



Suitable for:

3049068 QUICK ACTING FUSE $\varnothing$ 10x38 mm - 10 PCS
500V 1A



Suitable for:

3049038 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 160mA



ZANUSSI 048995

ZANUSSI 048995_10PZ

ZANUSSI 002820

3049040 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 250mA



3049041 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 315mA



ZANUSSI 002920

ZANUSSI 0W3499

ZANUSSI 005032

ZANUSSI 4005032

3049042 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 400mA



3049044 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 630mA



ZANUSSI 002750

ZANUSSI 0W5452

ZANUSSI 058871

3049046 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 1A



3049049 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 2A



ZANUSSI 0W5451

ZANUSSI 0A8438

3049052 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 4A



ZANUSSI 057783



Suitable for:

ZANUSSI



Suitable for:

Gaskets and seals

40K7354 GASKET BOILER

ø external 141 mm - ø internal 108 mm
for Pan/utensilwashing machines (ZANUSSI) ET850M
LV200M - PW2MG - PW2SMG - PW200M - WT850M
for Pan/utensilwashing machines conveyor type
(ZANUSSI) EFT1 - EFT2 - EFT3 - EFT4 - FT36ED
FT36ES - FT50ED - FT50ES - FT72ED - FT72ES



ZANUSSI 0K7354

3186578 GASKET FLAT EPDM ø 14x12x2 mm



ZANUSSI 046584

3315009 GASKET FLAT EPDM ø 25x13x3 mm

for Dishwasher (ZANUSSI) LS500 - LS540 - LS541
for Dishwasher hood type (ZANUSSI) LSE720 - LSE721
652120Z



ZANUSSI 061488

3786480 GASKET FOR BOTTOM MANIFOLD

for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS861



ZANUSSI 047928

40E0112 GASKET FOR DRAIN ELBOW ø 104 mm

distance between holes 65 mm
for Dishwasher hood type (ZANUSSI) D48
for Dishwasher pull-through (ZANUSSI) D530 - D580
D680



ZANUSSI 0E0112

Gearmotors

3340102 GEARMOTOR DP71 4-6 0.27/0.16Kw

380/420V 50/60Hz
for Dishwasher pull-through (ZANUSSI) RT190
RT270 - RT3400 - RT4800 - WT100 - WT150 - Z340
Z480



ZANUSSI 0E5352

Glues

- 3180021 THERMAL MASTIC PM8 228 g**
thermally conductive paste
operating temperature $-45^{\circ}+105^{\circ}\text{C}$



ZANUSSI 049196

Guides

- 3189015 ADHESIVE SPONGE GASKET 25x4 mm**
sold per meter



ZANUSSI 0K9154

- 40L0084 SIDEWAYS COVER 650x30x32 mm**
for Dishwasher hood type (ZANUSSI) EHT - EHTG
EHTM - EHTM60 - EHT60 - HT900 - LD900 - LS9P
LS9PDD - LS9P60 - LV900P - NHT - NHTD - NHTG
NHT60 - WT55ADG1 - WT55P - WT55PM50 - WT55PM60
WT55P60



ZANUSSI 0L0084

- 40L0099 SLIDE FOR COVER 49x18x6.5 mm**
for Dishwasher hood type (ZANUSSI) EHT - EHTG
EHTM - EHTM60 - EHT60 - HT900 - LD900 - LS9P
LS9PDD - LS9P60 - LV900P - NHT - NHTD - NHTG
NHT60 - WT55ADG1 - WT55P - WT55PM50 - WT55PM60
WT55P60



ZANUSSI 0L0099

Handles

- 3242060 COMPLETE DOOR HANDLE**
for Dishwasher (ZANUSSI) LS500 - LS540



ZANUSSI 046355

- 3242061 HANDLE CAP**
for Dishwasher (ZANUSSI) LS500 - LS540



ZANUSSI 081727



ZANUSSI



Suitable for:

Suitable for:

3242024 DOOR HANDLE 550x75 mm
for Dishwasher (ZANUSSI) LS61 - LS62 - LS63 - LS64



ZANUSSI 048811

3242062 HANDLE GRAY 170 mm
distance between holes 130 mm
for Dishwasher (ZANUSSI) LS505 - LS510 - LS520




ZANUSSI 047481

3242197 HANDLE SIDE PANEL



ZANUSSI 047479

3242023 HANDLE ROLLER ø 65 mm
for Dishwasher hood type (ZANUSSI) ECOTEMP12
LS10 - LS12



ZANUSSI 048348

3243918 ROLLER PIN ø 6x77 mm
for Dishwasher hood type (ZANUSSI) ECOTEMP12
LS10 - LS12



ZANUSSI 048349

Heating elements

6467002 COVER FOR HEATING ELEMENT BOILER
ø 68 mm - height 40 mm



ZANUSSI 069551

3355478 HEATING ELEMENT BOILER 4500W 220/380V
immersed depth 370 mm
flange external ø 63 mm
with bulbholder sheathing ø 7 mm
complete with gasket OR ø 58 mm (3186013)



ZANUSSI 002524

ZANUSSI 057698

ZANUSSI 026453

ZANUSSI 049307

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560



Suitable for:

ZANUSSI



3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

7102660 HEATING ELEMENT CHROME-PLATED 4500W 230V
immersion depth 335 mm
flange ø external 72 mm
for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - AUCI
EUCAI - EUCAIDD - EUCAIDP - EUCAIG - EUCI
EUCIM - NUCAIG - ZUCAI - ZUCAID - ZUCAIDP
ZUCAIG - ZUCI - ZUCID



ZANUSSI 0L2107

ZANUSSI 0L2651

ZANUSSI 049899

40L2725 HEATING ELEMENT CHROME-PLATED 6000W 230V
immersion depth 335 mm
flange ø external 72 mm
for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - AUCAIG
AUCI - EUCAI - EUCAIG - EUCI - EUCIM - NUCAIG
ZUCAI - ZUCAID - ZUCAIDP - ZUCAIG - ZUCI
ZUCID



ZANUSSI 0L2108

ZANUSSI 0L2725

ZANUSSI 049898

3755057 HEATING ELEMENT FOR BOILER 10000W 230V
immersed length 460 mm
flange ø external 72 mm - with probe receptacle
complete with gasket OR ø 67 mm (3186014)
for Dishwasher pull-through (ZANUSSI) - Series RT
RT10 - RT100 - RT190 - RT270 - Series WT



ZANUSSI 0E5066

ZANUSSI 0L1836

3455427 HEATING ELEMENT FOR BOILER 12000W 230V
immersed length 460 mm
flange external ø72 mm - with probe receptable
complete with gasket OR ø 67 mm (3186014)
latches included
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT142 - RT190 - RT270



ZANUSSI 0E5116

ZANUSSI 0L1837

3455428 HEATING ELEMENT FOR BOILER 12000W 230V
immersed length 440 mm
flange ø external 72 mm
complete with gasket OR ø 67 mm (3186014)
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT142 - RT190 - RT270 - RT340



ZANUSSI 0E5162

ZANUSSI 0L1861

3755054 HEATING ELEMENT FOR BOILER 2000W 230V
immersed length 325 mm - width 65 mm
flange 80x27 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60
for Pan/utensilwashing machines (ZANUSSI) PW1



ZANUSSI 049613

ZANUSSI 049755



ZANUSSI



Suitable for:

Suitable for:

3355601 HEATING ELEMENT FOR BOILER 2400W 220V
immersed length 200 mm
external $\varnothing$ flange 63 mm - with probe receptacle
complete with O-Ring gasket $\varnothing$ 58 mm (3186013)



ZANUSSI 069455

ZANUSSI 069672

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

3355377 HEATING ELEMENT FOR BOILER 2400W 230V
immersed depth 260 mm
oval flange 96x58 mm - dist. between fast. holes 7
complete with gasket $\varnothing$ 52 mm (3186191)



ZANUSSI 070307

3186191 GASKET FLAT VITON $\varnothing$ 52x41x6 mm
for HEATING ELEMENT



ZANUSSI 060009

ZANUSSI 070308

3355314 HEATING ELEMENT FOR BOILER 2800W 230V
immersed length 385 mm
flange $\varnothing$ external 63 mm
complete with gasket OR $\varnothing$ 58 mm (3186013)
for Dishwasher (ZANUSSI) LS5 - WT4



ZANUSSI 049980

4065560 COVER FOR HEATING ELEMENT
 $\varnothing$ 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3755055 HEATING ELEMENT FOR BOILER 2800W 230V
immersed length 320 mm
flange $\varnothing$ external 63 mm
complete with gasket OR $\varnothing$ 58 mm (3186013)
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049371

40C5347 HEATING ELEMENT FOR BOILER 3000W 220V
immersed length 255 mm
flange $\varnothing$ external 63 mm
complete with gasket OR $\varnothing$ 58 mm (3186013)
for Dishwasher (ZANUSSI) C51 - C52 - LS510 - LS520
LS520D - LS520F - LS520K - LS520M



ZANUSSI 0C5347

ZANUSSI 047505

Suitable for:

Suitable for:

3355295 HEATING ELEMENT FOR BOILER 3000W 230/400
immersed length 170 mm
flange ø external 63 mm
complete with gasket OR ø 58 mm (3186013)
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64



ZANUSSI 0L1634

ZANUSSI 048489

ZANUSSI 048927

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755052 HEATING ELEMENT FOR BOILER 3000W 230V
immersed length 310 mm - width 65 mm
flange 80x27 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60



ZANUSSI 049614

ZANUSSI 049756

3755053 HEATING ELEMENT FOR BOILER 3500W 230V
immersed length 310 mm - width 65 mm
flange 80x27 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60
for Pan/utensilwashing machines (ZANUSSI) PW1



ZANUSSI 049615

ZANUSSI 049757

3455335 HEATING ELEMENT FOR BOILER 4000W 230V
immersed length 465 mm
flange ø external 63 mm
with probe receptacle
complete with gasket OR ø 58 mm (3186013)
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E5115

ZANUSSI 0K8250

ZANUSSI 0L1833

3355293 HEATING ELEMENT FOR BOILER 4500W 230/400
immersed length 370 mm
flange external ø 63 mm
complete with O-ring gasket ø 58 mm (3186013)
for Dishwasher hood type (ZANUSSI) LSE720 - LS1080
LS720 - LS860



ZANUSSI 048284

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620



ZANUSSI



Suitable for:

3755600 HEATING ELEMENT FOR BOILER 4500W 230V
immersed length 225 mm
flange ø external 63 mm
complete with gasket OR ø 58 mm (3186013)
for Dishwasher (ZANUSSI) FL610 - LS61 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS1080
LS720 - LS8 - LS860



ZANUSSI 048928

Suitable for:

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3355312 HEATING ELEMENT FOR BOILER 6000W 230/380
immersed length 455 mm
flange ø external 72 mm
complete with gasket OR ø 67 mm (3186014)
for Dishwasher conveyor type (ZANUSSI) WT730
WT760



ZANUSSI 0E5114

ZANUSSI 0K8249

ZANUSSI 0L1834

3355294 HEATING ELEMENT FOR BOILER 6000W 230/400
immersed length 370 mm
flange ø external 63 mm
complete with gasket OR ø 58 mm (3186013)
for Dishwasher (ZANUSSI) LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048221

ZANUSSI 048513

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456



Suitable for:

3455426 HEATING ELEMENT FOR BOILER 8000W 230V
immersed length 465 mm
flange external $\varnothing 72$ mm - with probe receptable
complete with gasket OR $\varnothing 67$ mm (3186014)
latches included
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT180 - RT190 - RT250 - RT270 - RT340
RT480



ZANUSSI 0E5113

ZANUSSI 0L1835

Suitable for:

3355604 HEATING ELEMENT FOR TANK 2000W 220V
immersed length 275 mm
width 120 mm - connection $\varnothing 10$ mm



ZANUSSI 069437

ZANUSSI 069671

3355027 HEATING ELEMENT TANK 1800W 220V
immersed length 410 mm - width 85 mm
fittings $\varnothing 14$ mm
for Dishwasher (ZANUSSI) LS365 - LS480 - LS500
LS540 - LS750
for Dishwasher hood type (ZANUSSI) LS860



3355030 HEATING ELEMENT TANK 2000W 220V
immersed length 370 - width 100 mm
fittings $\varnothing 14$ mm
for Dishwasher conveyor type (ZANUSSI) LSE22
LSE31 - LSE40



ZANUSSI

ZANUSSI 067610

3455429 HEATING ELEMENT TANK 2000W 230V
immersed length 365 mm - width 72 mm
flange 51x28 mm
for Dishwasher (ZANUSSI) LS5 - LS6



3755049 HEATING ELEMENT TANK 2000W 230V
immersed depth 240 mm
width 34 mm
fittings $\varnothing 10$ mm



ZANUSSI 0L2109

ZANUSSI 049954

ZANUSSI 0HA117

3355028 HEATING ELEMENT TANK 2200W 220V
immersed length 410 mm - width 130 mm
fittings $\varnothing 14$ mm
for Dishwasher (ZANUSSI) LS365 - LS480 - LS500
LS540 - LS750
for Dishwasher hood type (ZANUSSI) LS860



ZANUSSI 047484

ZANUSSI 047506

ZANUSSI 047848



ZANUSSI




Suitable for:

Suitable for:

3355290 HEATING ELEMENT TANK 2200W 230V
immersed length 340 mm - width 75 mm
flange 51x28 mm
complete with gasket (3186190)
for Dishwasher (ZANUSSI) LS3 - LS6 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8

3186190 GASKET FOR ELEMENT 23x46 mm
in rubber



ZANUSSI 0L2340

ZANUSSI 048228

ZANUSSI 048924

ZANUSSI 048483

3355291 HEATING ELEMENT TANK 2200W 230V
immersed length 325 mm - width 80 mm
fittings $\varnothing$ 14 mm
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS860

1186223 O-RING 02056 EPDM



ZANUSSI 046404

ZANUSSI 048000

ZANUSSI 048086

ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346

3455336 HEATING ELEMENT TANK 3x5000W 230V
immersed length 445 mm
flange $\varnothing$ external 72 mm
with O-RING $\varnothing$ 67 (3186014)
for Dishwasher conveyor type (ZANUSSI) WTF2 - WTF3
WTF4

3455425 HEATING ELEMENT TANK 7500W 230V
immersed length 325 mm
flange $\varnothing$ external 72 mm - with probe receptacle
with O-Ring $\varnothing$ 67 (3186014)
for Pan/utensilwashing machines (ZANUSSI) LV100M
LV200M



ZANUSSI 0K8505

ZANUSSI 0H2277

3755056 HEATING ELEMENT TANK 7500W 230V
immersed length 460 mm
flange $\varnothing$ external 72 mm
complete with gasket OR $\varnothing$ 67 mm (3186014)
nut (3528232) and washer (3528238) on request
for Dishwasher pull-through (ZANUSSI) RT10 - RT100
RT190 - RT270

3355670 FLANGE FOR HEATING ELEMENT
external $\varnothing$ 100 mm - internal $\varnothing$ 57 mm - 5 holes
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5161

ZANUSSI 0L1859

ZANUSSI 0E5492

Suitable for:

Suitable for:

3755051 HEATING ELEMENT TANK 800W 230V
immersed length 155 mm - width 34 mm
flange 51x28 mm - complete with gasket
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049059

3355348 HEATING ELEMENT 10500W 230V
immersed length 340 mm
flange ø external 72 mm
complete with o-ring ø 67 (3186014)
for Dishwasher hood type (ZANUSSI) ECOTEMP12
HT1000 - HT1200 - LS10 - LS14



ZANUSSI 0L1772

ZANUSSI 0L2727

ZANUSSI 049997

3755964 HEATING ELEMENT 10500W 230V
immersed length 380 mm
flange ø external 63 mm - with probe receptacle
complete with gasket OR ø 58 mm (3186013)
for Dishwasher pull-through (ZANUSSI) RT10



ZANUSSI 0E5953

ZANUSSI 0L1852

3755952 HEATING ELEMENT 12000W 220V
immersed depth 460 mm
flange external ø 72 mm - with bulbholder sheathin
complete with gasket OR ø 67 mm (3186014)
for Dishwasher conveyor type (ZANUSSI) WTF3
for Dishwasher pull-through (ZANUSSI) RT190
RT270



ZANUSSI 0E5213

ZANUSSI 0K7530

3355289 HEATING ELEMENT 1375W 230V
depth 170 mm - width 370 mm
staffe fissaggio 25x15 mm
for Dishwasher conveyor type (ZANUSSI) - Series WT
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5126

ZANUSSI 0E5253

3186073 GASKET 14x14 mm FOR HEATING ELEMENT
hole ø 8 mm



ZANUSSI 0K7154

3755171 HEATING ELEMENT 17000W 230V
immersed length 590 mm
flange external ø 63 mm
complete with gasket OR ø 57 mm (3186013)




ZANUSSI 0C5336

ZANUSSI 058995

ZANUSSI 059003

3755572 BRACKET FOR HEATING ELEMENT
external ø 90 mm - internal ø 50 mm
thickness 2.5 mm



ZANUSSI 003362

ZANUSSI 065558



Suitable for:

ZANUSSI



Suitable for:

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3355018 HEATING ELEMENT 1800W 220V
immersed length 360 mm - width 50 mm
flange 66x30 mm
for Dishwasher (ZANUSSI) LS32 - LS4 - LS50



ZANUSSI 060715

3186007 GASKET 14x14 mm HEAT.ELEMENT PIN
hole ø 8 mm



ZANUSSI 060717

3186008 GASKET FLAT RUBBER ø 48x42x5 mm
for HEATING ELEMENT



ZANUSSI 060716

3355250 SHAFT FOR HEATING ELEMENT



ZANUSSI 060718

3755273 HEATING ELEMENT 1800W 220V
immersed length 330 mm - width 90 mm
fittings ø 1/4" (13 mm)
for Dishwasher (ZANUSSI) LS4 - LS510 - LS521



ZANUSSI 047507

40E2326 HEATING ELEMENT 2000W 220V
immersed length 350 mm
flange 60x26 mm with gasket



ZANUSSI 0E2326

3355024 HEATING ELEMENT 3000W 220/380V
for wash tank and boiler
immersed length 260 mm
flange external ø 63 mm
complete with O-ring gasket ø 58 mm (3186013)



ZANUSSI 066109

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

Suitable for:

Suitable for:

3355022 HEATING ELEMENT 3000W 220V
for tank and boiler
immersed length 380 mm - width 65 mm
connections $\varnothing$ 14 mm
for Dishwasher conveyor type (ZANUSSI) - Series LN
Series LSE



ZANUSSI 067608

3355313 HEATING ELEMENT 3000W 230V
immersed length 355 mm - width 75 mm
flange 51x28 mm
for Dishwasher hood type (ZANUSSI) HT900 - LS9



ZANUSSI 0L1870

ZANUSSI 048491

3355033 HEATING ELEMENT 4200W 220/380V
for tank and boiler
immersed length 335 mm
flange external $\varnothing$ 63 mm - with probe receptacle
complete with O-ring gasket $\varnothing$ 58 mm (3186013)
for Dishwasher hood type (ZANUSSI) LSE720



ZANUSSI 046622

ZANUSSI 046623

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3355025 HEATING ELEMENT 4500W 220/380V
for tank and boiler
immersed length 395 mm
flange external $\varnothing$ 63 mm
complete with o-ring $\varnothing$ 58 mm (3186013)
for Dishwasher (ZANUSSI) LS360
for Dishwasher hood type (ZANUSSI) LS860



ZANUSSI 002523

ZANUSSI 065557

4065560 COVER FOR HEATING ELEMENT
 $\varnothing$ 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456



ZANUSSI



Suitable for:

Suitable for:

3355292 HEATING ELEMENT 4500W 220/380V
immersed length 300 mm
flange ø external 63 mm - with probe receptacle
complete with gasket OR ø 58 mm (3186013)
for Dishwasher (ZANUSSI) LS4 - LS6
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 047847

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755211 HEATING ELEMENT 4500W 230V
immersed length 320 mm
flange external ø 63 mm - with probe receptacle
complete with O-ring gasket ø 58 mm (3186013)
for Dishwasher hood type (ZANUSSI) LSE720 - LS860



ZANUSSI 046627

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755951 HEATING ELEMENT 4500W 230V
immersed length 265 mm
flange ø external 63 mm
with O-Ring ø 58 (3186013)
for Dishwasher (ZANUSSI) EUC1 - EUC3 - LS5 - WT4



ZANUSSI 0L2129

ZANUSSI 0L2652

ZANUSSI 049955

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3355026 HEATING ELEMENT 6000W 220/380V
for tank and boiler
immersed length 495 mm
flange external ø 63 mm
complete with o-ring ø 58 mm (3186013)



ZANUSSI 058012

ZANUSSI 066110

ZANUSSI 076035

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560



Suitable for:

ZANUSSI



3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

Suitable for:

3355046 HEATING ELEMENT 6000W 220/380V
immersed length 490 mm
flange ø external 63 mm - with probe receptacle
complete with gasket OR ø 58 mm (3186013)
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 051632

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3355106 HEATING ELEMENT 6000W 230/400V
for boiler and wash tank
immersed length 350 mm
ext. ø flange 72 mm - with bulb-sheathing
with O-ring gasket ø 67 mm (3186014)
nut (3528232) and washer (3528238) on request
for Dishwasher (ZANUSSI) LS62/F
for Dishwasher (ZANUSSI) LS62/F



ZANUSSI 049898

3186014 O-RING GASKET 06225 EPDM ø 67 mm
for Dishwasher (ZANUSSI) LS62/F
for Dishwasher (ZANUSSI) LS62/F



ZANUSSI 0E5037

ZANUSSI 007029

ZANUSSI 047156

ZANUSSI 049909

3755963 HEATING ELEMENT 6000W 230V
immersed length 300 mm
flange ø external 63 mm
complete with O-Ring ø 58 (3186013)
for Pan/utensilwashing machines (ZANUSSI)



ZANUSSI 0L1878

ZANUSSI 049116



ZANUSSI



Suitable for:

Suitable for:


3355307 HEATING ELEMENT 9000W 230V
immersed length 440 mm
flange ø external 72 mm
complete with gasket OR ø 67 mm (3186014)
nut (3528232) and washer (3528238) on request
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5163

ZANUSSI 0L1860

3355670 FLANGE FOR HEATING ELEMENT
external ø 100 mm - internal ø 57 mm - 5 holes
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5492

3755270 HEATING ELEMENT 9000W 230V
immersed length 345 mm
flange ø external 72 mm
complete with O-ring ø 67 (3186014)
for Dishwasher (ZANUSSI) LU7
for Dishwasher hood type (ZANUSSI) HT1200 - LS10E
LS14ROW - LS9 - WT55



ZANUSSI 0L1630

ZANUSSI 0L2653

ZANUSSI 049992

40L1853 KIT HEATING ELEMENT 12000W 230V
immersed length 460 mm
flange external ø63 mm - with probe receptable
complete with gasket OR ø 58 mm (3186013)
latches included
for Dishwasher pull-through (ZANUSSI) RT10 - RT100
RT140 - RT142 - RT180 - RT1800 - RT190
RT2500 - WT100 - WT150 - WT190 - WT200 - WT270
WT90 - WT95



ZANUSSI 0E5956

ZANUSSI 0L1853

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

40L1877 KIT HEATING ELEMENT 6000W 230V
immersed length 490 mm
flange external ø63 mm - with probe receptable
complete with gasket OR ø 58 mm (3186013)
latches and contact protections included
for Dishwasher (ZANUSSI)



ZANUSSI 0L1877

ZANUSSI 003410

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

- 3355336 SILICONE HEATING ELEMENT 1000W 240V**
length 400 mm - width 290 mm
complete with thermostat 150°C automatic rese
operating ambient: dry



ZANUSSI 032094

Hinges, catches and accessories

- 3053049 CLASP ø 4.5x24 mm**
stainless steel - UNI 6873 - DIN 1481 - ISO 8752
for Dishwasher (ZANUSSI) LS50 - LS51 - LS52



ZANUSSI 045446

- 3053325 DOOR LEVER**
for Pan/utensilwashing machines (ZANUSSI)
Series PW - Series WT



ZANUSSI 049731

- 3250052 DOOR SPRING ø 16x186 mm**
for Glasswasher/Cupwasher (ZANUSSI) GW1 - LB1
WT1 - WT2 - Z1



ZANUSSI 049200

- 3250068 DOOR SPRING ø 16x198 mm**
for Glasswasher/Cupwasher (ZANUSSI) GW2 - LB2 - Z2



ZANUSSI 049086

- 3053324 DOOR TIE ROD ø 12x605 mm**
for Pan/utensilwashing machines (ZANUSSI)
Series PW - Series WT



ZANUSSI 049730

- 3053210 DOOR TIE ROD 255 mm**
for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32



ZANUSSI 049282

- 1348817 CIRCLIP RADIAL ø 4 mm**
stainless steel- outer ø 9.3 mm - thickness 0.7 mm
UNI 7434 - DIN 6799



ZANUSSI 049284



Suitable for:

3398018 DOOR LOCKING PLATE 64x16 mm
for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32
for Dishwasher (ZANUSSI) LS5/DP3



ZANUSSI 049285

3528062 NUT FOR DOOR TIE ROD
for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32



ZANUSSI 049372

3053021 HINGE MADE OF STEEL LH
for Dishwasher (ZANUSSI) LS50 - LS51 - LS52



ZANUSSI 045480

ZANUSSI 045483

3053062 LEVER FOR HINGE LH
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 0L0718

ZANUSSI 048814

3053064 RETURN SPRING FOR DOOR
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 048815

ZANUSSI



Suitable for:

3053209 DOOR TIE ROD RETAINER
for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32
for Dishwasher (ZANUSSI) LS5/DP3



ZANUSSI 049286

3053208 TIE ROD PIN
for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32



ZANUSSI 049283

3053063 BUSHING FOR LEVER
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 048812



Suitable for:

3053061 LEVER FOR RIGHTHAND DOOR HINGE
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 0L0717

ZANUSSI 048813

Suitable for:

3053063 BUSHING FOR LEVER
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 048812

3053064 RETURN SPRING FOR DOOR
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 048815

3053079 PIN FOR HINGE SPRING $\varnothing$ 11x280 mm
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500




ZANUSSI 048581

3053130 RIGHTHAND HINGE
for Dishwasher (ZANUSSI) LS7



ZANUSSI 048582

3053133 LEFTHAND HINGE
for Dishwasher (ZANUSSI) LS7



ZANUSSI 048583

3053058 RIGHTHAND/LEFTHAND DOOR HINGE
for Dishwasher (ZANUSSI) - Series LS



ZANUSSI 048161



Suitable for:

ZANUSSI



3053078 SAFETY PIN 95 mm



ZANUSSI 048297

3250048 SPRING FOR HOOD LIFTING
dimensions $\varnothing$ 39x495 mm
for LS10-WT60-LS12-HT1000-HT1200-HYDRA 1000-
HYDRA 1200-Z100-Z120



ZANUSSI 048258

3053052 SPRING FOR LEFTHAND DOOR HINGE
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500



ZANUSSI 046268

3053240 TIE-ROD GUIDE PIN
for Pan/utensilwashing machines (ZANUSSI) PW1
PW100 - PW2 - PW200 - WT830



ZANUSSI 049685

3053241 RIGHT DOOR LOCK
for Pan/utensilwashing machines (ZANUSSI) PW1
PW100 - PW2 - PW200 - WT830



ZANUSSI 049693

Suitable for:

3250047 SAFETY SPRING $\varnothing$ 9x26 mm
for LS8-LS10-HT1000-HT1200-HYDRA 1200-LS12-HT800-
HYDRA 800-HYDRA 1000



ZANUSSI 048298

3053053 SPRING FOR RIGHTHAND DOOR HINGE
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500



ZANUSSI 046269

3053239 LEFT DOOR LOCK
for Pan/utensilwashing machines (ZANUSSI) PW1
PW100 - PW2 - PW200 - WT830



ZANUSSI 049711

Hose reels

- 3359553 WASHING UNIT MINIREEL**
stainless steel case aisi 304
with automatic retractor
EPDM hose $\varnothing$ 13 mm
pull-out hose length 160 cm
complete with shower ECO/F
for fixing to any equipment



ZANUSSI 0T1747

ZANUSSI 006696

- 3359610 BLACK SHOWER CASE ECO $\varnothing$ 1/2" M**
with coupling 3/8" M x 1/2" M



ZANUSSI 003175

Hose-end fittings

- 3315023 Y-SHAPED FITTING**
fittings outer $\varnothing$ 14 mm
for Dishwasher (ZANUSSI) LS5 - LS6 - LS7
for Dishwasher hood type (ZANUSSI) LS14



ZANUSSI 0L0365

- 3315106 3-WAY HOSE END RUBBER FITTING $\varnothing$ 10 mm**



ZANUSSI 047431

- 3315107 3-WAYS HOSE END RUBBER FITTING $\varnothing$ 12**



ZANUSSI 048195

Hydraulic piping

- 3450113 FLEXIBLE HOSE CR $\varnothing$ 6/12 mm -5°+60°C - 5m**
pressure 20÷60 bar
food safe



ZANUSSI 0L1082

- 3450736 PRESSURE SWITCH PIPE $\varnothing$ 4x8.5 mm - 10 m**
made of black rubber
external $\varnothing$ 8.5 mm
internal $\varnothing$ 4 mm



ZANUSSI 072393



Suitable for:

Suitable for:

3450336 PRESSURE SWITCH PIPE $\varnothing$ 4x8.5 mm - 100 m
made of black rubber
external $\varnothing$ 8.5 mm
internal $\varnothing$ 4 mm

3450622 PRESSURE SWITCH PIPE $\varnothing$ 5x11 mm - 5 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 11 mm
internal $\varnothing$ 5 mm
5-m bundles
for 50-m bundles see 3450652



ZANUSSI 072393

ZANUSSI 048225

ZANUSSI 048226

ZANUSSI 048883

3450652 PRESSURE SWITCH PIPE $\varnothing$ 5x11 mm - 50 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 11 mm
internal $\varnothing$ 5 mm
50-m bundles
for 5-m bundles see 3450622

3450176 PVC $\varnothing$ 4x7 mm - 150 m



ZANUSSI 048225

ZANUSSI 048226

ZANUSSI 048883

ZANUSSI 069480

3450197 RUBBER HOSE $\varnothing$ 11x19 mm - 45 mt
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 19 mm
internal $\varnothing$ 11 mm
45 m bundles
for 5-m bundles see 3450297

3450297 RUBBER HOSE $\varnothing$ 11x19 mm - 5 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 19 mm
internal $\varnothing$ 11 mm
5-m bundles
for 50-m bundles see 3450197



ZANUSSI 0E5121

ZANUSSI 0K8670

ZANUSSI 048531

ZANUSSI 0E5121

ZANUSSI 0K8670

ZANUSSI 048531

Suitable for:

Suitable for:

3450651 RUBBER PIPE 110°C. ø 10x16 mm - 40 m
 temperature -30°+110°C
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external ø 16 mm
 internal ø 10 mm
 40-m rolls
 for 5-m rolls see 3450621

3450621 RUBBER PIPE 110°C. ø 10x16 mm - 5 m
 temperature -30°+110°C
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external ø 16 mm
 internal ø 10 mm
 for 40 m rolls see 3450651



ZANUSSI 0C3165
 ZANUSSI 086085

ZANUSSI 0C4158

ZANUSSI 002707

ZANUSSI 0C3165
 ZANUSSI 086085

ZANUSSI 0C4158

ZANUSSI 002707

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



ZANUSSI 004169

ZANUSSI 058544

3221164 GREEN INDICATOR LAMP 230V
 head ø 7 mm - hole ø 6 mm - 120°C
 dashboard mounting



ZANUSSI 054150+054151

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
 mounting hole ø 6 mm - head ø 7 mm



ZANUSSI 054151

3221034 GREEN INDICATOR LAMP 400V
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



ZANUSSI 004157



ZANUSSI



Suitable for:

3221008 GREEN LAMP RECEPTACLE
head $\varnothing$ 15 mm - hole $\varnothing$ 12.5 mm
universal application
for Dishwasher (ZANUSSI) - Series LS
for Dishwasher pull-through (ZANUSSI) - Series CT



ZANUSSI 075096

3221097 NEUTRAL INDICATOR LAMP 220V
head $\varnothing$ 8 mm - 120°C



ZANUSSI 004895

ZANUSSI 046241

ZANUSSI 048488

ZANUSSI 048832

3221098 GREEN LAMP RECEPTACLE



ZANUSSI 0HA054

3221085 INDICATOR LAMP GREEN 230V
 $\varnothing$ head 18 mm - $\varnothing$ hole 12 mm - 120°C



ZANUSSI 003531

3221007 LAMP RECEPTACLE ORANGE
head $\varnothing$ 15 mm - hole $\varnothing$ 12 mm
universal application
for Dishwasher (ZANUSSI) - Series LS
for Dishwasher pull-through (ZANUSSI) - Series CT



ZANUSSI 075095

Suitable for:

3221126 INDICATOR LAMP 24V
head $\varnothing$ 8 mm



ZANUSSI 075110

3221378 GREEN LAMP RECEPTACLE
for Pan/utensilwashing machines (ZANUSSI) L0250



ZANUSSI 075605

3221094 INDICATOR LAMP ORANGE 230V
 $\varnothing$ head 14 mm - $\varnothing$ hole 11.5 mm - 120°C



ZANUSSI 0H6618

3221126 INDICATOR LAMP 24V
head $\varnothing$ 8 mm



ZANUSSI 075110



Suitable for:

ZANUSSI



3221097 NEUTRAL INDICATOR LAMP 220V
head $\varnothing$ 8 mm - 120°C



ZANUSSI 004895

ZANUSSI 046241

ZANUSSI 048488

ZANUSSI 048832

3221112 ORANGE INDICATOR LAMP 220V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
application to the board



ZANUSSI 053811+053812

3221011 ORANGE INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2225

3221032 GREEN INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221033 RED INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2408

3221095 ORANGE INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 005215

ZANUSSI 058522

3221009 RED INDICATOR LAMP 220V
head 17x17 mm - $\varnothing$ hole 13 mm - 120°C
universal application



ZANUSSI 057294



Suitable for:

3221004 RED INDICATOR LIGHT 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 053153

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

3221379 RED LAMP RECEPTACLE
for Pan/utensilwashing machines (ZANUSSI) L0250



ZANUSSI 075604

3221358 WHITE LAMP RECEPTACLE
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm



ZANUSSI 046289

3221605 YELLOW INDICATOR LIGHT 24V
hole $\varnothing$ 12 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5195

Suitable for:

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221593 WHITE INDICATOR LIGHT 24V
hole $\varnothing$ 12 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5134

3221380 WHITE LAMP RECEPTACLE
for Pan/utensilwashing machines (ZANUSSI) L0250



ZANUSSI 075603



Inlet hoses

- 3449034 FLEX HOSE $\varnothing$ 3/4" Fp x CFp 1500 mm**
EPDM hose covered in stainless steel
hose external $\varnothing$ 17 mm – internal $\varnothing$ 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ZANUSSI 0S0151

ZANUSSI 069571

- 3449035 FLEX HOSE $\varnothing$ 3/4" Fp x CFp 2000 mm**
EPDM hose covered in stainless steel
hose external $\varnothing$ 17 mm – hose internal $\varnothing$ 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ZANUSSI 049540

- 3449001 INLET ELBOW HOSE $\varnothing$ 3/4" FF 1500 mm**
thermoplastic hose $\varnothing$ 10x16 mm
nylon fittings $\varnothing$ 3/4" with gaskets
max temperature 90°C
max pressure 10 bar



ZANUSSI 0C8316

ZANUSSI 0S0150

ZANUSSI 053789

- 3449007 INLET ELBOW HOSE $\varnothing$ 3/4" FF 1500 mm**
rubber hose with textile reinforcement $\varnothing$ 13x20 mm
with elbow in thermoplastic material
metal ring nuts 3/4"F
max temperature 90°C
max pressure 15 bar



ZANUSSI 0S0153

ZANUSSI 047605

ZANUSSI 066463

- 3449056 INLET ELBOW HOSE $\varnothing$ 3/4" FF 2000 mm**
thermoplastic hose $\varnothing$ 13x19 mm
brass fittings $\varnothing$ 3/4"F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



ZANUSSI 0L1887

ZANUSSI 048816

- 3449003 STRAIGHT ELBOW HOSE $\varnothing$ 3/4" FF 1500 mm**
rubber hose with textile reinforcement $\varnothing$ 13x20 mm
with metal ring nuts 3/4"F
max temperature 90°C
max pressure 15 bar



ZANUSSI 0S0152

ZANUSSI 060933

Interference suppression filters

- 4049901 INTERFER.SUPPRE.FILTER PROCOND411141410D**
for DISHWASHER LS6EP-LS6EA-LS6SANA-LSEAH-LV6EA-LS6MCD-LV6EP-H3300-ET5E-ET5ED



ZANUSSI 049901

- 3160394 INTERFERENCE SUP.FILTER PROCOND411135007**



ZANUSSI 046226



Suitable for:

Suitable for:

3160099 INTERFERENCE SUPPRES. FILTER F3CF71112
0.47 μ F



ZANUSSI 046217

Ironmongery (screws,nuts,washers)

3528087 COUNTERSUNK FLAT HEAD SCREWS M6x50
cross recessed - stainless steel
UNI 7688 - DIN 965 - ISO 7046



ZANUSSI 0D0658

3528206 CYLINDER HEAD SCREW M5x20
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ZANUSSI 0D0502

3528207 CYLINDER HEAD SCREW M6x25
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ZANUSSI 0D2248

5042380 HEXAGON HEAD SCREW M6x20
stainless steel- UNI 5739 - DIN 933 - ISO 4017



ZANUSSI 0G1698

3528106 HEXAGONAL HEAD SCREW M5x16
st./steel - UNI 5739 - DIN 933 - ISO 4017



ZANUSSI 0D0506

3528094 HEXAGONAL HEAD SCREW M8x12
st./steel - UNI 5739 - DIN 933 - ISO 4017



ZANUSSI 0KE147

3528128 LARGE PAN HEAD SCREW M6x20
stainless steel - slotted



ZANUSSI 0U0237

1349504 NUT $\varnothing$ 1/2" KEY 25x6 mm



ZANUSSI 003035



Suitable for:

Suitable for:

1252093 ST.STEEL SCREW FOR DOSING ADJUST. M8x70



ZANUSSI 0E5792

Knobs

3241204 KNOB ø 40 mm
D shaft hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS521



ZANUSSI 048153

3241202 KNOB ø 42 mm
D-shaped hole 4.6x6 mm
for Dishwasher (ZANUSSI) LS360 - LS365



ZANUSSI 047693

3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6
stainless steel - cone end
UNI 5927 - DIN 914 - ISO 4027



ZANUSSI 046258

ZANUSSI 047846

3241338 KNOB BLACK ø 42 mm
D-shaped hole 6x4.6 mm



ZANUSSI 0E3019

Labels for control panels

3399076 CONTROL PANEL WT30 560 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS65
WT32 - WT33 - WT34 - WT35



ZANUSSI 048905

3399077 CONTROL PLATE LS3 IN ABS 560 mm



ZANUSSI 049313



ZANUSSI



Suitable for:

3399020 CONTROL PLATE 308x158 mm
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048648

Suitable for:

3186468 CONTROL PANEL GASKET



ZANUSSI 048274

3399005 CONTROL PLATE 435x65 mm
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049061

3399018 CONTROL PLATE 560x75 mm
for Dishwasher (ZANUSSI) LS6 - LS60 - LS61 - LS62



ZANUSSI 048827

ZANUSSI 049128

3399016 CONTROL PLATE 590x70 mm
for Dishwasher (ZANUSSI) LS7



3399017 CONTROL PLATE 590x70 mm
for Dishwasher (ZANUSSI) LS520



ZANUSSI 048339

ZANUSSI 047545

ZANUSSI 047561

ZANUSSI 047633

40L1999 DASHBOARD 437x70 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW1WS
GW2 - GW2WS - LB1 - LB1TOP - LB1WS - LB1WSDP
LB2 - LB2TOP - LB2WS - LB2WSDP - NGW - WT1
WT1TOP - WT1WS - WT1WSDP - WT2 - WT2DPDI
WT2TOP - WT2WS



ZANUSSI 0L1999

Lever mixers

3259008 SINGLE LEVER MIXER
spout $\varnothing$ 22x250 mm
flow rate 18 l/min at 3 bar
connection $\varnothing$ 1/2" F
mounting hole 32 mm



ZANUSSI 037616

3359178 SINGLE-HOLE LEVER MIXER STYL
cartridge with ceramic discs V090 $\varnothing$ 40
gray lever 220 mm
pipe $\varnothing$ 20 x 300 mm
power $\varnothing$ 1/2"



ZANUSSI 0S1244



Suitable for:

ZANUSSI



Suitable for:

3359181 TWO-HOLE SINGLE LEVER MIXER
connections $\varnothing$ 3/4"MM
distance between holes 155 mm
spout 250 mm



ZANUSSI 0S1457

ZANUSSI 069965

ZANUSSI 850021

3359443 TWO-HOLE SINGLE LEVER MIXER
spout 250 mm
flow rate 22 L/min by 4 bar
distance between holes 155 mm
connections $\varnothing$ 3/4"MM
mounting hole $\varnothing$ 27/28 mm



ZANUSSI 0S0341

3359408 LEVER COMPLETE WITH CARTRIDGE BLACK
length 345 mm
connection 7x8 mm



ZANUSSI 0S0343

Lip seals

3786683 GASKET FOR WASH OUTLET 78x50x10 mm
for Dishwasher pull-through (ZANUSSI) RT100
RT190 - RT270 - RT340 - RT480



ZANUSSI 0E6005

Magnets

7105989 MAGNET 45x19x11 mm



ZANUSSI 087533



Suitable for:

ZANUSSI



Suitable for:

Manifolds for dishwashers

40L0081 DRAIN MANIFOLD
drain pump outlet closed
for Dishwasher hood type (ZANUSSI) HT900ADG1
HYDRA1000 - HYDRA1200 - LC12 - LSCE10 - LSCE12
LS10 - LS10D - LS10F - LS12 - LS12D - LS12F
LV1000 - WT55ADG1 - WT55P - WT65ROW
for Pan/utensilwashing machines (ZANUSSI) L010
LU7ADP - LU7PDP - LU700ADP - LU700PDP - SH55
WTU40ADP - WTU40PDP



ZANUSSI 0L0081

3061022 CAP FOR MANIFOLD
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048231

3061023 CAP GASKET
for Dishwasher (ZANUSSI)



ZANUSSI 048230

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

3786181 O-RING 0150 EPDM



ZANUSSI 048229

3743370 HOSE OUTLET
for Dishwasher hood type (ZANUSSI) HT1200 - LS10
LS14 - LS14AH - LS14W - LS9 - LV1200 - WT55
WT65 - WT65WS
for Dishwasher hood type (ZANUSSI) LV1000



ZANUSSI 0I0556

ZANUSSI 0L0556

ZANUSSI 049595

3786685 O-RING 06287 EPDM
for Dishwasher hood type (ZANUSSI) HT1200 - LS14
LV1200 - WT65



ZANUSSI 049593



Suitable for:

ZANUSSI



Suitable for:

- 3450161 RING NUT FOR WASH OUTLET PIPE**
for Dishwasher hood type (ZANUSSI) HT1200 - LS14
LV1200 - WT65



ZANUSSI 0L0557

ZANUSSI 049596

- 3061019 KIT DRAIN MANIFOLD**
for Dishwasher (ZANUSSI) CRISTAL50 - CRISTAL51
CRISTAL52 - LS360 - LS4 - LS520 - LS54 - LS540
LS550



ZANUSSI 0L1638

ZANUSSI 047456

ZANUSSI 047457

- 3061012 KIT FOR FILTERHOLDER MANIFOLD COMPLETE**
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 0L1629

ZANUSSI 048325

- 3061014 CAP FOR MANIFOLD**
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046596

- 3061015 CAP GASKET**
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046595

- 3786686 GASKET FLAT EPDM ø 58x50x1.5 mm**



ZANUSSI 049828

- 4049894 GASKET O-RING M 1100-40 EPDM**
for DISHWASHER LS6EP-LS6EA-LV6EP
for Dishwasher (ZANUSSI) AUCAI - AUCAIG - AUCI
ET5E - ET5ED - EUCAI - EUCAIDP - EUCAIG - EUCI
EUCIM - FL620EA - FL620EP - H3300 - LD5
LS5/1 - LS5/3 - LS6EA - LS6EADD - LS6EAH
LS6EP - LV5 - LV6EA - LV6EADP - LV6EP - ZUCAI
for Dishwasher hood type (ZANUSSI) EHT8 - EHT8I
EHT8IG - EHT8ILG - ZHT8I - ZHT8IELG - ZHT8IG



ZANUSSI 049894

- 3061016 GASKET O-RING 04437 EPDM**
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048327



Suitable for:

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302


ZANUSSI 046878

ZANUSSI



Suitable for:

3061017 UPPER RING NUT FOR MANIFOLD
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048326

3061021 MANIFOLD FILTERHOLDER
drain pump outlet closed
hose-end fitting $\varnothing$ external 11.5 mm - $\varnothing$ int. 5.5 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048430

ZANUSSI 049600

3061023 CAP GASKET
for Dishwasher (ZANUSSI)



ZANUSSI 048230

3450032 DRAIN PIPE $\varnothing$ 38x2000 mm
muffs internal $\varnothing$ 31 and 40 mm
max temperature 90°C



ZANUSSI 049748

3786181 O-RING 0150 EPDM




ZANUSSI 048229

3061022 CAP FOR MANIFOLD
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048231

3450031 DRAIN PIPE $\varnothing$ 38x1500 mm
muffs internal $\varnothing$ 31 and 40 mm
max temperature 90°C



ZANUSSI 048818

ZANUSSI 049856

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

Suitable for:

3061026 MANIFOLD OUTLET



ZANUSSI 046594

3061008 CAP GASKET



ZANUSSI 046593

3061007 O-RING 04362 EPDM



ZANUSSI 045462

3450041 NOZZLE SUPPORT CONNECTING PIPE
length 650 mm
for Dishwasher (ZANUSSI) ECOTEMP5 - FL620 - LS6
LS6E - WT30



ZANUSSI 0L0095

3450047 PUMP OUTLET HOSE
plastic pipe with rubber muffs
internal ø 60 mm
connecting pump and wash jets
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 046542

Suitable for:

3061014 CAP FOR MANIFOLD
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046596

3061015 CAP GASKET
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046595

3450040 PUMP OUTLET HOSE
plastic pipe with rubber muffs
internal ø 45 mm
connecting pump and wash jet connection
for Dishwasher (ZANUSSI) LS500
for Dishwasher hood type (ZANUSSI) LS720



ZANUSSI 046372



ZANUSSI



Suitable for:

3743369 WASH ARM
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2




ZANUSSI 049087

ZANUSSI 049946

Suitable for:

3743849 WASH COLUMN
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2



ZANUSSI 049945

3450100 WASH OUTLET TUBE
overall height 700 mm
for Dishwasher (ZANUSSI) LB5G - WT4



ZANUSSI 0L0125

ZANUSSI 049291

3061013 WASH PUMP FILTER MANIFOLD
for Dishwasher (ZANUSSI) LS505



ZANUSSI 047554

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

3061011 O-RING SEAL 04375 EPDM
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS36 - LS4 - LS505 - LS510 - LS520
LS54



ZANUSSI 047458

Measuring tools

3394952 DIGITAL THERMOMETER -50+150°C/-58+300°F

watertight and shockproof
battery powered and auto power off
measurement unit selectable in degrees °C/°F
resolution 0.1°C - accuracy $\pm 1^\circ\text{C}/\pm 2^\circ\text{F}$
memory button - ON/OFF button
complete with case



ZANUSSI 0S2040

Microswitches

40E5835 ACTOVATOR FOR MICROSWITCH for DISHWASHER RT10-RT180-Z18-WT90



ZANUSSI 0E5835

3240605 DOOR MICROSWITCH M1AX20 10A 250V



ZANUSSI 002785

ZANUSSI 046063

3240465 LEVEL MICROSENSOR FOR BOILER contact NA for Dishwasher hood type (ZANUSSI) LS10 - LS8



ZANUSSI 049309

ZANUSSI 049478

3240167 LEVER FOR MICROSWITCH for Dishwasher (ZANUSSI) LS365 - LS367 - LS540 LS541 - 5CF06B - 5CF09B



ZANUSSI 046279

3240471 MAGNET FOR MICROSWITCH 23x16x18 mm for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E0102

ZANUSSI 088361

3240467 MAGNETIC MICROSWITCH for rinsing area 1400 mm cable bulb $\varnothing 9 \times 30$ mm contacts normally closed for Dishwasher pull-through (ZANUSSI) RT100 RT140 - RT190



ZANUSSI 0E0006

ZANUSSI 0E2321

ZANUSSI 049970



ZANUSSI



Suitable for:

3240463 MAGNETIC MICROSWITCH $\varnothing$ 6x30 mm
0.01A 250V - contact NO
with cable length 290 mm
for Dishwasher (ZANUSSI) LS61 - LS62 - LS63 - LS64
Z62 - Z63 - Z64
for Dishwasher hood type (ZANUSSI) LS10 - LS8



ZANUSSI 048831


3240466 MAGNETIC MICROSWITCH $\varnothing$ 6x30 mm
0.5A 250V - contact NO
with cable length 460 mm
for Dishwasher hood type (ZANUSSI) ECOTEMP12
HT1000 - HT1200 - HT800 - HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 048268

ZANUSSI 048486

3240462 MAGNETIC MICROSWITCH E5111B
0.01A 250V - contact NO - head 32x13x8 mm
with cable length 290 mm
for Dishwasher (ZANUSSI) LS3 - LS6



ZANUSSI 049226

3240098 MAGNETIC MICROSWITCH 36x26 mm
cable length 2500 mm
for Dishwasher pull-through (ZANUSSI) RT10



ZANUSSI 0E5854

ZANUSSI 049969

Suitable for:

3240464 MICROSWITCH MAGNET $\varnothing$ 6x29 mm
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - LS8
Z100 - Z120



ZANUSSI 048667

3240137 MAGNET PROTECTION
for Dishwasher hood type (ZANUSSI) ECOTEMP12
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI 049535

3240468 MAGNETIC MICROSWITCH E590-1U
230V 3A 60W
1600 mm cable
for Dishwasher conveyor type (ZANUSSI) LN
for Dishwasher hood type (ZANUSSI) D48 - D480
for Dishwasher pull-through (ZANUSSI) D530 - D580
D680 - RT10 - RT100 - RT140 - RT180 - RT190
RT250 - RT270 - RT340 - RT480
for Pan/utensilwashing machines (ZANUSSI) D820
D840



ZANUSSI 0E0003

ZANUSSI 049966

ZANUSSI 0E5185

ZANUSSI 0K7171

3240461 MICRO SWITCH MAGNETIC
bulb $\varnothing$ 6x30 mm - cable 350 mm
for Dishwasher (ZANUSSI)
since 1/01/94
till 1/01/94
LS7 - WT40



ZANUSSI 048893



ZANUSSI



Suitable for:


3240927 MICRO SWITCH XGG2 88 S21 16A 250V
lever with roller $\varnothing$ 4.8 mm
length 25.9 mm - 6.6 mm width



ZANUSSI

Suitable for:

3240155 MICROSWITCH FR530-A
1NO-1NC 3A 400V
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT92



ZANUSSI 046884

3240469 MICROSWITCH MAGNETIC E710-1B
50VA 250V - NO contact - head 50x19 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60
for Pan/utensilwashing machines (ZANUSSI)
since 1/01/99
till 1/01/99
PW1M - PW2M



ZANUSSI 049621

3240148 MICROSWITCH MAGNET 63x19x11 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 049627

3240601 MICROSWITCH N16 250V
contact capacity 16A 250V
for Glasswasher/Cupwasher (ZANUSSI) LTB12



ZANUSSI

3240144 MICROSWITCH S16 16A 250V



ZANUSSI 0W2466

3240406 MICROSWITCH 10(4)A 250V



ZANUSSI 0H6597

3240410 MICROSWITCH 16(4)A 250V



ZANUSSI

3240123 MICROSWITCH 16A 250V



ZANUSSI 0K1505

3240332 MICROSWITCH 16A 250V



ZANUSSI 0D6615

ZANUSSI 0KQ309



ZANUSSI



Suitable for:

3240820 MICROSWITCH 16A 250V
for Dishwasher (ZANUSSI) CF314 - CRYSTAL50
CRYSTAL52 - LS360 - LS4 - LS500 - LS510
LS520 - LS521 - LS540
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E0209
ZANUSSI 046286

ZANUSSI 0KB678
ZANUSSI 047485

ZANUSSI 004904
ZANUSSI 053671

3240473 GASKET FOR BUSHING



ZANUSSI 047490

3240153 ROD FOR MICROSWITCH
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL52
LS360 - LS4 - LS510 - LS520 - LS521



ZANUSSI 047488

3240156 MICROSWITCH 5A 250V
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT92
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 046322


Suitable for:

3240152 BUSHING FOR MICROSWITCH
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL52
LS360 - LS4 - LS510 - LS520 - LS521



ZANUSSI 047487

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm
for Dishwasher (ZANUSSI) LS365 - LS367 - LS540
LS541



ZANUSSI 045404

ZANUSSI 45404

3240154 SPRING FOR MICROSWITCH ROD
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL52
LS360 - LS4 - LS510 - LS520 - LS521



ZANUSSI 047489

3240177 LEVER FOR MICROSWITCH
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT90
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 075626



Suitable for:

ZANUSSI



- 3240178 SPRING FOR LEVER**
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT90
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 075633


- 3240884 RECTANGULAR MAGNET 63x19x7 mm**



ZANUSSI 0L2534

Suitable for:


- 40L1871 SENSOR KIT REED E710-1V**
0,04A 250V contact NO - size 50x19x14 mm



ZANUSSI 0L1871

Motors

- 3340103 MOTOR AM90L BAG 1.7HP 230/400V**
shaft $\varnothing$ 24x50 mm - feather 8x40 mm
for Dishwasher pull-through (ZANUSSI) WTM140ERA
for Dishwasher conveyor type (ZANUSSI) RT140EL



ZANUSSI 0E5616

ZANUSSI 0E5798

- 3240014 MOTOR F.604130 130W**



ZANUSSI 0E57437

- 3340109 MOTOR K21R 71K4 0.4HP 230/400V**
shaft $\varnothing$ 14x30 mm - feather 5x15 mm
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0K8531

- 3340108 MOTOR LAFERT AM717 AA4 0.25/0.29Kw**
220-240V/380-415V 50/60Hz
shaft $\varnothing$ 14x30 mm - feather 5x20 mm
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0E5800



Suitable for:

ZANUSSI



Suitable for:

Non-return and expansion valves

3526500 NON-RETURN VALVE

for Dishwasher (ZANUSSI) C51 - C52 - LS510 - LS520
LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 0L3240

ZANUSSI 048191

1526503 NON-RETURN VALVE ø 40 mm

ballcock - outlets ø 12 mm
stainless steel cap



ZANUSSI 0L1892

ZANUSSI 005762

ZANUSSI 049332

1186805 O-RING 0115 EPDM



ZANUSSI 067292

Outlet siphons

3395026 PIPE SIPHON ø 1"1/2

fitting for 1 assembly ø 1"1/2
made of thermoplastic material



ZANUSSI 069404

OR and ORM gaskets

1186625 GASKET OR 03281 EPDM

for BOILER FAMILY



ZANUSSI 0KM818

3786047 GASKET ORM 0290-30 EPDM

for Dishwasher hood type (ZANUSSI) D48 - D480
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E0142



Suitable for:

Suitable for:

1186506 O-RING 04125 EPDM



ZANUSSI 002874

1186231 O-RING GASKET 04106 EPDM



ZANUSSI 027300

3786202 O-RING OR 03850 EPDM



ZANUSSI 0KV753

1186014 O-RING 02015 EPDM



ZANUSSI 059293

6456074 O-RING 02325 EPDM
for pump housing



ZANUSSI 0KM820

5018795 O-RING 06150 VITON



ZANUSSI 055323

3186314 O-RING 06225 SILICONE $\varnothing$ 67 mm



ZANUSSI 0L2304

1786210 OR GASKET 04131 RED SILICONE



ZANUSSI 0C6800

1186990 OR-GASKET 04137 RED SILICONE



ZANUSSI

1786087 O-RING 02037 RED SILICONE



ZANUSSI 0L2303

1186693 O-RING 04325 EPDM



ZANUSSI 0KM726



Suitable for:

ZANUSSI



Suitable for:


Pegs

- 3389005 CONVEYOR FINGER**
for Dishwasher conveyor type (ZANUSSI) - Series FT
Series WT



ZANUSSI 0K8238

- 3389011 CONVEYOR FINGER**
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5007

ZANUSSI 0K8166

- 40K7068 CONVEYOR FINGER FOR DISHES**
for Dishwasher conveyor type (ZANUSSI) LN34 - LN46
LN72



ZANUSSI 0K7068

- 3389010 CONVEYOR FINGER 71 mm**
for corner conveyor
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E2896

ZANUSSI 0K8637

ZANUSSI 046842

- 3389012 CONVEYOR FINGER FASTENING SCREW**
ø 6 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0K8636


ZANUSSI 046843

- 40K6667 FITTING SUPPORT INTERMEDIARY**
for Dishwasher conveyor type (ZANUSSI) LN34 - LN46
LN72



ZANUSSI 0K6667


- 40K8142 PEG FOR INSULATED TRAYS**
for Dishwasher conveyor type (ZANUSSI) EFT1 - EFT2
EFT3 - EFT4 - FT36 - FT50 - FT72 - LN34 - LN46
LN72 - WT730 - WT760 - WT790



ZANUSSI 0E1607

ZANUSSI 0K8142

- 3389016 PIN GUIDE**
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5006

Pins

- 3243131 SPINDLE FOR WASH ARM ASSEMBLY**
for Dishwasher (ZANUSSI) LS360 - LS365 - LS540
for Dishwasher hood type (ZANUSSI) LSE720



ZANUSSI 046363

Pre-rinse units

- 3359028 BLUE SPRAY HEAD NEW TYPE ø 1/2" M**



ZANUSSI 069973

- 3359148 SINGLE-HOLE LEVER SHOWER STYL**
cartridge with ceramic discs ø 70 mm
gray clinical lever 220 mm
spout ø 25 x 275 mm
nichel plated copper fittings ø 1/2"
basin connection ø 3/4"
with non-return valves



ZANUSSI 0S0874

- 3359209 SINGLE-HOLE PREWASH SET STYL**
with pre-wash set
mixer with basin connections
with retention valves
connection ø 3/4" M



ZANUSSI 0S1036

- 3359456 SINGLE-HOLE SHOWER MIXER SKY**
with pre-washing set
connection ø 1/2
flow rate 17 l/min at 4 bar
mounting hole 34 mm



ZANUSSI 069968

- 3359237 SHOWER SPRING**



ZANUSSI 0S0349

ZANUSSI 0S1086

ZANUSSI 069975



Suitable for:

3359426 STAINLESS STEEL HOSE $\varnothing$ 1/2"FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling $\varnothing$ 1/2"F



ZANUSSI 0D2999

ZANUSSI



Suitable for:

3359198 STEEL HOSE $\varnothing$ 1/2"FF 106 cm
for shower units with hose spout



ZANUSSI 0KC217

ZANUSSI 0L0641

3359455 TWO-HOLE SINGLE LEVER MIXER
with pre-wash unit
with upstanding single lever mixer
connections $\varnothing$ 3/4"MM
spout 250 mm
flow rate 22L/min by 4 bar
distance between holes 155 mm
mounting hole $\varnothing$ 27/28 mm



ZANUSSI 0S0342

3359605 WHITE SHOWER HEAD NEW $\varnothing$ 1/2"F



ZANUSSI 003167

Pressure switches

3320003 "Y" CONNECTOR
for fitting with two pressure switches




ZANUSSI 069195

3320016 PRESSURE SWITCH 1 LEVEL
calibration 240/130 mm
250V 16A
max operating temperature 85°C
complete with fixing bracket
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048267

3320019 PRESSURE SWITCH 1 LEVEL
calibration 55/35 mm
250V 16A
max operating temperature 85°C
for Glasswasher/Cupwasher (ZANUSSI)
LTB11 - LTB12 - LTB22



ZANUSSI 069434

3320022 PRESSURE SWITCH 1 LEVEL
calibration 50/10 mm
250V 16A
max operating temperature 85°C



ZANUSSI 046444

Suitable for:

Suitable for:

3320023 PRESSURE SWITCH 1 LEVEL
calibration 60/20 mm
250V 16A
max operating temperature 85°C
for Dishwasher (ZANUSSI)
CRYSTAL51 - CRYSTAL52 - LS32 - LS36 - LS360
LS365 - LS4 - LS45 - LS500 - LS510 - LS520
LS54 - LS540
for Dishwasher hood type (ZANUSSI)
LS8



ZANUSSI 046352
ZANUSSI 049485

ZANUSSI 048723
ZANUSSI 065545


ZANUSSI 049305

3320025 PRESSURE SWITCH 1 LEVEL
calibration 105/60 mm
250V 16A
max operating temperature 85°C
for Dishwasher hood type (ZANUSSI) LS1020 - LS720
LS860



ZANUSSI 046601

3320026 PRESSURE SWITCH 1 LEVEL
calibration 160/80 mm
250V 16A
max operating temperature 85°C
for Dishwasher hood type (ZANUSSI) LS75 - LS95
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 046653

3320029 PRESSURE SWITCH 1 LEVEL
calibration 40/20 mm
250V 16A
max operating temperature 85°C



ZANUSSI 070324

3320043 PRESSURE SWITCH 1 LEVEL
calibration 310/180 mm
16(4)A 250V
for Pan/utensilwashing machines (ZANUSSI) L0250E
L0480E




ZANUSSI 075660

3320091 PRESSURE SWITCH 1 LEVEL
calibration 46/26 mm
250V 16(4)A



ZANUSSI 046503

3320092 PRESSURE SWITCH 1 LEVEL
calibration 250/130 mm
250V 16(4)A
for new versions
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60
for Pan/utensilwashing machines (ZANUSSI) PW1



ZANUSSI 049620

3320093 PRESSURE SWITCH 1 LEVEL
calibration 110/55 mm
250V 16(4)A
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049058



Suitable for:


3320240 PRESSURE SWITCH 1 LEVEL
calibration 60/35 mm



ZANUSSI 0KZ786


Suitable for:

3320242 PRESSURE SWITCH 1 LEVEL
calibration 60/20-110 mm
250V 15A
for Dishwasher (ZANUSSI) EUCAI - EUC1 - EUC3
NUC1 - NUC3



ZANUSSI 049881

3320060 PRESSURE SWITCH 2 LEVELS
1st level calibration 110/80 mm
2nd level calibration 60/20 mm
250V 16A
max operating temperature 85°C
for DISHWASHER



ZANUSSI 048826

3320094 PRESSURE SWITCH 2 LEVELS
1st level calibration 165/135 mm
2nd level calibration 110/55 mm
250V 16(4)A
for Dishwasher (ZANUSSI) LV1/WSDP
for Glasswasher/Cupwasher (ZANUSSI) LB1/TOP
LB1WSDP - LB2/TOP - LB2/WS
for Dishwasher (ZANUSSI) LV1/WSDP



ZANUSSI 049081

3320095 PRESSURE SWITCH 2 LEVELS
1st level calibration 40/15 mm
2nd level calibration 55/35 mm
250V 16(4)A
for Dishwasher pull-through (ZANUSSI) - Series RT




ZANUSSI 0E0014

ZANUSSI 0E2501

ZANUSSI 0E3731

3320150 PRESSURE SWITCH 2 LEVELS
1st level calibration 110/80 mm
2nd level calibration 60/20 mm
for Dishwasher (ZANUSSI) LS32 - LS33



ZANUSSI 0L0508

ZANUSSI 049361

3320241 PRESSURE SWITCH 2 LEVELS
1st level calibration 365/310 mm
2nd level calibration 245/135 mm
250V 16(4)A
for Dishwasher hood type (ZANUSSI) LS10DP - LS12DP



ZANUSSI 049142



Probes

- 3397110 BOILER TEMPERATURE PROBE**
bulb $\varnothing$ 6x50 mm
for Dishwasher (ZANUSSI) LS5 - LS6 - WT30 - WT4
for Dishwasher hood type (ZANUSSI) LS14 - LS9
WT55



ZANUSSI 049884

ZANUSSI 149884

- 3243139 O-RING 02025 EPDM**
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898


ZANUSSI 086109

- 3444215 STUFFING GLAND FOR THERMOSTAT M12x1**
hole $\varnothing$ 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067899

- 40L2874 PROBE TEMPERATURE NTC -10/+100°C**
bulb $\varnothing$ 10x30 mm



ZANUSSI 0L2874

- 40K7575 THERMISTOR PT1000 8000 mm**
for Dishwasher conveyor type (ZANUSSI) LN34 - LN46
LN72
for Dishwasher pull-through (ZANUSSI) WT100SLM
WT100SRM - WT150SLM - WT150SRM



ZANUSSI 0K7575

Pump motors

- 3122679 ELECTRIC PUMP AP C58711SX 1.50HP**
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 62 mm
1.50HP 220/400V 50Hz
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI

- 3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm**
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171



Suitable for:

ZANUSSI



Suitable for:

- 3122015 ELECTRIC PUMP AP 05803SX 0.75HP**
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
0.75HP 230V 4A - motor revolutions 2850
capacitor 12.5 μ f - flow rate 270 l/min.
for old model SOLE
for Dishwasher (ZANUSSI) LS360



ZANUSSI 046370

- 3122532 ELECTRIC PUMP AP 1021SX 0.75HP**
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
0.75HP 230V 50Hz 4A - motor revolutions 2850
capacitor 16 μ f - flow rate 320 l/min.



ZANUSSI

- 3122538 HOUSING FOR PUMP**
inlet external $\varnothing$ 45 mm
outlet external $\varnothing$ 40 mm



ZANUSSI 049526

- 3122537 ELECTRIC PUMP AP 1022SX 1.20HP**
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1.20HP 230V 50Hz 6A - motor revolutions 2850
capacitor 16 μ f - flow rate 400 L/min.



ZANUSSI

- 3122524 GASKET FOR PUMP HOUSING**



ZANUSSI 048630

ZANUSSI 048984

- 3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm**
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

- 3122524 GASKET FOR PUMP HOUSING**



ZANUSSI 048630

ZANUSSI 048984



Suitable for:

3122538 HOUSING FOR PUMP
inlet external $\varnothing$ 45 mm
outlet external $\varnothing$ 40 mm



ZANUSSI 049526

ZANUSSI



Suitable for:

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

3122558 ELECTRIC PUMP AP 2701SX 2HP
inlet external $\varnothing$ 72 mm - outlet external $\varnothing$ 61 mm
2HP 220/400V 50Hz 5.8/3.4A - motor revolut. 2800
flow rate 500 l/min.
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI


3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

3122311 ELECTRIC PUMP AP 3100SX 1HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1HP 220/400V 50Hz 2.8/1.6A - motor revolut. 2830
for Dishwasher (ZANUSSI) HYDRA700 - LS3 - LS6
LS7 - WT30 - WT40
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS8



ZANUSSI 048304

3122524 GASKET FOR PUMP HOUSING



ZANUSSI 048630

ZANUSSI 048984

3122538 HOUSING FOR PUMP
inlet external $\varnothing$ 45 mm
outlet external $\varnothing$ 40 mm



ZANUSSI 049526

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171



Suitable for:

ZANUSSI



Suitable for:

3122695 ELECTRIC PUMP AP 42133DX 0.15HP

inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 28 mm
0.15HP 230V 50Hz - capacitor 6.3 μ f
for Dishwasher (ZANUSSI) LS6
for Dishwasher hood type (ZANUSSI) LS9



ZANUSSI

3122310 ELECTRIC PUMP AP 5800SX 1HP

inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1HP 230V 50Hz 4.5A - motor revolutions 2850
capacitor 16 μ f - flow rate 340 l/min.
for Dishwasher (ZANUSSI) LS3 - LS6 - LS61 - LS62
LS63 - LS64 - LS7 - WT30 - WT40
for Dishwasher hood type (ZANUSSI) LS8 - WT50



ZANUSSI 048885

3122538 HOUSING FOR PUMP

inlet external $\varnothing$ 45 mm
outlet external $\varnothing$ 40 mm



ZANUSSI 049526

3122678 ELECTRIC PUMP AP 59632SX 0.75HP

inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
0.75HP 220/400V 50Hz 2.5/1.45A - motor revol. 2800
for Dishwasher (ZANUSSI) LS540
for Dishwasher hood type (ZANUSSI) LS720



ZANUSSI

3122524 GASKET FOR PUMP HOUSING



ZANUSSI 048630

ZANUSSI 048984

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm

metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm

metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

3122391 ELECTRIC PUMP AP 6300DX 0.37HP
inlet external $\varnothing$ 32 mm - outlet external $\varnothing$ 32 mm
0.37HP 230V 50Hz - motor revolutions 2850
capacitor 6.3 μ F
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 0L0406


ZANUSSI 049057

3122362 ELECTRIC PUMP FIR B257SX 1HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 42 mm
1HP 230V 3.5A - motor revolutions 2800
capacitor 16 μ F
for Dishwasher (ZANUSSI) LS5 - LS6



ZANUSSI 049876

3122185 ELECTRIC PUMP FIR 1204DX 2HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 54 mm
2HP 220/400V 50Hz 5.9/3.4A - motor revolut. 2800
flow rate 500 l/min.



ZANUSSI 0K7245

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

3122026 GASKET FOR PUMP HOUSING



ZANUSSI 033694

ZANUSSI 048626

3046028 VIBRATION BUFFER $\varnothing$ 25x20 M6



ZANUSSI 0K1589

3122028 ELECTRIC PUMP FIR 1211SX 0.75HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
0.75HP 220/400V 50Hz 2.1/1.2A - motor revol. 2800
flow rate 360 l/min.
for Dishwasher (ZANUSSI) LS540
for Dishwasher hood type (ZANUSSI) LS720



ZANUSSI 046346

ZANUSSI 047195

ZANUSSI 068710

3122026 GASKET FOR PUMP HOUSING



ZANUSSI 033694

ZANUSSI 048626



Suitable for:

3122027 HOUSING FOR PUMP
inlet external $\varnothing$ 63 mm
outlet external $\varnothing$ 48 mm



ZANUSSI 0L0305

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

3122023 ELECTRIC PUMP FIR 1214SX 0.75HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
0.75HP 220/400V 50Hz 2.1/1.2A - motor revol. 2800
flow rate 360 l/min.
for Dishwasher (ZANUSSI) LS540
for Dishwasher hood type (ZANUSSI) LS720



ZANUSSI 046574

3122027 HOUSING FOR PUMP
inlet external $\varnothing$ 63 mm
outlet external $\varnothing$ 48 mm



ZANUSSI 0L0305

ZANUSSI



Suitable for:

3122025 IMPELLER $\varnothing$ 103 mm



ZANUSSI 048464

ZANUSSI 049174

ZANUSSI 069170

3122026 GASKET FOR PUMP HOUSING



ZANUSSI 033694

ZANUSSI 048626

3122025 IMPELLER $\varnothing$ 103 mm



ZANUSSI 048464

ZANUSSI 049174

ZANUSSI 069170



Suitable for:

ZANUSSI



- 3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm**
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

- 3122765 ELECTRIC PUMP FIR 1293SX 0.75HP**
inlet external $\varnothing$ 63 mm outlet external $\varnothing$ 48 mm
0.75HP 220/400V 50Hz
complete w/ bracket, 2 hoses and 4 shock absorbers
for Dishwasher pull-through (ZANUSSI) RT190
RT270



ZANUSSI 0L0581

- 3122312 ELECTRIC PUMP FIR 2254/SSX 2HP**
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 61 mm
2HP 220/400V 50Hz 5.9/3.4A - motor revolut. 2800
flow rate 500 L/min.
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI 048216

- 3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm**
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

- 3122026 GASKET FOR PUMP HOUSING**



ZANUSSI 033694


ZANUSSI 048626



Suitable for:

Suitable for:

3122022 ELECTRIC PUMP FIR 2254SX 1.50HP
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 61 mm
1.50HP 220/400V 50Hz 4.8/2.8A - motor revol. 2800
flow rate 550 l/min.
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 047708

3122314 HOUSING FOR PUMP
inlet external $\varnothing$ 70 mm
outlet external $\varnothing$ 61 mm



ZANUSSI 0L0496

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

3122719 ELECTRIC PUMP FIR 2275SX 3.60HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 63 mm
3.60HP 220/400V 50Hz 10/5.8A - motor revolut. 2800



ZANUSSI 049669

3122026 GASKET FOR PUMP HOUSING



ZANUSSI 033694

ZANUSSI 048626

3122313 IMPELLER $\varnothing$ 100 mm



ZANUSSI 048624

3122174 IMPELLER FOR PUMP FIR 2275 3.7HP $\varnothing$ 135 mm



ZANUSSI 0E1305

Suitable for:

- 3122316 ELECTRIC PUMP FIR 4213DX 0.37HP**
 inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 28 mm
 0.37HP 230V 50Hz 1.5A - motor revolutions 2800
 capacitor 6.3 μ F
 for Dishwasher (ZANUSSI)
 LS6
 for Dishwasher hood type (ZANUSSI)
 LS9
 for Dishwasher (ZANUSSI) LS10 504158



ZANUSSI 049310


Suitable for:

- 3122762 ELECTRIC PUMP FIR 4290SX 2HP**
 inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 63 mm
 2HP 220/400V 50Hz - motor revolutions 2800
 for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0L0039


- 3122763 ELECTRIC PUMP FIR 5213DX 0.30HP**
 inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 28 mm
 0.30HP 230V 50Hz - motor revolutions 2800
 complete w/ bracket, hoses, fittings, small parts
 for Dishwasher pull-through (ZANUSSI) - Series RT
 Series WT



ZANUSSI 0E2746

ZANUSSI 0L0149

- 3122007 ELECTRIC PUMP GRE 604215X**
 with PTFE rotating mechanical seal with basis
 of aliminium
 100W 230V 50Hz
 connections $\varnothing$ 24 mm
 for old models



ZANUSSI 0KM595

ZANUSSI 0U1035

- 3122805 ELECTRIC PUMP LGB PS45DX 0.40HP**
 inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
 0.40HP 230V 50Hz 2.2A - motor revolutions 2800
 capacitor 8 μ F
 for pressure increase



ZANUSSI 049229

- 3122854 ELECTRIC PUMP LGB ZFC1121DX 0.47HP**
 inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 26 mm
 0.47HP 230V 50Hz - capacitor 6.3 μ F
 for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
 LB1 - LB2 - WT1 - WT2 - Z1 - Z2
 for Glasswasher/Cupwasher (ZANUSSI) LV1WSDP



ZANUSSI 0L0571

- 3122632 SEAL ROTARY $\varnothing$ 13 BACK FACE 5.5 mm**



ZANUSSI 0K8387

ZANUSSI 0L1936

ZANUSSI 0L1367

ZANUSSI 0L1367+0L1936



Suitable for:

Suitable for:

- 3122856 ELECTRIC PUMP LGB ZF340SX 0.94HP**
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 38 mm
0.94HP 230V 50Hz - capacitor 12.5 μ f
complete with fastening bracket
for Dishwasher (ZANUSSI)
LS3 - LS6 - LS61 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI)
LS8
for Dishwasher (ZANUSSI)
LV5
LV5DP



ZANUSSI 0L0126

- 3122841 ELECTRIC PUMP LGB ZF522VSX 0.94HP**
inlet external $\varnothing$ 62 mm - outlet external $\varnothing$ 50 mm
0.94HP 230V 50Hz - motor revolutions 2800
capacitor 16 μ f
for Dishwasher (ZANUSSI) LU7PDP



ZANUSSI 0L0092

- 3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm**
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm



ZANUSSI 048983

ZANUSSI 049171

- 3122853 ELECTRIC PUMP LGB ZF523VSX 1.34HP**
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
1.34HP 220/400V 50Hz
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HT900 - LS10EA - LS14EA - LS9P - WT55 - WT60



ZANUSSI 0L0060

ZANUSSI 0L0564

- 3122855 IMPELLER $\varnothing$ 110 mm**



ZANUSSI 0L0819

ZANUSSI 0L1978


- 3122153 ELECTRIC PUMP TM61E 0.45HP**
inlet $\varnothing$ 1" F - outlet $\varnothing$ 1" F
0.45HP 230V 50Hz 2.3A - motor revolutions 2900
capacitor 10 μ f - flow rate 38 l/min.
max pressure 6 ATM max temperature 90°C
for pressure increase



ZANUSSI 048437

ZANUSSI 048668

- 3122761 ELECTROPUMP FIR 1246RH 0.10HP**
inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 28 mm
0.1HP 230V 50Hz - capacitor 5 μ f
for Dishwasher pull-through (ZANUSSI) D530ESD
D580ESD - D680ESD - RT100 - RT140 - RT190
RT270



ZANUSSI 0K7482



Suitable for:

ZANUSSI



3122764 ELECTROPUMP FIR 4290LH 2HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 63 mm
2HP 220/400V 50Hz
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT142 - RT190 - RT270




ZANUSSI 0E5355

ZANUSSI 0L0437

Suitable for:

40L1640 ELECTROPUMP FIR 5213RH 0.30HP
inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 27 mm
0.3HP 230V 50Hz - Rpm 2800
capacitor 5 μ f
for Dishwasher (ZANUSSI) EUCAI



ZANUSSI 0L1079

ZANUSSI 0L1640

40L1914 ELECTROPUMP LGB ZF522VSX 1HP
inlet $\varnothing$ external 62 mm - outlet $\varnothing$ external 50 mm
0.76kW 230V 50Hz - capacitor 16 μ f
for Dishwasher hood type (ZANUSSI) EHT - EHTA
EHTAI - EHTAID - KHT - NHT - NHTD - NHTG
NHTM - NHTP - ZHTA - ZHTAI - ZHTAID



ZANUSSI 0L1914

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal $\varnothing$ internal 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element $\varnothing$ internal 14 mm - $\varnothing$ external 24 mm
height 8 mm




ZANUSSI 048983

ZANUSSI 049171


Relays

3351158 BASE UNDECAL ES11 10A 400V
11 poles



ZANUSSI 049236

3351037 POWER RELAY FINDER 40.52.8.230.0000
230V 50/60Hz - 2 exchange contacts 8A




ZANUSSI 0E5849

3351004 POWER RELAY FINDER 56.32.8.230.0040
230V 50/60Hz
2 changeover contacts 12A
for Dishwasher (ZANUSSI) LS7 - LV70 - Z70
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 048438

3351005 POWER RELAY FINDER 56.34.8.230.0040
230V 50/60Hz
4 changeover contacts 12A
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048611



ZANUSSI



Suitable for:

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A




ZANUSSI 0D0013
ZANUSSI 083215

ZANUSSI 058857

ZANUSSI 069882

Suitable for:

3351010 POWER RELAY FINDER 62.33.8.024.0000
24Vac 50/60Hz
3 changeover contacts 16A
for coupling on socket (faston 4.8 mm)
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5170

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ZANUSSI 0PE302

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ZANUSSI 0A9596
ZANUSSI 088197

ZANUSSI 005033

ZANUSSI 005034

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



ZANUSSI 085647

3351900 POWER RELAY ITALIAN B2-3
230V 50/60Hz
3 exchange contacts 16A-250V
for Dishwasher (ZANUSSI) LS360 - LS540
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 046001

ZANUSSI 054543

ZANUSSI 085092

3351003 RELAY A9230AA 230V 16A
contacts 16A
coil 250V
for Dishwasher (ZANUSSI) FL610 - FL620 - FL630
LS6 - LS62 - LS63 - LS64



ZANUSSI 048888

3351601 RELAY B1-3 16A 230V 50/60Hz
3 NO contacts



ZANUSSI 046380



Suitable for:


3351001 RELAY B1/2 250V 16A
bipolar switch
contacts 16A
coil 250V



ZANUSSI LF-3351020

Suitable for:

5025249 RELAY POWER FINDER 40.61.8.024.0000
24Vac - 50/60Hz - 1 changeover contact 16A



ZANUSSI 0E5172

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



ZANUSSI 056446

ZANUSSI 056466


ZANUSSI 056510

ZANUSSI 085296

ZANUSSI 086214


Rinse aid containers and accessories

3066001 RINSE AID CONTAINER
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047549

3066003 CONTAINER FRONT COVER
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047547

3066002 CONTAINER LID
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047551

3066006 GASKET FOR TRAY
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 030186



Suitable for:

3528040 NUT FOR TRAY

for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047550

3066004 RINSE AID PIPE

for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047548

3066049 RINSE AID CONTAINER

for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049024

3066050 HOSE END FOR CONTAINER Ø 3/8"

for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049026

3066051 RINSE AID CONTAINER

for Dishwasher (ZANUSSI) LS32 - LS33 - LS5



ZANUSSI 049975

ZANUSSI



Suitable for:

3066005

RINSE AID INLET TUBE

for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047552

3786684

GASKET FLAT EPDM Ø 26x16x3 mm



ZANUSSI 049201

Rinse aid pumps and accessories

3090203 GREY HOSE 2660 mm
external $\varnothing$ 6 mm - internal $\varnothing$ 4 mm



ZANUSSI 0L1163

ZANUSSI 049360

3090022 HYDRAULIC RINSE AID INJECTOR MODEL 1000
for rinse aid
delivery connector for boiler, olive connection,
pipe $\varnothing$ 4x6 mm
stainless steel ball
stainless steel spring for diaphragm, wire $\varnothing$ 1 mm
silicon valve
silicon diaphragm
pump connection fitting, olive connection,
pipe $\varnothing$ 6x8 mm
inlet fitting with connection
for flexible pipe $\varnothing$ 4x6 mm



ZANUSSI

3090055 DIAPHRAGM MOD. DA 1011



ZANUSSI

3090025 HYDRAULIC RINSE AID INJECTOR MODEL 1000
for rinse aid
delivery connector for boiler, olive connection,
pipe $\varnothing$ 4x6 mm
PTFE ball
stainless steel spring for diaphragm, wire $\varnothing$ 1 mm
silicon valve
silicon diaphragm
pump connection fitting, olive connection,
pipe $\varnothing$ 6x8 mm
inlet fitting with connection
for flexible pipe $\varnothing$ 4x6 mm



ZANUSSI 0HA055

3090055 DIAPHRAGM MOD. DA 1011



ZANUSSI



ZANUSSI



Suitable for:

3090016 HYDRAULIC RINSE AID INJECTOR MODEL 3000

for rinse aid
with inspectionable filter



ZANUSSI 0HA056

Suitable for:

3090356 NON-RETURN VALVE AISI 316 STAINL.STEEL

stainless steel aisi 316
for rinse aid injection 1/8" G.M.
(FPM valve)



ZANUSSI 049358

3090029 PERISTALTIC DETERGENT PUMP G200 230V50Hz

detergent flow rate 0.777 gr per second
max flow rate 2 l/hour (equivalent to 2000 cm3)
for DISHWASHER (500 DISHES PER HOUR)



ZANUSSI 0U1032

3090190 PERISTALTIC PUMP FOR DETERGENT

mod. RPS20RMIP - Ext.size. 160 x 80 x 85 mm
220/240 V - 50 Hz
flow rate 0.28 L/h - 2.80 L/h



ZANUSSI

3090154 FOOT FILTER WITH 4 m PVC PIPE



ZANUSSI 049359

3090300 PERISTALTIC PUMP FOR DETERGENT PG-3

fixed flow rate: 3 L/h
santoprene tube
3W 230V 50Hz
complete with assembly kit



ZANUSSI 0S0705

ZANUSSI 049312

ZANUSSI 049624

3090351 SANTOPRENE DIAPHRAGM-TUBE

with connections



ZANUSSI 049419



Suitable for:

ZANUSSI



3090303 PERISTALTIC PUMP FOR DETERGENT PR-4

adjustable flow rate: 0.6÷4 L/h
pressure: 0.1 bar
santoprene hose
230V 50Hz
complete with mounting kit



ZANUSSI 0S0669

Suitable for:

3090351 SANTOPRENE DIAPHRAGM-TUBE with connections



ZANUSSI 049419

3090301 PERISTALTIC RINSE AID PUMP PG

fixed flow rate: 0.4 L/h
pressure: 3 bar
sekobrill hose
230V 50Hz
complete with mounting kit



ZANUSSI 0L0697

ZANUSSI 0S0704

ZANUSSI 049311

ZANUSSI 049625

3090350 HOSE MADE OF SEKOBRILL



ZANUSSI 049418

3090019 RINSE AID DISPENSER N6 E 05 G4G4

with EPDM diaphragm
minimum pressure 0.5 bar
inlet side 4 mm hose fitting
outlet side 4 mm hose fitting



ZANUSSI 048496

3090084 RINSE AID DOSING PUMP N6 W4W4

with EPDM diaphragm
minimum pressure 0,5 bar
inlet side hose fitting 4 mm
pressure side hose fitting 4 mm



ZANUSSI

3090130 RINSE AID HYDRAULIC DISPENSER

setting from 0 to 3 cm³/cycle



ZANUSSI 0L0094

ZANUSSI 048715

ZANUSSI 049484

3090038 RINSE AID INJECTOR DB2

power supply 220/240V 50Hz
screw for flow rate regulation



ZANUSSI 069921



Suitable for:

ZANUSSI



Suitable for:

Rotary switches

- 3057050 CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




ZANUSSI 0A2205

ZANUSSI 0KT779

ZANUSSI 006712

ZANUSSI 054376

- 3059055 CYCLE SELECTOR SWITCH**
D spindle $\varnothing$ 6x4.6 mm
for Dishwasher (ZANUSSI) LS60 - LS61 - LS62 - LS63
LS64



ZANUSSI 048829

- 3241205 KNOB $\varnothing$ 44 mm**
D shaft hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS60 - LS61 - LS62 - LS63
LS64



ZANUSSI 048830

- 3059058 CYCLE SELECTOR SWITCH 16A 250V**
D spindle $\varnothing$ 6x4.6 mm
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS8



ZANUSSI 0L3145

ZANUSSI 048524

- 4046360 GASKET FOR SELECTOR SWITCH 47x18 mm**
for Dishwasher (ZANUSSI) ALS540
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
WT50
for Pan/utensilwashing machines (ZANUSSI) L010
SH55



ZANUSSI 046360


- 3241207 KNOB $\varnothing$ 44 mm**
D shaft hole 6x4.6 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048402

Suitable for:

3059054 ON/OFF SELECTOR SWITCH
 contact capacity 16A 250V
 D spindle $\varnothing$ 6x4.6 mm
 for Dishwasher (ZANUSSI) LS60 - LS61 - LS62 - LS63
 LS64



ZANUSSI 048828

Suitable for:

3241205 KNOB $\varnothing$ 44 mm
 D shaft hole 6x4.6 mm
 for Dishwasher (ZANUSSI) LS60 - LS61 - LS62 - LS63
 LS64



ZANUSSI 048830


3057332 PROGRAMME SELECTOR SWITCH



ZANUSSI 005079

ZANUSSI 059051

3057331 PROGRAMME SELECTOR SWITCH 4-CAM
 for Dishwasher (ZANUSSI) LS7DP
 for Dishwasher hood type (ZANUSSI) LS10DP - LS12DP
 LS8DP




ZANUSSI 049145

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm
 for Dishwasher (ZANUSSI) ALS540
 for Dishwasher hood type (ZANUSSI) HYDRA1000
 HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
 WT50
 for Pan/utensilwashing machines (ZANUSSI) L010
 SH55



ZANUSSI 046360

3059057 SELECTOR SWITCH 0-1 POSITIONS
 ON-OFF-START
 16A 250V - max 150°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 for Dishwasher (ZANUSSI) HYDRA700 - LS7



ZANUSSI 048271

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm
 for Dishwasher (ZANUSSI) ALS540
 for Dishwasher hood type (ZANUSSI) HYDRA1000
 HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
 WT50
 for Pan/utensilwashing machines (ZANUSSI) L010
 SH55



ZANUSSI 046360




Suitable for:

ZANUSSI



Suitable for:

3059059 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher (ZANUSSI) LS500 - LS540 - LS541



ZANUSSI 046350


3241208 KNOB $\varnothing$ 40 mm
D shaft hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS500 - LS540 - LS541



ZANUSSI 046356


ZANUSSI 048340

3057291 SELECTOR SWITCH 0-5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher hood type (ZANUSSI) HT1200
HYDRA1200 - LS12 - WT60



ZANUSSI 048286

3059056 SELECTOR SWITCH 0-5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher (ZANUSSI) HYDRA700 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - HYDRA800 - LS10 - LS12
LS8



ZANUSSI 048270

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm
for Dishwasher (ZANUSSI) ALS540
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
WT50
for Pan/utensilwashing machines (ZANUSSI) L010
SH55



ZANUSSI 046360

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm
for Dishwasher (ZANUSSI) ALS540
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
WT50
for Pan/utensilwashing machines (ZANUSSI) L010
SH55



ZANUSSI 046360



Suitable for:

3241206 **KNOB ø 40 mm**
D shaft hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS7



ZANUSSI 047849

ZANUSSI 048340+047846

ZANUSSI



Suitable for:

3241207 **KNOB ø 44 mm**
D shaft hole 6x4.6 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8




ZANUSSI 048402

3057048 **SELECTOR SWITCH 3-POLE AND BUTTON**
16A 250V
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270




ZANUSSI 0E5132

3057049 **SELECTOR SWITCH 4-POLE 16A 250V**
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5131

3057046 **SELECTOR SWITCH 6-POLE**
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5222

ZANUSSI 0K8266

Salt containers and accessories

3067603 **CAP FOR SALT CONTAINER**



ZANUSSI 069472

3067002 **GASKET FOR CONTAINER**
external ø 82 mm
internal ø 64 mm
thickness 3 mm



ZANUSSI 069470

3067604 **RETAINING NUT FOR CAP**



ZANUSSI 069552



Suitable for:

ZANUSSI



Suitable for:

3067001 SALT CONTAINER



ZANUSSI 010370

3067002 GASKET FOR CONTAINER

external ø 82 mm
internal ø 64 mm
thickness 3 mm



ZANUSSI 069470

3067602 SALT CONTAINER ASSEMBLY 85x100 mm


new model
for E35/40/41/42/45/46/50/51/55-MISTRAL40/51
NIAGARA35/40/45/51-RIVER48/50/61



ZANUSSI 069680

3067300 SALT CONTAINER GROUP ASSY

total height 125 mm - external ø 122 mm
for MACH DISHWASHER MB520K-MB530K-930K
for COMENDA DISHWASHER BC-BHC
for JEMI DISHWASHER GS2-GS3-GS4/2-GS4/2AF-GS6
GS6AF-GS7-GS8/2-GS9-GS18-GS19-GS20



ZANUSSI 049075

Scale removers for dishwashers

3094005 4 COLUMN SCALE REMOVER

width 165 mm - length 390 mm
for Glasswasher/Cupwasher (ZANUSSI)
CRYSTAL11 - CRYSTAL22 - LTB11 - LTB12 - LTB22



ZANUSSI 069476

Solenoid valves

3120004 SOLEN. VALVE ELBITYPE 319 1 WAY 90°

220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 0A2064

ZANUSSI 047531

ZANUSSI 0KM766

ZANUSSI 055350

ZANUSSI 002613

3120104 SOLEN. VALVE ELBITYPE 319 1 WAY 90°

220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 048817

ZANUSSI 049626

ZANUSSI 088194

Suitable for:

Suitable for:

3120564 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°
inlet 3/4" - outlet ø 13.5 mm
flow rate 5.5 L/min
for Dishwasher (ZANUSSI) LS6
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS14



ZANUSSI 049452

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 002753
ZANUSSI 055132

ZANUSSI 047756
ZANUSSI 086014

ZANUSSI 048894

3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 058996

3120562 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 0E1575

3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 055444

ZANUSSI 056872

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm




ZANUSSI 0K5389
ZANUSSI 047536

ZANUSSI 045631
ZANUSSI 069463

ZANUSSI 046427

3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 046796

ZANUSSI 048180

3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 047529
ZANUSSI 048898

ZANUSSI 047532
ZANUSSI 069179

ZANUSSI 048178



ZANUSSI



Suitable for:

3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm




ZANUSSI 0H2513

ZANUSSI 0L0175

Suitable for:

3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 072282

3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 0E5070

3120010 SOLEN. VALVE ELBI TYPE 352 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 049056

3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 069262

ZANUSSI 072364

3120514 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 0KZ810

3120404 SOLEN. VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm




ZANUSSI 0C0688

ZANUSSI 0C4984


ZANUSSI 056350

3120255 SOLEN. VALVE T&P 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with red adjuster 0.5 L/min



ZANUSSI 047579

3120407 SOLEN. VALVE T&P 2 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 0M2265

3120406 SOLEN. VALVE T&P 2 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 069295

Suitable for:

3120563 SOLENOID VALVE ELBI TYPE 329 1 WAY 180°
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm
 for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
 for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 0L0566

ZANUSSI 0L0568

ZANUSSI 0L3446

Suitable for:

3120288 SOLENOID VALVE ELBI TYPE 349 2-WAY 180°
 220/240V 50/60Hz - max temperature 90°
 inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 0E1373

3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - three outlets ø 10.5 mm



ZANUSSI 047539

ZANUSSI 047540

ZANUSSI 049077

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - three outlets ø 10.5 mm



ZANUSSI 0E0330

ZANUSSI 047538


ZANUSSI 069464

3120289 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - three outlets ø 13.5 mm
 1 outlet with dark brown adjuster 5.5 L/min



ZANUSSI 0E1372

3120399 SOLENOID VALVE INVENSYS 1 WAY 180°
 12V 50/60Hz - max temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm
 operating pressure from 0.2 to 10 bar



ZANUSSI

3120400 SOLENOID VALVE INVENSYS 1-WAY 90°
 12Vac/dc 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet ø 13.5 mm
 operating pressure from 0.2 to 10 bar
 flow rate 1.2 m3/h



ZANUSSI

3120111 SOLENOID VALVE L145R4 ø 3/4" FF 230V
 for steam
 NC (ex L142 M2)
 max. temperature 175°C
 max. pressure differential 12 bar
 coil 220V 50Hz



ZANUSSI 065297



ZANUSSI



Suitable for:

3120210 SOLENOID VALVE L153D07 ø 3/4" FF 230V
for steam
NC
coil 220V 50Hz
max. temperature 175°C
max. pressure differential 12 bar



ZANUSSI 0E5974

Suitable for:

3120510 SOLENOID VALVE L153D07 3/4" FF 24V
for steam
NC
max. temperature 175°C
max. pressure differential 12 bar
coil 24V 50Hz



ZANUSSI 0E2200

3120057 SOLENOID VALVE L182B31 ø 1/2" FF 230V
EX L180
for water
NC
max. temperature 100°C
max. pressure differential 16 bar
coil 230V 50/60Hz



ZANUSSI 0H2412

ZANUSSI 067356

3120042 COIL SIRAI Z610A 230V 50/60Hz 6W
width 25 mm - height 33 mm
depth 33 mm



ZANUSSI 0KG317

ZANUSSI 067609

3120557 SOLENOID VALVE L182B31 1/2" FF 24V
EX L180
for water
NC
max temperature 100°C
max differential pressure 16 bar
coil 24V 50/60Hz



ZANUSSI 068464

3120261 SOLENOID VALVE MULLER 1-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 0G2196

3120231 SOLENOID VALVE 7321BAN00 1/2" FF
for water - NC
coil 220/240V 50/60Hz 9W
NBR seal - orifice ø 13 mm



ZANUSSI 047137

3120732 SOLENOID VALVE 7321BCN00 3/4" FF
for water - NC
coil 24V ac 50/60Hz 9W
NBR seal - orifice ø 20 mm



ZANUSSI 046900

ZANUSSI 075736



Suitable for:

ZANUSSI



Suitable for:

Spare parts for pumps

3122396 IMPELLER FOR PUMP ø 91 mm



ZANUSSI 049525

Splash guards

3315050 SPLASH GUARD 595 Mm
for Dishwasher (ZANUSSI) LS500 - LS501 - 5CF07B
5CF08B



ZANUSSI 047453

ZANUSSI 047855

3315051 GASKET ADHESIVE FOR SPLASH GUARD
for LS510-LS520-LS521-LS4-LS5DS
CRYSTAL50-CRYSTAL51-CRYSTAL52



ZANUSSI 046256

Springs

3250100 LIFTING SPRING
overall length 360 mm
body ø 51 mm
for DISHWASHER 750/1080 WITH HOOD



ZANUSSI 066398

3250050 SPRING FOR DOOR LIFTING
external ø 45x26 mm
for CONVEYOR DISHWASHER series RT



ZANUSSI 0E5158

ZANUSSI 0K8168

3250030 SPRING PULLEY
external ø 30 mm
internal ø 11 mm
for models RT



ZANUSSI 0E5001

ZANUSSI 0K8167



ZANUSSI



Suitable for:

Suitable for:

3250051 SPRING FOR DOOR LIFTING
external $\varnothing$ 45x39 mm
for CONVEYOR DISHWASHER series RT



ZANUSSI 0E5167

3250093 SPACER FOR SPRING



ZANUSSI 0E5454

ZANUSSI 0K7600

3250094 SPRING LOCK



ZANUSSI 0E2898

3250030 SPRING PULLEY
external $\varnothing$ 30 mm
internal $\varnothing$ 11 mm
for models RT



ZANUSSI 0E5001

ZANUSSI 0K8167

3250046 SPRING FOR HOOD LIFTING
dimensions $\varnothing$ 38.5x380 mm
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048655

3250049 SPRING FOR HOOD LIFTING
dimensions $\varnothing$ 39x755 mm
for LS10-LS12-WT60 (versions from 1999 on)



ZANUSSI 049582

40L0057 SPRING FOR HOOD LIFTING 770 mm
for Dishwasher hood type (ZANUSSI) EHT - HT900
HT900ADG1 - H2500 - KHT - LD900 - LS9P
LS9PDD - LV900P - NHT - NHTD - NHTG - NHTP
WT55ADG1 - WT55P - ZHT7 - ZHT76



ZANUSSI 0L0057



Suitable for:

ZANUSSI



Suitable for:

Supports

3391015 LONG ROLLER SUPPORT
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0E3530

4049594 SPRING SUPPORT
for Dishwasher hood type (ZANUSSI) EHT - EHTA
EHTAI - EHTAID - EHTAIG - EHTA60 - EHTG
HT900 - H2500 - KHT - LD900 - LS9P - LS9PDD
LS9P60 - LV900P - NHT - NHTD - NHTG - NHTM
NHTP



ZANUSSI 049594

Supports for wash and rinse arms

3743368 ARM COUPLING SLEEVE
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E5507

ZANUSSI 0KL044

3743847 BOTTOM JET SUPPORT
for Dishwasher (ZANUSSI) C32 - C33 - C55A - LS32
LS33 - LV32 - LV33



ZANUSSI 049290

3243165 LOWER WASH ARM ASSEMBLY SUPPORT
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 048145

3243069 O-RING OR 02068 EPDM



ZANUSSI 047987

1186352 O-RING 02050 EPDM



ZANUSSI 047986

3243166 EPDM O-RING GASKET 03237



ZANUSSI 047462

1186803 O-RING 02037 EPDM
for Dishwasher (ZANUSSI)
LS32 - LS360 - LS365



ZANUSSI 046376

3061007 O-RING 04362 EPDM



ZANUSSI 045462



Suitable for:

3243162 SPINDLE FOR ARM

for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 047464

3243192 LOWER WASH ARM ASSEMBLY SUPPORT

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8




ZANUSSI 0L1628

ZANUSSI 048329

ZANUSSI 048819

3243194 LOCKING NUT

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048330

3243199 LOWER WASH ARM ASSEMBLY SUPPORT

for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048235

3243193 SHUTTER FOR ARM

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8




ZANUSSI 048820

ZANUSSI



Suitable for:

3243136 WASHER



ZANUSSI 047282

3243195 GASKET ø 100x16x3 mm

for jet support
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - LS8 - WT60



ZANUSSI 048236

3243193 SHUTTER FOR ARM

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048820

3243195 GASKET ø 100x16x3 mm

for jet support
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - LS8 - WT60



ZANUSSI 048236

3243202 SUPPORT LOCKING NUT

for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - WT60



ZANUSSI 048237



Suitable for:

3243145 SUPPORT FOR ARM
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 046547

Suitable for:

3243159 HOSE-END ELBOW M1/4"
hose-end fittings ø 12 mm
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 046375

3743673 TOP WASH ARM ASSEMBLY SUPPORT
for Dishwasher hood type (ZANUSSI) LS9 - WT55



ZANUSSI 0L0051

3743205 UPPER JETS SUPPORT
for Dishwasher (ZANUSSI) LS360 - LS365 - LS540
for Dishwasher hood type (ZANUSSI) LSE720



ZANUSSI 0L0901

3243169 WASH MANIFOLD
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 047461

3243171 DELIVERY TUBE




ZANUSSI 047467

3243166 EPDM O-RING GASKET 03237



ZANUSSI 047462

3243170 NUT FOR JET SPREADING



ZANUSSI 046634

3243069 O-RING OR 02068 EPDM



ZANUSSI 047987

3061007 O-RING 04362 EPDM



ZANUSSI 045462



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979

ZANUSSI



Suitable for:

Switches

3319920 BLACK TWO-POLE SWITCH 16A 250V




ZANUSSI 0A8754

3319175 CHANGEOVER SWITCH 2 POLE GREEN 16A 24V
16(4)A 24V - max. temperature 120°C
with indicator lamp - mounting hole 22x30 mm



ZANUSSI 004158

3319627 DOUBLE CHANGE OVER SWITCH 16A 250V



ZANUSSI 003766

3319749 EMERGENCY BUTTON
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0E5305


ZANUSSI 0K8450

3319415 KEY SUPPORTING BODY
for all models



ZANUSSI 083050

3319145 ORANGE PUSH-BUTTON
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 0L1243

ZANUSSI 075600

ZANUSSI 075656

3221057 INDICATOR LAMP 2W 30V
dimensions ø 10x28 mm
for Pan/utensilwashing machines (ZANUSSI) L0250



ZANUSSI 075026



Suitable for:

ZANUSSI




3221089 LAMP RECEPTACLE SIEMENS 3SB3400-1A
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 0L1244

ZANUSSI 075602


3319011 PUSH-BUTTON 2-POLE RED 16A 250V
16(4)A 250V - max. temperature 120°C
NC
with indicator lamp and push-button cap
mounting hole 22x30 mm



ZANUSSI 054547

ZANUSSI 055014

3319015 PUSH-BUTTON 2-POLE RED 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ZANUSSI 005899

3319922 SINGLE POLE CHANGEOVER SWITCH
lead connector 6.35x0.8 mm



ZANUSSI 0A8273

3319923 BLACK/RED CAM



ZANUSSI 0A8272

3319024 START PUSH-BUTTON PANEL
bipolar switch NO
for Dishwasher (ZANUSSI) LS500 - LS540
for Dishwasher hood type (ZANUSSI) LS1080



ZANUSSI 046340

ZANUSSI 048445+048575

3319211 SWITCH 16(4)A 250V
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049063

3319212 PUSH-BUTTON ROUND GRAY ø 23 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2



ZANUSSI 049062



ZANUSSI



Suitable for:

3319213 SWITCH 16(4)A 250V
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049068

3319214 PUSH-BUTTON ROUND YELLOW ø 23 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2



ZANUSSI 049065

Suitable for:

3319215 PUSH-BUTTON ROUND GREEN ø 23 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2



ZANUSSI 049091


3319951 SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 125°C
with indicator lamp - mounting hole 25x27 mm
lead connector 6.35x0.8 mm



ZANUSSI 085987

ZANUSSI 099274

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



ZANUSSI 053810

3319928 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole ø 25 mm



ZANUSSI 054518

3319151 SWITCH PROTECTION CAP
ø external 34 mm
for push-buttons with mounting hole ø 25 mm




ZANUSSI 053979

3319944 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ZANUSSI 056703

3319256 SWITCH 2-POLE WHITE 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ZANUSSI



Suitable for:


Suitable for:

3319013 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print I - II



ZANUSSI 053837

3319088 SWITCH 2-POLE ORANGE 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm




ZANUSSI 056878

ZANUSSI 056879


ZANUSSI 056880

3319127 THREE-POLE SWITCH
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049316

3319129 PUSH-BUTTON
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049315

3319143 PUSH-BUTTON ROUND GRAY ø 23 mm
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049317

3319570 PUSH-BUTTON ROUND GRAY ø 23 mm "DRAIN"



ZANUSSI 049325

3319138 PUSH-BUTTON ROUND YELLOW ø 23 mm
silk screen printed
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049318

3319142 PUSH-BUTTON ROUND YELLOW ø 23 mm
silk screen printed
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049383

3319128 THREE-POLE SWITCH
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049326



Suitable for:

ZANUSSI



Suitable for:

Telethermometers

3441033 TELETHERMOMETER 56x25 mm 0-120°C

plastic body
white dial
PVC covered capillary length 3000 mm
bulb with spring $\varnothing$ 6x20 mm
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048544

3441043 THERMOMETER 0-120°C 48x48 mm

covered capillary 2900 mm
bulb $\varnothing$ 6x36 mm
for Dishwasher (ZANUSSI) LS65 - WT35



ZANUSSI 0E5545

ZANUSSI 048525

3441006 WHITE TELETHERMOMETER $\varnothing$ 52 mm 0-120°C

metal case
PVC covered capillary 1500 mm
spring bulb $\varnothing$ 8x32 mm
bulb fitting M10x1



ZANUSSI 032085

ZANUSSI 034075

3441013 WHITE TELETHERMOMETER 56x25 mm 0-110°C

plastic case
PVC covered capillary 2000 mm
bulb with seal $\varnothing$ 8.4 mm
with swivel fitting $\varnothing$ 14x1 mm
for Dishwasher (ZANUSSI) LC100 - LC1000
for Dishwasher hood type (ZANUSSI) LS10 - LS1080
LS12



ZANUSSI 046553

ZANUSSI 048084

ZANUSSI 048272

ZANUSSI 066350

ZANUSSI 067336

3186135 THERMOMETER GASKET 60x30 mm



ZANUSSI 048070



Suitable for:

3441015 WHITE TELETHERMOMETER 56x25 mm 0-120°C
plastic case
PVC covered capillary 3000 mm
spring bulb $\varnothing$ 8.4 mm
fitting $\varnothing$ M10x1 mm
for Dishwasher (ZANUSSI) LC100
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - LS10 - LS12



ZANUSSI 047211

ZANUSSI 047784

ZANUSSI 048065

ZANUSSI 075671

ZANUSSI 076048

Suitable for:

3441044 WHITE THERMOMETER $\varnothing$ 52 mm 0-120°C
plastic case
covered capillary 2500 mm
bulb $\varnothing$ 6x36 mm
for Dishwasher (ZANUSSI) FL700 - HYDRA700 - LS7
LV70 - Z70



ZANUSSI 048564

Terminal blocks

3247039 MAIN TERMINAL BLOCK 145x145 mm
for Dishwasher (ZANUSSI) LB5G - LS5 - LS5WS - LS6
LS6AH - LS6WS - WT30WS - WT37 - WT38 - WT4
WT4G - WT4WS - WT55
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS14 - LS14AH - LS14WS - LS9 - WT60 - WT65
WT65WS



ZANUSSI 0L0111

ZANUSSI 049618

3247006 TERMINAL BLOCK 2-POLE CERAMIC
for cable max. 10 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ZANUSSI 053805

3247015 12-POLE PLASTIC TERMINAL BLOCK
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ZANUSSI 0W3543

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK
for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ZANUSSI 054042

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 005420

ZANUSSI 088165

ZANUSSI 046347

ZANUSSI 058613



Suitable for:

ZANUSSI



Suitable for:

Terminals and electrical connectors


3051154 NAKED END PIPE 2.5x10 mm 100 PCS



ZANUSSI 0K4532

Thermostats

3444072 SAFETY THERMOSTAT 126°C
manual reset
covered capillary 1730 mm
bulb $\varnothing$ 6x129 mm
16A 250V
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5086

3444602 SINGLE-PHASE THERMOSTAT 0-85°C
for tank
covered capillary 600 mm
button bulb $\varnothing$ 14x31 mm
16A 250V
D shaft $\varnothing$ 6x4.6 mm
for Glasswasher/Cupwasher (ZANUSSI) CRYSTAL11
CRYSTAL22 - LTB11 - LTB12 - LTB22



ZANUSSI 069423

3444014 SINGLE-PHASE THERMOSTAT 30-90°C
capillary 1250 mm
bulb $\varnothing$ 6x110 mm
16A 250V
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS96
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS75 - LS860



ZANUSSI 0L1633

ZANUSSI 048266

ZANUSSI 049243

ZANUSSI 068012

ZANUSSI 068582

3243139 O-RING 02025 EPDM
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898


ZANUSSI 086109

3444215 STUFFING GLAND FOR THERMOSTAT M12x1
hole $\varnothing$ 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067899

3444018 SINGLE-PHASE THERMOSTAT 30-90°C
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 6x175 mm



ZANUSSI 051142


Suitable for:

3444754 SINGLE-PHASE THERMOSTAT 50-98°C
D-shaped pin 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb $\varnothing$ 3x335 mm - with stuffing gland M9x1



ZANUSSI 0H6440

3444395 SINGLE-PHASE THERMOSTAT 63°C
capillary 900 mm
bulb $\varnothing$ 6x115 mm
15A 400V
for Glasswasher/Cupwasher (ZANUSSI) WT1 - WT2



ZANUSSI 0L2122

ZANUSSI 049255


3243139 O-RING 02025 EPDM
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898

ZANUSSI 086109

3444215 STUFFING GLAND FOR THERMOSTAT M12x1
hole $\varnothing$ 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92




ZANUSSI 067899

3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1



ZANUSSI 027061

3444065 THERMOSTAT 30°-110°C
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5032

ZANUSSI 0K7035



ZANUSSI



Suitable for:

3444330 THREE-PHASE THERMOSTAT 0-90°C
for tank
covered capillary 1000 mm
bulb $\varnothing$ 6x220 mm
10A 400V
with adjusting screw
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049191

Suitable for:


3243139 O-RING 02025 EPDM
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898


ZANUSSI 086109

3444215 STUFFING GLAND FOR THERMOSTAT M12x1
hole $\varnothing$ 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067899


3444331 THREE-PHASE THERMOSTAT +140°C
with manual reset
covered capillary 1000 mm
bulb $\varnothing$ 6x90 mm
10A 400V
for boiler



ZANUSSI 004862

ZANUSSI 059079

3444221 THREE-PHASE THERMOSTAT 140°C
with manual reset
covered capillary length 1000 mm - 10A 400V
bulb $\varnothing$ 6x175 mm
for Dishwasher (ZANUSSI) LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 051644

3444016 THREE-PHASE THERMOSTAT 30-90°C
capillary 900 mm
bulb $\varnothing$ 6x215 mm
10A 400V
with temperature adjusting screw
for Dishwasher (ZANUSSI) LS360 - LS365 - LS4
LS510 - LS520 - LS521



ZANUSSI 0C5345

ZANUSSI 045169

Timers

- 3446040** **TIMER T23 24V 50Hz**
 electronic multiscale timer
 programmable time scale 120h-12h-120'-12'-
 120"-12"
 2 changeover relays contact capacity 6(4)A 250V
 for Pan/utensilwashing machines (ZANUSSI) LO/E250
 LO/E480 - LOPE25 - LOPE48 - PLO250E - PLO480/E



ZANUSSI 075659

Tool holder shafts

- 9742006** **TOOL SHAFT FEATHER**
 dimensions 6x6x25 mm



ZANUSSI 0E5048

ZANUSSI 0K8973

Tubing and hoses

- 3248606** **INLET HOSE**
 internal ø 45 mm
 length 60 mm



ZANUSSI 069537

- 3450103** **INLET HOSE**
 internal ø 63 mm - length 70 mm
 for Dishwasher pull-through (ZANUSSI) RT



ZANUSSI 0E5023

- 3450104** **OUTLET HOSE**
 internal ø 53 mm



ZANUSSI 0E2970




ZANUSSI



Suitable for:

Suitable for:

3450017 OUTLET HOSE
rubber pipe with textile reinforcement
internal $\varnothing$ 54 mm
internal $\varnothing$ 43 mm
length 430 mm
for Dishwasher (ZANUSSI) LS500 - LS501



ZANUSSI 046257

ZANUSSI 065531

3450042 OUTLET HOSE
rubber pipe with textile reinforcement
internal $\varnothing$ 45 mm
length 285 mm
for tank pump inlet hose
for Dishwasher (ZANUSSI) LS4 - LS500 - LS521



ZANUSSI 045768

3248605 PUMP OUTLET HOSE
internal $\varnothing$ 33 mm



ZANUSSI 069442

3450048 PUMP OUTLET PIPE
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI 048241

3450065 INLET HOSE
external $\varnothing$ 78 mm
height 50 mm
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI 048242

3248170 PUMP TUBING INTERNAL $\varnothing$ 64x110 mm
for Dishwasher hood type (ZANUSSI) LS1080
for Dishwasher pull-through (ZANUSSI) CT192



ZANUSSI 046565

3450001 TUBING $\varnothing$ 60x75 mm
rubber pipe with textile reinforcement
for WASHING MACHINE
for DISHWASHER LS500-LS540-LS1080-LSE720



ZANUSSI 0L0613

ZANUSSI 045456

Vibration insulators for motors

- 40E5344 SHOCK ABSORBER MADE OF RUBBER**
 thread pins $\varnothing$ M8x20 mm - thickness rubber 20 mm
 for Dishwasher conveyor type (ZANUSSI) LN34ED
 LN34ES - LN48ED - LN48ES - LN72ED - LN72ES
 for Dishwasher pull-through (ZANUSSI) RT100SL
 RT100SR - RT140VD - RT140VS - WT100SLM
 WT100SRM - WT150SLT - WT150SRT



ZANUSSI 0E5344

Wash and rinse arms for warewashers

- 3243150 ARM ASSEMBLY BOSS**
 wash and rinse
 for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
 LS505 - LS510 - LS520 - LS521



ZANUSSI 047990

- 1186223 O-RING 02056 EPDM**



ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346

- 3243651 COMPLETE RINSE ARM**



ZANUSSI 069577

- 3243600 COMPLETE WASH AND RINSE ARM**



ZANUSSI 069576

- 1186803 O-RING 02037 EPDM**
 for Dishwasher (ZANUSSI)
 LS32 - LS360 - LS365



ZANUSSI 046376

- 3743127 COMPLETE WASH/RINSE ARM ASSEMBLY**
 length 380 mm



ZANUSSI 070349

- 1186223 O-RING 02056 EPDM**



ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346



ZANUSSI



Suitable for:

Suitable for:

3243878 NOZZLE BOSS
for Dishwasher (ZANUSSI) LS3 - LS5

1186223 O-RING 02056 EPDM



ZANUSSI 049293

ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346

3743207 PLUG FOR WASH/RINSE ARM ASSY

3743367 RING NUT FOR WASH ARM ASSEMBLY BOSS
for Pan/utensilwashing machines (ZANUSSI) LO/E250
LO/E480 - LO480Z - PLO250E - PLO480/E
PLO480V



ZANUSSI 066396

ZANUSSI 075627

3743188 RINSE ARM
overall length 534 mm
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT

3743189 RINSE NOZZLE TYPE 9504
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E5506

ZANUSSI 0E5148

3243885 RINSE ARM ASSEMBLY 400 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2

3243886 RINSE ARM ASSEMBLY CAP
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2




ZANUSSI 0L2096

ZANUSSI 049049

ZANUSSI 049048

3243887 RINSE ARM ASSEMBLY SPINDLE
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2

3243888 WASHER FOR SPINDLE
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049046

ZANUSSI 049047

3243206 RINSE ARM ASSEMBLY 475 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 0L2095
ZANUSSI 048716

ZANUSSI 048248

ZANUSSI 048542

3243159 HOSE-END ELBOW M1/4"
hose-end fittings $\varnothing$ 12 mm
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 046375

3743846 RINSE ARM ASSEMBLY
for Dishwasher (ZANUSSI) LS61 - LS62 - LS63 - LS64
LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 049152

3243118 SPINDLE FOR UPPER WASH ARM ASSEMBLY
for Dishwasher (ZANUSSI) HYDRA700 - LS7 - WT40
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048333

Suitable for:

3243207 END CAP
for Dishwasher (ZANUSSI)
LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI)
HT1000 - LS10 - LS12 - LS8 - LV1200 - WT60
for Dishwasher hood type (ZANUSSI) LC100



ZANUSSI 048714

3243160 O-RING 0174 EPDM



ZANUSSI 046366

3243209 SPINDLE FOR ARM
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - LS8 - WT60



ZANUSSI 048290

3243158 SUPPORT FOR ARM
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS360 - LS505 - LS510 - LS520 - LS521 - LS540
LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 0L0695

ZANUSSI 046368



Suitable for:

3243119 UPPER RING NUT
for Dishwasher (ZANUSSI) LS7 - WT40
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048650

ZANUSSI



Suitable for:

3243208 WASHER FOR ARM
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8




ZANUSSI 048632

3743315 RINSE ROD



ZANUSSI 0HA043

3743204 THREADED PLUG FEMALE 1"
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5016

3315001 WASH ARM
for Dishwasher (ZANUSSI) LS500 - LS501



ZANUSSI 065502

3186184 EPDM O-RING GASKET 0147



ZANUSSI 065506

3315004 WASH JET
for Dishwasher (ZANUSSI) LS500 - LS501




ZANUSSI 065507

3315005 WASH JET SPINNER
for Dishwasher (ZANUSSI) LS500 - LS501



ZANUSSI 066896

3743316 WASH ARM ASSEMBLY CAP
for Dishwasher (ZANUSSI) LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS8



ZANUSSI 048289

3243135 WASH ARM ASSEMBLY END CAP
for Dishwasher (ZANUSSI) LS360 - LS365 - LS540



ZANUSSI 046266

Suitable for:

3243881 WASH ARM ASSEMBLY 410 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049044

3186433 GASKET FLAT $\varnothing$ 50x38x1.85 mm



ZANUSSI 049038

3243883 RING NUT FOR BUSHING



ZANUSSI 049043

3243117 WASH ARM ASSEMBLY 480 mm
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - WT60



ZANUSSI 0L0597

ZANUSSI 048247

3243195 GASKET $\varnothing$ 100x16x3 mm
for jet support
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - LS8 - WT60



ZANUSSI 048236

Suitable for:

3243882 BUSHING FOR WASH ARM ASSEMBLY



ZANUSSI 049042

3243884 LOCKING RING NUT



ZANUSSI 049039

3243207 END CAP
for Dishwasher (ZANUSSI)
LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI)
HT1000 - LS10 - LS12 - LS8 - LV1200 - WT60
for Dishwasher hood type (ZANUSSI) LC100



ZANUSSI 048714

3243197 SPACER
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048238

ZANUSSI 048645

ZANUSSI 048931



Suitable for:

3243209 SPINDLE FOR ARM

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - LS8 - WT60



ZANUSSI 048290

3243200 WASH ARM ASSEMBLY BOSS

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - LS8 - WT60



ZANUSSI 048401

3243203 WASH ARM ASSEMBLY 485 mm

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8
for Dishwasher hood type (ZANUSSI) LS9P



ZANUSSI 0L0598

ZANUSSI 048821

1186352 O-RING 02050 EPDM



ZANUSSI 047986

3243200 WASH ARM ASSEMBLY BOSS

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - LS8 - WT60



ZANUSSI 048401

ZANUSSI



Suitable for:

3243202 SUPPORT LOCKING NUT

for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - WT60



ZANUSSI 048237

3243208 WASHER FOR ARM

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048632

3243204 GASKET FOR WASH ARM ASSEMBLY

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64



ZANUSSI 048823

3743848 PIN FOR JET SUPPORT

for Dishwasher (ZANUSSI) C32 - C33 - C55A - LS32
LS33 - LS5



ZANUSSI 049292

3243205 WASH ARM ASSEMBLY RING NUT

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64



ZANUSSI 048824



Suitable for:

ZANUSSI



3243201 WASH ARM ASSEMBLY SPINDLE
for Dishwasher (ZANUSSI) LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048239

Suitable for:

3743845 WASH ARM CAP
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT142 - RT190 - RT270 - RT340 - RT480
for Dishwasher conveyor type (ZANUSSI) LV3000ER



ZANUSSI 0E5997

1186238 O-RING 04081 EPDM



ZANUSSI 0A5182

3243188 WASH JET
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT92



ZANUSSI 046867

3243189 O-RING 02137 EPDM
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT92



ZANUSSI 046868

Wash jets and accessories

3501092 COMPLETE RINSE JET



ZANUSSI 0HA048

ZANUSSI 0HA129

3501091 COMPLETE WASH JET



ZANUSSI 0HA132

3501097 COMPLETE WASH JET



ZANUSSI

3501099 EXTERNAL RINSE JET



ZANUSSI 005428



ZANUSSI



Suitable for:

Suitable for:

3501063 GASKET FOR NOZZLE



ZANUSSI 046271

3243137 RINSE JET

for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS367 - LS540
for Dishwasher hood type (ZANUSSI) LSE720 - LS1080
LS860



ZANUSSI 046272

3243138 RINSE JET COUNTER FLANGE

5CF11B-CT92-CT140-CT141-CT142-CT190-CT191
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS367 - LS540
for Dishwasher hood type (ZANUSSI) LSE720 - LS1080
LS860



ZANUSSI 046273

3501060 RINSE JET $\varnothing$ 1/8"

for Pan/utensilwashing machines (ZANUSSI) LO250
LO480



ZANUSSI 045753

3243905 WASH NOZZLE

for Dishwasher pull-through (ZANUSSI) CT140



ZANUSSI 048061

3243139

O-RING 02025 EPDM

for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898

ZANUSSI 086109

3501094

WASH JET DEFLECTOR



ZANUSSI 0HA102

3243917

FASTENING CLAMP

for Dishwasher pull-through (ZANUSSI) CT140



ZANUSSI 047221



Suitable for:

Suitable for:

3243900 WASHING NOZZLE FASTENING CLAMP
for Dishwasher pull-through (ZANUSSI) CT140



ZANUSSI 047220

Washing baskets and accessories

3055556 ALL PURPOSE RACK 500x500x100 mm
bottom with small holes
in plastic
useful internal height when stacked 76 mm



ZANUSSI 048797

3055756 BASKET BROWN NARROW MESH 500x500 mm
for CUTLERY
height 100 mm



ZANUSSI 0L1962

ZANUSSI 0S0582

ZANUSSI 048797

3055754 BASKET GRAY 500x500x110 mm
for 16 PLAIN PLATES




ZANUSSI 0S0584

ZANUSSI 0S0944

ZANUSSI 068692

3055752 BASKET GREEN 500x500x100 mm
for 12 DEEP PLATES



ZANUSSI 0L1965

ZANUSSI 0S0593

ZANUSSI 048891

3055755 BASKET LIGHT BLUE LARGE MESH 500x500 mm
for VARIOUS ITEMS
height 100 mm



ZANUSSI 0L1961

ZANUSSI 0S0583

ZANUSSI 048796

3055753 BASKET YELLOW 500x500x100 mm
for 18 PLAIN PLATES ø 240 mm



ZANUSSI 0L1964

ZANUSSI 0S0581

ZANUSSI 048795

3055610 CUTLERY INSERT RACK 105x105x135 mm
of plastic



ZANUSSI 069561

3055004 CUTLERY INSERT RACK 110x110x124 mm
of yellow plastic



ZANUSSI 0L1813(1PZ)

ZANUSSI 069956

ZANUSSI 865574



ZANUSSI



Suitable for:


3055053 CUTLERY INSERT RACK 113x113x130 mm
plastic



ZANUSSI 049070

Suitable for:

3055011 DISH RACK 500x500x100 mm
for 22 dishes
made of plastic covered wire



ZANUSSI 0S0057

3055612 GLASS INSERT RACK - 10 Pcs
made of plastic
modular plastic grid 385x385 mm



ZANUSSI 069572

ZANUSSI 960455

3055478 GLASS RACK 350x350x150mm




ZANUSSI 0HA029

3055238 GLASS RACK 400x400x135 mm
in plastic covered wire



ZANUSSI 0U1033

3055010 GLASS RACK 500x500x120 mm
in plastic covered wire



ZANUSSI 0S0058

3055002 PLATE RACK ø 520x150 mm
in plastic covered wire
ø 520 mm
height 150 mm
for Dishwasher (ZANUSSI) LS50 - LS500



ZANUSSI 065565

ZANUSSI 865565

3055636 PLATE RACK 500x500x110 mm
for 12 SOUP PLATES ø 240 mm
for 18 SHALLOW PLATES ø 240 mm



ZANUSSI 068692

3055616 RACK 382x382x200 mm
for GLASSES and DIFFERENT WARE
in plastic covered wire



ZANUSSI 069564

3055615 RACK 382x382x95 mm
for GLASSES and DIFFERENT WARE
in plastic covered wire



ZANUSSI 069563



Suitable for:

3055611 SAUCER RACK 380x80x100 mm
made of plasticized wire - for 15 saucers



ZANUSSI 069562

Suitable for:

3055638 TRAY RACK 500x500x110 mm
for 8 TRAYS 530x370 mm



ZANUSSI 048890

Water purification filters

3010601 PURITY CLEAN EXTRA 1200
for water treatment for TECHNICAL purposes
water softener ideal for DISHWASHERS
specific for HOT WATER
adjustable bypass
capacity at 10°dH 5000 L
flow rate 300 L/h
max. pressure 6 bar
min. pressure 2 bar
operating temperature 4°C/60°C
loss of pressure at 0.45 bar flow rate
dimensions: height 550 mm - ø 255 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet ø 1" M - outlet ø 3/4" M
horizontal or vertical mounting



ZANUSSI 0S0803

3010600 PURITY CLEAN 1200
for water treatment for TECHNICAL purposes
water softener ideal for DISHWASHERS
specific for HOT WATER
capacity 10°KH 12000 L
flow rate 300 L/h
max. pressure 6 bar
min. pressure 2 bar
operating temperature 4°C/60°C
loss of pressure at 0.45 bar flow rate
dimensions: height 550 mm - ø 255 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet ø 1" M - outlet ø 3/4" M
horizontal or vertical mounting



ZANUSSI 0S0801

3010604 PURITY ST 1200
water softener ideal for COFFEE MACHINES-DISPENSER
OVENS - ICE MAKERS
adjustable bypass
capacity 10°KH 13187 L
flow rate 200 L/h
max. pressure 6.9 bar
min. pressure 2 bar
operating temperature 4°C/30°C
loss of pressure at 1.05 bar flow rate
dimensions: height 550 mm - ø 288 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet ø 3/8" M - outlet ø 3/8" M
horizontal or vertical mounting



ZANUSSI 0S0682



Suitable for:

ZANUSSI



Suitable for:

Water softeners and accessories

- 3010061 MANUAL WATER SOFTENER 12 L ø 3/4"**
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 12 L
connections 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg



ZANUSSI 0S0330

- 3010102 MANUAL WATER SOFTENER 12 L ø 3/4"**
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 12 L
connection 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg
inlet water maximum temperature 60°C



ZANUSSI 0S0330

- 3010006 MANUAL WATER SOFTENER 12 L WITH BY-PASS**
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 12 L
connection 3/8"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt(NaCl-table salt)1.5 Kg



ZANUSSI 0S0579

- 3010063 MANUAL WATER SOFTENER 20 L ø 3/4"**
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 20 L
connections 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg



ZANUSSI 0S0329

- 3010104 MANUAL WATER SOFTENER 20 L ø 3/4"**
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 20 L
connection 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg
inlet water maximum temperature 60°C



ZANUSSI 860430

- 3010060 MANUAL WATER SOFTENER 8 L ø 3/4"**
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 8 L
connections 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg



ZANUSSI 0C1903

Suitable for:

Suitable for:

3010101 MANUAL WATER SOFTENER 8 L $\varnothing$ 3/4"
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 8 L
connection 3/4"
dimensions: height 400 mm - $\varnothing$ 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg
inlet water maximum temperature 60°C




ZANUSSI 0C1903

3010005 MANUAL WATER SOFTENER 8 L WITH BY-PASS
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 8 L
connection 3/8"
dimensions: height 400 mm - $\varnothing$ 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg



ZANUSSI 0S0578

3010094 WATER SOFTENER "MATIC 12" 12 L $\varnothing$ 3/4"
for water treatment for TECHNICAL purposes
AUTOTROL chronometric head 255/460TC
230V 50Hz
time controller mod.460TC (weekly)
operating temperature 2°÷35°C
cylinder capacity 11.8 L - resin content 8 L
salt container 30 Kg
regeneration salt(NaCl-table salt)1.5 Kg
inlet/outlet connections $\varnothing$ 3/4"F
dimensions: width 260 mm - depth 480 mm
height without head 435 - overall height 650 mm
We always recommend to use a mechanical filter
before the softener, in order to remove
impurities from water



ZANUSSI 0S0332

3010074 WATER SOFTENER "MATIC 8" 8 L $\varnothing$ 3/4"
for water treatment for TECHNICAL purposes
AUTOTROL chronometric head 255/460TC
230V 50Hz
time controller mod.460TC (weekly)
operating temperature 2°÷35°C
cylinder capacity 8.5 L - resin content 5.4 L
salt container 20 Kg
regeneration salt(NaCl-table salt)1 Kg
inlet/outlet connections $\varnothing$ 3/4"F
dimensions: width 200 mm - depth 430 mm
height without head 335 - overall height 550 mm
We always recommend to use a mechanical filter
before the softener, in order to remove
impurities from water



ZANUSSI 0S0716

Watertight seals and rings

9014136 OIL SEAL 40x25x7 mm



ZANUSSI 034077

5017523 SEALING RING 30x42x7 mm
double lip retainer



ZANUSSI 0KQ342

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  <p>LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> |  <p>OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
|  <p>LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com</p> |  <p>LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
|  <p>EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> |  <p>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch</p> |
|  <p>LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> |  <p>LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
|  <p>LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | |
-
- | | |
|---|---|
|  <p>AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> |  <p>DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
|  <p>AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at</p> |  <p>JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp</p> |
|  <p>BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> |  <p>SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
|  <p>BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> |  <p>TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com</p> |
|  <p>CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz</p> |  <p>USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |